

2-[(*E*)-(2,4-Dihydroxybenzylidene)-azaniumyl]-3-phenylpropanoateHadariah Bahron,<sup>a</sup> ‡ Fatimatu Zahraa Mohd Fadzal,<sup>a</sup> Karimah Kassim,<sup>a</sup> Madhukar Hemamalini<sup>b</sup> and Hoong-Kun Fun<sup>b\*§</sup><sup>a</sup>Faculty of Applied Sciences, Universiti Teknologi MARA, 40450 Shah Alam, Selangor, Malaysia, and <sup>b</sup>X-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia  
Correspondence e-mail: hkfun@usm.my


Received 26 April 2011; accepted 3 May 2011

Key indicators: single-crystal X-ray study; *T* = 100 K; mean  $\sigma(\text{C}-\text{C}) = 0.001 \text{ \AA}$ ; *R* factor = 0.043; *wR* factor = 0.125; data-to-parameter ratio = 29.7.

The title compound,  $\text{C}_{16}\text{H}_{15}\text{NO}_4$ , exists as a zwitterion in the solid state, with the carboxylic acid group being deprotonated and the imine N atom being protonated. The molecule adopts an *E* configuration about the  $\text{C}=\text{N}$  double bond. The dihedral angle between the benzene rings is  $46.34(4)^\circ$ . An intramolecular  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bond generates an *S*(6) ring motif. In the crystal, adjacent molecules are connected by intermolecular  $\text{O}-\text{H}\cdots\text{O}$  and  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonds, forming supramolecular ribbons along the *a* axis.

## Related literature

For details of Schiff bases and their applications, see: Dolaz *et al.* (2009); Kumar *et al.* (2010); Qiao *et al.* (2011); Sauri *et al.* (2009); Tamami & Ghasemi (2011). For related structures, see: Bahron *et al.* (2010); Hemamalini & Fun (2011). For the stability of the temperature controller used in the data collection, see: Cosier & Glazer (1986). For graph-set notation, see: Bernstein *et al.* (1995).



‡ Additional correspondence author, e-mail: hadariah@salam.uitm.edu.my.  
§ Thomson Reuters ResearcherID: A-3561-2009.

## Experimental

## Crystal data

$\text{C}_{16}\text{H}_{15}\text{NO}_4$   
 $M_r = 285.29$   
Monoclinic,  $P2_1/c$   
 $a = 9.3943(1) \text{ \AA}$   
 $b = 6.8946(1) \text{ \AA}$   
 $c = 20.7251(3) \text{ \AA}$   
 $\beta = 92.065(1)^\circ$

$V = 1341.49(3) \text{ \AA}^3$   
 $Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 0.10 \text{ mm}^{-1}$   
 $T = 100 \text{ K}$   
 $0.34 \times 0.27 \times 0.17 \text{ mm}$

## Data collection

Bruker SMART APEXII CCD  
area-detector diffractometer  
Absorption correction: multi-scan  
(*SADABS*; Bruker, 2009)  
 $T_{\min} = 0.966$ ,  $T_{\max} = 0.982$

22479 measured reflections  
6007 independent reflections  
4783 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.025$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$   
 $wR(F^2) = 0.125$   
 $S = 1.03$   
6007 reflections  
202 parameters

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\text{max}} = 0.56 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.24 \text{ e \AA}^{-3}$

Table 1

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

<i>D</i> — <i>H</i> ··· <i>A</i>	<i>D</i> — <i>H</i>	<i>H</i> ··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> — <i>H</i> ··· <i>A</i>
O1—H1O1···O4 <sup>i</sup>	0.863 (15)	1.790 (14)	2.6302 (9)	163.9 (15)
N1—H1N1···O1	0.864 (14)	2.051 (15)	2.6810 (9)	129.1 (12)
O2—H1O2···O3 <sup>iii</sup>	1.03 (2)	1.51 (2)	2.5310 (10)	179 (2)
C5—H5A···O2 <sup>iii</sup>	0.95	2.56	3.3155 (10)	137
C12—H12A···O2 <sup>iv</sup>	0.95	2.46	3.1781 (10)	132

Symmetry codes: (i)  $-x+1, -y+2, -z$ ; (ii)  $x+1, y-1, z$ ; (iii)  $x-1, y, z$ ; (iv)  $-x+2, -y+1, -z$ .

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

HB, FMF and KK wish to thank both Universiti Teknologi MARA (UiTM) and Universiti Sains Malaysia (USM) for research facilities, and the Malaysian Ministry of Higher Education for the research grant FRGS UiTM 5/3/FST/(12/2008). HKF and MH thank the Malaysian Government and Universiti Sains Malaysia for the Research University grant No. 1001/PFIZIK/811160. MH also thanks Universiti Sains Malaysia for a post-doctoral research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: RZ2592).

## References

- Bahron, H., Bakar, S. N. A., Kassim, K., Yeap, C. S. & Fun, H.-K. (2010). *Acta Cryst.* **E66**, o883.  
Bernstein, J., Davis, R. E., Shimon, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.  
Bruker (2009). *APEX2*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.

- Dolaz, M., McKee, V., Golcu, A. & Tumer, M. (2009). *Spectrochim. Acta Part A*, **71**, 1648–1654.
- Hemamalini, M. & Fun, H.-K. (2011). *Acta Cryst. E* **67**, o435–o436.
- Kumar, G., Kumar, D., Devi, S., Johari, R. & Singh, C. P. (2010). *Eur. J. Med. Chem.* **45**, 3056–3062.
- Qiao, X., Ma, Z.-Y., Xie, C.-Z., Xue, F., Zhang, Y.-W., Xu, J.-Y., Qiang, Z.-Y., Lou, J.-S., Chen, G.-J. & Yan, S.-P. (2011). *J. Inorg. Biochem.* **105**, 728–737.
- Sauri, A. S. M., Kassim, K., Bahron, H., Yahya, M. Z. A. & Harun, M. K. (2009). *Mat. Res. Innovat.* **13**, 305–309.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Tamami, B. & Ghasemi, S. (2011). *Appl. Catal. A*, **393**, 242–250.

**supplementary materials**

*Acta Cryst.* (2011). E67, o1331-o1332 [ doi:10.1107/S1600536811016655 ]

## 2-[(*E*)-(2,4-Dihydroxybenzylidene)azaniumyl]-3-phenylpropanoate

H. Bahron, F. M. Fadzil, K. Kassim, M. Hemamalini and H.-K. Fun

### Comment

Schiff bases have received considerable attention and remain important in the field of coordination chemistry vastly due to their simple synthesis and versatility. They are widely reported to have extensive potential applications in various biological and pharmaceutical fields (Dolaz *et al.*, 2009) as antimicrobial (Kumar *et al.*, 2010) and antitumor (Qiao *et al.*, 2011) agents. They also display potential applications as corrosion inhibitors (Sauri *et al.*, 2009) and catalysts (Tamami & Ghasemi, 2011). The title molecule, (I), is a Schiff base derived from DL-phenylalanine and 2,4-dihydroxybenzaldehyde using the procedure reported by Bahron *et al.* (2010). It crystallizes as a zwitterion in which the imine N is protonated. A similar zwitterionic structure was reported by Hemamalini & Fun (2011).

The asymmetric unit of the title compound is shown in Fig. 1. The molecule is a zwitterion in the crystal, with the carboxylic acid group deprotonated and the imine N atom protonated. It adopts an *E* configuration about the central C9=N1 double bond [1.3045 (3) Å] with the torsion angle C10-C9-N1-C8 = -175.36 (7)°. The dihedral angle between the benzene (C10-C15) and phenyl (C1-C6) rings is 46.34 (4)°.

In the crystal structure (Fig. 2), an intramolecular N1—H1N1...O1 hydrogen bond (Table 1) generates an *S*(6) ring motif (Bernstein *et al.*, 1995). Furthermore, adjacent molecules are connected by intermolecular O1—H1O1...O4, O2—H1O2...O3, C5—H5A...O2 and C12—H12A...O2 (Table 1) hydrogen bonds forming supramolecular ribbons along the *a* axis.

### Experimental

DL-phenylalanine (2 mmol, 0.330 g) was dissolved in absolute ethanol (20 mL), into which 2,4-dihydroxybenzaldehyde (2 mmol, 0.276 g) was added, followed by refluxing for two hours. The solution was left to slowly cool to room temperature upon which pale orange crystals were produced. These were filtered off, washed with ice-cold ethanol and air dried (yield 68%). Melting point: 540–543 K. Analytical calculated for C<sub>16</sub>H<sub>15</sub>NO<sub>4</sub> (%): C, 67.36; H, 5.30; N, 4.91. Found (%): C, 67.13; H, 5.49; N, 4.89. IR (cm<sup>-1</sup>): ν(C=N) 1642.9 (m), ν(C—OH) 1243.7 (w), ν(C=O) 1880.6 (w).

### Refinement

Atoms H1O1, H1N1 and H1O2 were located from a difference Fourier map and refined freely [N—H = 0.864 (16) Å; O—H = 0.863 (15)–1.025 (19) Å]. The remaining H atoms were positioned geometrically [C—H = 0.95–1.0 Å] and were refined using a riding model, with  $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$ .

Figures




Fig. 1. The asymmetric unit of the title compound, showing 50% probability displacement ellipsoids. The intramolecular hydrogen bond is shown as a dashed line.




Fig. 2. The crystal packing of the title compound with hydrogen bonds shown as dashed lines. H atoms not involved in the intermolecular interactions have been omitted for clarity.

**2-[(*E*)-(2,4-Dihydroxybenzylidene)azaniumyl]-3-phenylpropanoate**

*Crystal data*

C<sub>16</sub>H<sub>15</sub>NO<sub>4</sub>

*M<sub>r</sub>* = 285.29

Monoclinic, *P*2<sub>1</sub>/*c*

Hall symbol: -*P* 2ybc

*a* = 9.3943 (1) Å

*b* = 6.8946 (1) Å

*c* = 20.7251 (3) Å

β = 92.065 (1)°

*V* = 1341.49 (3) Å<sup>3</sup>

*Z* = 4

*F*(000) = 600

*D<sub>x</sub>* = 1.413 Mg m<sup>-3</sup>

Mo *K*α radiation, λ = 0.71073 Å

Cell parameters from 9091 reflections

θ = 3.0–35.3°

μ = 0.10 mm<sup>-1</sup>

*T* = 100 K

Block, orange

0.34 × 0.27 × 0.17 mm

*Data collection*

Bruker SMART APEXII CCD area-detector diffractometer

Radiation source: fine-focus sealed tube graphite

φ and ω scans

Absorption correction: multi-scan (*SADABS*; Bruker, 2009)

*T<sub>min</sub>* = 0.966, *T<sub>max</sub>* = 0.982

6007 independent reflections

4783 reflections with *I* > 2σ(*I*)

*R<sub>int</sub>* = 0.025

θ<sub>max</sub> = 35.3°, θ<sub>min</sub> = 2.0°

*h* = -15→13

*k* = -8→11

22479 measured reflections

$l = -33 \rightarrow 32$

### Refinement

Refinement on  $F^2$

Primary atom site location: structure-invariant direct methods

Least-squares matrix: full

Secondary atom site location: difference Fourier map

$R[F^2 > 2\sigma(F^2)] = 0.043$

Hydrogen site location: inferred from neighbouring sites

$wR(F^2) = 0.125$

H atoms treated by a mixture of independent and constrained refinement

$S = 1.03$

$w = 1/[\sigma^2(F_o^2) + (0.0674P)^2 + 0.2835P]$

where  $P = (F_o^2 + 2F_c^2)/3$

6007 reflections

$(\Delta/\sigma)_{\max} < 0.001$

202 parameters

$\Delta\rho_{\max} = 0.56 \text{ e } \text{\AA}^{-3}$

0 restraints

$\Delta\rho_{\min} = -0.24 \text{ e } \text{\AA}^{-3}$

### Special details

**Geometry.** All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional R-factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and R-factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.60361 (6)	0.80079 (9)	0.04375 (3)	0.01400 (12)
O2	0.97519 (6)	0.33854 (10)	0.05402 (3)	0.01685 (13)
O3	0.03702 (7)	0.98745 (10)	0.07713 (4)	0.01988 (14)
O4	0.26610 (7)	1.04016 (9)	0.05323 (3)	0.01783 (13)
N1	0.34885 (7)	0.69321 (10)	0.08580 (3)	0.01219 (12)
C1	0.33058 (10)	0.53563 (14)	0.25232 (4)	0.01942 (16)
H1A	0.3954	0.6401	0.2590	0.023*
C2	0.35367 (11)	0.36077 (15)	0.28493 (5)	0.02434 (19)
H2A	0.4337	0.3473	0.3139	0.029*
C3	0.26067 (12)	0.20648 (14)	0.27537 (5)	0.02416 (19)
H3A	0.2770	0.0875	0.2975	0.029*
C4	0.14316 (11)	0.22715 (13)	0.23307 (5)	0.02018 (17)
H4A	0.0792	0.1219	0.2262	0.024*
C5	0.11937 (9)	0.40174 (13)	0.20089 (4)	0.01695 (15)
H5A	0.0386	0.4150	0.1723	0.020*
C6	0.21269 (9)	0.55797 (12)	0.20999 (4)	0.01422 (14)

## supplementary materials

---

C7	0.18457 (9)	0.74664 (12)	0.17511 (4)	0.01563 (15)
H7A	0.2505	0.8462	0.1933	0.019*
H7B	0.0863	0.7891	0.1836	0.019*
C8	0.20180 (8)	0.73766 (12)	0.10126 (4)	0.01250 (13)
H8A	0.1359	0.6381	0.0817	0.015*
C9	0.40809 (8)	0.52254 (11)	0.09102 (4)	0.01214 (13)
H9A	0.3492	0.4173	0.1029	0.015*
C10	0.55370 (8)	0.48144 (11)	0.08037 (4)	0.01121 (13)
C11	0.65246 (8)	0.61982 (11)	0.05775 (4)	0.01132 (13)
C12	0.79342 (8)	0.56952 (12)	0.04987 (4)	0.01286 (14)
H12A	0.8591	0.6634	0.0354	0.015*
C13	0.83916 (8)	0.37933 (12)	0.06334 (4)	0.01261 (14)
C14	0.74286 (8)	0.23932 (12)	0.08580 (4)	0.01396 (14)
H14A	0.7742	0.1113	0.0955	0.017*
C15	0.60318 (8)	0.29109 (12)	0.09343 (4)	0.01367 (14)
H15A	0.5381	0.1965	0.1079	0.016*
C16	0.16518 (8)	0.93989 (12)	0.07349 (4)	0.01381 (14)
H1O1	0.6599 (16)	0.855 (2)	0.0171 (7)	0.030 (4)*
H1N1	0.3969 (16)	0.791 (2)	0.0723 (7)	0.033 (4)*
H1O2	0.999 (2)	0.196 (3)	0.0635 (8)	0.052 (5)*

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.0131 (2)	0.0096 (2)	0.0195 (3)	0.00209 (19)	0.0036 (2)	0.0038 (2)
O2	0.0113 (2)	0.0159 (3)	0.0236 (3)	0.0048 (2)	0.0034 (2)	0.0040 (2)
O3	0.0129 (3)	0.0170 (3)	0.0299 (3)	0.0054 (2)	0.0033 (2)	0.0064 (2)
O4	0.0165 (3)	0.0150 (3)	0.0223 (3)	0.0018 (2)	0.0054 (2)	0.0063 (2)
N1	0.0109 (3)	0.0108 (3)	0.0150 (3)	0.0021 (2)	0.0019 (2)	0.0017 (2)
C1	0.0211 (4)	0.0189 (4)	0.0182 (4)	0.0017 (3)	-0.0009 (3)	0.0003 (3)
C2	0.0292 (5)	0.0244 (4)	0.0191 (4)	0.0075 (4)	-0.0044 (3)	0.0027 (3)
C3	0.0371 (5)	0.0170 (4)	0.0186 (4)	0.0083 (4)	0.0039 (4)	0.0047 (3)
C4	0.0267 (4)	0.0136 (3)	0.0207 (4)	0.0006 (3)	0.0076 (3)	0.0013 (3)
C5	0.0179 (4)	0.0155 (3)	0.0176 (4)	0.0011 (3)	0.0031 (3)	0.0011 (3)
C6	0.0165 (3)	0.0127 (3)	0.0137 (3)	0.0024 (3)	0.0043 (3)	0.0011 (3)
C7	0.0192 (4)	0.0125 (3)	0.0156 (3)	0.0028 (3)	0.0048 (3)	0.0018 (3)
C8	0.0104 (3)	0.0113 (3)	0.0160 (3)	0.0027 (2)	0.0022 (2)	0.0023 (2)
C9	0.0118 (3)	0.0110 (3)	0.0137 (3)	0.0016 (2)	0.0013 (2)	0.0010 (2)
C10	0.0102 (3)	0.0100 (3)	0.0135 (3)	0.0013 (2)	0.0013 (2)	0.0009 (2)
C11	0.0118 (3)	0.0098 (3)	0.0123 (3)	0.0016 (2)	0.0009 (2)	0.0002 (2)
C12	0.0108 (3)	0.0117 (3)	0.0162 (3)	0.0016 (2)	0.0015 (2)	0.0011 (3)
C13	0.0114 (3)	0.0129 (3)	0.0136 (3)	0.0029 (2)	0.0003 (2)	0.0007 (2)
C14	0.0129 (3)	0.0108 (3)	0.0182 (3)	0.0027 (2)	0.0014 (3)	0.0020 (3)
C15	0.0125 (3)	0.0107 (3)	0.0179 (3)	0.0013 (2)	0.0021 (2)	0.0022 (3)
C16	0.0136 (3)	0.0122 (3)	0.0157 (3)	0.0028 (2)	0.0017 (3)	0.0029 (3)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

O1—C11	1.3572 (9)	C5—H5A	0.9500
--------	------------	--------	--------

O1—H1O1	0.863 (15)	C6—C7	1.5068 (12)
O2—C13	1.3293 (10)	C7—C8	1.5461 (12)
O2—H1O2	1.025 (19)	C7—H7A	0.9900
O3—C16	1.2527 (10)	C7—H7B	0.9900
O4—C16	1.2577 (10)	C8—C16	1.5425 (11)
N1—C9	1.3045 (10)	C8—H8A	1.0000
N1—C8	1.4617 (10)	C9—C10	1.4220 (11)
N1—H1N1	0.864 (16)	C9—H9A	0.9500
C1—C2	1.3952 (13)	C10—C15	1.4152 (11)
C1—C6	1.3965 (12)	C10—C11	1.4220 (11)
C1—H1A	0.9500	C11—C12	1.3842 (11)
C2—C3	1.3863 (16)	C12—C13	1.4048 (11)
C2—H2A	0.9500	C12—H12A	0.9500
C3—C4	1.3921 (15)	C13—C14	1.4133 (11)
C3—H3A	0.9500	C14—C15	1.3745 (11)
C4—C5	1.3903 (13)	C14—H14A	0.9500
C4—H4A	0.9500	C15—H15A	0.9500
C5—C6	1.3973 (12)		
C11—O1—H1O1	108.9 (10)	N1—C8—C7	111.03 (6)
C13—O2—H1O2	112.1 (10)	C16—C8—C7	107.65 (6)
C9—N1—C8	125.08 (7)	N1—C8—H8A	110.1
C9—N1—H1N1	120.3 (10)	C16—C8—H8A	110.1
C8—N1—H1N1	114.6 (10)	C7—C8—H8A	110.1
C2—C1—C6	120.37 (9)	N1—C9—C10	125.23 (7)
C2—C1—H1A	119.8	N1—C9—H9A	117.4
C6—C1—H1A	119.8	C10—C9—H9A	117.4
C3—C2—C1	120.51 (9)	C15—C10—C9	117.79 (7)
C3—C2—H2A	119.7	C15—C10—C11	118.13 (7)
C1—C2—H2A	119.7	C9—C10—C11	124.07 (7)
C2—C3—C4	119.53 (9)	O1—C11—C12	121.51 (7)
C2—C3—H3A	120.2	O1—C11—C10	117.88 (7)
C4—C3—H3A	120.2	C12—C11—C10	120.60 (7)
C5—C4—C3	120.06 (9)	C11—C12—C13	119.84 (7)
C5—C4—H4A	120.0	C11—C12—H12A	120.1
C3—C4—H4A	120.0	C13—C12—H12A	120.1
C4—C5—C6	120.90 (8)	O2—C13—C12	117.22 (7)
C4—C5—H5A	119.6	O2—C13—C14	122.24 (7)
C6—C5—H5A	119.6	C12—C13—C14	120.54 (7)
C1—C6—C5	118.64 (8)	C15—C14—C13	119.06 (7)
C1—C6—C7	121.20 (8)	C15—C14—H14A	120.5
C5—C6—C7	120.17 (8)	C13—C14—H14A	120.5
C6—C7—C8	114.68 (7)	C14—C15—C10	121.81 (7)
C6—C7—H7A	108.6	C14—C15—H15A	119.1
C8—C7—H7A	108.6	C10—C15—H15A	119.1
C6—C7—H7B	108.6	O3—C16—O4	127.87 (8)
C8—C7—H7B	108.6	O3—C16—C8	114.59 (7)
H7A—C7—H7B	107.6	O4—C16—C8	117.43 (7)
N1—C8—C16	107.91 (6)		



## supplementary materials

---

C6—C1—C2—C3	0.53 (15)	C15—C10—C11—O1	178.38 (7)
C1—C2—C3—C4	-0.27 (15)	C9—C10—C11—O1	-1.95 (12)
C2—C3—C4—C5	-0.22 (15)	C15—C10—C11—C12	-1.04 (11)
C3—C4—C5—C6	0.45 (14)	C9—C10—C11—C12	178.63 (8)
C2—C1—C6—C5	-0.29 (13)	O1—C11—C12—C13	-178.40 (7)
C2—C1—C6—C7	179.02 (8)	C10—C11—C12—C13	1.00 (12)
C4—C5—C6—C1	-0.19 (13)	C11—C12—C13—O2	179.06 (7)
C4—C5—C6—C7	-179.51 (8)	C11—C12—C13—C14	-0.93 (12)
C1—C6—C7—C8	112.09 (9)	O2—C13—C14—C15	-179.07 (8)
C5—C6—C7—C8	-68.61 (10)	C12—C13—C14—C15	0.92 (12)
C9—N1—C8—C16	-166.85 (7)	C13—C14—C15—C10	-0.99 (13)
C9—N1—C8—C7	75.39 (10)	C9—C10—C15—C14	-178.64 (8)
C6—C7—C8—N1	-63.66 (9)	C11—C10—C15—C14	1.05 (12)
C6—C7—C8—C16	178.43 (7)	N1—C8—C16—O3	172.58 (7)
C8—N1—C9—C10	-175.36 (7)	C7—C8—C16—O3	-67.51 (9)
N1—C9—C10—C15	174.78 (8)	N1—C8—C16—O4	-10.87 (10)
N1—C9—C10—C11	-4.90 (13)	C7—C8—C16—O4	109.04 (8)

### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
O1—H1O1 $\cdots$ O4 <sup>i</sup>	0.863 (15)	1.790 (14)	2.6302 (9)	163.9 (15)
N1—H1N1 $\cdots$ O1	0.864 (14)	2.051 (15)	2.6810 (9)	129.1 (12)
O2—H1O2 $\cdots$ O3 <sup>ii</sup>	1.03 (2)	1.51 (2)	2.5310 (10)	179 (2)
C5—H5A $\cdots$ O2 <sup>iii</sup>	0.95	2.56	3.3155 (10)	137
C12—H12A $\cdots$ O2 <sup>iv</sup>	0.95	2.46	3.1781 (10)	132

Symmetry codes: (i)  $-x+1, -y+2, -z$ ; (ii)  $x+1, y-1, z$ ; (iii)  $x-1, y, z$ ; (iv)  $-x+2, -y+1, -z$ .

Fig. 1




Fig. 2

