

## Ethyl 3-methyl-2,6-diphenylpiperidine-1-carboxylate

Sampath Natarajan\* and Rita Mathews

Department of Advanced Technology Fusion, Konkuk University, 1 Hwayang-dong, Gwangjin-gu, Seoul-143 701, Republic of Korea  
Correspondence e-mail: sampath@konkuk.ac.kr


Received 18 April 2011; accepted 19 May 2011

Key indicators: single-crystal X-ray study;  $T = 293\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  $R$  factor = 0.045;  $wR$  factor = 0.136; data-to-parameter ratio = 16.1.

In the title compound,  $C_{21}H_{25}\text{NO}_2$ , the piperidine ring adopts a twisted boat conformation characterized by puckering parameters  $\theta = 89.5(1)$  and  $\varphi = 257.5(2)^\circ$ . The phenyl groups are located in equatorial and axial positions on the central piperidine ring, while the methyl group is in an equatorial position. The dihedral angle between the phenyl rings is  $49.8(1)^\circ$ . An intramolecular  $\text{C}-\text{H}\cdots\text{O}$  interaction occurs. The crystal structure features weak intermolecular  $\text{C}-\text{H}\cdots\text{O}$  interactions and a stabilizing intermolecular  $\text{C}-\text{H}\cdots\pi$  contact involving the axial phenyl ring.

### Related literature

For the biological activity of related piperidines, see: Parthiban *et al.* (2009); Aridoss *et al.* (2007). For ring conformational analysis, see: Cremer & Pople (1975); Nardelli (1995). For the conformation of piperidine derivatives, see: Ravindran *et al.* (1991); Krishna Kumar & Krishna Pillay (1996). For the synthesis of the title compound, see: Sampath *et al.* (2003); Noller & Baliah (1948).



### Experimental

#### Crystal data

$C_{21}H_{25}\text{NO}_2$   
 $M_r = 323.42$

Monoclinic,  $P2_1/n$   
 $a = 10.4113(3)\text{ \AA}$

$b = 10.6073(6)\text{ \AA}$   
 $c = 16.2782(6)\text{ \AA}$   
 $\beta = 95.960(2)^\circ$   
 $V = 1787.98(13)\text{ \AA}^3$   
 $Z = 4$

$\text{Cu } K\alpha$  radiation  
 $\mu = 0.60\text{ mm}^{-1}$   
 $T = 293\text{ K}$   
 $0.26 \times 0.22 \times 0.18\text{ mm}$

#### Data collection

Enraf–Nonius CAD-4  
diffractometer  
3698 measured reflections  
3502 independent reflections  
2428 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.012$   
Standard reflections: 3; every 60  
minutes  
intensity decay: none

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$   
 $wR(F^2) = 0.136$   
 $S = 1.03$   
3502 reflections

218 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.17\text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.20\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$Cg1$  is the centroid of the C13–C18 phenyl ring.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C18–H18···O1	0.93	2.91	3.519 (2)	125
C14–H14···O2 <sup>i</sup>	0.93	2.82	3.406 (2)	122
C10–H10···O1 <sup>ii</sup>	0.93	2.67	3.460 (3)	144
C3–H3B···Cg1 <sup>iii</sup>	0.97	2.70	3.666 (2)	172

Symmetry codes: (i)  $-x + \frac{3}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$ ; (ii)  $-x + \frac{5}{2}, y + \frac{1}{2}, -z + \frac{1}{2}$ ; (iii)  $-x + \frac{3}{2}, y + \frac{1}{2}, -z + \frac{1}{2}$ .

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS*; data reduction: *XCAD4* (Harms, 1996); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97* and *PLATON*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BH2353).

### References

- Aridoss, G., Balasubramanian, S., Parthiban, P., Ramachandran, R. & Kabilan, S. (2007). *Med. Chem. Res.* **16**, 188–204.  
Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.  
Enraf–Nonius (1994). *CAD-4 EXPRESS*. Enraf–Nonius, Delft, The Netherlands.  
Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
Harms, K. (1996). *XCAD4*. University of Marburg, Germany.  
Krishna Kumar, R. & Krishna Pillay, M. (1996). *Indian J. Chem. Sect. B*, **35**, 418–425.  
Nardelli, M. (1995). *J. Appl. Cryst.* **28**, 659.  
Noller, C. R. & Baliah, V. (1948). *J. Am. Chem. Soc.* **70**, 3853–3855.  
Parthiban, P., Aridoss, G., Rathika, P., Ramkumar, V. & Kabilan, S. (2009). *Bioorg. Med. Chem. Lett.* **19**, 2981–2985.  
Ravindran, T., Jeyaraman, R., Murray, R. W. & Singh, M. (1991). *J. Org. Chem.* **56**, 4833–4840.  
Sampath, N., Malathy Sony, S. M., Ponnuswamy, M. N. & Nethaji, M. (2003). *Acta Cryst. C59*, o346–o348.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.

## **supplementary materials**

Acta Cryst. (2011). E67, o1530 [doi:10.1107/S1600536811019155]

## Ethyl 3-methyl-2,6-diphenylpiperidine-1-carboxylate

S. Natarajan and R. Mathews

### Comment

Piperidines and its *N*-substituted derivatives show significant pharmacological properties (Parthiban *et al.*, 2009; Aridoss *et al.*, 2007). Substitution by electron withdrawing groups (CHO, COCH<sub>2</sub>CH<sub>3</sub>, COPh, NO, *etc.*) at *N*-th position of piperidine ring causes major changes in the ring conformation (Ravindran *et al.*, 1991; Krishna Kumar & Krishna Pillay, 1996). In the title compound (Fig. 1), the ethylacetate group substituting the piperidine ring shows extended conformation and the hetero  $\pi$  electron delocalization through the atoms N1, C20, O1 and O2 causes twisted boat conformation for the piperidine core, with puckering amplitude, Q<sub>T</sub> = 0.718 (1) Å and phase angle = 89.5 (2) $^{\circ}$  (Nardelli, 1995; Cremer & Pople, 1975).

The phenyl rings at C2 and C6 atoms are oriented in the axial and equatorial positions, respectively, and the dihedral angle between them is 49.8 (1) $^{\circ}$ . Similarly, the methyl group at C5 is also oriented in equatorial position. All these substitutions are confirmed by the respective torsion angles. In addition, the substitution of ethylacetate group on N1 atom showed extended conformation with respect to the piperidine ring, which is also confirmed by the torsion angles.

The packing diagram of the title compound viewed down *a*-axis is shown in Fig. 2. The molecules did not present any classical H-bonds. However, the molecules are involved in weak intra- and intermolecular C—H···O interactions (Table 1), which stabilize the molecules in the crystal packing. Interestingly, a C—H··· $\pi$  interaction (C3—H3B···Cg1; Cg1 is the centroid of the ring C13···C18) also helps for the crystal packing.

### Experimental

The compound, 3-methyl-2,6-diphenylpiperidin-4-one was obtained by adopting an earlier method (Sampath *et al.*, 2003; Noller & Baliah, 1948) and it was reduced using amalgamated zinc in aqueous methanol solution in the presence of HCl, giving 3-methyl-2,6-diphenylpiperidine as a product. To a well stirred solution of 3,5-dimethyl-2,6-diphenylpiperidin-4-one (2 mM) and triethylamine (4 mM) in freshly distilled benzene (50 ml), a little excess amount of ethylchloroacetate (2.2 mM) in benzene (10 ml) was added drop-wise over about half an hour and stirring was continued until the completion of reaction. The reaction mixture was then poured into water and extracted with dichloromethane. Recrystallization of the title compound using pure ethanol resulted in suitable colorless crystals.

### Refinement

H atoms were positioned geometrically and refined using a riding model with C—H = 0.93 Å for aromatic H, 0.97 Å for methylene, 0.98 Å for methine, and 0.96 Å for methyl H atoms. The *U*<sub>iso</sub> parameters for H atoms were constrained to be 1.5*U*<sub>eq</sub> of the carrier atom for the methyl H atoms and 1.2*U*<sub>eq</sub> of the carrier atom for the remaining H atoms.

# supplementary materials

---

## Figures




Fig. 1. ORTEP diagram of the title molecule with displacement ellipsoid drawn at the 30% probability level. Hydrogen atoms were removed for clarity.




Fig. 2. A unit cell packing of the crystal structure of the title compound viewed down  $a$ -axis.

## Ethyl 3-methyl-2,6-diphenylpiperidine-1-carboxylate

### Crystal data

C <sub>21</sub> H <sub>25</sub> NO <sub>2</sub>	$F(000) = 696$
$M_r = 323.42$	$D_x = 1.201 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	$\text{Cu } K\alpha \text{ radiation, } \lambda = 1.54178 \text{ \AA}$
Hall symbol: -P 2yn	Cell parameters from 25 reflections
$a = 10.4113 (3) \text{ \AA}$	$\theta = 0\text{--}90^\circ$
$b = 10.6073 (6) \text{ \AA}$	$\mu = 0.60 \text{ mm}^{-1}$
$c = 16.2782 (6) \text{ \AA}$	$T = 293 \text{ K}$
$\beta = 95.960 (2)^\circ$	Needle, colourless
$V = 1787.98 (13) \text{ \AA}^3$	$0.26 \times 0.22 \times 0.18 \text{ mm}$
$Z = 4$	

### Data collection

Enraf–Nonius CAD-4 diffractometer	$R_{\text{int}} = 0.012$
Radiation source: fine-focus sealed tube graphite	$\theta_{\text{max}} = 72.0^\circ, \theta_{\text{min}} = 4.8^\circ$
$\omega$ scans	$h = 0\text{--}12$
3698 measured reflections	$k = 0\text{--}13$
3502 independent reflections	$l = -20\text{--}19$
2428 reflections with $I > 2\sigma(I)$	3 standard reflections every 60 min intensity decay: none

### Refinement

Refinement on $F^2$	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.045$	H-atom parameters constrained
$wR(F^2) = 0.136$	$w = 1/[\sigma^2(F_o^2) + (0.0736P)^2 + 0.2748P]$

where  $P = (F_o^2 + 2F_c^2)/3$   
 $S = 1.03$        $(\Delta/\sigma)_{\text{max}} = 0.001$   
 3502 reflections       $\Delta\rho_{\text{max}} = 0.17 \text{ e \AA}^{-3}$   
 218 parameters       $\Delta\rho_{\text{min}} = -0.20 \text{ e \AA}^{-3}$   
 0 restraints      Extinction correction: *SHELXL97* (Sheldrick, 2008),  
 Fc<sup>\*</sup>=kFc[1+0.001xFc<sup>2</sup>λ<sup>3</sup>/sin(2θ)]<sup>-1/4</sup>  
 0 constraints      Extinction coefficient: 0.0022 (4)  
 Primary atom site location: structure-invariant direct  
 methods

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å<sup>2</sup>)*

	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>iso</sub> */ <i>U</i> <sub>eq</sub>
O1	0.92030 (13)	0.42372 (12)	0.12110 (7)	0.0586 (4)
O2	0.99447 (12)	0.61660 (11)	0.15872 (7)	0.0516 (3)
N1	0.90776 (13)	0.49725 (13)	0.25183 (8)	0.0427 (3)
C2	0.81474 (15)	0.39802 (16)	0.26812 (10)	0.0455 (4)
H2	0.7841	0.3620	0.2142	0.055*
C3	0.69751 (17)	0.45929 (18)	0.30030 (11)	0.0516 (4)
H3A	0.6370	0.3939	0.3123	0.062*
H3B	0.6550	0.5127	0.2574	0.062*
C4	0.73118 (18)	0.5382 (2)	0.37787 (12)	0.0584 (5)
H4A	0.7073	0.4918	0.4254	0.070*
H4B	0.6810	0.6153	0.3735	0.070*
C5	0.87457 (16)	0.57150 (17)	0.39184 (10)	0.0470 (4)
H5	0.9212	0.4975	0.4155	0.056*
C6	0.92925 (15)	0.60452 (16)	0.30998 (9)	0.0414 (4)
H6	0.8820	0.6777	0.2857	0.050*
C7	1.07053 (16)	0.63999 (16)	0.32679 (9)	0.0435 (4)
C8	1.16351 (18)	0.55226 (19)	0.35314 (13)	0.0587 (5)
H8	1.1416	0.4675	0.3555	0.070*
C9	1.2899 (2)	0.5901 (2)	0.37612 (15)	0.0718 (6)
H9	1.3516	0.5301	0.3942	0.086*
C10	1.3249 (2)	0.7134 (2)	0.37269 (14)	0.0680 (6)
H10	1.4095	0.7378	0.3888	0.082*
C11	1.2344 (2)	0.8007 (2)	0.34532 (14)	0.0686 (6)
H11	1.2576	0.8851	0.3421	0.082*
C12	1.10831 (19)	0.76434 (18)	0.32231 (12)	0.0563 (5)
H12	1.0477	0.8249	0.3034	0.068*
C13	0.87742 (17)	0.28998 (16)	0.31910 (10)	0.0459 (4)
C14	0.81423 (19)	0.22492 (19)	0.37698 (11)	0.0565 (5)
H14	0.7339	0.2528	0.3897	0.068*
C15	0.8691 (2)	0.1193 (2)	0.41592 (12)	0.0676 (6)
H15	0.8256	0.0768	0.4546	0.081*
C16	0.9876 (2)	0.0766 (2)	0.39778 (13)	0.0685 (6)
H16	1.0241	0.0051	0.4237	0.082*
C17	1.0513 (2)	0.1403 (2)	0.34120 (13)	0.0657 (5)
H17	1.1318	0.1121	0.3291	0.079*

## supplementary materials

---

C18	0.99719 (19)	0.24578 (18)	0.30200 (12)	0.0558 (5)
H18	1.0416	0.2879	0.2636	0.067*
C19	0.8953 (2)	0.6789 (2)	0.45370 (11)	0.0642 (5)
H19A	0.9856	0.6992	0.4622	0.096*
H19B	0.8659	0.6536	0.5052	0.096*
H19C	0.8476	0.7515	0.4328	0.096*
C20	0.93902 (16)	0.50599 (16)	0.17288 (10)	0.0440 (4)
C21	1.0362 (2)	0.6314 (2)	0.07700 (12)	0.0637 (5)
H21A	0.9644	0.6169	0.0351	0.076*
H21B	1.1039	0.5713	0.0688	0.076*
C22	1.0848 (3)	0.7612 (2)	0.07088 (15)	0.0802 (7)
H22A	1.1132	0.7740	0.0172	0.120*
H22B	1.1558	0.7744	0.1125	0.120*
H22C	1.0169	0.8199	0.0789	0.120*

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.0793 (9)	0.0536 (8)	0.0446 (7)	-0.0032 (7)	0.0148 (6)	-0.0103 (6)
O2	0.0663 (8)	0.0519 (7)	0.0388 (6)	-0.0084 (6)	0.0165 (5)	0.0009 (5)
N1	0.0506 (8)	0.0425 (7)	0.0355 (7)	-0.0050 (6)	0.0076 (6)	-0.0007 (6)
C2	0.0476 (9)	0.0477 (9)	0.0408 (8)	-0.0065 (7)	0.0024 (7)	0.0012 (7)
C3	0.0453 (9)	0.0592 (11)	0.0500 (10)	-0.0015 (8)	0.0038 (7)	0.0055 (8)
C4	0.0522 (10)	0.0690 (13)	0.0566 (11)	-0.0021 (9)	0.0179 (8)	-0.0046 (9)
C5	0.0513 (9)	0.0530 (10)	0.0378 (8)	-0.0001 (8)	0.0095 (7)	-0.0017 (7)
C6	0.0464 (9)	0.0409 (8)	0.0376 (8)	0.0002 (7)	0.0068 (6)	-0.0019 (6)
C7	0.0476 (9)	0.0451 (9)	0.0386 (8)	-0.0019 (7)	0.0077 (7)	-0.0015 (7)
C8	0.0526 (11)	0.0519 (11)	0.0712 (12)	-0.0010 (9)	0.0048 (9)	0.0060 (9)
C9	0.0508 (11)	0.0749 (15)	0.0881 (16)	0.0031 (10)	0.0001 (10)	0.0103 (12)
C10	0.0519 (11)	0.0813 (15)	0.0705 (13)	-0.0152 (11)	0.0052 (9)	-0.0012 (11)
C11	0.0689 (13)	0.0583 (12)	0.0788 (14)	-0.0205 (11)	0.0080 (11)	-0.0033 (11)
C12	0.0594 (11)	0.0460 (10)	0.0630 (11)	-0.0039 (9)	0.0044 (9)	-0.0018 (8)
C13	0.0528 (9)	0.0429 (9)	0.0414 (8)	-0.0076 (7)	0.0023 (7)	-0.0010 (7)
C14	0.0594 (11)	0.0592 (11)	0.0507 (10)	-0.0094 (9)	0.0047 (8)	0.0073 (9)
C15	0.0900 (16)	0.0600 (12)	0.0514 (11)	-0.0104 (11)	0.0015 (10)	0.0136 (9)
C16	0.0953 (16)	0.0522 (12)	0.0539 (11)	0.0051 (11)	-0.0124 (11)	0.0025 (9)
C17	0.0695 (13)	0.0556 (12)	0.0705 (13)	0.0114 (10)	0.0005 (10)	-0.0046 (10)
C18	0.0613 (11)	0.0481 (10)	0.0591 (10)	0.0012 (9)	0.0116 (9)	-0.0002 (8)
C19	0.0748 (13)	0.0732 (14)	0.0466 (10)	-0.0042 (11)	0.0162 (9)	-0.0146 (9)
C20	0.0492 (9)	0.0448 (9)	0.0389 (8)	0.0021 (7)	0.0094 (7)	0.0016 (7)
C21	0.0800 (13)	0.0707 (13)	0.0445 (10)	-0.0055 (11)	0.0266 (9)	0.0037 (9)
C22	0.0898 (16)	0.0844 (16)	0.0706 (13)	-0.0249 (13)	0.0288 (12)	0.0115 (12)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

O1—C20	1.2148 (19)	C10—C11	1.362 (3)
O2—C20	1.338 (2)	C10—H10	0.9300
O2—C21	1.4500 (19)	C11—C12	1.382 (3)
N1—C20	1.3612 (19)	C11—H11	0.9300

N1—C2	1.473 (2)	C12—H12	0.9300
N1—C6	1.482 (2)	C13—C18	1.387 (2)
C2—C13	1.522 (2)	C13—C14	1.388 (2)
C2—C3	1.523 (2)	C14—C15	1.382 (3)
C2—H2	0.9800	C14—H14	0.9300
C3—C4	1.525 (3)	C15—C16	1.375 (3)
C3—H3A	0.9700	C15—H15	0.9300
C3—H3B	0.9700	C16—C17	1.368 (3)
C4—C5	1.528 (2)	C16—H16	0.9300
C4—H4A	0.9700	C17—C18	1.379 (3)
C4—H4B	0.9700	C17—H17	0.9300
C5—C19	1.521 (2)	C18—H18	0.9300
C5—C6	1.543 (2)	C19—H19A	0.9600
C5—H5	0.9800	C19—H19B	0.9600
C6—C7	1.515 (2)	C19—H19C	0.9600
C6—H6	0.9800	C21—C22	1.474 (3)
C7—C8	1.379 (2)	C21—H21A	0.9700
C7—C12	1.381 (2)	C21—H21B	0.9700
C8—C9	1.389 (3)	C22—H22A	0.9600
C8—H8	0.9300	C22—H22B	0.9600
C9—C10	1.361 (3)	C22—H22C	0.9600
C9—H9	0.9300		
C20—O2—C21	115.37 (14)	C10—C11—C12	120.3 (2)
C20—N1—C2	116.41 (13)	C10—C11—H11	119.9
C20—N1—C6	121.04 (13)	C12—C11—H11	119.9
C2—N1—C6	119.48 (12)	C7—C12—C11	121.33 (19)
N1—C2—C13	112.56 (13)	C7—C12—H12	119.3
N1—C2—C3	108.81 (14)	C11—C12—H12	119.3
C13—C2—C3	116.58 (14)	C18—C13—C14	117.88 (17)
N1—C2—H2	106.0	C18—C13—C2	119.25 (15)
C13—C2—H2	106.0	C14—C13—C2	122.56 (16)
C3—C2—H2	106.0	C15—C14—C13	120.83 (19)
C2—C3—C4	113.29 (15)	C15—C14—H14	119.6
C2—C3—H3A	108.9	C13—C14—H14	119.6
C4—C3—H3A	108.9	C16—C15—C14	120.4 (2)
C2—C3—H3B	108.9	C16—C15—H15	119.8
C4—C3—H3B	108.9	C14—C15—H15	119.8
H3A—C3—H3B	107.7	C17—C16—C15	119.4 (2)
C3—C4—C5	112.78 (14)	C17—C16—H16	120.3
C3—C4—H4A	109.0	C15—C16—H16	120.3
C5—C4—H4A	109.0	C16—C17—C18	120.6 (2)
C3—C4—H4B	109.0	C16—C17—H17	119.7
C5—C4—H4B	109.0	C18—C17—H17	119.7
H4A—C4—H4B	107.8	C17—C18—C13	120.92 (19)
C19—C5—C4	109.96 (15)	C17—C18—H18	119.5
C19—C5—C6	111.23 (15)	C13—C18—H18	119.5
C4—C5—C6	111.50 (14)	C5—C19—H19A	109.5
C19—C5—H5	108.0	C5—C19—H19B	109.5
C4—C5—H5	108.0	H19A—C19—H19B	109.5

## supplementary materials

---

C6—C5—H5	108.0	C5—C19—H19C	109.5
N1—C6—C7	112.66 (13)	H19A—C19—H19C	109.5
N1—C6—C5	109.43 (13)	H19B—C19—H19C	109.5
C7—C6—C5	109.80 (13)	O1—C20—O2	123.46 (15)
N1—C6—H6	108.3	O1—C20—N1	124.70 (16)
C7—C6—H6	108.3	O2—C20—N1	111.84 (14)
C5—C6—H6	108.3	O2—C21—C22	107.49 (17)
C8—C7—C12	117.81 (17)	O2—C21—H21A	110.2
C8—C7—C6	121.71 (16)	C22—C21—H21A	110.2
C12—C7—C6	120.28 (16)	O2—C21—H21B	110.2
C7—C8—C9	120.24 (19)	C22—C21—H21B	110.2
C7—C8—H8	119.9	H21A—C21—H21B	108.5
C9—C8—H8	119.9	C21—C22—H22A	109.5
C10—C9—C8	121.1 (2)	C21—C22—H22B	109.5
C10—C9—H9	119.4	H22A—C22—H22B	109.5
C8—C9—H9	119.4	C21—C22—H22C	109.5
C9—C10—C11	119.2 (2)	H22A—C22—H22C	109.5
C9—C10—H10	120.4	H22B—C22—H22C	109.5
C11—C10—H10	120.4		
C20—N1—C2—C13	108.65 (16)	C8—C9—C10—C11	-0.8 (4)
C6—N1—C2—C13	-90.94 (17)	C9—C10—C11—C12	0.8 (3)
C20—N1—C2—C3	-120.56 (16)	C8—C7—C12—C11	-1.5 (3)
C6—N1—C2—C3	39.84 (19)	C6—C7—C12—C11	173.46 (16)
N1—C2—C3—C4	-57.33 (19)	C10—C11—C12—C7	0.4 (3)
C13—C2—C3—C4	71.2 (2)	N1—C2—C13—C18	-41.5 (2)
C2—C3—C4—C5	17.3 (2)	C3—C2—C13—C18	-168.23 (16)
C3—C4—C5—C19	163.67 (16)	N1—C2—C13—C14	145.07 (16)
C3—C4—C5—C6	39.8 (2)	C3—C2—C13—C14	18.3 (2)
C20—N1—C6—C7	-62.3 (2)	C18—C13—C14—C15	-0.2 (3)
C2—N1—C6—C7	138.25 (14)	C2—C13—C14—C15	173.29 (17)
C20—N1—C6—C5	175.28 (14)	C13—C14—C15—C16	-0.1 (3)
C2—N1—C6—C5	15.8 (2)	C14—C15—C16—C17	0.5 (3)
C19—C5—C6—N1	179.64 (15)	C15—C16—C17—C18	-0.5 (3)
C4—C5—C6—N1	-57.23 (19)	C16—C17—C18—C13	0.2 (3)
C19—C5—C6—C7	55.50 (19)	C14—C13—C18—C17	0.2 (3)
C4—C5—C6—C7	178.64 (15)	C2—C13—C18—C17	-173.55 (17)
N1—C6—C7—C8	-53.5 (2)	C21—O2—C20—O1	-2.2 (3)
C5—C6—C7—C8	68.8 (2)	C21—O2—C20—N1	177.33 (15)
N1—C6—C7—C12	131.73 (16)	C2—N1—C20—O1	-17.4 (2)
C5—C6—C7—C12	-106.04 (18)	C6—N1—C20—O1	-177.46 (16)
C12—C7—C8—C9	1.6 (3)	C2—N1—C20—O2	163.14 (14)
C6—C7—C8—C9	-173.36 (18)	C6—N1—C20—O2	3.1 (2)
C7—C8—C9—C10	-0.4 (3)	C20—O2—C21—C22	175.60 (17)

### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

Cg1 is the centroid of the C13—C18 phenyl ring.

$D\cdots H\cdots A$	$D—H$	$H\cdots A$	$D\cdots A$	$D—H\cdots A$
C2—H2 $\cdots$ O1	0.98	2.28	2.749 (2)	109

## supplementary materials

---

C18—H18···O1	0.93	2.91	3.519 (2)	125
C14—H14···O2 <sup>i</sup>	0.93	2.82	3.406 (2)	122
C10—H10···O1 <sup>ii</sup>	0.93	2.67	3.460 (3)	144
C3—H3B···Cg1 <sup>iii</sup>	0.97	2.70	3.666 (2)	172

Symmetry codes: (i)  $-x+3/2, y-1/2, -z+1/2$ ; (ii)  $-x+5/2, y+1/2, -z+1/2$ ; (iii)  $-x+3/2, y+1/2, -z+1/2$ .

## **supplementary materials**

---

**Fig. 1**




Fig. 2

