

1,3-Bis[(-)-(S)-(1-phenylethyl)imino-methyl]benzene

Tania García,^a Sylvain Bernès,^{a*} Marcos Flores-Alamo,^b Guadalupe Hernández^c and René Gutiérrez^c

^aDEP Facultad de Ciencias Químicas, UANL, Guerrero y Progreso S/N, Col. Treviño, 64570 Monterrey, N.L., Mexico, ^bFacultad de Química, Universidad Nacional Autónoma de México, México D.F. 04510, Mexico, and ^cLaboratorio de Síntesis de Complejos, Facultad de Ciencias Químicas, Universidad Autónoma de Puebla, A.P. 1067, 72001 Puebla, Pue., Mexico

Correspondence e-mail: sylvain_bernes@Hotmail.com


Received 19 May 2011; accepted 3 June 2011

Key indicators: single-crystal X-ray study; $T = 130$ K; mean $\sigma(C-C) = 0.002$ Å; R factor = 0.029; wR factor = 0.073; data-to-parameter ratio = 7.5.

The title compound, $C_{24}H_{24}N_2$, is an enantiomerically pure bis-aldimine, which displays twofold crystallographic symmetry, with two C atoms of the central benzene ring lying on the symmetry axis. The imine group is slightly twisted from the benzene core, with a dihedral angle of 12.72 (16)° between the benzene ring and the $C=N-C^*$ plane. The terminal phenyl rings make an angle of 66.44 (4)° and are oriented in opposite directions with respect to the benzene ring. In the crystal, molecules interact weakly through a $C-H\cdots\pi$ interaction involving the phenyl rings, and form chains along the 2_1 screw-axis in the [100] direction.

Related literature

For the structure of the analogous molecule with naphthyl in place of phenyl, see: Espinosa Leija *et al.* (2009). For the structure of the isoformular molecule with a 1,4-disubstituted benzene ring, see: García *et al.* (2010). For the Pd(II) and Pt(II) coordination complexes formed using the title ligand, see: Fossey *et al.* (2007). For background to the synthesis carried out in solvent-free conditions, see: Tanaka & Toda (2000); Jeon *et al.* (2005).



Experimental

Crystal data

| | |
|--------------------------|-----------------------------------|
| $C_{24}H_{24}N_2$ | $V = 983.71$ (6) Å ³ |
| $M_r = 340.45$ | $Z = 2$ |
| Orthorhombic, $P2_12_12$ | Mo $K\alpha$ radiation |
| $a = 21.1309$ (7) Å | $\mu = 0.07$ mm ⁻¹ |
| $b = 5.6572$ (2) Å | $T = 130$ K |
| $c = 8.2290$ (3) Å | $0.33 \times 0.26 \times 0.14$ mm |

Data collection

| | |
|--|---|
| Oxford Diffraction Xcalibur Atlas Gemini diffractometer | Reid (1995)] |
| Absorption correction: analytical [<i>CrysAlis PRO</i> (Oxford Diffraction, 2009) based on expressions derived by Clark & | $T_{\min} = 0.980$, $T_{\max} = 0.991$ |
| | 6971 measured reflections |
| | 1161 independent reflections |
| | 1027 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.025$ |

Refinement

| | |
|---------------------------------|---|
| $R[F^2 > 2\sigma(F^2)] = 0.029$ | 154 parameters |
| $wR(F^2) = 0.073$ | Only H-atom coordinates refined |
| $S = 1.06$ | $\Delta\rho_{\max} = 0.09$ e Å ⁻³ |
| 1161 reflections | $\Delta\rho_{\min} = -0.17$ e Å ⁻³ |

Table 1

Hydrogen-bond geometry (Å, °).

Cg is the centroid of the C1–C6 ring.

| $D-H\cdots A$ | $D-H$ | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|--------------------|----------|-------------|-------------|---------------|
| $C3-H3\cdots Cg^i$ | 0.92 (2) | 2.97 (2) | 3.7265 (18) | 140.7 (18) |

Symmetry code: (i) $-x + \frac{1}{2}, y - \frac{1}{2}, -z + 1$.

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2009); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *SHELXTL*.

Support from VIEP-UAP: GUPJ-NAT10-G (2011) is acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LR2012).

References

Clark, R. C. & Reid, J. S. (1995). *Acta Cryst. A* **51**, 887–897.

organic compounds

- Espinosa Leija, A., Hernández, G., Cruz, S., Bernès, S. & Gutiérrez, R. (2009). *Acta Cryst. E* **65**, o1316.
- Fossey, J. S., Russell, M. L., Abdul Malik, K. M. & Richards, C. J. (2007). *J. Organomet. Chem.* **692**, 4843–4848.
- García, T., Bernès, S., Hernández, G., Gutiérrez, R. & Vázquez, J. (2010). *Quím. Hoy Chem. Sci.* **1**, 10–13.
- Jeon, S.-J., Li, H. & Walsh, P. J. (2005). *J. Am. Chem. Soc.* **127**, 16416–16425.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Oxford Diffraction (2009). *CrysAlis CCD, CrysAlis PRO* and *CrysAlis RED*. Oxford Diffraction Ltd, Yarnton, England.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Tanaka, K. & Toda, F. (2000). *Chem. Rev.* **100**, 1025–1074.

supplementary materials

Acta Cryst. (2011). E67, o1648–o1649 [doi:10.1107/S1600536811021556]

1,3-Bis[(-)-(S)-(1-phenylethyl)iminomethyl]benzene

T. García, S. Bernès, M. Flores-Alamo, G. Hernández and R. Gutiérrez

Comment

The title compound was synthesized in an almost quantitative yield, using a one-step solvent-free route. Such procedures are becoming primordial in organic synthetic methods, in order to minimize the quantity of toxic waste and byproducts and to decrease the amount of solvents in the reaction media and/or during the following workups. Indeed, solvent-free reactions or solid-state reactions have been particularly developed these last years. (Jeon *et al.*, 2005; Tanaka & Toda, 2000).

The molecular structure of the title compound is as expected. The imine groups N1=C8 are found in the *E* configuration, which is known to be more stable than *Z*. The molecule is placed on a crystallographic twofold axis, passing through benzene atoms C10 and C11 (Fig. 1). Imine groups are not fully conjugated with the benzene core: the dihedral angle between C7—N1=C8 and benzene mean-planes is 12.72 (16)°. The benzene ring makes an angle of 69.35 (5)° with the phenyl group, and terminal phenyl rings make an angle of 66.44 (4)°. Although the analogous bis-imine bearing a naphthyl group in place of phenyl crystallizes in the same space group, *P*2₁2₁2, and with identical molecular symmetry, it is stabilized in a different conformation compared to the title molecule. For instance, imine groups are almost perfectly conjugated with the benzene ring (dihedral angle between benzene and C^{*}—N=C planes less than 0.6°; Espinosa Leija *et al.*, 2009). The title molecule and the naphthyl analogue are also differentiated by the fact that the latter crystallized with lattice solvent, CH₂Cl₂. The title molecule also shows a different conformation to that of the isoformular compound with a central 1,4-disubstituted benzene ring (García *et al.*, 2010): in that case, the molecule crystallizes in *P*2₁2₁1 and is placed in general position (*C*₁ point group).

The crystal structure (Fig. 2) features chains of molecules placed along the 2₁ screw-axis in the [100] direction, which interact through rather weak C3—H3···π contacts involving phenyl groups C1···C6. The H3···π separation is 2.97 (2) Å, and the C3—H3···π angle 140.7 (18)°.

Interestingly, (Fossey *et al.* 2007) reported on the synthesis of chiral bis-aldimine NCN-pincer complexes, where the NCN ligand is derived from the title compound by deprotonation at C10. These authors probed the catalytic activity of Pd(II) and Pt(II) complexes, where the ancillary ligand is an halide ion, Br⁻ or Cl⁻, for Pd and Pt complexes, respectively. The studied reaction, a classical Michael addition between methyl 2-cyanopropanoate and methyl vinyl ketone, showed that addition was not stereocontrolled. This poor selectivity was related to conformational flexibility of the chiral phenylethyl moiety of the ligand. Indeed, that point is confirmed by our structure, since a poor overlay is observed for this part of the molecule, when attempting to fit the title molecule and the main ligand in the complexes. However, differences in point symmetry also deserve to be considered regarding the catalytic activity: the title molecule belongs to *C*₂ point-group, while complexes prepared by Fossey *et al.* crystallize in space group *P*2₁2₁2₁, the whole complexes being placed in general positions. The complexes used for the Michael addition thus actually displayed the non-crystallographic *C*₂ symmetry.

supplementary materials

Experimental

Under solvent-free conditions, (*S*)-(−)-1-phenylethylamine (0.45 g, 3.72 mmol) and benzene-1,3-dicarboxaldehyde (0.25 g, 1.86 mmol) in a 2:1 molar ratio were mixed at room temperature, obtaining a white solid. The crude was recrystallized twice from CH₂Cl₂, affording colorless crystals of the title compound. Yield: 92%; m.p. 80–82 °C. Analysis: [α]²⁵_D = -71.4 (c=1, CHCl₃). FT—IR (KBr): 1645 cm⁻¹ (C=N). ¹H-NMR (400 MHz, CDCl₃/TMS) δ = 1.58 (d, 6H, CHCH₃), 4.53 (q, 2H, CH), 7.22–8.11 (m, 14H, Ar—CH), 8.36 (s, 2H, HC=N). ¹³C-NMR (100 MHz, CDCl₃/TMS) δ = 24.7 (CCH₃), 69.6 (CHCH₃), 126.5 (Ar), 126.8 (Ar), 128.2 (Ar), 128.3 (Ar), 128.7 (Ar), 130.0 (Ar), 136.6 (Ar), 144.8 (Ar), 158.9 (HC=N). MS—EI: *m/z*= 340 (*M*⁺).

Refinement

All H atoms were found in a difference map and refined with free coordinates and isotropic displacement parameters fixed to $U_{\text{iso}} = 1.2U_{\text{eq}}$ (carrier C atom). C—H bond lengths are in the range 0.92 (2)–1.023 (18) Å. The absolute configuration at C7 was assigned from the known configuration of the chiral amine used as starting material, and measured Friedel pairs (775) were merged.

Figures




Fig. 1. The title molecule with displacement ellipsoids for non-H atoms shown at the 60% probability level. Non-labeled atoms are generated by symmetry operation $-x, 1 - y, z$.




Fig. 2. A part of the crystal structure of the title compound. The purple molecules are related by the 2₁ symmetry along the *a* axis, and dashed lines represent C—H···π contacts.

1,3-Bis[(-)-(S)-(1-phenylethyl)iminomethyl]benzene

Crystal data

C₂₄H₂₄N₂ $D_x = 1.149 \text{ Mg m}^{-3}$

$M_r = 340.45$

Orthorhombic, P2₁2₁2

Hall symbol: P 2 2ab

$a = 21.1309 (7) \text{ \AA}$

$b = 5.6572 (2) \text{ \AA}$

$c = 8.2290 (3) \text{ \AA}$

$V = 983.71 (6) \text{ \AA}^3$

$Z = 2$

$F(000) = 364$

Melting point: 353 K

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 4133 reflections

$\theta = 3.6\text{--}26.0^\circ$

$\mu = 0.07 \text{ mm}^{-1}$

$T = 130 \text{ K}$

Prism, colourless

$0.33 \times 0.26 \times 0.14 \text{ mm}$

Data collection

Oxford Diffraction Xcalibur Atlas Gemini diffractometer 1161 independent reflections
 Radiation source: Enhance (Mo) X-ray Source 1027 reflections with $I > 2\sigma(I)$
 graphite $R_{\text{int}} = 0.025$
 Detector resolution: 10.4685 pixels mm⁻¹ $\theta_{\text{max}} = 26.0^\circ$, $\theta_{\text{min}} = 3.7^\circ$
 ω scans $h = -26 \rightarrow 24$
 Absorption correction: analytical
 [*CrysAlis PRO* (Oxford Diffraction, 2009) based on $k = -6 \rightarrow 6$
 expressions derived by Clark & Reid (1995)]
 $T_{\text{min}} = 0.980$, $T_{\text{max}} = 0.991$ $l = -10 \rightarrow 9$
 6971 measured reflections

Refinement

Refinement on F^2 Primary atom site location: structure-invariant direct methods
 Least-squares matrix: full Secondary atom site location: difference Fourier map
 $R[F^2 > 2\sigma(F^2)] = 0.029$ Hydrogen site location: inferred from neighbouring sites
 $wR(F^2) = 0.073$ Only H-atom coordinates refined
 $S = 1.06$ $w = 1/[\sigma^2(F_o^2) + (0.0497P)^2 + 0.0095P]$
 1161 reflections $\text{where } P = (F_o^2 + 2F_c^2)/3$
 (Δ/σ)_{max} < 0.001
 154 parameters $\Delta\rho_{\text{max}} = 0.09 \text{ e \AA}^{-3}$
 0 restraints $\Delta\rho_{\text{min}} = -0.17 \text{ e \AA}^{-3}$
 0 constraints

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|----|-------------|------------|---------------|----------------------------------|
| N1 | 0.08171 (5) | 0.8507 (2) | 0.09804 (15) | 0.0334 (3) |
| C1 | 0.18464 (7) | 0.9616 (3) | 0.20948 (18) | 0.0320 (3) |
| C2 | 0.19358 (8) | 0.7590 (3) | 0.3015 (2) | 0.0444 (4) |
| H2 | 0.1570 (9) | 0.669 (3) | 0.330 (2) | 0.053* |
| C3 | 0.25402 (9) | 0.6851 (3) | 0.3437 (2) | 0.0517 (5) |
| H3 | 0.2581 (9) | 0.549 (4) | 0.405 (3) | 0.062* |
| C4 | 0.30581 (8) | 0.8153 (4) | 0.2952 (2) | 0.0504 (5) |
| H4 | 0.3488 (10) | 0.765 (4) | 0.326 (2) | 0.060* |
| C5 | 0.29724 (8) | 1.0147 (4) | 0.2039 (2) | 0.0543 (5) |
| H5 | 0.3325 (10) | 1.099 (4) | 0.164 (3) | 0.065* |
| C6 | 0.23701 (8) | 1.0880 (3) | 0.1605 (2) | 0.0420 (4) |
| H6 | 0.2300 (8) | 1.226 (4) | 0.100 (2) | 0.050* |
| C7 | 0.11876 (7) | 1.0481 (3) | 0.16569 (19) | 0.0346 (4) |
| H7 | 0.1234 (8) | 1.176 (3) | 0.0885 (19) | 0.042* |
| C8 | 0.06895 (6) | 0.8605 (3) | -0.05179 (18) | 0.0320 (4) |

supplementary materials

| | | | | |
|------|-------------|------------|---------------|------------|
| H8 | 0.0837 (7) | 0.997 (3) | -0.1224 (19) | 0.038* |
| C9 | 0.03271 (6) | 0.6758 (3) | -0.13695 (17) | 0.0313 (3) |
| C10 | 0.0000 | 0.5000 | -0.0535 (2) | 0.0299 (5) |
| H10 | 0.0000 | 0.5000 | 0.068 (3) | 0.036* |
| C11 | 0.0000 | 0.5000 | -0.3906 (3) | 0.0441 (6) |
| H11 | 0.0000 | 0.5000 | -0.506 (3) | 0.053* |
| C12 | 0.03173 (7) | 0.6752 (3) | -0.30697 (18) | 0.0398 (4) |
| H12 | 0.0545 (8) | 0.797 (3) | -0.363 (2) | 0.048* |
| C13 | 0.08354 (8) | 1.1472 (3) | 0.3116 (2) | 0.0427 (4) |
| H13A | 0.1078 (8) | 1.284 (4) | 0.365 (2) | 0.051* |
| H13B | 0.0793 (9) | 1.021 (4) | 0.393 (2) | 0.051* |
| H13C | 0.0397 (9) | 1.208 (3) | 0.279 (2) | 0.051* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|-------------|-------------|--------------|
| N1 | 0.0258 (6) | 0.0373 (7) | 0.0370 (7) | -0.0034 (5) | 0.0025 (5) | 0.0064 (6) |
| C1 | 0.0324 (8) | 0.0313 (7) | 0.0325 (7) | -0.0046 (6) | 0.0019 (6) | -0.0027 (7) |
| C2 | 0.0393 (9) | 0.0360 (8) | 0.0580 (11) | -0.0068 (7) | -0.0027 (8) | 0.0085 (8) |
| C3 | 0.0564 (10) | 0.0411 (10) | 0.0578 (11) | 0.0074 (9) | -0.0127 (9) | 0.0024 (9) |
| C4 | 0.0371 (9) | 0.0653 (12) | 0.0489 (10) | 0.0111 (9) | -0.0053 (8) | -0.0156 (10) |
| C5 | 0.0322 (9) | 0.0736 (13) | 0.0571 (11) | -0.0111 (9) | 0.0038 (8) | 0.0015 (11) |
| C6 | 0.0361 (9) | 0.0460 (10) | 0.0440 (9) | -0.0079 (7) | 0.0035 (7) | 0.0063 (8) |
| C7 | 0.0322 (8) | 0.0310 (7) | 0.0407 (8) | -0.0052 (7) | 0.0028 (7) | 0.0081 (7) |
| C8 | 0.0252 (7) | 0.0355 (8) | 0.0351 (8) | 0.0052 (6) | 0.0063 (6) | 0.0079 (7) |
| C9 | 0.0233 (6) | 0.0406 (8) | 0.0301 (7) | 0.0105 (7) | 0.0020 (6) | 0.0036 (7) |
| C10 | 0.0216 (9) | 0.0413 (12) | 0.0268 (10) | 0.0084 (9) | 0.000 | 0.000 |
| C11 | 0.0454 (13) | 0.0633 (16) | 0.0236 (11) | 0.0175 (12) | 0.000 | 0.000 |
| C12 | 0.0347 (8) | 0.0520 (10) | 0.0326 (8) | 0.0119 (8) | 0.0048 (7) | 0.0090 (8) |
| C13 | 0.0360 (8) | 0.0424 (9) | 0.0496 (10) | -0.0023 (8) | 0.0046 (8) | -0.0012 (9) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|--------|-------------|----------------------|-------------|
| N1—C8 | 1.2633 (19) | C7—H7 | 0.967 (17) |
| N1—C7 | 1.4727 (19) | C8—C9 | 1.473 (2) |
| C1—C6 | 1.378 (2) | C8—H8 | 1.014 (18) |
| C1—C2 | 1.387 (2) | C9—C10 | 1.3920 (17) |
| C1—C7 | 1.519 (2) | C9—C12 | 1.399 (2) |
| C2—C3 | 1.388 (2) | C10—C9 ⁱ | 1.3920 (17) |
| C2—H2 | 0.96 (2) | C10—H10 | 1.00 (2) |
| C3—C4 | 1.378 (3) | C11—C12 ⁱ | 1.380 (2) |
| C3—H3 | 0.92 (2) | C11—C12 | 1.380 (2) |
| C4—C5 | 1.367 (3) | C11—H11 | 0.95 (2) |
| C4—H4 | 0.98 (2) | C12—H12 | 0.959 (19) |
| C5—C6 | 1.385 (2) | C13—H13A | 1.02 (2) |
| C5—H5 | 0.94 (2) | C13—H13B | 0.98 (2) |
| C6—H6 | 0.94 (2) | C13—H13C | 1.023 (18) |
| C7—C13 | 1.520 (2) | | |

| | | | |
|--------------|--------------|------------------------------|--------------|
| C8—N1—C7 | 116.69 (13) | C1—C7—H7 | 107.7 (10) |
| C6—C1—C2 | 118.64 (15) | C13—C7—H7 | 107.0 (9) |
| C6—C1—C7 | 119.96 (14) | N1—C8—C9 | 122.96 (14) |
| C2—C1—C7 | 121.38 (13) | N1—C8—H8 | 121.8 (9) |
| C1—C2—C3 | 120.71 (17) | C9—C8—H8 | 115.3 (9) |
| C1—C2—H2 | 117.7 (12) | C10—C9—C12 | 118.95 (16) |
| C3—C2—H2 | 121.5 (11) | C10—C9—C8 | 122.03 (13) |
| C4—C3—C2 | 119.84 (17) | C12—C9—C8 | 119.01 (15) |
| C4—C3—H3 | 121.9 (12) | C9—C10—C9 ⁱ | 120.90 (18) |
| C2—C3—H3 | 118.2 (12) | C9—C10—H10 | 119.55 (9) |
| C5—C4—C3 | 119.65 (16) | C9 ⁱ —C10—H10 | 119.55 (9) |
| C5—C4—H4 | 120.0 (12) | C12 ⁱ —C11—C12 | 120.2 (2) |
| C3—C4—H4 | 120.4 (12) | C12 ⁱ —C11—H11 | 119.90 (10) |
| C4—C5—C6 | 120.69 (17) | C12—C11—H11 | 119.90 (10) |
| C4—C5—H5 | 120.4 (12) | C11—C12—C9 | 120.48 (17) |
| C6—C5—H5 | 118.8 (12) | C11—C12—H12 | 121.4 (11) |
| C1—C6—C5 | 120.45 (16) | C9—C12—H12 | 118.1 (11) |
| C1—C6—H6 | 117.4 (11) | C7—C13—H13A | 111.8 (10) |
| C5—C6—H6 | 122.1 (11) | C7—C13—H13B | 108.4 (11) |
| N1—C7—C1 | 109.44 (12) | H13A—C13—H13B | 107.4 (14) |
| N1—C7—C13 | 108.55 (12) | C7—C13—H13C | 111.2 (9) |
| C1—C7—C13 | 112.35 (13) | H13A—C13—H13C | 108.1 (13) |
| N1—C7—H7 | 111.8 (10) | H13B—C13—H13C | 109.8 (15) |
| C6—C1—C2—C3 | 0.1 (2) | C2—C1—C7—N1 | -49.69 (19) |
| C7—C1—C2—C3 | -178.53 (16) | C6—C1—C7—C13 | -107.63 (17) |
| C1—C2—C3—C4 | 0.6 (3) | C2—C1—C7—C13 | 70.97 (19) |
| C2—C3—C4—C5 | -0.9 (3) | C7—N1—C8—C9 | 179.55 (12) |
| C3—C4—C5—C6 | 0.4 (3) | N1—C8—C9—C10 | 12.2 (2) |
| C2—C1—C6—C5 | -0.6 (2) | N1—C8—C9—C12 | -167.04 (14) |
| C7—C1—C6—C5 | 178.06 (16) | C12—C9—C10—C9 ⁱ | 0.71 (10) |
| C4—C5—C6—C1 | 0.3 (3) | C8—C9—C10—C9 ⁱ | -178.53 (14) |
| C8—N1—C7—C1 | -110.27 (15) | C12 ⁱ —C11—C12—C9 | 0.73 (10) |
| C8—N1—C7—C13 | 126.80 (15) | C10—C9—C12—C11 | -1.4 (2) |
| C6—C1—C7—N1 | 131.72 (14) | C8—C9—C12—C11 | 177.83 (10) |

Symmetry codes: (i) $-x, -y+1, z$.

Hydrogen-bond geometry (\AA , $^\circ$)

Cg is the centroid of the C1—C6 ring.

| $D\cdots H$ | $D\cdots A$ | $H\cdots A$ | $D\cdots A$ | $D\cdots H\cdots A$ |
|----------------------|-------------|-------------|-------------|---------------------|
| C3—H3 ^{jii} | 0.92 (2) | 2.97 (2) | 3.7265 (18) | 140.7 (18) |

Symmetry codes: (ii) $-x+1/2, y-1/2, -z+1$.

supplementary materials

Fig. 1




Fig. 2

