

2-Azido-1-(3,6-dichloro-9H-fluoren-1-yl)ethanone

Hoong-Kun Fun,^{a,*‡} Tze Shyang Chia,^a Reshma Kayarmar,^b Dinesha^c and G. K. Nagaraja^c

^aX-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, ^bSequent Scientific Limited, Baikampady, New Mangalore, India, and ^cDepartment of Chemistry, Mangalore University, Karnataka, India
Correspondence e-mail: hkfun@usm.my


Received 22 August 2011; accepted 10 September 2011

Key indicators: single-crystal X-ray study; $T = 100\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.033; wR factor = 0.085; data-to-parameter ratio = 21.1.

In the title compound, $\text{C}_{15}\text{H}_9\text{Cl}_2\text{N}_3\text{O}$, an intramolecular $\text{C}-\text{H}\cdots\text{O}$ interaction generates an $S(7)$ ring motif. The cyclopenta-1,3-diene ring forms dihedral angles of $1.93(6)$ and $2.78(6)^\circ$ with its attached benzene rings. In the crystal, molecules are linked by $\text{C}-\text{H}\cdots\text{N}$ and $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds, thereby forming layers lying parallel to the ac plane. The crystal also features a $\pi-\pi$ interaction with a centroid–centroid distance of $3.5612(6)\text{ \AA}$.

Related literature

For the mutagenic activity of azides, see: Sander & Muehlbour (1977); Nilan *et al.* (1973); Owais *et al.* (1983). For the preparation of 1,2,3-triazoles *via* 1,3-dipolar cycloaddition reactions of azides with substituted acetylene compounds, see: Purvisis *et al.* (1984); Patei & Smalley (1984). For a related fused-ring structure, see: Molins *et al.* (2002). For related azide structures, see: Basanagouda *et al.* (2010); Karthikeyan *et al.* (2011). For hydrogen-bond motifs, see: Bernstein *et al.* (1995). For reference bond lengths, see: Allen *et al.* (1987).



Experimental

Crystal data

$\text{C}_{15}\text{H}_9\text{Cl}_2\text{N}_3\text{O}$
 $M_r = 318.15$
Monoclinic, $P2_1/c$
 $a = 10.7303(1)\text{ \AA}$
 $b = 18.7012(3)\text{ \AA}$
 $c = 6.8952(1)\text{ \AA}$
 $\beta = 98.61^\circ$

$V = 1368.06(3)\text{ \AA}^3$
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.48\text{ mm}^{-1}$
 $T = 100\text{ K}$
 $0.35 \times 0.21 \times 0.14\text{ mm}$

Data collection

Bruker SMART APEXII CCD area-detector diffractometer
Absorption correction: multi-scan (*SADABS*; Bruker, 2009)
 $T_{\min} = 0.850$, $T_{\max} = 0.936$

15671 measured reflections
4003 independent reflections
3599 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.020$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.033$
 $wR(F^2) = 0.085$
 $S = 1.03$
4003 reflections

190 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.37\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.33\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---|--------------|--------------------|-------------|----------------------|
| $\text{C}5-\text{H}5\text{A}\cdots\text{O}1$ | 0.95 | 2.32 | 3.0134 (14) | 129 |
| $\text{C}13-\text{H}13\text{A}\cdots\text{N}3^i$ | 0.99 | 2.59 | 3.4613 (16) | 147 |
| $\text{C}15-\text{H}15\text{A}\cdots\text{O}1^{ii}$ | 0.99 | 2.53 | 3.1941 (15) | 125 |

Symmetry codes: (i) $x + 1, -y + \frac{1}{2}, z + \frac{1}{2}$; (ii) $x, -y + \frac{1}{2}, z + \frac{1}{2}$.

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

HKF and TSC thank Universiti Sains Malaysia (USM) for the Research University Grant (1001/PFIZIK/811160). TSC thanks the Malaysian Government and USM for the award of the post of Research Officer under the Structure Determination of kDa Outer Membrane Proteins from *S. typhi* by X-ray Protein Crystallography Grant (No. 1001/PSKBP/8630013).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6387).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
Basanagouda, M., Nayak, S. K., Guru Row, T. N. & Kulkarni, M. V. (2010). *Acta Cryst. E66*, o2780.
Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
Bruker (2009). *SADABS*, *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
Karthikeyan, S., Sethusankar, K., Rajeswaran, G. G. & Mohanakrishnan, A. K. (2011). *Acta Cryst. E67*, o2245–o2246.
Molins, E., Miravittles, C., Espinosa, E. & Ballester, M. (2002). *J. Org. Chem.* **67**, 7175–7178.

‡ Thomson Reuters ResearcherID: A-3561-2009.

- Nilan, R. A., Sideris, E. G., Kleinhofs, A. & Nilan, R. A. (1973). *Mut. Res.* **17**, 142–144.
Owais, W., Rosichan, J. L., Roland, R. C., Kleinhofs, S. A. & Nilan, R. A. (1983). *Mut. Res.* **118**, 229–239
Patei, D. I. & Smalley, R. K. (1984). *J. Chem. Soc. Perkin Trans. 1*, pp. 2587–2590
Purvisis, P., Smalley, R. K., Saschitsky, H. & Alkhader, M. A. (1984). *J. Chem. Soc. Perkin Trans. 1*, pp. 249–254
Sander, C. & Muehlbauer, F. J. (1977). *Environ. Exp.* **17**, 43–45
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.

supplementary materials

Acta Cryst. (2011). E67, o2656-o2657 [doi:10.1107/S1600536811036762]

2-Azido-1-(3,6-dichloro-9H-fluoren-1-yl)ethanone

H.-K. Fun, T. S. Chia, R. Kayarmar, Dinesha and G. K. Nagaraja

Comment

Azides are considered very important compounds due to both their industrial as well as biological applications. Azide derivatives have been used in rubber vulcanization, polymer cross linking, dyes tire cord adhesives, forming of plastics, pharmaceuticals, pesticides and herbicides. Many azide compounds show mutagenic activities (Sander & Muehlbour, 1977; Nilan *et al.*, 1973; Owais *et al.*, 1983). The chemistry of azides has thus attracted the attention of many chemists, since many of these compounds play an important role in organic chemistry. One of the more useful synthetic applications of azides is the preparation of 1,2,3-triazoles *via* 1,3-dipolar cycloaddition reactions of azides with substituted acetylene compound (Purvisis *et al.*, 1984; Patei & Smalley, 1984). The crystal structures of 4-Azidomethyl-7-methyl-2-oxo-2*H*-chromene-6-sulfonyl azide (Basanagouda *et al.*, 2010) and 2-Azidomethyl-3-methyl-1-phenylsulfonyl-1*H*-indole (Karthikeyan *et al.*, 2011) have been reported. Attributed to the above fact and with a view to obtain new and better biologically active agent, we synthesized the title compound, (I), in 60% yield.

The molecular structure of the title compound is shown in Fig. 1. The cyclopenta-1,3-diene ring (C1/C6/C7/C12/C13) makes dihedral angles of 1.93 (6) and 2.78 (6) $^{\circ}$ with its terminal benzene rings (C1–C6 & C7–C12) respectively. Bond lengths (Allen *et al.*, 1987) and angles are within normal ranges and are comparable to a related structure (Molins *et al.*, 2002). The molecular structure is stabilized by intramolecular C5—H5A \cdots O1 hydrogen bond (Table 1) which generates an S(7) ring motif (Fig. 1; Bernstein *et al.*, 1995).

In the crystal (Fig. 2), the molecules are connected by C13—H13A \cdots N3 and C15—H15A \cdots O1 hydrogen bonds (Table 1) forming two-dimensional network parallel to *ac* plane. The crystal is further stabilized by π \cdots π interactions with centroid \cdots centroid distance, Cg1 \cdots Cg2 = 3.5612 (6) Å (symmetry code: $x, 1/2 - y, -1/2 + z$); Cg1 and Cg2 are the centroids of the C1/C6/C7/C12/C13 and C1–C6 rings respectively.

Experimental

2-Chloro-1-(3,6-dichloro-9*H*-fluoren-1-yl)ethanone (2 g, 0.0064 mole) in 5 ml DMF was cooled to 0–5 °C. Sodium azide (0.4 g, 0.0064 mole) was added lot-wise and stirred for 3 h. The precipitated product was filtered off, dried and recrystallized from ethanol (1.2 g, 60%). Yellow blocks of (I) were obtained from acetone by slow evaporation.

Refinement

All H atoms were positioned geometrically [C—H = 0.95 and 0.99 Å] and refined using a riding model with $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$.

supplementary materials

Figures




Fig. 1. The molecular structure of the title compound with 50% probability displacement ellipsoids. The intramolecular hydrogen bond is shown by a dashed line.




Fig. 2. The crystal packing of the title compound. The dashed lines represent the hydrogen bonds.

2-Azido-1-(3,6-dichloro-9H-fluoren-1-yl)ethanone

Crystal data

| | |
|---|--|
| C ₁₅ H ₉ Cl ₂ N ₃ O | <i>F</i> (000) = 648 |
| <i>M</i> _r = 318.15 | <i>D</i> _x = 1.545 Mg m ⁻³ |
| Monoclinic, <i>P</i> 2 ₁ /c | Mo <i>K</i> α radiation, λ = 0.71073 Å |
| Hall symbol: -P 2ybc | Cell parameters from 7886 reflections |
| <i>a</i> = 10.7303 (1) Å | θ = 2.2–30.0° |
| <i>b</i> = 18.7012 (3) Å | μ = 0.48 mm ⁻¹ |
| <i>c</i> = 6.8952 (1) Å | <i>T</i> = 100 K |
| β = 98.61° | Block, yellow |
| <i>V</i> = 1368.06 (3) Å ³ | 0.35 × 0.21 × 0.14 mm |
| <i>Z</i> = 4 | |

Data collection

| | |
|---|--|
| Bruker SMART APEXII CCD area-detector diffractometer | 4003 independent reflections |
| Radiation source: fine-focus sealed tube | 3599 reflections with $I > 2\sigma(I)$ |
| graphite | $R_{\text{int}} = 0.020$ |
| φ and ω scans | $\theta_{\text{max}} = 30.1^\circ$, $\theta_{\text{min}} = 1.9^\circ$ |
| Absorption correction: multi-scan (SADABS; Bruker, 2009) | $h = -14 \rightarrow 14$ |
| $T_{\text{min}} = 0.850$, $T_{\text{max}} = 0.936$ | $k = -26 \rightarrow 24$ |
| 15671 measured reflections | $l = -9 \rightarrow 9$ |

Refinement

| | |
|---------------------------------|--|
| Refinement on F^2 | Primary atom site location: structure-invariant direct methods |
| Least-squares matrix: full | Secondary atom site location: difference Fourier map |
| $R[F^2 > 2\sigma(F^2)] = 0.033$ | Hydrogen site location: inferred from neighbouring sites |
| $wR(F^2) = 0.085$ | H-atom parameters constrained |
| $S = 1.03$ | $w = 1/[\sigma^2(F_o^2) + (0.0436P)^2 + 0.561P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| 4003 reflections | $(\Delta/\sigma)_{\max} < 0.001$ |
| 190 parameters | $\Delta\rho_{\max} = 0.37 \text{ e } \text{\AA}^{-3}$ |
| 0 restraints | $\Delta\rho_{\min} = -0.33 \text{ e } \text{\AA}^{-3}$ |

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|---------------|--------------|----------------------------------|
| C11 | 0.86335 (3) | 0.015258 (16) | 0.78440 (5) | 0.02477 (8) |
| C12 | 0.69062 (3) | 0.556390 (16) | 0.75596 (5) | 0.02593 (9) |
| O1 | 0.41319 (8) | 0.27518 (5) | 0.49870 (12) | 0.02012 (18) |
| N1 | 0.19994 (10) | 0.32713 (6) | 0.62768 (18) | 0.0257 (2) |
| N2 | 0.18912 (9) | 0.26184 (6) | 0.63263 (15) | 0.0216 (2) |
| N3 | 0.16346 (11) | 0.20274 (7) | 0.6281 (2) | 0.0321 (3) |
| C1 | 0.82735 (10) | 0.22727 (6) | 0.76076 (15) | 0.0156 (2) |
| C2 | 0.88066 (10) | 0.15948 (6) | 0.78230 (16) | 0.0174 (2) |
| H2A | 0.9693 | 0.1533 | 0.8121 | 0.021* |
| C3 | 0.79995 (11) | 0.10118 (6) | 0.75884 (16) | 0.0176 (2) |
| C4 | 0.66945 (11) | 0.10914 (6) | 0.71603 (16) | 0.0175 (2) |
| H4A | 0.6166 | 0.0681 | 0.7016 | 0.021* |
| C5 | 0.61693 (10) | 0.17715 (6) | 0.69457 (16) | 0.0159 (2) |
| H5A | 0.5281 | 0.1829 | 0.6654 | 0.019* |
| C6 | 0.69576 (10) | 0.23714 (6) | 0.71629 (15) | 0.0143 (2) |
| C7 | 0.67029 (10) | 0.31487 (6) | 0.70872 (15) | 0.0143 (2) |

supplementary materials

| | | | | |
|------|--------------|-------------|--------------|------------|
| C8 | 0.55863 (10) | 0.35588 (6) | 0.67711 (15) | 0.0155 (2) |
| C9 | 0.56735 (11) | 0.43036 (6) | 0.69421 (16) | 0.0181 (2) |
| H9A | 0.4927 | 0.4584 | 0.6765 | 0.022* |
| C10 | 0.68399 (11) | 0.46365 (7) | 0.73686 (16) | 0.0185 (2) |
| C11 | 0.79532 (11) | 0.42465 (7) | 0.76498 (16) | 0.0182 (2) |
| H11A | 0.8748 | 0.4478 | 0.7923 | 0.022* |
| C12 | 0.78680 (10) | 0.35082 (6) | 0.75198 (15) | 0.0156 (2) |
| C13 | 0.89409 (10) | 0.29828 (6) | 0.78215 (16) | 0.0165 (2) |
| H13A | 0.9442 | 0.3035 | 0.9141 | 0.020* |
| H13B | 0.9502 | 0.3043 | 0.6817 | 0.020* |
| C14 | 0.43135 (10) | 0.32382 (6) | 0.61632 (16) | 0.0164 (2) |
| C15 | 0.32381 (11) | 0.35493 (7) | 0.71116 (18) | 0.0207 (2) |
| H15A | 0.3391 | 0.3442 | 0.8533 | 0.025* |
| H15B | 0.3236 | 0.4076 | 0.6958 | 0.025* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|--------------|--------------|--------------|---------------|--------------|---------------|
| Cl1 | 0.02445 (15) | 0.01773 (15) | 0.03227 (16) | 0.00395 (10) | 0.00465 (11) | 0.00274 (11) |
| Cl2 | 0.03214 (17) | 0.01536 (15) | 0.02921 (16) | -0.00146 (11) | 0.00100 (12) | -0.00078 (11) |
| O1 | 0.0170 (4) | 0.0224 (4) | 0.0204 (4) | -0.0007 (3) | 0.0008 (3) | -0.0015 (3) |
| N1 | 0.0152 (5) | 0.0260 (6) | 0.0360 (6) | 0.0035 (4) | 0.0041 (4) | 0.0048 (5) |
| N2 | 0.0107 (4) | 0.0299 (6) | 0.0239 (5) | 0.0001 (4) | 0.0015 (3) | 0.0012 (4) |
| N3 | 0.0203 (5) | 0.0298 (7) | 0.0446 (7) | -0.0036 (5) | -0.0006 (5) | 0.0043 (5) |
| C1 | 0.0152 (5) | 0.0198 (6) | 0.0119 (5) | -0.0006 (4) | 0.0026 (4) | 0.0003 (4) |
| C2 | 0.0157 (5) | 0.0205 (6) | 0.0161 (5) | 0.0016 (4) | 0.0028 (4) | 0.0005 (4) |
| C3 | 0.0205 (5) | 0.0169 (5) | 0.0158 (5) | 0.0023 (4) | 0.0041 (4) | 0.0014 (4) |
| C4 | 0.0189 (5) | 0.0174 (6) | 0.0164 (5) | -0.0016 (4) | 0.0035 (4) | 0.0001 (4) |
| C5 | 0.0148 (5) | 0.0185 (5) | 0.0145 (5) | -0.0009 (4) | 0.0023 (4) | 0.0006 (4) |
| C6 | 0.0152 (5) | 0.0175 (5) | 0.0106 (4) | 0.0007 (4) | 0.0029 (3) | 0.0005 (4) |
| C7 | 0.0150 (5) | 0.0173 (5) | 0.0111 (4) | -0.0007 (4) | 0.0031 (3) | -0.0001 (4) |
| C8 | 0.0155 (5) | 0.0187 (5) | 0.0125 (4) | 0.0003 (4) | 0.0026 (3) | 0.0001 (4) |
| C9 | 0.0202 (5) | 0.0187 (6) | 0.0154 (5) | 0.0017 (4) | 0.0027 (4) | 0.0006 (4) |
| C10 | 0.0244 (6) | 0.0150 (5) | 0.0159 (5) | -0.0012 (4) | 0.0028 (4) | -0.0006 (4) |
| C11 | 0.0195 (5) | 0.0192 (6) | 0.0156 (5) | -0.0030 (4) | 0.0019 (4) | -0.0003 (4) |
| C12 | 0.0159 (5) | 0.0187 (5) | 0.0123 (4) | -0.0013 (4) | 0.0027 (4) | 0.0000 (4) |
| C13 | 0.0140 (4) | 0.0192 (5) | 0.0163 (5) | -0.0010 (4) | 0.0021 (4) | -0.0007 (4) |
| C14 | 0.0150 (5) | 0.0176 (5) | 0.0164 (5) | 0.0019 (4) | 0.0018 (4) | 0.0040 (4) |
| C15 | 0.0165 (5) | 0.0212 (6) | 0.0252 (6) | 0.0022 (4) | 0.0056 (4) | 0.0007 (4) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|---------|-------------|--------|-------------|
| Cl1—C3 | 1.7436 (12) | C6—C7 | 1.4787 (16) |
| Cl2—C10 | 1.7400 (13) | C7—C12 | 1.4115 (15) |
| O1—C14 | 1.2147 (15) | C7—C8 | 1.4117 (15) |
| N1—N2 | 1.2275 (16) | C8—C9 | 1.3997 (17) |
| N1—C15 | 1.4627 (16) | C8—C14 | 1.4930 (15) |
| N2—N3 | 1.1382 (17) | C9—C10 | 1.3895 (16) |
| C1—C2 | 1.3896 (16) | C9—H9A | 0.9500 |

| | | | |
|--------------|--------------|-----------------|--------------|
| C1—C6 | 1.4114 (15) | C10—C11 | 1.3882 (17) |
| C1—C13 | 1.5055 (16) | C11—C12 | 1.3856 (17) |
| C2—C3 | 1.3867 (17) | C11—H11A | 0.9500 |
| C2—H2A | 0.9500 | C12—C13 | 1.5042 (16) |
| C3—C4 | 1.3951 (16) | C13—H13A | 0.9900 |
| C4—C5 | 1.3901 (16) | C13—H13B | 0.9900 |
| C4—H4A | 0.9500 | C14—C15 | 1.5244 (16) |
| C5—C6 | 1.3995 (16) | C15—H15A | 0.9900 |
| C5—H5A | 0.9500 | C15—H15B | 0.9900 |
| N2—N1—C15 | 115.27 (10) | C10—C9—H9A | 119.7 |
| N3—N2—N1 | 171.32 (12) | C8—C9—H9A | 119.7 |
| C2—C1—C6 | 121.67 (11) | C11—C10—C9 | 121.55 (11) |
| C2—C1—C13 | 127.74 (10) | C11—C10—Cl2 | 119.25 (9) |
| C6—C1—C13 | 110.59 (10) | C9—C10—Cl2 | 119.21 (9) |
| C3—C2—C1 | 117.70 (10) | C12—C11—C10 | 117.86 (11) |
| C3—C2—H2A | 121.2 | C12—C11—H11A | 121.1 |
| C1—C2—H2A | 121.2 | C10—C11—H11A | 121.1 |
| C2—C3—C4 | 122.04 (11) | C11—C12—C7 | 122.41 (10) |
| C2—C3—Cl1 | 119.03 (9) | C11—C12—C13 | 126.89 (10) |
| C4—C3—Cl1 | 118.93 (9) | C7—C12—C13 | 110.70 (10) |
| C5—C4—C3 | 119.88 (11) | C12—C13—C1 | 102.69 (9) |
| C5—C4—H4A | 120.1 | C12—C13—H13A | 111.2 |
| C3—C4—H4A | 120.1 | C1—C13—H13A | 111.2 |
| C4—C5—C6 | 119.55 (10) | C12—C13—H13B | 111.2 |
| C4—C5—H5A | 120.2 | C1—C13—H13B | 111.2 |
| C6—C5—H5A | 120.2 | H13A—C13—H13B | 109.1 |
| C5—C6—C1 | 119.17 (11) | O1—C14—C8 | 122.46 (10) |
| C5—C6—C7 | 132.74 (10) | O1—C14—C15 | 121.08 (10) |
| C1—C6—C7 | 108.05 (10) | C8—C14—C15 | 116.46 (10) |
| C12—C7—C8 | 118.58 (11) | N1—C15—C14 | 113.40 (10) |
| C12—C7—C6 | 107.91 (9) | N1—C15—H15A | 108.9 |
| C8—C7—C6 | 133.44 (10) | C14—C15—H15A | 108.9 |
| C9—C8—C7 | 118.89 (10) | N1—C15—H15B | 108.9 |
| C9—C8—C14 | 118.04 (10) | C14—C15—H15B | 108.9 |
| C7—C8—C14 | 123.01 (10) | H15A—C15—H15B | 107.7 |
| C10—C9—C8 | 120.69 (11) | | |
| C6—C1—C2—C3 | -0.08 (16) | C14—C8—C9—C10 | -175.49 (10) |
| C13—C1—C2—C3 | 178.91 (10) | C8—C9—C10—C11 | -0.36 (17) |
| C1—C2—C3—C4 | -0.31 (16) | C8—C9—C10—Cl2 | 179.77 (8) |
| C1—C2—C3—Cl1 | 179.91 (8) | C9—C10—C11—C12 | -0.91 (16) |
| C2—C3—C4—C5 | 0.37 (17) | Cl2—C10—C11—C12 | 178.96 (8) |
| Cl1—C3—C4—C5 | -179.85 (8) | C10—C11—C12—C7 | 0.99 (16) |
| C3—C4—C5—C6 | -0.03 (16) | C10—C11—C12—C13 | -178.30 (10) |
| C4—C5—C6—C1 | -0.35 (15) | C8—C7—C12—C11 | 0.19 (16) |
| C4—C5—C6—C7 | -177.92 (10) | C6—C7—C12—C11 | -177.22 (10) |
| C2—C1—C6—C5 | 0.41 (16) | C8—C7—C12—C13 | 179.58 (9) |
| C13—C1—C6—C5 | -178.74 (9) | C6—C7—C12—C13 | 2.18 (12) |
| C2—C1—C6—C7 | 178.53 (10) | C11—C12—C13—C1 | 176.92 (10) |

supplementary materials


| | | | |
|---------------|--------------|---------------|--------------|
| C13—C1—C6—C7 | −0.62 (12) | C7—C12—C13—C1 | −2.44 (11) |
| C5—C6—C7—C12 | 176.80 (11) | C2—C1—C13—C12 | −177.27 (10) |
| C1—C6—C7—C12 | −0.96 (11) | C6—C1—C13—C12 | 1.82 (11) |
| C5—C6—C7—C8 | −0.1 (2) | C9—C8—C14—O1 | 137.71 (12) |
| C1—C6—C7—C8 | −177.82 (11) | C7—C8—C14—O1 | −39.20 (16) |
| C12—C7—C8—C9 | −1.45 (15) | C9—C8—C14—C15 | −42.76 (14) |
| C6—C7—C8—C9 | 175.15 (11) | C7—C8—C14—C15 | 140.33 (11) |
| C12—C7—C8—C14 | 175.44 (10) | N2—N1—C15—C14 | 56.63 (15) |
| C6—C7—C8—C14 | −7.96 (18) | O1—C14—C15—N1 | −7.46 (16) |
| C7—C8—C9—C10 | 1.55 (16) | C8—C14—C15—N1 | 173.01 (10) |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\text{—H}\cdots A$ | $D\text{—H}$ | $H\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|---------------------------|--------------|-------------|-------------|----------------------|
| C5—H5A…O1 | 0.95 | 2.32 | 3.0134 (14) | 129 |
| C13—H13A…N3 ⁱ | 0.99 | 2.59 | 3.4613 (16) | 147 |
| C15—H15A…O1 ⁱⁱ | 0.99 | 2.53 | 3.1941 (15) | 125 |

Symmetry codes: (i) $x+1, -y+1/2, z+1/2$; (ii) $x, -y+1/2, z+1/2$.

Fig. 1



supplementary materials

Fig. 2

