

3-(2-Chlorophenyl)-4-hydroxyfuran-2(5H)-one

Zhu-Ping Xiao,* Li-Cheng Yi, Jia-Liang Li, Kai-Shuang Xiang and Bo Zhang

The Key Laboratory of Hunan Forest Products & Chemical Industry Engineering of Hunan Province and College of Chemistry & Chemical Engineering, Jishou University, Jishou 416000, People's Republic of China
Correspondence e-mail: xiaozhuping2005@163.com


Received 8 November 2011; accepted 15 November 2011

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.034; wR factor = 0.108; data-to-parameter ratio = 17.0.

In the title molecule, $\text{C}_{10}\text{H}_7\text{ClO}_3$, the butyrolactone core, a furan-2(5H)-one, forms a dihedral angle of $59.21(5)^\circ$ with the benzene ring. In the crystal, two types of hydrogen bonds ($\text{O}-\text{H}\cdots\text{O}$ and $\text{C}-\text{H}\cdots\text{Cl}$) link molecules into infinite chains along the b axis. $\pi-\pi$ contacts [centroid–centroid distances = $3.6359(10)$ and $3.8776(11)\text{ \AA}$] link the chains into a three-dimensional network.

Related literature

For the antibacterial activity of furanones, see: Xiao *et al.* (2011). For related structures, see: Peng *et al.* (2011); Xiao *et al.* (2010).



Experimental

Crystal data

| | |
|---------------------------------------|--|
| $\text{C}_{10}\text{H}_7\text{ClO}_3$ | $V = 929.7(2)\text{ \AA}^3$ |
| $M_r = 210.61$ | $Z = 4$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation |
| $a = 9.9699(15)\text{ \AA}$ | $\mu = 0.39\text{ mm}^{-1}$ |
| $b = 11.8308(18)\text{ \AA}$ | $T = 296\text{ K}$ |
| $c = 8.1562(12)\text{ \AA}$ | $0.30 \times 0.20 \times 0.20\text{ mm}$ |
| $\beta = 104.898(2)^\circ$ | |

Data collection

| | |
|--|--|
| Bruker SMART APEX CCD diffractometer | 7259 measured reflections |
| Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 1996) | 2240 independent reflections |
| $T_{\min} = 0.893$, $T_{\max} = 0.927$ | 2037 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.018$ |

Refinement

| | |
|---------------------------------|--|
| $R[F^2 > 2\sigma(F^2)] = 0.034$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.108$ | $\Delta\rho_{\max} = 0.32\text{ e \AA}^{-3}$ |
| $S = 1.12$ | $\Delta\rho_{\min} = -0.33\text{ e \AA}^{-3}$ |
| 2240 reflections | |
| 132 parameters | |

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|----------------------------------|--------------|--------------------|-------------|----------------------|
| O3—H3 \cdots O1 ⁱ | 0.82 (3) | 1.80 (3) | 2.6182 (16) | 170 (3) |
| C9—H9B \cdots Cl1 ⁱ | 0.97 | 2.77 | 3.7126 (16) | 165 |

Symmetry code: (i) $-x + 2, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

The work was financed by the Planned Science and Technology Project of Hunan Province, China (grant No. 2011 F J3056), the Key Laboratory of Plant Resources Conservation and Utilization (Jishou University), College of Hunan Province (grant No. JSK201106) and Hunan Provincial Natural Science Foundation of China (grant No. 11 J J3113).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2483).

References

- Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
Peng, W., Wang, L., Wu, F. & Xu, Q. (2011). *Acta Cryst. E* **67**, o2329.
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Xiao, Z.-P., Ma, T.-W., Liao, M.-L., Feng, Y.-T., Peng, X.-C., Li, J.-L., Li, Z.-P., Wu, Y., Luo, Q., Deng, Y. & Zhu, H.-L. (2011). *Eur. J. Med. Chem.* **46**, 4904–4914.
Xiao, Z.-P., Zhu, J., Jiang, W., Li, G.-X. & Wang, X.-D. (2010). *Z. Kristallogr. New Cryst. Struct.* **225**, 797–798.

supplementary materials

Acta Cryst. (2011). E67, o3428 [doi:10.1107/S1600536811048641]

3-(2-Chlorophenyl)-4-hydroxyfuran-2(5H)-one

Z.-P. Xiao, L.-C. Yi, J.-L. Li, K.-S. Xiang and B. Zhang

Comment

Recently, we have reported the antibacterial activities of a few γ -butyrolactones (furanones) (Xiao *et al.*, 2011). As a part of our ongoing studies of γ -butyrolactones (Xiao *et al.*, 2010), we herein report the crystal structure of the title compound.

In the title compound (Fig. 1), the butyrolactone moiety makes a dihedral angle of 59.21 (5) $^{\circ}$ with the benzene ring. Relatively strong intermolecular hydrogen bonds (O—H \cdots O) link molecules into an infinite chain running along the *b* axis, which is further consolidated by weak intermolecular C—H \cdots Cl interactions. There are π — π contacts between benzene rings and butyrolactone rings with centroid–centroid distances 3.6359 (10) and 3.8776 (11) \AA , respectively (Fig. 2). The molecular dimensions in the title molecule agree very well with the corresponding molecular dimensions reported in a few similar structures (Peng *et al.*, 2011; Xiao *et al.*, 2010).

Experimental

A dropwise solution of 2-ethoxy-2-oxoethyl 2-(2-chlorophenyl)acetate (1.03 g, 4 mmol) in dry THF was added to a suspension of NaH in dry THF in an ice cold bath. The stirring was maintained at room temperature for 6 h. Water was added and the solution was extracted twice with ethyl ether. The aqueous phase was cooled to 273 K and then acidified with concentrated hydrochloric acid to give a solid precipitate. The title compound thus obtained was crystallized from ethanol-water (2:1) to give the colorless blocks suitable for single-crystal structure determination.

Refinement

The H-atoms bonded to C-atoms were placed in geometrically idealized positions and constrained to ride on their parent atoms with C—H = 0.93 and 0.97 \AA for aryl and methylene type H atoms, respectively, with $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$. The hydroxyl H atom was located from a difference Fourier map and was allowed to refine freely.

Figures




Fig. 1. Molecular structure of the title compound, showing the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

supplementary materials




Fig. 2. A unit cell packing diagram of the title compound showing a three-dimensional network built through intermolecular hydrogen bonds and π - π contacts.




Fig. 3. A unit cell packing diagram of the title compound

3-(2-Chlorophenyl)-4-hydroxyfuran-2(5*H*)-one

Crystal data

| | |
|---|---|
| C ₁₀ H ₇ ClO ₃ | <i>F</i> (000) = 432 |
| <i>M_r</i> = 210.61 | <i>D_x</i> = 1.505 Mg m ⁻³ |
| Monoclinic, <i>P</i> 2 ₁ /c | Mo <i>K</i> α radiation, λ = 0.71073 Å |
| Hall symbol: -P 2ybc | Cell parameters from 2125 reflections |
| <i>a</i> = 9.9699 (15) Å | θ = 2.7–27.8° |
| <i>b</i> = 11.8308 (18) Å | μ = 0.39 mm ⁻¹ |
| <i>c</i> = 8.1562 (12) Å | <i>T</i> = 296 K |
| β = 104.898 (2)° | Block, colorless |
| <i>V</i> = 929.7 (2) Å ³ | 0.30 × 0.20 × 0.20 mm |
| <i>Z</i> = 4 | |

Data collection

| | |
|---|--|
| Bruker SMART APEX CCD diffractometer | 2240 independent reflections |
| Radiation source: fine-focus sealed tube graphite | 2037 reflections with $I > 2\sigma(I)$ |
| φ and ω scan | $R_{\text{int}} = 0.018$ |
| Absorption correction: multi-scan | $\theta_{\text{max}} = 28.0^\circ$, $\theta_{\text{min}} = 2.1^\circ$ |
| | $h = -13 \rightarrow 10$ |

(SADABS; Sheldrick, 1996)

$T_{\min} = 0.893$, $T_{\max} = 0.927$

7259 measured reflections

$k = -15 \rightarrow 15$

$l = -10 \rightarrow 10$

Refinement

Refinement on F^2

Secondary atom site location: difference Fourier map

Least-squares matrix: full

Hydrogen site location: inferred from neighbouring sites

$R[F^2 > 2\sigma(F^2)] = 0.034$

H atoms treated by a mixture of independent and constrained refinement

$wR(F^2) = 0.108$

$$w = 1/[\sigma^2(F_o^2) + (0.0607P)^2 + 0.1971P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$S = 1.12$

$$(\Delta/\sigma)_{\max} = 0.001$$

2240 reflections

$$\Delta\rho_{\max} = 0.32 \text{ e \AA}^{-3}$$

132 parameters

$$\Delta\rho_{\min} = -0.33 \text{ e \AA}^{-3}$$

0 restraints

Extinction correction: SHELXL97 (Sheldrick, 2008),
 $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Primary atom site location: structure-invariant direct methods

Extinction coefficient: 0.021 (4)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|--------------|----------------------------------|
| C1 | 0.70093 (13) | 0.46964 (11) | 0.22948 (16) | 0.0334 (3) |
| C2 | 0.62894 (13) | 0.38058 (11) | 0.13494 (17) | 0.0350 (3) |
| C3 | 0.48970 (15) | 0.36149 (14) | 0.1245 (2) | 0.0475 (4) |
| H3A | 0.4435 | 0.3010 | 0.0617 | 0.057* |
| C4 | 0.42063 (16) | 0.43319 (17) | 0.2082 (2) | 0.0567 (4) |
| H4 | 0.3274 | 0.4206 | 0.2022 | 0.068* |
| C5 | 0.48850 (17) | 0.52330 (17) | 0.3006 (2) | 0.0556 (4) |
| H5 | 0.4408 | 0.5719 | 0.3553 | 0.067* |
| C6 | 0.62747 (16) | 0.54126 (14) | 0.3117 (2) | 0.0455 (3) |
| H6 | 0.6729 | 0.6019 | 0.3748 | 0.055* |
| C7 | 0.84833 (13) | 0.49225 (10) | 0.23989 (17) | 0.0337 (3) |
| C8 | 0.96157 (13) | 0.41569 (11) | 0.31055 (18) | 0.0365 (3) |

supplementary materials

| | | | | |
|-----|--------------|--------------|--------------|--------------|
| C9 | 1.05960 (15) | 0.57272 (12) | 0.2315 (2) | 0.0459 (3) |
| H9A | 1.0901 | 0.5790 | 0.1281 | 0.055* |
| H9B | 1.1076 | 0.6290 | 0.3119 | 0.055* |
| C10 | 0.90647 (14) | 0.58691 (11) | 0.19598 (18) | 0.0380 (3) |
| Cl1 | 0.71082 (4) | 0.29321 (3) | 0.01933 (5) | 0.04628 (15) |
| H3 | 0.897 (3) | 0.730 (2) | 0.125 (3) | 0.080 (7)* |
| O1 | 0.95949 (11) | 0.32284 (8) | 0.37570 (15) | 0.0465 (3) |
| O2 | 1.08432 (10) | 0.46088 (9) | 0.30186 (16) | 0.0482 (3) |
| O3 | 0.84132 (12) | 0.67963 (10) | 0.12899 (18) | 0.0564 (3) |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|------------|-------------|-------------|--------------|--------------|---------------|
| C1 | 0.0298 (6) | 0.0325 (6) | 0.0387 (6) | 0.0021 (4) | 0.0102 (5) | 0.0046 (5) |
| C2 | 0.0319 (6) | 0.0325 (6) | 0.0400 (6) | 0.0003 (5) | 0.0082 (5) | 0.0070 (5) |
| C3 | 0.0328 (7) | 0.0490 (8) | 0.0568 (9) | -0.0059 (6) | 0.0046 (6) | 0.0136 (7) |
| C4 | 0.0296 (7) | 0.0776 (12) | 0.0647 (10) | 0.0058 (7) | 0.0156 (7) | 0.0213 (9) |
| C5 | 0.0430 (8) | 0.0773 (12) | 0.0514 (9) | 0.0217 (8) | 0.0208 (7) | 0.0107 (8) |
| C6 | 0.0417 (7) | 0.0505 (8) | 0.0454 (7) | 0.0105 (6) | 0.0128 (6) | -0.0012 (6) |
| C7 | 0.0306 (6) | 0.0290 (6) | 0.0419 (6) | -0.0011 (4) | 0.0101 (5) | -0.0033 (5) |
| C8 | 0.0318 (6) | 0.0314 (6) | 0.0470 (7) | 0.0004 (5) | 0.0117 (5) | -0.0048 (5) |
| C9 | 0.0356 (7) | 0.0384 (7) | 0.0648 (9) | -0.0071 (5) | 0.0149 (6) | -0.0014 (6) |
| C10 | 0.0345 (6) | 0.0311 (6) | 0.0469 (7) | -0.0040 (5) | 0.0080 (5) | -0.0031 (5) |
| Cl1 | 0.0483 (2) | 0.0362 (2) | 0.0521 (2) | 0.00220 (13) | 0.00863 (16) | -0.00722 (13) |
| O1 | 0.0408 (5) | 0.0334 (5) | 0.0656 (7) | 0.0049 (4) | 0.0140 (5) | 0.0054 (4) |
| O2 | 0.0304 (5) | 0.0397 (5) | 0.0752 (7) | 0.0007 (4) | 0.0146 (5) | 0.0014 (5) |
| O3 | 0.0410 (6) | 0.0344 (5) | 0.0876 (9) | -0.0053 (4) | 0.0056 (6) | 0.0141 (6) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|-----------|-------------|-----------|-------------|
| C1—C2 | 1.3912 (18) | C6—H6 | 0.9300 |
| C1—C6 | 1.3987 (19) | C7—C10 | 1.3510 (18) |
| C1—C7 | 1.4745 (17) | C7—C8 | 1.4465 (17) |
| C2—C3 | 1.3873 (19) | C8—O1 | 1.2228 (17) |
| C2—Cl1 | 1.7377 (14) | C8—O2 | 1.3539 (16) |
| C3—C4 | 1.379 (3) | C9—O2 | 1.4382 (18) |
| C3—H3A | 0.9300 | C9—C10 | 1.488 (2) |
| C4—C5 | 1.378 (3) | C9—H9A | 0.9700 |
| C4—H4 | 0.9300 | C9—H9B | 0.9700 |
| C5—C6 | 1.381 (2) | C10—O3 | 1.3195 (17) |
| C5—H5 | 0.9300 | O3—H3 | 0.82 (3) |
| C2—C1—C6 | 117.73 (12) | C10—C7—C8 | 106.29 (11) |
| C2—C1—C7 | 122.26 (11) | C10—C7—C1 | 128.63 (12) |
| C6—C1—C7 | 119.97 (12) | C8—C7—C1 | 125.00 (11) |
| C3—C2—C1 | 121.53 (13) | O1—C8—O2 | 119.61 (12) |
| C3—C2—Cl1 | 118.17 (11) | O1—C8—C7 | 129.56 (12) |
| C1—C2—Cl1 | 120.26 (10) | O2—C8—C7 | 110.81 (11) |
| C4—C3—C2 | 119.25 (15) | O2—C9—C10 | 104.08 (11) |

| | | | |
|--------------|--------------|--------------|--------------|
| C4—C3—H3A | 120.4 | O2—C9—H9A | 110.9 |
| C2—C3—H3A | 120.4 | C10—C9—H9A | 110.9 |
| C5—C4—C3 | 120.60 (14) | O2—C9—H9B | 110.9 |
| C5—C4—H4 | 119.7 | C10—C9—H9B | 110.9 |
| C3—C4—H4 | 119.7 | H9A—C9—H9B | 109.0 |
| C4—C5—C6 | 119.86 (15) | O3—C10—C7 | 126.86 (13) |
| C4—C5—H5 | 120.1 | O3—C10—C9 | 123.04 (12) |
| C6—C5—H5 | 120.1 | C7—C10—C9 | 110.09 (12) |
| C5—C6—C1 | 121.02 (16) | C8—O2—C9 | 108.65 (10) |
| C5—C6—H6 | 119.5 | C10—O3—H3 | 111.0 (18) |
| C1—C6—H6 | 119.5 | | |
| C6—C1—C2—C3 | -1.21 (19) | C6—C1—C7—C8 | 119.84 (15) |
| C7—C1—C2—C3 | -179.04 (12) | C10—C7—C8—O1 | 175.41 (15) |
| C6—C1—C2—Cl1 | 176.21 (10) | C1—C7—C8—O1 | -1.6 (2) |
| C7—C1—C2—Cl1 | -1.61 (17) | C10—C7—C8—O2 | -2.92 (16) |
| C1—C2—C3—C4 | 0.7 (2) | C1—C7—C8—O2 | -179.92 (12) |
| Cl1—C2—C3—C4 | -176.74 (12) | C8—C7—C10—O3 | -178.86 (15) |
| C2—C3—C4—C5 | 0.4 (2) | C1—C7—C10—O3 | -2.0 (2) |
| C3—C4—C5—C6 | -0.9 (3) | C8—C7—C10—C9 | 2.03 (16) |
| C4—C5—C6—C1 | 0.4 (2) | C1—C7—C10—C9 | 178.90 (13) |
| C2—C1—C6—C5 | 0.6 (2) | O2—C9—C10—O3 | -179.72 (14) |
| C7—C1—C6—C5 | 178.52 (14) | O2—C9—C10—C7 | -0.57 (17) |
| C2—C1—C7—C10 | 121.29 (16) | O1—C8—O2—C9 | -175.94 (13) |
| C6—C1—C7—C10 | -56.5 (2) | C7—C8—O2—C9 | 2.58 (16) |
| C2—C1—C7—C8 | -62.39 (19) | C10—C9—O2—C8 | -1.25 (16) |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\cdots H$ | $H\cdots A$ | $D\cdots A$ | $D—H\cdots A$ |
|-------------------------|-------------|-------------|---------------|
| O3—H3—O1 ⁱ | 0.82 (3) | 1.80 (3) | 2.6182 (16) |
| C9—H9B—Cl1 ⁱ | 0.97 | 2.77 | 3.7126 (16) |

Symmetry codes: (i) $-x+2, y+1/2, -z+1/2$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

