

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## Morpholin-4-ium hydrogen tartrate

Ming-Liang Liu

Ordered Matter Science Research Center, Southeast University, Nanjing 211189, People's Republic of China


Correspondence e-mail: jgsdxlml@163.com

Received 22 December 2011; accepted 26 December 2011

Key indicators: single-crystal X-ray study;  $T = 293$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.044;  $wR$  factor = 0.097; data-to-parameter ratio = 13.0.

In the title molecular salt,  $\text{C}_4\text{H}_{10}\text{NO}^+\cdot\text{C}_4\text{H}_5\text{O}_6^-$ , the morpholinium cation adopts a chair conformation. The conformation of the C—C—C—C backbone of the monotartrate anion is close to *anti* [torsion angle =  $173.18$  ( $17^\circ$ )], which is supported by two intramolecular O—H...O hydrogen bonds. In the crystal, the components are linked by N—H—O and O—H—O hydrogen bonds, generating (001) sheets.

## Related literature

For a related structure, see: Ruble *et al.* (1976).

## Experimental

## Crystal data

 $\text{C}_4\text{H}_{10}\text{NO}^+\cdot\text{C}_4\text{H}_5\text{O}_6^-$  $M_r = 237.21$ Orthorhombic,  $P2_12_12_1$  $a = 7.2601$  (15) Å $b = 9.1716$  (18) Å $c = 16.283$  (3) Å $V = 1084.2$  (4) Å<sup>3</sup> $Z = 4$ Mo  $K\alpha$  radiation $\mu = 0.13$  mm<sup>-1</sup> $T = 293$  K $0.36 \times 0.32 \times 0.28$  mm

## Data collection

Rigaku Mercury2 diffractometer

Absorption correction: multi-scan

(CrystalClear; Rigaku, 2005)

 $T_{\min} = 0.954$ ,  $T_{\max} = 0.966$ 

8960 measured reflections

1903 independent reflections

1747 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.060$ 

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.044$  $wR(F^2) = 0.097$  $S = 1.17$ 

1903 reflections

146 parameters

H-atom parameters constrained

 $\Delta\rho_{\max} = 0.14$  e Å<sup>-3</sup> $\Delta\rho_{\min} = -0.20$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N1}-\text{H1A}\cdots\text{O2}^{\text{i}}$	0.90	2.05	2.918 (3)	162
$\text{N1}-\text{H1B}\cdots\text{O2}^{\text{ii}}$	0.90	1.95	2.790 (3)	154
$\text{O1}-\text{H1}\cdots\text{O2}$	0.82	2.09	2.600 (2)	120
$\text{O1}-\text{H1}\cdots\text{O4}^{\text{iii}}$	0.82	2.40	3.068 (2)	139
$\text{O5}-\text{H5}\cdots\text{O3}^{\text{iv}}$	0.82	1.73	2.529 (2)	165
$\text{O6}-\text{H6}\cdots\text{O4}$	0.82	2.20	2.674 (2)	117
$\text{O6}-\text{H6}\cdots\text{O1}^{\text{v}}$	0.82	2.24	2.996 (2)	153

Symmetry codes: (i)  $-x + \frac{1}{2}, -y + 1, z + \frac{1}{2}$ ; (ii)  $x + \frac{1}{2}, -y + \frac{3}{2}, -z + 1$ ; (iii)  $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$ ; (iv)  $x + 1, y, z$ ; (v)  $-x + 1, y - \frac{1}{2}, -z + \frac{1}{2}$ .

Data collection: *CrystalClear* (Rigaku, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The author thanks an anonymous advisor from the Ordered Matter Science Research Centre, Southeast University, for great help in the revision of this paper.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6576).

## References

- Rigaku (2005). *CrystalClear*. Rigaku Corporation, Tokyo, Japan.  
Ruble, J. R., Hite, G. & Soares, J. R. (1976). *Acta Cryst.* **B32**, 136–140.  
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

**supplementary materials**

*Acta Cryst.* (2012). E68, o289 [ doi:10.1107/S1600536811055759 ]

## Morpholin-4-ium hydrogen tartrate

M.-L. Liu

### Experimental

0.87 g (0.01 mol) of morpholine was firstly dissolved in 30 ml of ethanol, to which 1.50 g (0.01 mol) of tartaric acid was added at ambient temperature. Colourless blocks were obtained by the slow evaporation of the above solution after 3 days in air.

The dielectric constant of the compound as a function of temperature indicates that the permittivity is basically temperature-independent ( $\epsilon = C/(T-T_0)$ ), suggesting that this compound is not ferroelectric or there may be no distinct phase transition occurring within the measured temperature (below the melting point).

### Refinement

The absolute structure is indeterminate based on the present model. H atoms were placed in calculated positions (N—H = 0.89 Å; C—H = 0.93 Å for  $Csp^2$  atoms and C—H = 0.96 Å and 0.97 Å for  $Csp^3$  atoms), assigned fixed  $U_{iso}$  values [ $U_{iso} = 1.2U_{eq}(Csp^2)$  and  $1.5U_{eq}(Csp^3, N)$ ] and allowed to ride.

### Figures




Fig. 1. The molecular structure of the title compound, showing 30% probability displacement ellipsoids.




Fig. 2. Crystal structure of the title compound with view along the *b* axis. Intermolecular interactions are shown as dashed lines.

## Morpholin-4-ium hydrogen tartrate

### Crystal data

$C_4H_{10}NO^+ \cdot C_4H_5O_6^-$

$M_r = 237.21$

$F(000) = 504$

$D_x = 1.453 \text{ Mg m}^{-3}$

# supplementary materials

---

Orthorhombic,  $P2_12_12_1$   
Hall symbol: P 2ac 2ab  
 $a = 7.2601$  (15) Å  
 $b = 9.1716$  (18) Å  
 $c = 16.283$  (3) Å  
 $V = 1084.2$  (4) Å<sup>3</sup>  
 $Z = 4$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å  
Cell parameters from 1903 reflections  
 $\theta = 3.4\text{--}26.4^\circ$   
 $\mu = 0.13$  mm<sup>-1</sup>  
 $T = 293$  K  
Block, colourless  
 $0.36 \times 0.32 \times 0.28$  mm

## Data collection

Rigaku Mercury2  
diffractometer  
Radiation source: fine-focus sealed tube  
graphite  
 $\omega$  scans  
Absorption correction: multi-scan  
(*CrystalClear*; Rigaku, 2005)  
 $T_{\min} = 0.954$ ,  $T_{\max} = 0.966$   
8960 measured reflections  
1903 independent reflections

1747 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.060$   
 $\theta_{\max} = 25^\circ$ ,  $\theta_{\min} = 3.1^\circ$   
 $h = -8 \rightarrow 8$   
 $k = -10 \rightarrow 10$   
 $l = -19 \rightarrow 19$   
3 standard reflections every 180 reflections  
intensity decay: none

## Refinement

Refinement on  $F^2$   
Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.044$   
 $wR(F^2) = 0.097$   
 $S = 1.17$   
1903 reflections  
146 parameters  
0 restraints

Primary atom site location: structure-invariant direct methods  
Secondary atom site location: difference Fourier map  
Hydrogen site location: inferred from neighbouring sites  
H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0363P)^2 + 0.0989P]$   
where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.095$   
 $\Delta\rho_{\max} = 0.14$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.20$  e Å<sup>-3</sup>

## Special details

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional R-factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and R-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O7	0.3787 (3)	0.3058 (2)	0.55071 (10)	0.0542 (5)
N1	0.4758 (3)	0.4978 (2)	0.68097 (11)	0.0426 (5)
H1A	0.4382	0.4480	0.7256	0.051*
H1B	0.5249	0.5827	0.6979	0.051*
C1	0.3161 (4)	0.5269 (3)	0.62661 (15)	0.0510 (7)
H1C	0.3541	0.5882	0.5811	0.061*
H1D	0.2210	0.5780	0.6570	0.061*
C2	0.2413 (4)	0.3847 (3)	0.59447 (15)	0.0508 (7)
H2A	0.1973	0.3262	0.6400	0.061*
H2B	0.1378	0.4039	0.5584	0.061*
C3	0.5307 (4)	0.2735 (3)	0.60333 (15)	0.0519 (7)
H3A	0.6219	0.2178	0.5731	0.062*
H3B	0.4885	0.2143	0.6490	0.062*
C4	0.6178 (4)	0.4113 (3)	0.63583 (16)	0.0504 (7)
H4A	0.7186	0.3871	0.6725	0.060*
H4B	0.6668	0.4684	0.5907	0.060*
O1	0.4383 (2)	0.75847 (19)	0.31549 (10)	0.0494 (5)
H1	0.3531	0.7781	0.2843	0.074*
O2	0.08530 (19)	0.71085 (17)	0.31349 (8)	0.0358 (4)
O3	0.08075 (18)	0.60421 (18)	0.43779 (9)	0.0394 (4)
O4	0.73405 (19)	0.46475 (19)	0.31136 (9)	0.0418 (4)
O5	0.73379 (19)	0.58152 (19)	0.43315 (9)	0.0410 (4)
H5	0.8459	0.5815	0.4269	0.062*
O6	0.3670 (2)	0.44104 (19)	0.31002 (10)	0.0474 (5)
H6	0.4483	0.4105	0.2796	0.071*
C5	0.6557 (3)	0.5186 (2)	0.36993 (13)	0.0312 (5)
C6	0.4477 (3)	0.5161 (3)	0.37717 (12)	0.0304 (5)
H6A	0.4145	0.4652	0.4280	0.036*
C7	0.3714 (3)	0.6722 (2)	0.38132 (13)	0.0304 (5)
H7	0.4082	0.7168	0.4335	0.036*
C8	0.1603 (3)	0.6624 (2)	0.37789 (13)	0.0284 (5)

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O7	0.0728 (12)	0.0500 (12)	0.0397 (9)	0.0035 (11)	-0.0084 (9)	-0.0083 (9)
N1	0.0568 (12)	0.0357 (12)	0.0351 (10)	-0.0088 (10)	0.0062 (9)	-0.0021 (9)
C1	0.0662 (17)	0.0440 (17)	0.0427 (13)	0.0129 (14)	0.0084 (12)	0.0050 (12)
C2	0.0513 (15)	0.0540 (18)	0.0472 (14)	0.0009 (14)	-0.0056 (12)	0.0016 (12)
C3	0.0590 (16)	0.0467 (18)	0.0499 (15)	0.0103 (14)	-0.0012 (13)	-0.0094 (13)
C4	0.0462 (15)	0.0577 (18)	0.0472 (14)	-0.0024 (14)	0.0061 (12)	-0.0044 (13)
O1	0.0317 (8)	0.0551 (12)	0.0614 (11)	-0.0088 (8)	0.0021 (8)	0.0244 (9)
O2	0.0332 (8)	0.0366 (9)	0.0377 (8)	0.0004 (7)	-0.0087 (7)	0.0026 (7)
O3	0.0229 (8)	0.0569 (11)	0.0384 (8)	-0.0009 (7)	0.0019 (7)	0.0068 (8)

## supplementary materials

---

O4	0.0298 (8)	0.0526 (11)	0.0429 (9)	0.0040 (8)	0.0065 (7)	-0.0073 (8)
O5	0.0211 (7)	0.0579 (11)	0.0441 (9)	0.0001 (7)	0.0015 (7)	-0.0070 (8)
O6	0.0299 (8)	0.0554 (11)	0.0568 (10)	0.0005 (8)	0.0002 (8)	-0.0227 (9)
C5	0.0257 (10)	0.0330 (13)	0.0349 (11)	0.0021 (10)	0.0013 (9)	0.0033 (10)
C6	0.0255 (10)	0.0337 (13)	0.0318 (11)	-0.0008 (10)	0.0023 (8)	-0.0002 (10)
C7	0.0244 (10)	0.0323 (13)	0.0344 (11)	-0.0025 (10)	-0.0003 (8)	0.0031 (10)
C8	0.0255 (10)	0.0245 (12)	0.0351 (11)	0.0000 (10)	-0.0015 (9)	-0.0034 (10)

### *Geometric parameters (Å, °)*

O7—C2	1.423 (3)	C4—H4B	0.9700
O7—C3	1.428 (3)	O1—C7	1.418 (2)
N1—C1	1.483 (3)	O1—H1	0.8203
N1—C4	1.494 (3)	O2—C8	1.263 (2)
N1—H1A	0.9006	O3—C8	1.253 (2)
N1—H1B	0.8996	O4—C5	1.216 (2)
C1—C2	1.507 (4)	O5—C5	1.309 (2)
C1—H1C	0.9700	O5—H5	0.8200
C1—H1D	0.9700	O6—C6	1.419 (2)
C2—H2A	0.9700	O6—H6	0.8198
C2—H2B	0.9700	C5—C6	1.515 (3)
C3—C4	1.510 (4)	C6—C7	1.536 (3)
C3—H3A	0.9700	C6—H6A	0.9800
C3—H3B	0.9700	C7—C8	1.536 (3)
C4—H4A	0.9700	C7—H7	0.9800
C2—O7—C3	110.29 (17)	N1—C4—H4A	109.9
C1—N1—C4	109.97 (18)	C3—C4—H4A	109.9
C1—N1—H1A	109.6	N1—C4—H4B	109.9
C4—N1—H1A	109.7	C3—C4—H4B	109.9
C1—N1—H1B	109.7	H4A—C4—H4B	108.3
C4—N1—H1B	109.7	C7—O1—H1	109.4
H1A—N1—H1B	108.2	C5—O5—H5	109.4
N1—C1—C2	109.5 (2)	C6—O6—H6	109.5
N1—C1—H1C	109.8	O4—C5—O5	126.37 (18)
C2—C1—H1C	109.8	O4—C5—C6	121.5 (2)
N1—C1—H1D	109.8	O5—C5—C6	112.16 (18)
C2—C1—H1D	109.8	O6—C6—C5	111.03 (17)
H1C—C1—H1D	108.2	O6—C6—C7	109.70 (17)
O7—C2—C1	111.2 (2)	C5—C6—C7	110.44 (18)
O7—C2—H2A	109.4	O6—C6—H6A	108.5
C1—C2—H2A	109.4	C5—C6—H6A	108.5
O7—C2—H2B	109.4	C7—C6—H6A	108.5
C1—C2—H2B	109.4	O1—C7—C6	111.28 (16)
H2A—C2—H2B	108.0	O1—C7—C8	110.32 (17)
O7—C3—C4	111.1 (2)	C6—C7—C8	107.67 (18)
O7—C3—H3A	109.4	O1—C7—H7	109.2
C4—C3—H3A	109.4	C6—C7—H7	109.2
O7—C3—H3B	109.4	C8—C7—H7	109.2
C4—C3—H3B	109.4	O3—C8—O2	126.69 (18)

H3A—C3—H3B	108.0	O3—C8—C7	117.18 (18)
N1—C4—C3	109.1 (2)	O2—C8—C7	116.10 (19)
C4—N1—C1—C2	56.0 (3)	O5—C5—C6—C7	61.0 (2)
C3—O7—C2—C1	60.4 (3)	O6—C6—C7—O1	-70.5 (2)
N1—C1—C2—O7	-58.4 (3)	C5—C6—C7—O1	52.2 (2)
C2—O7—C3—C4	-60.4 (3)	O6—C6—C7—C8	50.5 (2)
C1—N1—C4—C3	-55.9 (3)	C5—C6—C7—C8	173.18 (17)
O7—C3—C4—N1	58.0 (3)	O1—C7—C8—O3	-171.64 (18)
O4—C5—C6—O6	1.9 (3)	C6—C7—C8—O3	66.7 (2)
O5—C5—C6—O6	-177.08 (17)	O1—C7—C8—O2	10.1 (3)
O4—C5—C6—C7	-120.0 (2)	C6—C7—C8—O2	-111.5 (2)

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
N1—H1A $\cdots$ O2 <sup>i</sup>	0.90	2.05	2.918 (3)	162
N1—H1B $\cdots$ O2 <sup>ii</sup>	0.90	1.95	2.790 (3)	154
O1—H1 $\cdots$ O2	0.82	2.09	2.600 (2)	120
O1—H1 $\cdots$ O4 <sup>iii</sup>	0.82	2.40	3.068 (2)	139
O5—H5 $\cdots$ O3 <sup>iv</sup>	0.82	1.73	2.529 (2)	165
O6—H6 $\cdots$ O4	0.82	2.20	2.674 (2)	117
O6—H6 $\cdots$ O1 <sup>v</sup>	0.82	2.24	2.996 (2)	153

Symmetry codes: (i)  $-x+1/2, -y+1, z+1/2$ ; (ii)  $x+1/2, -y+3/2, -z+1$ ; (iii)  $-x+1, y+1/2, -z+1/2$ ; (iv)  $x+1, y, z$ ; (v)  $-x+1, y-1/2, -z+1/2$ .

Fig. 1






Fig. 2

