

catena-Poly[[diaquabis(1*H*-imidazole- κ N³)cobalt(II)]- μ -2,3,5,6-tetrachloroterephthalato- κ^2 O¹:O⁴]

Chang-Ge Zheng,* Peng Zhang, Ping Li and Pei-Pei Zhang

School of Chemical and Materials Engineering, Jiangnan University, 1800 Lihu Road, Wuxi, Jiangsu Province 214122, People's Republic of China

Correspondence e-mail: cgzheng@jiangnan.edu.cn


Received 12 January 2012; accepted 7 February 2012

 Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.032; wR factor = 0.078; data-to-parameter ratio = 17.6.

In the title compound, $[\text{Co}(\text{C}_8\text{Cl}_4\text{O}_4)(\text{C}_3\text{H}_4\text{N}_2)_2(\text{H}_2\text{O})_2]_n$, the Co^{II} ion displays a distorted octahedral coordination geometry with two O atoms from two monodentate tetrachloroterephthalate dianions, two N atoms from two imidazole molecules and two O atoms from two water molecules. The Co^{II} ions are connected *via* the tetrachloroterephthalate dianions into a chain running along the crystallographic [110] direction. Adjacent chains are linked into a two-dimensional network arranged parallel to (010) by classical $\text{N}-\text{H}\cdots\text{O}$ and $\text{O}-\text{H}\cdots\text{O}$ hydrogen bonds.

Related literature

For magnetism, gas storage and electrooptic properties, see: Kumar *et al.* (2009); Farha *et al.* (2009); Zhou *et al.* (2006); Mulder *et al.* (2005); Zhang *et al.* (2007). For the geometric parameters of related compounds, see: Murugavel *et al.* (2002); Rogan *et al.* (2006); Tong *et al.* (2002); Zhang & Lu (2004).



Experimental

Crystal data

$[\text{Co}(\text{C}_8\text{Cl}_4\text{O}_4)(\text{C}_3\text{H}_4\text{N}_2)_2(\text{H}_2\text{O})_2]$
 $M_r = 533.01$
 Monoclinic, $C2/c$

$a = 18.646$ (4) Å
 $b = 12.068$ (2) Å
 $c = 10.741$ (2) Å

$\beta = 120.76$ (3)°
 $V = 2076.9$ (9) Å³
 $Z = 4$
 Mo $K\alpha$ radiation

$\mu = 1.38$ mm⁻¹
 $T = 295$ K
 $0.58 \times 0.52 \times 0.31$ mm

Data collection

Bruker SMART APEXII CCD diffractometer
 Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
 $T_{\text{min}} = 0.677$, $T_{\text{max}} = 1.000$

6189 measured reflections
 2342 independent reflections
 1959 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.022$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.032$
 $wR(F^2) = 0.078$
 $S = 1.06$
 2342 reflections

133 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.27$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.29$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{O3}-\text{H3A}\cdots\text{O1}^{\text{i}}$	0.85	1.94	2.7681 (19)	166
$\text{O3}-\text{H3B}\cdots\text{O2}^{\text{ii}}$	0.85	2.01	2.696 (2)	137
$\text{N2}-\text{H2B}\cdots\text{O2}^{\text{iii}}$	0.86	1.96	2.803 (2)	167

Symmetry codes: (i) $-x + 1, y, -z + \frac{1}{2}$; (ii) $-x + 1, -y + 1, -z + 1$; (iii) $-x + \frac{1}{2}, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *APEX2* (Bruker, 2005); cell refinement: *SAINT* (Bruker, 2005); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97*.

This work was supported by the Center of Analysis and Testing of Jiangnan University and the Research Institute of Elemento–Organic Chemistry of Suzhou University.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: RK2332).

References

- Bruker (2005). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farha, O. K., Spokoyny, A. Y. M., Mulfort, K. L., Galli, S., Hupp, J. T. & Mirkin, C. A. (2009). *Small*, **5**, 1727–1731.
- Kumar, A., Mayer-Figge, H., Sheldrick, W. S. & Singh, N. (2009). *Eur. J. Inorg. Chem.* pp. 2720–2725.
- Mulder, F. M., Dingemans, T. J., Wagemake, M. & Kearley, G. J. (2005). *Chem. Phys.* **317**, 113–118.
- Murugavel, R., Krishnamurthy, D. & Sathiyendiran, M. (2002). *J. Chem. Soc. Dalton Trans.* pp. 34–39.
- Rogan, J., Poleti, D. & Karanović, L. (2006). *Z. Anorg. Allg. Chem.* **632**, 133–139.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Tong, M.-L., Li, W., Chen, X.-M. & Ng, S. W. (2002). *Acta Cryst.* **E58**, m186–m188.
- Zhang, Q.-Z. & Lu, C.-Z. (2004). *Acta Cryst.* **E60**, m1289–m1290.
- Zhang, L., Wang, Q. & Liu, Y. C. (2007). *J. Phys. Chem. B*, **111**, 4291–4295.
- Zhou, Y. F., Hong, M. C. & Wu, X. T. (2006). *Chem. Commun.* pp. 135–143.

supplementary materials

Acta Cryst. (2012). E68, m368 [doi:10.1107/S1600536812005429]

catena-Poly[[diaquabis(1*H*-imidazole- κ N³)cobalt(II)]- μ -2,3,5,6-tetrachloro-terephthalato- κ^2 O¹:O⁴]**Chang-Ge Zheng, Peng Zhang, Ping Li and Pei-Pei Zhang****Comment**

The design and synthesis of coordination polymers has attracted great interest in functional solid-state materials, owing to their excellent properties in magnetism, gas storage and electrooptic materials (Kumar *et al.*, 2009; Farha *et al.*, 2009; Zhou *et al.*, 2006). Herein, compared with 1,4-benzenedicarboxylic acid, tetrachloroterephthalic acid can be used to construct materials which have different properties. Computational study suggests that 1,4-benzenedicarboxylic acid with chemical modification have better adsorption property in gas storage (Mulder *et al.*, 2005; Zhang *et al.*, 2007).

Single-crystal X-ray structural analysis reveals that the title cobalt(II) complex in crystal built from one-dimensional linear chains running along the crystallographic direction [1 1 0]. As shown in Fig. 1, the coordination geometry around the Co(II) atom is a slightly distorted octahedron with N₂O₄ binding set. In the octahedron unit, two O atoms from the tetrachloroterephthalate dianions ligands and two N atoms from the imidazole molecules form the equatorial plane and the axial position is occupied by O atoms from two water molecules. The Co—O bond lengths are 2.1653 (14) Å and 2.0865 (14) Å and agree well with the reported (Murugavel *et al.*, 2002; Rogan *et al.*, 2006). The Co—N bond length are 2.0896 (17) Å, which are comparable with the reported values in the similar complexes (Tong *et al.*, 2002; Zhang & Lu, 2004). In addition, the imidazole and water molecules act as donors in N—H···O and O—H···O hydrogen bonds (Table 1). Adjacent one-dimensional chains are linked into a two-dimensional network arranged along the crystallographic *b* axis by classical N2—H2B···O2ⁱⁱⁱ and O3—H3A···O1ⁱ hydrogen bonds with the angles of 167° and 166°, respectively. Symmetry codes: (i) $-x+1, y, -z+1/2$; (iii) $-x+1/2, y+1/2, -z+1/2$.

Experimental

All the reagents and solvents employed were commercially available. Tetrachloroterephthalic acid was purified by recrystallization. In a 15 cm long tube, a solution of sodium tetrachloroterephthalate (0.0346 g, 0.1 mmol) and imidazol (0.0068 g, 0.1 mmol) in 5 mL methanol was carefully layered on top of a bilayer solution comprised of a solution of Co(NO₃)₂·6H₂O (0.0291 g, 0.10 mmol) in 5 mL water on the bottom and a buffer solvent of 6 mL ethyl acetate on the top at room temperature. Half a month later, pink block-shaped crystals were obtained, washed with water, and dried on air (0.0618 g, yield: 58% based on Co). Elemental analysis(%) calcd. for C₁₄H₁₂Cl₄CoN₄O₆: C, 31.52; H, 2.25; N, 10.51. Found: C, 31.37; H, 2.24; N, 10.47%.

Refinement

All the other H atoms were placed in geometrically idealized positions and constrained to ride on their parent atoms with C—H, O—H and N—H distances of 0.93 Å, 0.85 Å and 0.86 Å with $U_{\text{iso}}(\text{H}) = 1.2(1.5)U_{\text{eq}}(\text{C, O, N})$. All C—Cl bond lengths were restrained to 1.728–1.729 (2) Å.

Computing details

Data collection: *APEX2* (Bruker, 2005); cell refinement: *SAINTE* (Bruker, 2005); data reduction: *SAINTE* (Bruker, 2005); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008).




Figure 1

ORTEP plot of a fragment of the title compound (with the atom numbering scheme) showing the coordination environment of Co1 atom and the one-dimensional polymeric structure. Displacement ellipsoids are drawn at the 50% probability level. Symmetry codes: (i) 1-*x*, *y*, 1/2-*z*; (ii) 1-*x*, 1-*y*, 1-*z*; (iii) 1/2-*x*, 1/2+*y*, 1/2-*z*.

catena-Poly[[diaquabis(1*H*-imidazole- κ N³)cobalt(II)]- μ -2,3,5,6-tetrachloroterephthalato- κ^2 O¹:O⁴]

Crystal data

 $[\text{Co}(\text{C}_8\text{Cl}_4\text{O}_4)(\text{C}_3\text{H}_4\text{N}_2)_2(\text{H}_2\text{O})_2]$
 $M_r = 533.01$

 Monoclinic, *C2/c*

 Hall symbol: -*C* 2yc

 $a = 18.646$ (4) Å

 $b = 12.068$ (2) Å

 $c = 10.741$ (2) Å

 $\beta = 120.76$ (3)°

 $V = 2076.9$ (9) Å³
 $Z = 4$
 $F(000) = 1068$
 $D_x = 1.705$ Mg m⁻³

 Mo *K* α radiation, $\lambda = 0.71073$ Å

 $\mu = 1.38$ mm⁻¹
 $T = 295$ K

Block, pink

 $0.58 \times 0.52 \times 0.31$ mm

Data collection

 Bruker SMART APEXII CCD
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scans

 Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1996)

 $T_{\min} = 0.677$, $T_{\max} = 1.000$

6189 measured reflections

2342 independent reflections

 1959 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.022$
 $\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 3.4^\circ$
 $h = -18 \rightarrow 24$
 $k = -12 \rightarrow 15$
 $l = -13 \rightarrow 11$

Refinement

 Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.032$
 $wR(F^2) = 0.078$
 $S = 1.06$

2342 reflections

133 parameters

0 restraints

 Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier map
 Hydrogen site location: inferred from neighbouring sites
 H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.041P)^2 + 0.2172P]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.27 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.29 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Co1	0.5000	0.5000	0.5000	0.01850 (11)
Cl1	0.40036 (3)	0.13509 (5)	0.26222 (6)	0.04701 (19)
Cl2	0.29749 (4)	0.00958 (5)	-0.03453 (6)	0.04412 (17)
O1	0.40828 (7)	0.41632 (11)	0.30419 (12)	0.0236 (3)
O2	0.31637 (9)	0.35243 (14)	0.36131 (15)	0.0414 (4)
O3	0.58228 (8)	0.50886 (12)	0.42281 (15)	0.0323 (4)
H3A	0.5784	0.4877	0.3441	0.048*
H3B	0.6151	0.5642	0.4520	0.048*
N1	0.44543 (10)	0.65072 (14)	0.40112 (17)	0.0268 (4)
C1	0.34446 (11)	0.36395 (17)	0.27926 (18)	0.0229 (4)
C2	0.29635 (11)	0.30562 (17)	0.13275 (19)	0.0234 (4)
C3	0.31676 (11)	0.19887 (17)	0.11602 (19)	0.0263 (4)
C4	0.27131 (11)	0.14324 (17)	-0.0150 (2)	0.0251 (4)
C5	0.48095 (13)	0.7461 (2)	0.3896 (3)	0.0399 (6)
H5A	0.5380	0.7575	0.4302	0.048*
C6	0.42110 (16)	0.8213 (2)	0.3105 (3)	0.0496 (6)
H6A	0.4289	0.8929	0.2873	0.060*
N2	0.34743 (11)	0.77162 (18)	0.27174 (19)	0.0414 (5)
H2B	0.2986	0.8004	0.2202	0.050*
C8	0.36442 (13)	0.6702 (2)	0.3279 (2)	0.0365 (5)
H8A	0.3242	0.6193	0.3170	0.044*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Co1	0.01555 (17)	0.0220 (2)	0.01592 (18)	-0.00026 (13)	0.00661 (14)	-0.00168 (13)
Cl1	0.0432 (3)	0.0393 (4)	0.0280 (3)	0.0089 (3)	-0.0038 (2)	-0.0019 (2)
Cl2	0.0459 (3)	0.0311 (3)	0.0362 (3)	0.0067 (2)	0.0072 (3)	-0.0097 (2)
O1	0.0224 (6)	0.0281 (8)	0.0176 (6)	-0.0059 (5)	0.0083 (5)	-0.0036 (5)
O2	0.0381 (8)	0.0619 (12)	0.0288 (7)	-0.0277 (8)	0.0205 (7)	-0.0187 (7)
O3	0.0289 (7)	0.0455 (10)	0.0293 (7)	-0.0142 (6)	0.0197 (6)	-0.0163 (6)
N1	0.0234 (8)	0.0259 (10)	0.0250 (8)	0.0028 (7)	0.0080 (7)	-0.0005 (7)

C1	0.0210 (9)	0.0259 (11)	0.0168 (8)	-0.0047 (7)	0.0061 (7)	-0.0045 (8)
C2	0.0218 (9)	0.0279 (12)	0.0198 (9)	-0.0065 (8)	0.0100 (7)	-0.0037 (8)
C3	0.0218 (9)	0.0300 (12)	0.0197 (9)	-0.0023 (8)	0.0052 (7)	0.0000 (8)
C4	0.0258 (9)	0.0213 (11)	0.0250 (9)	-0.0028 (8)	0.0108 (8)	-0.0048 (8)
C5	0.0316 (11)	0.0337 (14)	0.0441 (13)	0.0009 (10)	0.0118 (10)	0.0090 (11)
C6	0.0520 (15)	0.0357 (15)	0.0581 (16)	0.0068 (12)	0.0260 (13)	0.0156 (12)
N2	0.0379 (10)	0.0451 (13)	0.0390 (10)	0.0214 (9)	0.0179 (9)	0.0111 (9)
C8	0.0286 (10)	0.0378 (14)	0.0400 (12)	0.0074 (9)	0.0153 (10)	0.0035 (10)

Geometric parameters (Å, °)

Co1—O3	2.0865 (14)	N1—C5	1.365 (3)
Co1—O3 ⁱ	2.0865 (14)	C1—C2	1.527 (2)
Co1—N1	2.0896 (17)	C2—C3	1.381 (3)
Co1—N1 ⁱ	2.0896 (17)	C2—C4 ⁱⁱ	1.393 (3)
Co1—O1	2.1653 (14)	C3—C4	1.389 (3)
Co1—O1 ⁱ	2.1653 (14)	C4—C2 ⁱⁱ	1.393 (3)
C11—C3	1.728 (2)	C5—C6	1.350 (3)
C12—C4	1.729 (2)	C5—H5A	0.9300
O1—C1	1.250 (2)	C6—N2	1.355 (3)
O2—C1	1.242 (2)	C6—H6A	0.9300
O3—H3A	0.8500	N2—C8	1.329 (3)
O3—H3B	0.8500	N2—H2B	0.8600
N1—C8	1.319 (3)	C8—H8A	0.9300
O3—Co1—O3 ⁱ	180.0	O2—C1—C2	116.16 (16)
O3—Co1—N1	91.11 (6)	O1—C1—C2	116.56 (16)
O3 ⁱ —Co1—N1	88.89 (6)	C3—C2—C4 ⁱⁱ	118.49 (17)
O3—Co1—N1 ⁱ	88.89 (6)	C3—C2—C1	120.55 (16)
O3 ⁱ —Co1—N1 ⁱ	91.11 (6)	C4 ⁱⁱ —C2—C1	120.89 (18)
N1—Co1—N1 ⁱ	180.0	C2—C3—C4	121.12 (17)
O3—Co1—O1	90.80 (5)	C2—C3—C11	118.56 (14)
O3 ⁱ —Co1—O1	89.20 (5)	C4—C3—C11	120.32 (16)
N1—Co1—O1	88.56 (6)	C3—C4—C2 ⁱⁱ	120.39 (18)
N1 ⁱ —Co1—O1	91.44 (6)	C3—C4—C12	120.67 (15)
O3—Co1—O1 ⁱ	89.20 (5)	C2 ⁱⁱ —C4—C12	118.94 (14)
O3 ⁱ —Co1—O1 ⁱ	90.80 (5)	C6—C5—N1	109.9 (2)
N1—Co1—O1 ⁱ	91.44 (6)	C6—C5—H5A	125.0
N1 ⁱ —Co1—O1 ⁱ	88.56 (6)	N1—C5—H5A	125.0
O1—Co1—O1 ⁱ	180.0	C5—C6—N2	106.1 (2)
C1—O1—Co1	129.54 (11)	C5—C6—H6A	126.9
Co1—O3—H3A	132.4	N2—C6—H6A	126.9
Co1—O3—H3B	115.5	C8—N2—C6	107.42 (19)
H3A—O3—H3B	106.4	C8—N2—H2B	126.3
C8—N1—C5	104.86 (19)	C6—N2—H2B	126.3
C8—N1—Co1	124.72 (16)	N1—C8—N2	111.7 (2)
C5—N1—Co1	130.35 (14)	N1—C8—H8A	124.2
O2—C1—O1	127.27 (16)	N2—C8—H8A	124.2
O3—Co1—O1—C1	165.06 (16)	O1—C1—C2—C4 ⁱⁱ	-94.6 (2)

O3 ⁱ —Co1—O1—C1	-14.94 (16)	C4 ⁱⁱ —C2—C3—C4	0.1 (3)
N1—Co1—O1—C1	-103.85 (17)	C1—C2—C3—C4	177.30 (18)
N1 ⁱ —Co1—O1—C1	76.15 (17)	C4 ⁱⁱ —C2—C3—C11	-179.71 (14)
O3—Co1—N1—C8	136.25 (17)	C1—C2—C3—C11	-2.5 (3)
O3 ⁱ —Co1—N1—C8	-43.75 (17)	C2—C3—C4—C2 ⁱⁱ	-0.1 (3)
O1—Co1—N1—C8	45.49 (17)	C11—C3—C4—C2 ⁱⁱ	179.71 (15)
O1 ⁱ —Co1—N1—C8	-134.51 (17)	C2—C3—C4—C12	-179.99 (15)
O3—Co1—N1—C5	-40.3 (2)	C11—C3—C4—C12	-0.1 (3)
O3 ⁱ —Co1—N1—C5	139.7 (2)	C8—N1—C5—C6	0.2 (3)
O1—Co1—N1—C5	-131.0 (2)	Co1—N1—C5—C6	177.28 (17)
O1 ⁱ —Co1—N1—C5	49.0 (2)	N1—C5—C6—N2	-0.4 (3)
Co1—O1—C1—O2	3.9 (3)	C5—C6—N2—C8	0.4 (3)
Co1—O1—C1—C2	-174.82 (12)	C5—N1—C8—N2	0.0 (3)
O2—C1—C2—C3	-90.6 (2)	Co1—N1—C8—N2	-177.26 (14)
O1—C1—C2—C3	88.3 (2)	C6—N2—C8—N1	-0.2 (3)
O2—C1—C2—C4 ⁱⁱ	86.5 (2)		

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (ii) $-x+1/2, -y+1/2, -z$.

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
O3—H3 <i>A</i> \cdots O1 ⁱⁱⁱ	0.85	1.94	2.7681 (19)	166
O3—H3 <i>B</i> \cdots O2 ⁱ	0.85	2.01	2.696 (2)	137
N2—H2 <i>B</i> \cdots O2 ^{iv}	0.86	1.96	2.803 (2)	167

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (iii) $-x+1, y, -z+1/2$; (iv) $-x+1/2, y+1/2, -z+1/2$.