Acta Crystallographica Section E **Structure Reports** Online

ISSN 1600-5368

Dichloridotetrakis(1H-1,2,4-triazole- κN^4)copper(II)

Maja Vidmar,* Tatjana Kobal, Bojan Kozlevčar, Primož Segedin and Amalija Golobič

Faculty of Chemistry and Chemical Technology, University of Ljubljana, Aškerčeva 5 1000 Liubliana Slovenia

Correspondence e-mail: maja.vidmar@fkkt.uni-lj.si


Received 22 February 2012; accepted 28 February 2012

Key indicators: single-crystal X-ray study; T = 294 K; mean $\sigma(N-C) = 0.002$ Å; R factor = 0.025; wR factor = 0.067; data-to-parameter ratio = 16.1.

The central Cu^{II} atom of the molecular title complex. $[CuCl_2(C_2H_3N_3)_4]$, is situated on a site with symmetry 2.22. It is six-coordinated in an elongated octahedral geometry, with the equatorial plane defined by four N atoms of four 1,2,4triazole ligands and the axial positions occupied by two Cl atoms situated on a twofold axis. The molecules are connected via N-H···Cl hydrogen bonds and the crystal consists of two interpenetrating three-dimensional hydrogen-bonded frameworks.

Related literature

For the synthesis and structure of copper(II) coordination compounds with 1,2,4-triazole derivatives, see: Zhang et al. (2003); Zhang & Wu (2005); Zhao et al. (2009); Haasnoot (2000). For the synthesis and structure of 1,2,4-triazole with other metal ions, see: Arion et al. (2003), Haasnoot (2000). For properties of some Cu^{II} complexes of pesticides, see: Kamiya & Kameyama (2001); Morillo et al. (2002).



Experimental

Crystal data

 $[CuCl_2(C_2H_3N_3)_4]$ $M_{\rm w} = 410.75$ Tetragonal, I41/acd a = 14.4471 (3) Å c = 15.8181 (3) Å $V = 3301.53 (12) \text{ Å}^3$

Z = 8Mo $K\alpha$ radiation $\mu = 1.67 \text{ mm}^-$ T = 294 K0.30 \times 0.24 \times 0.22 mm $R_{\rm int} = 0.035$

21092 measured reflections

952 independent reflections

776 reflections with $I > 2\sigma(I)$

Data collection

```
Nonius KappaCCD diffractometer
Absorption correction: multi-scan
  (DENZO-SMN; Otwinowski &
  Minor, 1997)
  T_{\min} = 0.635, T_{\max} = 0.711
```

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.025$	H atoms treated by a mixture of
$wR(F^2) = 0.067$	independent and constrained
S = 1.10	refinement
952 reflections	$\Delta \rho_{\rm max} = 0.40 \text{ e } \text{\AA}^{-3}$
59 parameters	$\Delta \rho_{\rm min} = -0.26 \text{ e } \text{\AA}^{-3}$

Table 1 Sel

lected be	ond lengths (A).	

Cu1-N1	2.0049 (12)	Cu1-Cl1	2.8296 (6)

Table 2

Hydrogen-bond	geometry	(A, °).

$D - H \cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdots A$
$N2-H2\cdots Cl1^i$	0.80 (2)	2.28 (2)	3.0626 (16)	164 (2)
Symmetry code: (i)	$x, y + \frac{1}{2}, -z$			

Data collection: COLLECT (Nonius, 2000); cell refinement: DENZO-SMN (Otwinowski & Minor, 1997); data reduction: DENZO-SMN; program(s) used to solve structure: SIR08 (Burla et al., 2007); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 1997) and Mercury (Macrae et al., 2008); software used to prepare material for publication: WinGX (Farrugia, 1999).

This work was supported by the Ministry of Education, Science, Culture and Sport of the Republic of Slovenia (grants P1-0175 and MR-33158).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: GK2463).

References

- Arion, V. B., Reisner, E., Fremuth, M., Jakupec, M. A., Keppler, B. K., Kukushkin, V. Y. & Pombeiro, A. J. L. (2003). Inorg. Chem. 42, 6024-6031.
- Burla, M. C., Caliandro, R., Camalli, M., Carrozzini, B., Cascarano, G. L., De Caro, L., Giacovazzo, C., Polidori, G., Siliqi, D. & Spagna, R. (2007). J. Appl. Cryst. 40, 609-613.
- Farrugia, L. J. (1997). J. Appl. Cryst. 30, 565.
- Farrugia, L. J. (1999). J. Appl. Cryst. 32, 837-838.
- Haasnoot, J. G. (2000). Coord. Chem. Rev. 200-202, 131-185.
- Kamiya, M. & Kameyama, K. (2001). Chemosphere, 45, 231-235.
- Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). J. Appl. Cryst. 41, 466-470.
- Morillo, E., Undabeytia, T., Maqueda, C. & Ramos, A. (2002). Chemosphere, 47. 747–752.
- Nonius (2000). COLLECT. Nonius BV, Delft, The Netherlands.
- Otwinowski, Z. & Minor, W. (1997). Methods in Enzymology, 276, Macromolecular Crystallography, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307-326. New York: Academic Press.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Zhang, P.-Z. & Wu, J. (2005). *Acta Cryst.* E**61**, m560–m562. Zhang, P.-Z., Wu, J., Gong, Y.-O., Hu, X.-R. & Gu, J.-M. (2003). *Chin. J. Inorg. Chem.* **19**, 909–912.

Zhao, X.-X., Ma, J.-P., Shen, D.-Z., Dong, Y.-B. & Huang, R.-Q. (2009). *CrystEngComm*, **11**, 1281–1290.

supplementary materials

Acta Cryst. (2012). E68, m375-m376 [doi:10.1107/S1600536812008872]

Dichloridotetrakis(1*H*-1,2,4-triazole-κ*N*⁴)copper(II)

Maja Vidmar, Tatjana Kobal, Bojan Kozlevčar, Primož Šegedin and Amalija Golobič

Comment

The 1,2,4-triazoles are being widely used as pharmaceutical and as agricultural chemicals (Haasnoot, 2000). There has also been considerable research on complexation of pesticides with metal ions since it influences their pharmacological and toxicological properties (Arion *et al.*, 2003; Zhang *et al.*, 2003; Kamiya & Kameyama, 2001; Morillo *et al.*, 2002). We report here the preparation and structure of the novel Cu^{II} complex, (I), containing the 1-*H*-1,2,4-triazole ligands.

The title compound $[CuCl_2(C_2H_3N_3)_4]$ is mononuclear complex, where central Cu^{II} atom has a distorted (4 + 2) octahedral coordination environment with four N atoms of 1-*H*-1,2,4-triazole ligands in the equatorial plane and two axial *trans* positioned chlorido ligands. The Cu—N and Cu—Cl bond distances (Table 1) indicate Jahn-Teller elongation of the coordination octahedron. Similar coordination bond lengths and elongation were observed also in all three known structures of analogous mononuclear Cu^{II} complexes containing four coordinated triazolo derivatives and two choride ions at axial position (Zhang & Wu, 2005; Zhang *et al.*, 2003; Zhao *et al.*, 2009). Figure 1 shows the *ORTEP* drawing of complex molecule of (I). The Cu atom lies on a cross-section of three twofold rotation axes (Wyckoff position *b*) and both Cl atoms from the molecule lie on one of these twofold axes (Wyckoff position *f*). Conformation of the molecule is a propeller like. N2 atom is a donor of intermolecular hydrogen bond accepted by Cl atom (symmetry code: *x*, *y* + 1/2, -*z*) from neighbouring molecule. This way molecules are linked into a three-dimensional hydrogen-bonding framework (Figure 2, Table 2). The crystal of (I) consists of two interpenetrating three-dimesional hydrogen-bond frameworks.

Experimental

To a solution of hydrated copper(II) nitrate(V) (0.196 g, 0.81 mmol) in distilled water (40.0 ml) was added a solution of 37% hydrochloric acid (4.0 ml). The pale blue solution was heated till boiling and the colour changed into green. To a cooled solution was added borax (0.400 g, 1.05 mmol) and 1,2,4-triazole (9.600 g, 0.140 mol). The dark blue solution was obtained and at the end NaCl (7.00 g, 0.120 mol) was added. The solution was left for 48 h and the blue crystals suitable for X-ray analysis were obtained.

Refinement

H atoms were positioned geometrically and allowed to ride on their parent atoms [C—H = 0.93 Å for aromatic H atoms and $U_{iso}(H) = 1.2$ times $U_{eq}(C)$] with exception H atom bonded to N atom which was freely refined isotropically.

Computing details

Data collection: *COLLECT* (Nonius, 2000); cell refinement: *DENZO-SMN* (Otwinowski & Minor, 1997); data reduction: *DENZO-SMN* (Otwinowski & Minor, 1997); program(s) used to solve structure: *SIR08* (Burla *et al.*, 2007); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and Mercury (Macrae *et al.*, 2008); software used to prepare material for publication: *WinGX* (Farrugia, 1999).




Figure 1

The molecular structure of the title compound showing the atom-labelling scheme. Displacement ellipsoids are drawn at the 30% probability level and H atoms are drawn as small spheres of arbitrary radii. [Symmetry codes: (i) -*x*, -*y* + 1/2, *z*; (ii) -*y* + 1/4, -*z* + 1/4, (iii) *y* - 1/4, *x* + 1/4, -*z* + 1/4.]




Figure 2

Fragment of a three-dimensional hydrogen-bond framework formed via N-H…Cl intermolecular interactions.

Dichloridotetrakis(1*H*-1,2,4-triazole-κ*N*⁴)copper(II)

Crystal data

[CuCl₂(C₂H₃N₃)₄] $M_r = 410.75$ Tetragonal, *I*4₁/*acd* Hall symbol: -I 4bd 2c a = 14.4471 (3) Å c = 15.8181 (3) Å V = 3301.53 (12) Å³ Z = 8F(000) = 1656

Data collection

Nonius KappaCCD diffractometer Radiation source: fine-focus sealed tube Graphite monochromator φ and ω scans Absorption correction: multi-scan (*DENZO-SMN*; Otwinowski & Minor, 1997) $T_{\min} = 0.635, T_{\max} = 0.711$ $D_x = 1.653 \text{ Mg m}^{-3}$ Mo K α radiation, $\lambda = 0.71073 \text{ Å}$ Cell parameters from 1966 reflections $\theta = 2.6-27.5^{\circ}$ $\mu = 1.67 \text{ mm}^{-1}$ T = 294 KPrism, dark blue $0.30 \times 0.24 \times 0.22 \text{ mm}$

21092 measured reflections 952 independent reflections 776 reflections with $I > 2\sigma(I)$ $R_{int} = 0.035$ $\theta_{max} = 27.5^{\circ}, \ \theta_{min} = 3.4^{\circ}$ $h = -13 \rightarrow 13$ $k = -18 \rightarrow 18$ $l = -20 \rightarrow 20$ Refinement

Refinement on F^2	H atoms treated by a mixture of independent
Least-squares matrix: full	and constrained refinement
$R[F^2 > 2\sigma(F^2)] = 0.025$	$w = 1/[\sigma^2(F_o^2) + (0.0335P)^2 + 1.7204P]$
$wR(F^2) = 0.067$	where $P = (F_o^2 + 2F_c^2)/3$
S = 1.10	$(\Delta/\sigma)_{\rm max} < 0.001$
952 reflections	$\Delta ho_{ m max} = 0.40 \ { m e} \ { m \AA}^{-3}$
59 parameters	$\Delta \rho_{\rm min} = -0.26 \text{ e } \text{\AA}^{-3}$
0 restraints	Extinction correction: SHELXL97 (Sheldrick,
Primary atom site location: structure-invariant	2008), $Fc^* = kFc[1+0.001xFc^2\lambda^3/sin(2\theta)]^{-1/4}$
direct methods	Extinction coefficient: 0.0043 (3)

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters $(Å^2)$

	x	У	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	
Cu1	0.0000	0.2500	0.1250	0.03175 (17)	
Cl1	0.13849 (3)	0.11151 (3)	0.1250	0.0453 (2)	
N1	0.07460 (8)	0.31410 (8)	0.03559 (8)	0.0329 (3)	
N3	0.16037 (11)	0.33828 (11)	-0.07999 (9)	0.0488 (4)	
N2	0.13429 (10)	0.41905 (11)	-0.04391 (10)	0.0436 (4)	
C2	0.12290 (12)	0.27712 (13)	-0.02974 (10)	0.0435 (4)	
H2A	0.1288	0.2137	-0.0380	0.052*	
C3	0.08400 (11)	0.40417 (11)	0.02389 (10)	0.0386 (4)	
H3	0.0589	0.4499	0.0583	0.046*	
H2	0.1460 (16)	0.4665 (16)	-0.0679 (13)	0.059 (6)*	

Atomic displacement parameters $(Å^2)$

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cu1	0.03525 (19)	0.03525 (19)	0.0247 (2)	-0.01284 (14)	0.000	0.000
Cl1	0.0398 (2)	0.0398 (2)	0.0562 (4)	0.0036 (2)	-0.01066 (18)	-0.01066 (18)
N1	0.0358 (7)	0.0325 (6)	0.0305 (6)	-0.0064 (5)	0.0031 (5)	-0.0016 (5)
N3	0.0550 (9)	0.0519 (9)	0.0395 (8)	0.0014 (7)	0.0144 (7)	0.0045 (7)
N2	0.0465 (8)	0.0386 (8)	0.0457 (8)	-0.0059 (6)	0.0072 (7)	0.0109 (7)
C2	0.0573 (11)	0.0370 (8)	0.0362 (8)	-0.0013 (8)	0.0102 (8)	-0.0021 (7)
C3	0.0410 (9)	0.0337 (8)	0.0411 (9)	-0.0021 (7)	0.0060 (7)	0.0019 (7)

Geometric parameters (Å, °)

Cu1—N1	2.0049 (12)	N3—N2	1.353 (2)
Cu1—Cl1	2.8296 (6)	N2—C3	1.313 (2)

N1—C3	1.321 (2)	N2—H2	0.80 (2)
N1—C2	1.357 (2)	C2—H2A	0.9300
N3—C2	1.306 (2)	С3—Н3	0.9300
N1 ⁱ —Cu1—N1 ⁱⁱ	173.87 (7)	Cl1 ⁱ —Cu1—Cl1	180.0
N1 ⁱ —Cu1—N1	90.27 (7)	C3—N1—C2	103.20 (13)
N1 ⁱⁱ —Cu1—N1	90.06 (7)	C3—N1—Cu1	127.51 (10)
N1 ⁱ —Cu1—N1 ⁱⁱⁱ	90.06 (7)	C2—N1—Cu1	129.20 (11)
N1 ⁱⁱ —Cu1—N1 ⁱⁱⁱ	90.27 (7)	C2—N3—N2	102.21 (13)
N1—Cu1—N1 ⁱⁱⁱ	173.87 (7)	C3—N2—N3	110.94 (14)
N1 ⁱ —Cu1—Cl1 ⁱ	86.93 (3)	C3—N2—H2	130.1 (16)
N1 ⁱⁱ —Cu1—Cl1 ⁱ	86.93 (3)	N3—N2—H2	118.6 (15)
N1—Cu1—Cl1 ⁱ	93.07 (3)	N3—C2—N1	114.23 (15)
N1 ⁱⁱⁱ —Cu1—Cl1 ⁱ	93.07 (3)	N3—C2—H2A	122.9
N1 ⁱ —Cu1—Cl1	93.07 (3)	N1—C2—H2A	122.9
N1 ⁱⁱ —Cu1—Cl1	93.07 (3)	N2—C3—N1	109.42 (14)
N1—Cu1—Cl1	86.93 (3)	N2—C3—H3	125.3
N1 ⁱⁱⁱ —Cu1—Cl1	86.93 (3)	N1—C3—H3	125.3
N1 ⁱ —Cu1—N1—C3	120.99 (15)	C2—N3—N2—C3	-0.10 (19)
N1 ⁱⁱ —Cu1—N1—C3	-52.88 (12)	N2—N3—C2—N1	0.2 (2)
Cl1 ⁱ —Cu1—N1—C3	34.05 (13)	C3—N1—C2—N3	-0.22 (19)
Cl1—Cu1—N1—C3	-145.95 (13)	Cu1—N1—C2—N3	176.42 (12)
N1 ⁱ —Cu1—N1—C2	-54.89 (12)	N3—N2—C3—N1	0.0 (2)
N1 ⁱⁱ —Cu1—N1—C2	131.24 (15)	C2—N1—C3—N2	0.14 (18)
Cl1 ⁱ —Cu1—N1—C2	-141.83 (13)	Cu1—N1—C3—N2	-176.58 (11)
Cl1—Cu1—N1—C2	38.17 (13)		

Symmetry codes: (i) -x, -y+1/2, z; (ii) y-1/4, x+1/4, -z+1/4; (iii) -y+1/4, -x+1/4, -z+1/4.

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D····A	D—H···A
N2—H2···Cl1 ^{iv}	0.80 (2)	2.28 (2)	3.0626 (16)	164 (2)

Symmetry code: (iv) x, y+1/2, -z.