

Tetrakis[μ_3 -4-nitro-N-(5-phenyl-1,3,4-oxadiazol-2-yl)benzamidato]tetrakis[methanol]sodium(I)]

Guo-Jie Yin,* Qing Zhang and Dong Li

Department of Environment Engineering and Chemistry, Luoyang Institute of Science and Technology, 471023 Luoyang, People's Republic of China
Correspondence e-mail: yingguojie00000@yahoo.com.cn


Received 19 March 2012; accepted 4 April 2012

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.040; wR factor = 0.106; data-to-parameter ratio = 14.3.

In the title compound, $[\text{Na}_4(\text{C}_{15}\text{H}_9\text{N}_4\text{O}_4)_4(\text{CH}_3\text{OH})_4]$, the N_3O_3 environment around the Na^+ ion is distorted octahedral. In the unit cell, four Na^+ ions are bridged by four Schiff base anions, leading to a tetranuclear complex with $\bar{4}$ symmetry. $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonds between the methanol molecule and the Schiff base anion stabilize the structural set-up.

Related literature

For the preparation of 2-amino-5-phenyl-1,3,4-oxadiazole, see: Gibson (1962) and of *N*-(5-phenyl-1,3,4-oxadiazol-2-yl)-*p*-nitrobenzamide, see: Zhang *et al.* (2009). Organic ligands based on oxadiazole or carboxylate groups have both good coordination ability and diverse coordination modes, see: Hu *et al.* (2008).



Experimental

Crystal data

| | |
|--|--|
| $[\text{Na}_4(\text{C}_{15}\text{H}_9\text{N}_4\text{O}_4)_4(\text{CH}_3\text{OH})_4]$ | $Z = 4$ |
| $M_r = 1457.18$ | Mo $K\alpha$ radiation |
| Tetragonal, $I\bar{4}_1/a$ | $\mu = 0.13\text{ mm}^{-1}$ |
| $a = 15.6635(2)\text{ \AA}$ | $T = 293\text{ K}$ |
| $c = 27.1833(6)\text{ \AA}$ | $0.30 \times 0.20 \times 0.20\text{ mm}$ |
| $V = 6669.29(18)\text{ \AA}^3$ | |

Data collection

| | |
|--|--|
| Bruker SMART CCD area-detector diffractometer | 15582 measured reflections |
| Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 2004) | 3413 independent reflections |
| $(SADABS$; Sheldrick, 2004) | 2653 reflections with $I > 2\sigma(I)$ |
| $T_{\min} = 0.934$, $T_{\max} = 1.000$ | $R_{\text{int}} = 0.027$ |

Refinement

| | |
|---------------------------------|--|
| $R[F^2 > 2\sigma(F^2)] = 0.040$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.106$ | $\Delta\rho_{\text{max}} = 0.22\text{ e \AA}^{-3}$ |
| $S = 1.02$ | $\Delta\rho_{\text{min}} = -0.22\text{ e \AA}^{-3}$ |
| 3413 reflections | |
| 239 parameters | |
| 2 restraints | |

Table 1
Selected bond lengths (\AA).

| | | | |
|--------|-------------|----------------------|-------------|
| Na1—O5 | 2.3413 (14) | Na1—O1 ⁱ | 2.3972 (13) |
| Na1—N1 | 2.3828 (15) | Na1—N2 ⁱⁱ | 2.4127 (15) |
| Na1—O1 | 2.3848 (13) | Na1—N1 ⁱⁱ | 2.9859 (15) |

Symmetry codes: (i) $y + \frac{3}{4}, -x + \frac{5}{4}, -z + \frac{1}{4}$; (ii) $-y + \frac{5}{4}, x - \frac{3}{4}, -z + \frac{1}{4}$.

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

This work was supported by a start-up grant from Luoyang Institute of Science and Technology.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HP2035).

References

- Bruker (2001). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Gibson, M. S. (1962). *Tetrahedron*, **18**, 1377–1380.
- Hu, T. L., Du, W. P., Hu, B. W., Li, J. R., Bu, X. H. & Cao, R. (2008). *CrystEngComm*, **10**, 1037–1043.
- Sheldrick, G. M. (2004). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Zhang, F. L., Hou, Y. H., Du, C. X. & Wu, Y. J. (2009). *Dalton Trans.* pp. 7359–7367.

supplementary materials

Acta Cryst. (2012). E68, m570 [doi:10.1107/S1600536812014791]

Tetrakis[μ_3 -4-nitro-N-(5-phenyl-1,3,4-oxadiazol-2-yl)benzamidato]tetrakis-[methanolsodium(I)]

Guo-Jie Yin, Qing Zhang and Dong Li

Comment

As we all know, the organic ligands based on oxadiazole or carboxylate groups which containing N and O donors have both good coordination ability and diverse coordination modes (Hu *et al.*, 2008). Therefore, the ligand *N*-(5-phenyl-1,3,4-oxadiazol-2-yl)-*p*-nitrobenzamide was chosen to create coordination architectures.

In the title compound, each Na⁺ atom is six-coordinated by one O atom from a methyl alcohol, two O atoms and three N atoms from the ligands, forming a distorted octahedral geometry. In the asymmetric unit, the four Na⁺ ions are bridged by four Schiff base anions, leading to a tetranuclear complex (Fig. 1 and Fig. 2), the coordination geometry of sodium ions can be described as distorted quadrilateral.

Experimental

Reagents and solvents were of commercially available quality. The preparation of 2-Amino-5-phenyl-1,3,4-oxadiazole is based on a published method (Gibson, 1962). Bromine (0.66 ml) in glacial acetic acid (1.34 ml) was added to a stirred slurry of benzaldehyde semicarbazone (2.0 g) and powdered, anhydrous sodium acetate (4.0 g) in acetic acid (12 ml). The solids were dissolved giving a red solution, which suddenly grew warm and rapidly faded with white precipitate formed (sodium bromide). After 15 minutes, the mixture was poured into water (100 ml), and the precipitated solid (1.8 g) collected, washed and dried. Crystallization from ethanol gave stout needles.


The ligand of *N*-(5-phenyl-1,3,4-oxadiazol-2-yl)-*p*-nitrobenzamide was synthesized according to the method of literature (Zhang *et al.*, 2009). 4-Nitrobenzoyl chloride (5.94 g, 0.032 mol) was dropped slowly into the stirred slurry of 2-Amino-5-phenyl-1,3,4-oxadiazole (5.64 g, 0.035 mol) in 50 ml pyridine. 2-Amino-5-phenyl-1,3,4-oxadiazole dissolved gradually and gave a buff solution. After 2 h, the solution was poured into water. Then the sodium hydroxide (2.80 g, 0.07 mol) was added to give a alkaline solution, the precipitate was collected and dried under vacuum. The title compound was obtained by re-crystallization from ethanol. Yield: 5.7 g, 60%.

Refinement


H atoms were positioned geometrically and refined using a riding model with C—H = 0.93–0.96 Å and with $U_{\text{iso}}(\text{H})$ = 1.2 (1.5 for methyl groups) times $U_{\text{eq}}(\text{C})$.

Computing details

Data collection: SMART (Bruker, 2001); cell refinement: SAINT (Bruker, 2001); data reduction: SAINT (Bruker, 2001); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXS97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXL97 (Sheldrick, 2008).

**Figure 1**

The molecular structure of the title complex with displacement ellipsoids drawn at the 50% probability level.

**Figure 2**

The molecular structure of the title complex with displacement ellipsoids drawn at the 50% probability level. Hydrogen atoms are omitted for clarity.

Tetrakis[μ_3 -4-nitro-N-(5-phenyl-1,3,4-oxadiazol-2-yl)benzamidato]tetrakis[methanol:sodium(I)]*Crystal data* $[\text{Na}_4(\text{C}_{15}\text{H}_9\text{N}_4\text{O}_4)_4(\text{CH}_4\text{O})_4]$ $M_r = 1457.18$ Tetragonal, $I4_1/a$ $a = 15.6635$ (2) Å $c = 27.1833$ (6) Å $V = 6669.29$ (18) Å³ $Z = 4$ $F(000) = 3008$ $D_x = 1.451$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 5181 reflections

 $\theta = 3.0\text{--}29.0^\circ$ $\mu = 0.13$ mm⁻¹ $T = 293$ K

Prismatic, yellow

0.30 × 0.20 × 0.20 mm

*Data collection*Bruker SMART CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

phi and ω scansAbsorption correction: multi-scan
(SADABS; Sheldrick, 2004) $T_{\min} = 0.934$, $T_{\max} = 1.000$

15582 measured reflections

3413 independent reflections

2653 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.027$ $\theta_{\max} = 26.4^\circ$, $\theta_{\min} = 3.0^\circ$ $h = -17\text{--}19$ $k = -19\text{--}19$ $l = -33\text{--}30$ *Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.040$ $wR(F^2) = 0.106$ $S = 1.02$

3413 reflections

239 parameters

2 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sitesH atoms treated by a mixture of independent
and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.0488P)^2 + 3.8193P]$
where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.22$ e Å⁻³ $\Delta\rho_{\min} = -0.22$ e Å⁻³*Special details*

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|---------------|-------------|----------------------------------|
| Na1 | 0.83748 (4) | 0.26324 (4) | 0.11911 (2) | 0.03798 (19) |
| O1 | 0.85910 (8) | 0.13991 (7) | 0.16902 (4) | 0.0404 (3) |
| O2 | 0.90153 (7) | 0.31903 (7) | 0.27519 (4) | 0.0363 (3) |
| O3 | 0.65522 (12) | -0.23034 (10) | 0.22897 (7) | 0.0783 (5) |
| O4 | 0.63373 (12) | -0.18639 (10) | 0.30241 (6) | 0.0805 (5) |

| | | | | |
|------|--------------|---------------|--------------|------------|
| O5 | 0.69874 (9) | 0.29271 (10) | 0.14628 (5) | 0.0532 (4) |
| H5 | 0.6938 (13) | 0.2932 (16) | 0.1773 (3) | 0.080* |
| N1 | 0.90347 (9) | 0.30288 (9) | 0.19472 (5) | 0.0386 (3) |
| N2 | 0.93939 (9) | 0.38225 (9) | 0.20680 (5) | 0.0388 (3) |
| N3 | 0.84467 (9) | 0.19219 (8) | 0.24835 (5) | 0.0352 (3) |
| C1 | 1.00589 (13) | 0.52826 (12) | 0.26187 (9) | 0.0571 (5) |
| H1 | 1.0161 | 0.5274 | 0.2282 | 0.069* |
| C2 | 1.03166 (15) | 0.59702 (14) | 0.28927 (12) | 0.0733 (7) |
| H2 | 1.0593 | 0.6426 | 0.2742 | 0.088* |
| C3 | 1.01644 (15) | 0.59842 (15) | 0.33943 (12) | 0.0743 (8) |
| H3 | 1.0341 | 0.6448 | 0.3582 | 0.089* |
| C4 | 0.97544 (15) | 0.53153 (15) | 0.36130 (9) | 0.0660 (6) |
| H4 | 0.9649 | 0.5329 | 0.3950 | 0.079* |
| C5 | 0.94954 (13) | 0.46210 (12) | 0.33403 (7) | 0.0488 (5) |
| H5A | 0.9219 | 0.4167 | 0.3492 | 0.059* |
| C6 | 0.96483 (10) | 0.46020 (10) | 0.28401 (7) | 0.0373 (4) |
| C7 | 0.93688 (10) | 0.38873 (10) | 0.25373 (6) | 0.0330 (4) |
| C8 | 0.88199 (10) | 0.26667 (10) | 0.23605 (6) | 0.0324 (4) |
| C9 | 0.83531 (10) | 0.13374 (10) | 0.21273 (6) | 0.0322 (4) |
| C10 | 0.79134 (10) | 0.05235 (10) | 0.22781 (6) | 0.0332 (4) |
| C11 | 0.76375 (13) | 0.03611 (11) | 0.27529 (7) | 0.0468 (5) |
| H11 | 0.7734 | 0.0763 | 0.2998 | 0.056* |
| C12 | 0.72214 (13) | -0.03911 (12) | 0.28662 (7) | 0.0504 (5) |
| H12 | 0.7033 | -0.0496 | 0.3185 | 0.060* |
| C13 | 0.70909 (11) | -0.09794 (10) | 0.25015 (7) | 0.0409 (4) |
| C14 | 0.73597 (13) | -0.08450 (12) | 0.20282 (7) | 0.0503 (5) |
| H14 | 0.7268 | -0.1254 | 0.1786 | 0.060* |
| C15 | 0.77700 (12) | -0.00895 (12) | 0.19195 (7) | 0.0460 (4) |
| H15 | 0.7954 | 0.0011 | 0.1599 | 0.055* |
| N4 | 0.66286 (11) | -0.17717 (10) | 0.26138 (7) | 0.0527 (4) |
| C16 | 0.61860 (15) | 0.30244 (17) | 0.12369 (9) | 0.0732 (7) |
| H16A | 0.6260 | 0.3257 | 0.0913 | 0.110* |
| H16B | 0.5840 | 0.3404 | 0.1429 | 0.110* |
| H16C | 0.5911 | 0.2478 | 0.1214 | 0.110* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| Na1 | 0.0474 (4) | 0.0400 (4) | 0.0266 (3) | 0.0005 (3) | 0.0019 (3) | -0.0022 (3) |
| O1 | 0.0541 (8) | 0.0366 (6) | 0.0305 (6) | -0.0014 (5) | 0.0096 (5) | -0.0032 (5) |
| O2 | 0.0489 (7) | 0.0342 (6) | 0.0257 (6) | -0.0075 (5) | 0.0036 (5) | -0.0010 (5) |
| O3 | 0.0961 (13) | 0.0499 (9) | 0.0890 (12) | -0.0320 (8) | 0.0193 (10) | -0.0198 (9) |
| O4 | 0.1073 (14) | 0.0652 (10) | 0.0691 (11) | -0.0349 (9) | 0.0210 (10) | 0.0069 (8) |
| O5 | 0.0461 (8) | 0.0717 (9) | 0.0420 (7) | -0.0027 (7) | 0.0096 (6) | -0.0025 (7) |
| N1 | 0.0496 (9) | 0.0373 (8) | 0.0289 (7) | -0.0089 (7) | 0.0050 (6) | -0.0008 (6) |
| N2 | 0.0448 (8) | 0.0390 (8) | 0.0327 (8) | -0.0083 (6) | 0.0054 (6) | 0.0014 (6) |
| N3 | 0.0436 (8) | 0.0327 (7) | 0.0293 (7) | -0.0048 (6) | 0.0049 (6) | -0.0016 (6) |
| C1 | 0.0543 (12) | 0.0471 (11) | 0.0699 (14) | -0.0149 (9) | 0.0119 (10) | -0.0055 (10) |
| C2 | 0.0597 (14) | 0.0465 (13) | 0.114 (2) | -0.0196 (10) | 0.0090 (14) | -0.0121 (13) |
| C3 | 0.0555 (13) | 0.0551 (14) | 0.112 (2) | -0.0034 (11) | -0.0177 (14) | -0.0392 (14) |

| | | | | | | |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| C4 | 0.0749 (16) | 0.0620 (14) | 0.0611 (14) | 0.0022 (12) | -0.0168 (12) | -0.0249 (12) |
| C5 | 0.0574 (12) | 0.0459 (11) | 0.0431 (10) | 0.0000 (9) | -0.0065 (9) | -0.0064 (9) |
| C6 | 0.0322 (9) | 0.0350 (9) | 0.0445 (10) | -0.0005 (7) | -0.0022 (7) | -0.0039 (8) |
| C7 | 0.0323 (8) | 0.0330 (8) | 0.0337 (9) | -0.0034 (7) | 0.0030 (7) | 0.0021 (7) |
| C8 | 0.0357 (8) | 0.0348 (8) | 0.0267 (8) | -0.0022 (7) | 0.0034 (7) | -0.0036 (7) |
| C9 | 0.0332 (8) | 0.0324 (8) | 0.0310 (8) | 0.0029 (7) | 0.0020 (7) | -0.0014 (7) |
| C10 | 0.0333 (8) | 0.0315 (8) | 0.0347 (8) | 0.0013 (7) | 0.0013 (7) | -0.0026 (7) |
| C11 | 0.0656 (12) | 0.0363 (9) | 0.0384 (10) | -0.0087 (8) | 0.0096 (9) | -0.0070 (8) |
| C12 | 0.0681 (13) | 0.0432 (10) | 0.0399 (10) | -0.0099 (9) | 0.0136 (9) | 0.0003 (8) |
| C13 | 0.0398 (9) | 0.0330 (9) | 0.0498 (10) | -0.0038 (7) | 0.0046 (8) | 0.0003 (8) |
| C14 | 0.0611 (12) | 0.0421 (10) | 0.0476 (11) | -0.0128 (9) | 0.0047 (9) | -0.0114 (9) |
| C15 | 0.0571 (12) | 0.0445 (10) | 0.0365 (9) | -0.0103 (9) | 0.0068 (8) | -0.0058 (8) |
| N4 | 0.0525 (10) | 0.0408 (9) | 0.0649 (12) | -0.0084 (7) | 0.0070 (9) | 0.0005 (9) |
| C16 | 0.0564 (14) | 0.0979 (19) | 0.0654 (15) | -0.0038 (12) | 0.0021 (12) | 0.0079 (14) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|-------------------------|-------------|----------|-----------|
| Na1—O5 | 2.3413 (14) | C1—H1 | 0.9300 |
| Na1—N1 | 2.3828 (15) | C2—C3 | 1.384 (4) |
| Na1—O1 | 2.3848 (13) | C2—H2 | 0.9300 |
| Na1—O1 ⁱ | 2.3972 (13) | C3—C4 | 1.365 (4) |
| Na1—N2 ⁱⁱ | 2.4127 (15) | C3—H3 | 0.9300 |
| Na1—N1 ⁱⁱ | 2.9859 (15) | C4—C5 | 1.377 (3) |
| Na1—Na1 ⁱ | 3.6261 (9) | C4—H4 | 0.9300 |
| Na1—Na1 ⁱⁱ | 3.6261 (9) | C5—C6 | 1.381 (3) |
| O1—C9 | 1.2491 (19) | C5—H5A | 0.9300 |
| O1—Na1 ⁱⁱ | 2.3972 (13) | C6—C7 | 1.457 (2) |
| O2—C7 | 1.3559 (19) | C9—C10 | 1.506 (2) |
| O2—C8 | 1.3778 (18) | C10—C11 | 1.385 (2) |
| O3—N4 | 1.218 (2) | C10—C15 | 1.387 (2) |
| O4—N4 | 1.214 (2) | C11—C12 | 1.381 (3) |
| O5—C16 | 1.406 (3) | C11—H11 | 0.9300 |
| O5—H5 | 0.847 (9) | C12—C13 | 1.369 (3) |
| N1—C8 | 1.303 (2) | C12—H12 | 0.9300 |
| N1—N2 | 1.4036 (19) | C13—C14 | 1.370 (3) |
| N1—Na1 ⁱ | 2.9859 (15) | C13—N4 | 1.469 (2) |
| N2—C7 | 1.280 (2) | C14—C15 | 1.379 (3) |
| N2—Na1 ⁱ | 2.4127 (15) | C14—H14 | 0.9300 |
| N3—C9 | 1.341 (2) | C15—H15 | 0.9300 |
| N3—C8 | 1.347 (2) | C16—H16A | 0.9600 |
| C1—C2 | 1.370 (3) | C16—H16B | 0.9600 |
| C1—C6 | 1.383 (3) | C16—H16C | 0.9600 |
| | | | |
| O5—Na1—N1 | 94.54 (5) | C3—C2—H2 | 120.1 |
| O5—Na1—O1 | 96.43 (5) | C4—C3—C2 | 119.8 (2) |
| N1—Na1—O1 | 70.05 (5) | C4—C3—H3 | 120.1 |
| O5—Na1—O1 ⁱ | 106.86 (5) | C2—C3—H3 | 120.1 |
| N1—Na1—O1 ⁱ | 90.40 (5) | C3—C4—C5 | 120.7 (2) |
| O1—Na1—O1 ⁱ | 150.81 (5) | C3—C4—H4 | 119.7 |
| O5—Na1—N2 ⁱⁱ | 123.14 (5) | C5—C4—H4 | 119.7 |

| | | | |
|---|-------------|---------------|-------------|
| N1—Na1—N2 ⁱⁱ | 141.02 (6) | C4—C5—C6 | 119.7 (2) |
| O1—Na1—N2 ⁱⁱ | 94.03 (5) | C4—C5—H5A | 120.1 |
| O1 ⁱ —Na1—N2 ⁱⁱ | 87.87 (5) | C6—C5—H5A | 120.1 |
| O5—Na1—N1 ⁱⁱ | 146.17 (5) | C5—C6—C1 | 119.51 (17) |
| N1—Na1—N1 ⁱⁱ | 113.69 (6) | C5—C6—C7 | 121.38 (16) |
| O1—Na1—N1 ⁱⁱ | 77.43 (4) | C1—C6—C7 | 119.10 (17) |
| O1 ⁱ —Na1—N1 ⁱⁱ | 91.84 (4) | N2—C7—O2 | 112.17 (14) |
| N2 ⁱⁱ —Na1—N1 ⁱⁱ | 27.62 (4) | N2—C7—C6 | 127.92 (15) |
| O5—Na1—Na1 ⁱ | 123.35 (5) | O2—C7—C6 | 119.89 (14) |
| N1—Na1—Na1 ⁱ | 55.00 (4) | N1—C8—N3 | 134.68 (15) |
| O1—Na1—Na1 ⁱ | 111.36 (4) | N1—C8—O2 | 110.45 (13) |
| O1 ⁱ —Na1—Na1 ⁱ | 40.56 (3) | N3—C8—O2 | 114.86 (13) |
| N2 ⁱⁱ —Na1—Na1 ⁱ | 103.62 (4) | O1—C9—N3 | 126.97 (15) |
| N1 ⁱⁱ —Na1—Na1 ⁱ | 89.20 (3) | O1—C9—C10 | 117.45 (14) |
| O5—Na1—Na1 ⁱⁱ | 136.08 (5) | N3—C9—C10 | 115.58 (14) |
| N1—Na1—Na1 ⁱⁱ | 80.91 (4) | C11—C10—C15 | 118.53 (16) |
| O1—Na1—Na1 ⁱⁱ | 40.82 (3) | C11—C10—C9 | 123.50 (15) |
| O1 ⁱ —Na1—Na1 ⁱⁱ | 116.78 (3) | C15—C10—C9 | 117.97 (15) |
| N2 ⁱⁱ —Na1—Na1 ⁱⁱ | 65.47 (4) | C12—C11—C10 | 120.78 (17) |
| N1 ⁱⁱ —Na1—Na1 ⁱⁱ | 40.82 (3) | C12—C11—H11 | 119.6 |
| Na1 ⁱ —Na1—Na1 ⁱⁱ | 89.553 (3) | C10—C11—H11 | 119.6 |
| C9—O1—Na1 | 124.17 (10) | C13—C12—C11 | 118.90 (17) |
| C9—O1—Na1 ⁱⁱ | 129.32 (11) | C13—C12—H12 | 120.5 |
| Na1—O1—Na1 ⁱⁱ | 98.63 (5) | C11—C12—H12 | 120.5 |
| C7—O2—C8 | 103.76 (12) | C12—C13—C14 | 122.05 (16) |
| C16—O5—Na1 | 135.43 (13) | C12—C13—N4 | 119.46 (17) |
| C16—O5—H5 | 110.6 (14) | C14—C13—N4 | 118.47 (16) |
| Na1—O5—H5 | 113.6 (14) | C13—C14—C15 | 118.46 (17) |
| C8—N1—N2 | 106.69 (13) | C13—C14—H14 | 120.8 |
| C8—N1—Na1 | 121.22 (11) | C15—C14—H14 | 120.8 |
| N2—N1—Na1 | 127.35 (10) | C14—C15—C10 | 121.27 (17) |
| C8—N1—Na1 ⁱ | 154.19 (11) | C14—C15—H15 | 119.4 |
| N2—N1—Na1 ⁱ | 52.83 (7) | C10—C15—H15 | 119.4 |
| Na1—N1—Na1 ⁱ | 84.17 (4) | O4—N4—O3 | 123.11 (17) |
| C7—N2—N1 | 106.93 (13) | O4—N4—C13 | 118.49 (17) |
| C7—N2—Na1 ⁱ | 148.36 (12) | O3—N4—C13 | 118.39 (17) |
| N1—N2—Na1 ⁱ | 99.56 (9) | O5—C16—H16A | 109.5 |
| C9—N3—C8 | 117.38 (13) | O5—C16—H16B | 109.5 |
| C2—C1—C6 | 120.4 (2) | H16A—C16—H16B | 109.5 |
| C2—C1—H1 | 119.8 | O5—C16—H16C | 109.5 |
| C6—C1—H1 | 119.8 | H16A—C16—H16C | 109.5 |
| C1—C2—C3 | 119.8 (2) | H16B—C16—H16C | 109.5 |
| C1—C2—H2 | 120.1 | | |

Symmetry codes: (i) $y+3/4, -x+5/4, -z+1/4$; (ii) $-y+5/4, x-3/4, -z+1/4$.

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\cdots H$ | $D—H$ | $H\cdots A$ | $D\cdots A$ | $D—H\cdots A$ |
|-------------|-------|-------------|-------------|---------------|
| | | | | |

supplementary materials

| | | | | |
|---------------------------|----------|----------|-------------|---------|
| O5—H5···N3 ⁱⁱⁱ | 0.85 (1) | 2.12 (1) | 2.9534 (19) | 167 (2) |
|---------------------------|----------|----------|-------------|---------|

Symmetry code: (iii) $-x+3/2, -y+1/2, -z+1/2$.