

Poly[(acetato- κ^2O,O' aqua(μ_4 -1H-benzimidazole-5,6-dicarboxylato- $\kappa^6N^3:O^5,O^5':O^5,O^6:O^6'$)cerium(III)]

Jinhua Chen, Yuezhu Wang, Chun Zheng and Yifan Luo*

School of Chemistry and Environment, South China Normal University, Guangzhou 510006, People's Republic of China
Correspondence e-mail: luoyf2010@yahoo.com.cn


Received 20 March 2012; accepted 19 April 2012

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(C-C) = 0.005$ Å; R factor = 0.023; wR factor = 0.054; data-to-parameter ratio = 11.4.

In the title compound, $[Ce(C_9H_4N_2O_4)(C_2H_3O_2)(H_2O)]_n$, the Ce^{III} ion is coordinated by five O atoms and one N atom from four 1H-benzimidazole-5,6-dicarboxylato (L) ligands and by two O atoms from an acetate ligand and one aqua ligand, forming a slightly distorted tricapped trigonal-prismatic geometry. The L ligands are bridging, forming a layered polymer parallel to (010). In the crystal, O—H···O and N—H···O hydrogen bonds connect the polymer layers into a three-dimensional network.

Related literature

For background to 1H-benzimidazole-5,6-dicarboxylate complexes and for related structures, see: Gao *et al.* (2008); Yao *et al.* (2008); Song, Wang, Hu *et al.* (2009); Song, Wang, Li *et al.* (2009).



Experimental

Crystal data

$[Ce(C_9H_4N_2O_4)(C_2H_3O_2)(H_2O)]$	$\gamma = 84.707 (2)^\circ$
$M_r = 421.32$	$V = 655.3 (2) \text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 7.4577 (15)$ Å	Mo $K\alpha$ radiation
$b = 9.0399 (19)$ Å	$\mu = 3.51 \text{ mm}^{-1}$
$c = 9.792 (2)$ Å	$T = 293$ K
$\alpha = 86.895 (2)^\circ$	$0.17 \times 0.13 \times 0.11$ mm
$\beta = 86.510 (2)^\circ$	

Data collection

Bruker APEXII CCD diffractometer	3390 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Bruker, 2005)	2366 independent reflections
$T_{\min} = 0.584$, $T_{\max} = 0.680$	2194 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.016$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.023$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.054$	$\Delta\rho_{\max} = 0.74 \text{ e \AA}^{-3}$
$S = 1.05$	$\Delta\rho_{\min} = -0.59 \text{ e \AA}^{-3}$
2321 reflections	
203 parameters	
130 restraints	

Table 1
Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
N2—H2···O5 ⁱ	0.86 (3)	1.93 (3)	2.716 (4)	153 (4)
O7—H7A···O3 ⁱⁱ	0.84 (4)	2.05 (4)	2.850 (4)	158 (3)
O7—H7B···O6 ⁱⁱⁱ	0.83 (3)	1.95 (3)	2.777 (4)	176 (6)

Symmetry codes: (i) $x - 1, y, z$; (ii) $-x + 1, -y + 1, -z + 2$; (iii) $-x + 1, -y, -z + 2$.

Data collection: *APEX2* (Bruker, 2005); cell refinement: *SAINT* (Bruker, 2005); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97* and *PLATON* (Spek, 2009).

The authors acknowledge the Chan Xue Yan Cooperative Special Project of Guangdong Province and the Ministry of Science and Technology of the People's Republic of China (project No. 2010B090400184) and the Special Project of Science and Technology of Guangzhou City (project No. 2011J4300063).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH5440).

References

- Bruker (2005). *APEX2, SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Gao, Q., Gao, W.-H., Zhang, C.-Y. & Xie, Y.-B. (2008). *Acta Cryst. E64*, m928.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Song, W.-D., Wang, H., Hu, S.-W., Qin, P.-W. & Li, S.-J. (2009). *Acta Cryst. E65*, m701.
- Song, W.-D., Wang, H., Li, S.-J., Qin, P.-W. & Hu, S.-W. (2009). *Acta Cryst. E65*, m702.
- Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.
- Yao, Y.-L., Che, Y.-X. & Zheng, J.-M. (2008). *Cryst. Growth Des.* **8**, 2299–2306.

supplementary materials

Acta Cryst. (2012). E68, m673 [doi:10.1107/S1600536812017503]

Poly[(acetato- κ^2O,O')aqua(μ_4 -1*H*-benzimidazole-5,6-dicarboxylato- $\kappa^6N^3:O^5,O^5':O^5,O^6:O^6'$)cerium(III)]

Jinhua Chen, Yuezhu Wang, Chun Zheng and Yifan Luo

Comment

1*H*-Benzimidazole-5,6-dicarboxylic acid (H_2L) acts as a multidentate ligand forming coordination polymers (Gao *et al.*, 2008; Yao *et al.*, 2008; Song, Wang, Hu *et al.*, 2009; Song, Wang, Li *et al.*, 2009). Herein, we report the Ce(III) complex of H_2L . The asymmetric unit of the title compound with additional symmetry related atoms is shown in Fig. 1. The Ce^{III} ion is coordinated by five O atoms and one N atom originating from four 1*H*-benzimidazole-5,6-dicarboxylate (L) ligands along with two O atoms from an acetate ligand and one aqua ligand forming a slightly distorted tricapped trigonal-prismatic geometry. The L ligands act as bridging forming a layered polymer parallel to (010) (Fig. 2). In the crystal, intermolecular O—H···O and N—H···O hydrogen bonds connect the polymer layers into a three-dimensional network.

Experimental


A mixture of Ce₂O₃ (0.4 mmol), H_2L (0.4 mmol), acetic acid (0.4 mmol) and water (13 ml) was added in a 25 ml teflon-lined stainless container, which was heated at 453 K for 3 days. After cooling to room temperature, colorless crystals were recovered by filtration.

Refinement


H atoms bonded to N and O atoms were located in difference Fourier maps and refined with isotropic displacement parameters. H atoms bonded to C atoms were placed in calculated positions and included in the refinement using a riding-model approximation [$C-H = 0.93\text{--}0.96$ with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or $1.5U_{\text{eq}}(\text{C}_{\text{methyl}})$]. The 'SIMU 0.5 0.5 3.8 \$C' instruction in SHELXL (Sheldrick, 2008) was used to restrain the anisotropic displacement parameters of the C atoms.

Computing details

Data collection: *APEX2* (Bruker, 2005); cell refinement: *SAINT* (Bruker, 2005); data reduction: *SAINT* (Bruker, 2005); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008) and *PLATON* (Spek, 2009).

**Figure 1**

The asymmetric unit of the title compound, together with some symmetry related atoms to complete the coordination of the Ce^{III} ion. Displacement ellipsoids are shown at the 50% probability level. [Symmetry codes: (a) = -x, 1-y, 2-z; (b) = 1-x, 1-y, 2-z; (c) = 1+x, y, z; (d) = 1-x, 1-y, 1-z; (e) = x, y, -1+z; (f) = -x, 1-y, 1-z; (g) = -1+x, y, z; (h) = x, y, 1+z].

**Figure 2**

Part of the crystal structure showing polymeric layers parallel to the *ac* plane. H atoms are not shown.

Poly[(acetato- κ^2O,O')aqua(μ_4 -1H-benzimidazole-5,6-dicarboxylato- $\kappa^6N^3:O^5,O^5':O^5,O^6:O^6$)cerium(III)]

Crystal data

[Ce(C ₉ H ₄ N ₂ O ₄)(C ₂ H ₃ O ₂)(H ₂ O)]	Z = 2
M _r = 421.32	F(000) = 406
Triclinic, P1	D _x = 2.135 Mg m ⁻³
Hall symbol: -P 1	Mo K α radiation, λ = 0.71073 Å
a = 7.4577 (15) Å	Cell parameters from 2613 reflections
b = 9.0399 (19) Å	θ = 2.1–25.2°
c = 9.792 (2) Å	μ = 3.51 mm ⁻¹
α = 86.895 (2)°	T = 293 K
β = 86.510 (2)°	Block, colorless
γ = 84.707 (2)°	0.17 × 0.13 × 0.11 mm
V = 655.3 (2) Å ³	

Data collection

Bruker APEXII CCD	3390 measured reflections
diffractometer	2366 independent reflections
Radiation source: fine-focus sealed tube	2194 reflections with $I > 2\sigma(I)$
Graphite monochromator	$R_{\text{int}} = 0.016$
φ and ω scans	$\theta_{\text{max}} = 25.2^\circ$, $\theta_{\text{min}} = 2.1^\circ$
Absorption correction: multi-scan (SADABS; Bruker, 2005)	$h = -8 \rightarrow 8$
$T_{\text{min}} = 0.584$, $T_{\text{max}} = 0.680$	$k = -10 \rightarrow 7$
	$l = -11 \rightarrow 10$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.023$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.054$	$w = 1/[\sigma^2(F_o^2) + (0.0217P)^2 + 1.2938P]$ where $P = (F_o^2 + 2F_c^2)/3$
S = 1.05	$(\Delta/\sigma)_{\text{max}} = 0.004$
2321 reflections	$\Delta\rho_{\text{max}} = 0.74 \text{ e } \text{\AA}^{-3}$
203 parameters	$\Delta\rho_{\text{min}} = -0.59 \text{ e } \text{\AA}^{-3}$
130 restraints	
Primary atom site location: structure-invariant direct methods	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger. The number of independent reflections and the number of reflections used in the refinement are not the same, because we used 'omit -3 50' to enhance the '_diffrn_measured_fraction_theta_full'.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Ce1	0.35253 (3)	0.35579 (2)	0.893484 (19)	0.01339 (8)

O6	0.3692 (4)	0.0660 (3)	0.8693 (3)	0.0242 (6)
O5	0.5196 (3)	0.1955 (3)	0.7120 (3)	0.0224 (6)
O3	0.1354 (3)	0.5879 (3)	0.8893 (3)	0.0198 (6)
O4	0.1202 (3)	0.2775 (3)	1.0582 (2)	0.0181 (5)
O7	0.6258 (4)	0.2197 (3)	1.0107 (3)	0.0277 (7)
O1	0.4775 (3)	0.5295 (3)	0.7017 (3)	0.0235 (6)
O2	0.6399 (3)	0.5169 (3)	0.8819 (2)	0.0169 (5)
N1	0.1240 (4)	0.3026 (3)	0.7095 (3)	0.0185 (7)
N2	-0.1340 (4)	0.2436 (4)	0.6341 (3)	0.0199 (7)
C4	0.1286 (5)	0.3230 (4)	0.5663 (3)	0.0152 (7)
C5	-0.0343 (5)	0.2557 (4)	0.7418 (4)	0.0189 (8)
H5	-0.0745	0.2328	0.8315	0.023*
C6	-0.0331 (5)	0.2865 (4)	0.5188 (4)	0.0157 (7)
C7	-0.0694 (5)	0.3027 (4)	0.3812 (4)	0.0175 (8)
H7	-0.1804	0.2823	0.3516	0.021*
C3	0.2613 (5)	0.3736 (4)	0.4746 (4)	0.0147 (7)
H3	0.3695	0.3983	0.5059	0.018*
C2	0.2310 (5)	0.3871 (4)	0.3353 (3)	0.0130 (7)
C8	0.0645 (5)	0.3502 (4)	0.2889 (4)	0.0141 (7)
C10	0.4720 (5)	0.0728 (4)	0.7632 (4)	0.0235 (9)
C1	0.6200 (5)	0.5515 (4)	0.7549 (3)	0.0129 (7)
C9	-0.0166 (5)	0.6502 (4)	0.8595 (3)	0.0139 (7)
C11	0.5451 (11)	-0.0663 (6)	0.6954 (7)	0.084 (3)
H11A	0.6391	-0.1166	0.7478	0.126*
H11B	0.5930	-0.0413	0.6047	0.126*
H11C	0.4501	-0.1302	0.6901	0.126*
H7B	0.629 (6)	0.133 (3)	1.043 (5)	0.037 (14)*
H7A	0.717 (5)	0.259 (4)	1.032 (5)	0.045 (15)*
H2	-0.239 (3)	0.212 (5)	0.635 (5)	0.045 (15)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Ce1	0.01261 (12)	0.01670 (12)	0.01084 (11)	-0.00151 (8)	0.00020 (7)	-0.00120 (7)
O6	0.0253 (15)	0.0189 (14)	0.0274 (16)	-0.0020 (11)	0.0036 (12)	0.0014 (11)
O5	0.0166 (14)	0.0236 (15)	0.0257 (15)	0.0007 (11)	0.0058 (11)	-0.0019 (11)
O3	0.0172 (13)	0.0229 (14)	0.0189 (14)	0.0031 (11)	-0.0064 (11)	-0.0008 (11)
O4	0.0163 (13)	0.0249 (14)	0.0136 (13)	-0.0032 (11)	0.0028 (10)	-0.0062 (11)
O7	0.0244 (16)	0.0199 (15)	0.0401 (18)	-0.0023 (12)	-0.0165 (13)	0.0038 (13)
O1	0.0175 (14)	0.0368 (17)	0.0175 (14)	-0.0121 (12)	-0.0027 (11)	0.0062 (12)
O2	0.0178 (13)	0.0223 (14)	0.0114 (13)	-0.0066 (10)	-0.0004 (10)	0.0007 (10)
N1	0.0183 (16)	0.0247 (17)	0.0127 (15)	-0.0045 (13)	-0.0003 (12)	0.0010 (12)
N2	0.0151 (17)	0.0302 (19)	0.0146 (16)	-0.0066 (14)	0.0024 (13)	0.0016 (13)
C4	0.0174 (18)	0.0187 (18)	0.0090 (17)	0.0005 (14)	0.0004 (14)	-0.0010 (13)
C5	0.022 (2)	0.025 (2)	0.0090 (17)	-0.0024 (16)	0.0026 (14)	0.0013 (14)
C6	0.0124 (18)	0.0185 (19)	0.0153 (18)	-0.0013 (14)	0.0044 (14)	0.0015 (14)
C7	0.0126 (18)	0.024 (2)	0.0168 (19)	-0.0046 (15)	-0.0010 (14)	-0.0016 (15)
C3	0.0118 (17)	0.0191 (19)	0.0137 (18)	-0.0014 (14)	-0.0022 (14)	-0.0027 (14)
C2	0.0127 (17)	0.0126 (17)	0.0134 (17)	0.0004 (13)	0.0004 (14)	-0.0008 (13)
C8	0.0107 (17)	0.0172 (18)	0.0135 (18)	0.0037 (13)	-0.0006 (13)	-0.0003 (14)

C10	0.025 (2)	0.021 (2)	0.024 (2)	0.0016 (16)	0.0007 (17)	-0.0019 (16)
C1	0.0138 (18)	0.0101 (16)	0.0145 (18)	0.0017 (13)	-0.0010 (14)	-0.0013 (13)
C9	0.0136 (18)	0.0158 (18)	0.0127 (18)	-0.0054 (14)	0.0003 (14)	0.0019 (14)
C11	0.139 (7)	0.025 (3)	0.079 (5)	0.006 (3)	0.060 (5)	-0.014 (3)

Geometric parameters (\AA , ^\circ)

Ce1—O4	2.422 (2)	N2—C5	1.342 (5)
Ce1—O3	2.529 (3)	N2—C6	1.376 (4)
Ce1—O2 ⁱ	2.543 (2)	N2—H2	0.857 (10)
Ce1—O5	2.547 (3)	C4—C3	1.388 (5)
Ce1—O1	2.568 (2)	C4—C6	1.392 (5)
Ce1—O7	2.580 (3)	C5—H5	0.9300
Ce1—O6	2.634 (3)	C6—C7	1.388 (5)
Ce1—N1	2.646 (3)	C7—C8	1.388 (5)
Ce1—O2	2.693 (2)	C7—H7	0.9300
Ce1—C10	2.960 (4)	C3—C2	1.394 (5)
Ce1—C1	3.002 (3)	C3—H3	0.9300
O6—C10	1.256 (5)	C2—C8	1.422 (5)
O5—C10	1.265 (5)	C2—C1 ⁱⁱⁱ	1.505 (5)
O3—C9	1.262 (4)	C8—C9 ^{iv}	1.518 (5)
O4—C9 ⁱⁱ	1.249 (4)	C10—C11	1.496 (6)
O7—H7B	0.830 (18)	C1—C2 ⁱⁱⁱ	1.505 (5)
O7—H7A	0.837 (18)	C9—O4 ⁱⁱ	1.249 (4)
O1—C1	1.248 (4)	C9—C8 ^{iv}	1.518 (5)
O2—C1	1.280 (4)	C11—H11A	0.9600
O2—Ce1 ⁱ	2.543 (2)	C11—H11B	0.9600
N1—C5	1.306 (5)	C11—H11C	0.9600
N1—C4	1.403 (5)		
O4—Ce1—O3	80.07 (8)	C9—O3—Ce1	148.6 (2)
O4—Ce1—O2 ⁱ	68.71 (8)	C9 ⁱⁱ —O4—Ce1	131.1 (2)
O3—Ce1—O2 ⁱ	70.91 (8)	Ce1—O7—H7B	124 (3)
O4—Ce1—O5	125.69 (8)	Ce1—O7—H7A	126 (3)
O3—Ce1—O5	134.99 (8)	H7B—O7—H7A	110 (3)
O2 ⁱ —Ce1—O5	148.20 (8)	C1—O1—Ce1	97.7 (2)
O4—Ce1—O1	153.50 (9)	C1—O2—Ce1 ⁱ	139.2 (2)
O3—Ce1—O1	74.17 (9)	C1—O2—Ce1	90.97 (19)
O2 ⁱ —Ce1—O1	107.59 (8)	Ce1 ⁱ —O2—Ce1	109.06 (8)
O5—Ce1—O1	71.89 (9)	C5—N1—C4	104.1 (3)
O4—Ce1—O7	97.53 (9)	C5—N1—Ce1	123.3 (2)
O3—Ce1—O7	144.86 (9)	C4—N1—Ce1	132.5 (2)
O2 ⁱ —Ce1—O7	75.57 (9)	C5—N2—C6	107.0 (3)
O5—Ce1—O7	74.44 (9)	C5—N2—H2	127 (3)
O1—Ce1—O7	107.06 (9)	C6—N2—H2	126 (3)
O4—Ce1—O6	76.55 (8)	C3—C4—C6	120.0 (3)
O3—Ce1—O6	142.29 (8)	C3—C4—N1	130.5 (3)
O2 ⁱ —Ce1—O6	125.00 (8)	C6—C4—N1	109.5 (3)
O5—Ce1—O6	50.21 (8)	N1—C5—N2	114.1 (3)
O1—Ce1—O6	121.56 (9)	N1—C5—H5	122.9

O7—Ce1—O6	68.14 (9)	N2—C5—H5	122.9
O4—Ce1—N1	84.39 (9)	N2—C6—C7	132.6 (3)
O3—Ce1—N1	76.65 (9)	N2—C6—C4	105.3 (3)
O2 ⁱ —Ce1—N1	140.60 (9)	C7—C6—C4	122.0 (3)
O5—Ce1—N1	71.10 (9)	C8—C7—C6	118.1 (3)
O1—Ce1—N1	83.75 (9)	C8—C7—H7	121.0
O7—Ce1—N1	138.34 (10)	C6—C7—H7	121.0
O6—Ce1—N1	72.00 (9)	C4—C3—C2	119.4 (3)
O4—Ce1—O2	139.30 (8)	C4—C3—H3	120.3
O3—Ce1—O2	91.88 (8)	C2—C3—H3	120.3
O2 ⁱ —Ce1—O2	70.94 (9)	C3—C2—C8	119.8 (3)
O5—Ce1—O2	87.74 (8)	C3—C2—C1 ⁱⁱⁱ	115.2 (3)
O1—Ce1—O2	49.17 (8)	C8—C2—C1 ⁱⁱⁱ	124.9 (3)
O7—Ce1—O2	67.05 (8)	C7—C8—C2	120.7 (3)
O6—Ce1—O2	124.89 (8)	C7—C8—C9 ^{iv}	113.4 (3)
N1—Ce1—O2	132.72 (8)	C2—C8—C9 ^{iv}	125.8 (3)
O4—Ce1—C10	101.21 (10)	O6—C10—O5	121.6 (4)
O3—Ce1—C10	146.18 (10)	O6—C10—C11	120.3 (4)
O2 ⁱ —Ce1—C10	141.48 (9)	O5—C10—C11	118.1 (4)
O5—Ce1—C10	25.14 (10)	O6—C10—Ce1	62.8 (2)
O1—Ce1—C10	96.82 (10)	O5—C10—Ce1	58.8 (2)
O7—Ce1—C10	68.91 (10)	C11—C10—Ce1	176.0 (4)
O6—Ce1—C10	25.08 (9)	O1—C1—O2	120.3 (3)
N1—Ce1—C10	69.91 (10)	O1—C1—C2 ⁱⁱⁱ	118.3 (3)
O2—Ce1—C10	106.88 (10)	O2—C1—C2 ⁱⁱⁱ	121.4 (3)
O4—Ce1—C1	158.49 (9)	O1—C1—Ce1	57.99 (18)
O3—Ce1—C1	85.24 (9)	O2—C1—Ce1	63.79 (17)
O2 ⁱ —Ce1—C1	91.70 (9)	C2 ⁱⁱⁱ —C1—Ce1	164.7 (2)
O5—Ce1—C1	75.70 (9)	O4 ⁱⁱ —C9—O3	123.6 (3)
O1—Ce1—C1	24.32 (9)	O4 ⁱⁱ —C9—C8 ^{iv}	119.0 (3)
O7—Ce1—C1	85.50 (9)	O3—C9—C8 ^{iv}	117.0 (3)
O6—Ce1—C1	123.78 (9)	C10—C11—H11A	109.5
N1—Ce1—C1	107.48 (9)	C10—C11—H11B	109.5
O2—Ce1—C1	25.24 (8)	H11A—C11—H11B	109.5
C10—Ce1—C1	99.75 (10)	C10—C11—H11C	109.5
C10—O6—Ce1	92.2 (2)	H11A—C11—H11C	109.5
C10—O5—Ce1	96.0 (2)	H11B—C11—H11C	109.5

Symmetry codes: (i) $-x+1, -y+1, -z+2$; (ii) $-x, -y+1, -z+2$; (iii) $-x+1, -y+1, -z+1$; (iv) $-x, -y+1, -z+1$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D\text{—H}\cdots A$	$D\text{—H}$	$H\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
N2—H2 \cdots O5 ^v	0.86 (3)	1.93 (3)	2.716 (4)	153 (4)
O7—H7A \cdots O3 ⁱ	0.84 (4)	2.05 (4)	2.850 (4)	158 (3)
O7—H7B \cdots O6 ^{vi}	0.83 (3)	1.95 (3)	2.777 (4)	176 (6)

Symmetry codes: (i) $-x+1, -y+1, -z+2$; (v) $x-1, y, z$; (vi) $-x+1, -y, -z+2$.