A Chemical Correlation of Optical Configurations in Werner Complexes

By K. GARBETT and R. D. GILLARD

(Department of Chemistry, The University, Sheffield)

For some co-ordination compounds containing polyatomic ligands, chemical reactions are known in which the metal-ligand bond is not broken. Thus, the cobalt-oxygen bond remains intact1 when aquopenta-amminecobalt(III) ion forms from carbonatopenta-amminecobalt(III) ion in acid solution. Reactions of this kind are also possible with co-ordinated isothiocyanate groups; in acidic solutions, oxidation of $[CoL_5(NCS)]^{n+}$ gave reasonable yields² of $[CoL_5(NH_3)]^{(n+1)+}$. Investigation³ of the kinetics of reactions of [Co(NH₃)₅(NCS)]²⁺ with various oxidants to form [Co(NH₃)₆]³⁺ showed that only in the case of iodate as oxidant was there little or no formation of cobalt(II) ions during the reaction. Cobalt(11), of course, acts as a catalyst for the racemisation of optically active complexes of cobalt(III).

We have evaluated the use of acid iodate solutions as oxidants in the reactions

cis-[Coen₂(NCS)X]ⁿ⁺ $\rightarrow cis$ -[Coen₂(NH₃)X]⁽ⁿ⁺¹⁾⁺

where X is Cl or H2O. The reactions occurred with quantitative conversion into the ammine product. Since this product is thermodynamically unstable in acid solution, the Co-N bond remains intact throughout the reaction. This proves that the original complexes contained isothiocyanate ligands, bonded through nitrogen rather than sulphur.

Further, the conversions of A into B, and C into D, by iodate oxidation, have been achieved, correlating the optical configuration of A with that of B, and that of C with that of D.

The aquations of $(+)_{5461}$ -A to $(+)_{5461}$ -C, and of

¹ J. P. Hunt, A. C. Rutenberg, and H. Taube, J. Amer. Chem. Soc., 1952, 74, 268.

² A. Werner, Z. anorg. Chem., 1900, 22, 91; Annalen, 1912, 386, 1; Ber., 1911, 44, 876. ³ K. Schug and M. D. Gilmore, Proc. 7th Internat. Conf. Co-ordination Chem., Stockholm, 1962, 274.

⁴ J. P. Mathieu, Bull. Soc. Chim. France, 1937, 4, 687.

77

Number 5, 1965

(+)-B to (+)-D have also been confirmed, though nothing can be said about relative optical configurations in these pairs.

longer wavelength and a positive Cotton effect at shorter wavelength, whereas (+)-B, which we have proved to have the same optical configuration

$$(+)_{5461}\text{-}[\text{Co en}_2(\text{NCS})\text{Cl}]^+ \longrightarrow (+)\text{-}[\text{Co en}_2(\text{NH}_3)\text{Cl}]^{2+}$$

$$\downarrow \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad$$

It so happens that the optical rotatory dispersion curves of A, B, C, and D in the region of the longest wavelength d-d absorption band are all dominated by positive Cotton effects. However, the circular dichroism results⁵ in this region show that $(+)_{5461}$ -A has a negative Cotton effect at

⁵ J. P. Mathieu, Bull. Soc. chim. France, 1936, 3, 476.

as (+)₅₄₆₁-A, shows two positive Cotton effects. It is therefore apparent that configurational relationships for complexes cannot be derived from rotatory dispersion measurements alone.

(Received, February 8th, 1965.)