

## The Complete Analysis of the $^{19}\text{F}$ Nuclear Magnetic Resonance Spectrum of Octafluorostyrene

By ERNEST LUSTIG\* and ELIZABETH A. HANSEN

(Division of Food Chemistry and Technology, Office of Food and Nutritional Sciences, Bureau of Foods, Pesticides, and Product Safety, Department of Health, Education, and Welfare, Washington, D.C. 20204)

**Summary** A complete analysis of the  $^{19}\text{F}$  n.m.r. spectrum of the eight-spin octafluorostyrene system is presented.

A PARTIAL analysis of the  $^{19}\text{F}$  n.m.r. spectrum of octafluorostyrene has appeared previously,<sup>1</sup> but only the chemical shifts, the three vinyl  $J_{\text{FF}}$ 's, and three of the nine vinyl-ring  $J_{\text{FF}}$ 's were reported. As can be seen from the Table, the present work constitutes a complete analysis of this eight-spin system.


We have determined by direct analysis the magnitudes of all the  $J$ 's and the relative signs of  $J_{om}$  and  $J_{om'}$ . Tickling experiments removed all remaining ambiguities regarding relative signs of  $J$ 's and the assignment of the values of 6.1 and 0.7 Hz to  $J_{oo'}$  and  $J_{mm'}$  respectively. In this way it was possible to pick out the correct combination of signs and assignments among the 2<sup>16</sup> likely cases. No assumptions on relative signs were made, except that  $J_{om}$  and  $J_{om'}$  have different signs (from the direct analysis of the  $aa'xx'$  subspectra) and that the  $^oJ$ 's ( $J_{om}$  and  $J_{mp}$ ) have like signs. Since much redundancy was involved in the results of the tickling experiments, there is no doubt of the validity of the analysis.

This work appears significant in three ways. (i) For the first time relative signs of ring-vinyl  $J_{\text{FF}}$ 's have been obtained. (ii) These signs could be related to intra-ring and intra-vinyl  $J_{\text{FF}}$ 's, and since the signs of the latter have been related to that of  $^1J_{\text{CH}}$ , which can be taken as absolutely positive,<sup>2</sup> the absolute signs of all the  $J_{\text{FF}}$ 's studied here could be established. In particular, the signs of the  $^oJ_{\text{FF}}$ 's turned out to be negative. (iii) This last result leads to the conclusion that  $^oJ_{\text{HH}}$ 's are positive, since it has been shown earlier<sup>3</sup> that  $^oJ_{\text{FF}}$ 's and  $^oJ_{\text{HH}}$ 's have opposite signs.

Because so little on vinyl-ring  $J_{\text{FF}}$ 's is known, not much can be said at present as to their meaning for the interpretation of the coupling mechanisms involved. However, a

trend is observed in the magnitudes of the vinyl-(ortho, meta, para)  $J_{\text{FF}}$ 's which is similar to that in benzylic-(ortho, meta, para)  $J_{\text{HH}}$ 's:<sup>4</sup> the magnitudes of the coupling

$^{19}\text{F}$  N.m.r. parameters of octafluorostyrene



Larmor frequencies (Hz) at  $\nu = 94.1$  MHz (referred to 1,2-dichlorotetrafluorocyclobutene)

Ring	Vinyl
$\omega_o = + 1785$	$\omega_x = + 4926$
$\omega_m = + 4083$	$\omega_y = - 2055$
$\omega_p = + 2953$	$\omega_z = - 561$

Coupling constants (Hz)		
Intra-vinyl	Intra-ring	Ring-vinyl
$J_{xy} = + 35.4$	$J_{om} = - 20.0$	$J_{ox} = + 7.1$
$J_{xz} = - 118.3$	$J_{op} = + 4.0$	$J_{oy} = + 2.2$
$J_{yz} = + 62.5$	$J_{om'} = + 8.5$	$J_{os} = + 10.4$
	$J_{oo'} = - 6.1$	$J_{mz} = - 0.8$
	$J_{mm'} = - 0.7$	$J_{my} = + 0.2$
	$J_{mp} = - 19.0$	$J_{mz} = - 0.4$
		$J_{pz} = + 3.2$
		$J_{py} = + 0.8$
		$J_{yz} = + 1.5$

constants with meta nuclei are the smallest of the three types in both series.

(Received, April 13th, 1970; Com. 515.)

<sup>1</sup> D. D. Callander, P. L. Coe, M. F. S. Matough, E. F. Mooney, A. J. Uff, and P. H. Winson, *Chem. Comm.*, 1966, 820.

<sup>2</sup> Cf. J. W. Emsley, J. Feeney, and L. H. Sutcliffe, "High Resolution NMR Spectroscopy," Pergamon Press, New York, 1966, p. 888.

<sup>3</sup> E. Lustig, N. Duy, P. Diehl, and H. Kellerhals, *J. Chem. Phys.*, 1968, **48**, 5001; W. B. Moniz and E. Lustig, *ibid.*, 1969, **50**, 1905.

<sup>4</sup> Cf. S. Sternhell, *Quart. Rev.*, 1969, **23**, 236.