

## A New, Efficient Approach to $\alpha,\beta$ -Unsaturated Ketones and $\beta$ -Hydroxy Ketones From 4,5-Dihydroisoxazoles

Stefan Kwiatkowski

Faculty of Chemistry, Warsaw Technical University Politechnika, 00-664 Warszawa, Noakowskiego 3, Poland

2-(*N*-Nitrosomethylamino-oxy)ethyl ketones (**3**), obtained from solvolysis with sodium nitrite of *N*-methyl-4,5-dihydroisoxazolium methylsulphates (**2**), were converted into  $\alpha,\beta$ -unsaturated ketones (**4**) by treatment with base or into  $\beta$ -hydroxy ketones (**5**) by treatment with carboxylic acids.

4,5-Dihydroisoxazoles are valuable substrates for the preparation of  $\beta$ -hydroxy ketones and  $\alpha,\beta$ -unsaturated ketones, which are useful intermediates in the synthesis of many bioactive compounds.<sup>1</sup> According to the literature<sup>2</sup> these transformations may be brought about chiefly by reductive methods. Thus their  $H_2$ -Raney Ni reduction in acidic media<sup>3</sup> yields  $\beta$ -hydroxy ketones, while the action of lithium diisopropylamide followed by treatment with  $TiCl_3$  gives  $\alpha,\beta$ -unsaturated ketones.<sup>4</sup>

This communication reports new, mild, nonreductive methods for transformations of 4,5-dihydroisoxazoles (**1**),


enabling ketone derivatives (**4**) and (**5**) to be synthesised (Scheme 1, Table 1) which contain groups which are not resistant to the conditions in previous methods.

The 4,5-dihydroisoxazolium methylsulphates<sup>5</sup> (**2**) were obtained quantitatively by heating at 50 °C a toluene solution of an equimolar mixture of the 4,5-dihydroisoxazole<sup>6</sup> (**1**) with dimethyl sulphate; they were obtained as viscous oils insoluble in toluene. The crude salts (**2**) were converted in very good yields into the ketones (**3**) by stirring at room temperature their aqueous or  $CH_2Cl_2$  solutions with aqueous  $NaNO_2$ , and extraction of the product [yellow-orange oils or fine pale

**Table 1.** Preparation of  $\alpha,\beta$ -unsaturated (**4**) and  $\beta$ -hydroxy ketones (**5**).

	R <sup>1</sup>	R <sup>2</sup>	R <sup>3</sup>	% Yield	
				( <b>4</b> ) <sup>a</sup>	( <b>5</b> ) <sup>a</sup>
a	Me	H	CH <sub>2</sub> =CH[CH <sub>2</sub> ] <sub>5</sub> -	77	74 <sup>f</sup>
b	Me	H	Br[CH <sub>2</sub> ] <sub>4</sub> -	61	73
c	Me		-CH <sub>2</sub> OCH <sub>2</sub> OCH <sub>2</sub> -	86	—
d	Me		-CH(OAc)CH <sub>2</sub> CH(OAc)-	54 <sup>b</sup>	59 <sup>g</sup>
e			MeO <sub>2</sub> C[CH <sub>2</sub> ] <sub>5</sub> -	81 <sup>c</sup>	—
f			OCH <sub>2</sub> CH <sub>2</sub> OC(Me)CH <sub>2</sub> -	41	—
g			EtO <sub>2</sub> C	88	—
h	H		-CHCH <sub>2</sub> CHCH <sub>2</sub> CH <sub>2</sub>	72	58
i	H	H	EtO <sub>2</sub> C	75 <sup>d</sup>	—
j	Ph		-CH <sub>2</sub> SO <sub>2</sub> CH <sub>2</sub> -	94 <sup>e</sup>	66
k	Ph		-CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> -	92	67
l	Me		H	—	56 <sup>h</sup>
m	Me		PhOCH <sub>2</sub>	—	—
			-CHCH <sub>2</sub> CHN(CO <sub>2</sub> Et)N(CO	67	—

<sup>a</sup> Products were oils separated by silica gel chromatography unless noted otherwise. <sup>b</sup> *cis*-Isomer, m.p. 83.5–84.5 °C. <sup>c</sup> B.p. 124–125 °C at 0.2 mmHg. <sup>d</sup> In the form of the adduct with cyclopentadiene. <sup>e</sup> M.p. 113–114 °C. <sup>f</sup> B.p. 58–60 °C at 0.5 mmHg. <sup>g</sup> In AcOH, 70 °C, 6 h. <sup>h</sup> M.p. 48.5–50 °C.



**Scheme 1.** Reagents and conditions: i, Me<sub>2</sub>SO<sub>4</sub>, PhMe, 50 °C, 2–8 h; ii, NaNO<sub>2</sub>, H<sub>2</sub>O, room temp., 1–8 h; iii, TMG, PhMe, room temp., 1–3 h; iv, HCO<sub>2</sub>H, CH<sub>2</sub>Cl<sub>2</sub>, 40 °C, 2–6 h.

yellow crystals: (**3k**), m.p. 67.5–68.5 °C; (**3m**), m.p. 114–115.5 °C] with CH<sub>2</sub>Cl<sub>2</sub> or benzene. The *N*-nitroso derivatives (**3**) are stable if stored below 0 °C; at room temperature they decompose slowly, mainly to  $\alpha,\beta$ -unsaturated ketones.<sup>1</sup> The action of NEt<sub>3</sub> or tetramethylguanidine (TMG) on toluene solutions of (**3**) led to rapid formation of the  $\alpha,\beta$ -unsaturated ketones,<sup>7</sup> along with the ammonium salts of *N*-nitroso-*N*-methylhydroxylamine which separate from the solution in the form of an oil (NEt<sub>3</sub>) or fine crystals, m.p. 123.5–124.5 °C, (TMG). The rate of *N*-nitroso-*N*-methylhydroxylamine anion elimination is much higher for the reactions carried out with TMG (room temp.; ca. 1 h), but in the case of products (**4b,d,f,j**)<sup>†</sup> better yields were obtained using NEt<sub>3</sub> (60 °C; ca. 4 h).

The *N*-nitroso derivatives (**3**) are not stable in the presence of acids. They react with organic acids yielding  $\beta$ -hydroxy ketones (**5**), the methyl ester of the acid used, and N<sub>2</sub>O.<sup>8</sup> The rate of reaction depends on the acidity of the acid used; e.g. with trifluoroacetic acid the reaction is rapid and exothermic while with acetic acid it is completed in 4 h at 50 °C. The use of formic acid in CH<sub>2</sub>Cl<sub>2</sub> is optimal because of the mild conditions (40 °C; 1–3 h) and high yields of  $\beta$ -hydroxyketones (**5**).<sup>†</sup>

The transformations described could thus be applied for obtaining ketone derivatives as well as  $\alpha,\beta$ -unsaturated aldehydes (**4h,i**) and the  $\alpha$ -carbonylcarboxylic ester derivative (**4g**), showing that this method is of more general applicability than those in the literature. The newly synthesised ketones (**3**) are of interest for both synthetic and theoretical reasons. The mechanisms of their transformations with various reactants e.g. organic acids and bases, fluoride anion, complexing agents, acyl chlorides, oxidants, and many others is under investigation. The use of the nitroso derivatives (**3**), e.g. as

<sup>†</sup> All compounds synthesised have spectral data consistent with their structure. The hitherto unknown (**4b,c,d,f,g,h,j,n**) and (**5a,b,d,h,j,l,m**) gave satisfactory elemental analyses.

potential 'Mannich bases' in Michael-type additions of different C-H acids, has been studied intensively and results will be published soon.

The work was sponsored by the Polish Academy of Sciences (project 01.13).

Received, 31st January 1986; ‡ Com. 138

### References

- 1 A. Kozikowski, *Acc. Chem. Res.*, 1984, **17**, 410.
- 2 A. Akhrem, F. Lakhvich, and V. Khrpach, *Zh. Geterosikl. Khim.*, 1981, 1155.
- 3 A. Kozikowski and C. Li, *J. Org. Chem.*, 1985, **50**, 778; A. Kozikowski and P. Yuen, *J. Chem. Soc., Chem. Commun.*, 1985, 847; D. Curran, *J. Am. Chem. Soc.*, 1983 **105**, 5826; D. Curran, *Tetrahedron Lett.*, 1983, **24**, 3443.
- 4 V. Jager and H. Grund, *Angew. Chem.*, 1976, **88**, 27; *Liebigs Ann. Chem.*, 1980, 80.
- 5 A. Blatt and N. Gross, *J. Am. Chem. Soc.*, 1955, **77**, 5424; A. Belly, C. Petrus, and F. Petrus, *Bull. Soc. Chim. Fr.*, 1973, 1390; 1974, 1025; S. Kwiatkowski and S. Ostrowski, *Monatsh. Chem.*, 1987, **118**, in the press.
- 6 4,5-Dihydroisoxazoles (**1**) were obtained by the method of S. Kwiatkowski and M. Langwald, *Monatsh. Chem.*, 1986, **117**, 1091, for (**1a,b,d,e**); T. Mukayama and T. Hoshino, *J. Am. Chem. Soc.*, 1960, **82**, 5339, for (**1c,f,l,m**); P. Beltrame, A. Dondoni, G. Barbaro, G. Gelli, A. Loi, and S. Steffe, *J. Chem. Soc., Perkin Trans. 2*, 1978, 607, for (**1j,k**); S. C. Sharma and K. Torrsell, *Acta Chem. Scand., Ser. B*, 1979, **33**, 379, for (**1h,i**); A. Kozikowski and M. Adamczyk, *J. Org. Chem.*, 1983, **48**, 366, for (**1g**).
- 7 S. Kwiatkowski, Materials IUPAC Conf. 'Synthesis '86,' Moscow, p. 161.
- 8 The i.r. spectra of the gas evolved were consistent with the spectrum reported by R. H. Pierson, A. N. Fletcher, and E. St. C. Ganz, *Anal. Chem.*, 1956, **28**, 1236, for N<sub>2</sub>O.

---

‡ Received in revised form 15th April 1987.