Synthesis and molecular structure of dicarbaboryl ethenes and an unexpected dimetallated derivative

Rhodri Ll. Thomas, Georgina M. Rosair and Alan J. Welch

Department of Chemistry, Heriot-Watt University, Edinburgh, UK EH14 4AS

The first examples of molecules in which carbaborane clusters are linked *via* a simple C=C double bond, and which constitute model compounds for boronated polydiacetylenes, are reported; double metallation of one of these molecules affords a unique *closo-pseudocloso* bis(carbametallaborane).

Polydiacetylenes (PDAs) 1 are an important class of materials because of their third-order non-linear optical [$\chi^{(3)}$ NLO] properties. Interestingly such NLO properties are retained when the alkyne units of PDAs are coordinated to transition-metal fragments such as $\{Co_2(CO)_6\}$. Since an essential aspect of the $\chi^{(3)}$ NLO properties of PDAs is electron delocalisation along the molecular backbone, and since the electronic structures of carbaboranes are fully delocalised, we reasoned that poly(carbaborane) species derived from PDAs might represent compounds with interesting and potentially useful electronic and optical properties. Herein we report the synthesis and characterisation of the first example of a polycarbaborane compound produced from an enyne (a model compound for a PDA) and a novel *closo-pseudocloso* bis(carbametallaborane) species derived from it.

Reaction of 1,6-diphenylhexa-1,5-diyn-3-ene with 2 equiv. of $B_{10}H_{14}$ in refluxing toluene in the presence of MeCN affords trans-1,2-bis(2'-phenyl-1',2'-closo-dicarbadodecaboranyl)-ethene **2a** (Scheme 1). The bis(p-tolyl) analogue **2b** and the asymmetric Ph/p-tolyl analogue **2c** were prepared similarly. Compounds **2** were characterised by microanalysis and multinuclear NMR spectroscopy† and by a crystallographic study of **2a** (Fig. 1.)‡ The molecule resides on a crystallographic inversion centre, imposing a trans configuration about the central C=C double bond. The other cage carbon atom, C(2), is nearly coplanar with the C(1)C(11)C(11')C(1') sequence and positioned trans across the C(1)-C(11) bond affording a C(2)-C(1)-C(11)-C(11') torsion angle of 154.5°. Overall, the entire molecule has nearly D_{2h} symmetry.

Decapitation of the bis(closo-carbaborane) **2a** with excess KOH in EtOH affords the bis(nido) species [nido-PhC₂B₉H₉—

 $\mu(C_2H_2)$ -nido-Ph $C_2B_9H_9]^{4-}$, isolated as its Tl+ salt. Further reaction of this species with $[Ru(p\text{-cymene})Cl_2]_2$ ($p\text{-cymene} = C_6H_4Me\text{-}1\text{-Pr}^i\text{-}4$) in CH_2Cl_2 yields the bis(carbametallaborane) compound **3a** as an orange crystalline product, characterised by microanalysis and multinuclear NMR spectroscopy§ and by single-crystal X-ray diffraction (Fig. 2).‡

Although ¹¹B and ¹H NMR studies clearly show that, in solution at room temperature, **3a** is symmetric about the central C=C unit, in the solid state the two carbaruthenaborane units are clearly different. The cage of Ru(3A) has the expected *closo* icosahedral geometry previously established⁴ for 1-Ph-2-Me-





Fig. 1 Perspective view of compound 2a; primed atoms are generated by crystallographically imposed inversion



Scheme 1




Fig. 2 Perspective view of compound 3a with H atoms of the phenyl ring and p-cymeme ligand omitted for clarity; Ru(3A) is obscured by the phenyl group attached to C(2A)

3-(p-cymene)-3,1,2-closo-RuC₂B₉H₉, but the cage of Ru(3B) is deformed into the *pseudocloso* architecture very recently described⁵ for 1,2-Ph₂-3-(p-cymeme)-3,1,2-pseudocloso-RuC₂B₉H₉. Thus, in **3a**, C(1B)-C(2B) has a normal length, 1.766(8) Å, whilst C(1A)-C(2A) is stretched to 2.361(8) Å. Compound **3a** represents the first example of *closo* and *pseudocloso* carbametallaboranes within the same molecule.

It is likely that the origin of the deformation of cage A of **3a** is repulsion between one of the *ortho*-H atoms of the phenyl ring and H(11B), which lies in a *cis* disposition to it (Fig. 3), by analogy with the cause of the *pseudocloso* deformation in related species⁵ (no similar crowding exists for cage B). In cage A the congestion arises because the cage has undergone substantial rotation about the C(11A)–C(1A) bond relative to its position in **2a** [torsion angle C(2A)···C(1A)–C(11A)–C(11B) 56.5°], presumably driven by the steric requirement of the two η -bonded p-cymene ligands to be far apart. This, in turn, implies that the double decapitation of **2** has unexpectedly involved the removal of boron vertices from the same side of the C(1)C(11)C(11')C(1') plane [e.g. B(3) and B(6')].

Compounds 2a, 2b and 2c constitute the first examples of a new class of compound (the dicarbaboryl ethenes) which are both model compounds for, and potential building blocks in the designed synthesis of, poly-boronated PDAs. Such compounds clearly have potentially interesting derivative chemistries (exemplified by the unexpected structure of 3a) and potentially useful materials properties.

We thank Heriot-Watt University for support, the Callery Chemical Company for a generous gift of B₁₀H₁₄, and Drs P. N. Preston and W. E. Lindsell (Heriot-Watt University) and Dr M. Bühl (Universität Zürich) for helpful discussions.

Fig. 3

Footnotes

† For compound **2a**: Anal. Found: C, 46.8; H; 7.13. Requires: C, 46.6; H, 6.91%. ¹H NMR (200 MHz, CDCl₃): δ 7.6–7.3 (m, 10 H, Ph), 5.55 (s, 2 H, =CH–). ¹¹B{¹H} NMR (128 MHz, CDCl₃): δ –3.15 (2 B), –10.25 (8B). Compounds **2b** and **2c** similarly characterised.

‡ Crystal data: for 2a, $C_{18}H_{32}B_{20}$, monoclinic, space group C2/c, a=26.917(5), b=6.8160(14), c=19.465(4) Å, $\beta=129.50(3)^\circ$, U=2755.6(10) Å³, Z=4.2193 independent reflections were measured to θ_{max} 25° on a Siemens P4 diffractometer at 290 K. The structure was refined to R=0.0568 for 1351 observed data $[F \ge 4\sigma(F)]$.

For 3a, $C_{38}H_{58}B_{18}Ru_2$, triclinic, space group $P\overline{1}$, a=9.1640(10), b=13.478(2), c=19.064(2) Å, $\alpha=104.766(9)$, $\beta=91.879(10)$, $\gamma=102.504(14)^\circ$, U=2213.3(5) Å³, Z=2. 7660 independent reflections were measured as above. The structure was refined to R=0.0442 for 5342 observed data $[F\geqslant 4\sigma(F)]$. Atomic coordinates, bond lengths and angles, and thermal parameters have been deposited at the Cambridge Crystallographic Data Centre (CCDC). See Information for Authors, Issue No. 1. Any request to the CCDC for this material should quote the full literature citation and the reference number 182/75.

§ Compound **3a**: Anal. Found: C, 48.2 H, 6.91. Requires: C, 48.6; H 6.75%.

¹H NMR (200 MHz, CD₂Cl₂): δ 7.4–7.0 (m, 10 H, Ph), 6.6 (s, 2 H, =CH–), 6.0–5.3 (m, 8 H, MeC₆H₄CHMe₂), 2.85 (spt, 2 H, ³ $J_{\rm HH}$ 7 Hz, MeC₆H₄CHMe₂), 1.9 (s, 6 H, *Me*C₆H₄CHMe₂), 1.2 (d, 12 H, ³ $J_{\rm HH}$ 7 Hz, MeC₆H₄CHMe₂). ¹¹B{¹H} NMR (128 MHz, CD₂Cl₂): δ 20.4 (1B), 10.0 (1B), 4.2 (1B), -0.3 (2B), -2.4 (3B), -17.7 (1B).

 \P However, molecules containing vinyl and related groups attached to carbaboranes have been previously reported.⁶

References

- See, for example, Nonlinear Effects in Organic Polymers, ed. J. Messier,
 F. Kajzar, P. Prasad and D. Ulrich, Kluwer Academic Publishers,
 Netherlands, 1989.
- 2 N. M. Agh-Atabay, W. E. Lindsell, P. N. Preston, P. J. Tomb, A. D. Lloyd, R. Rangel-Rojo, G. Spruce and B. S. Wherrett, *J. Mater. Chem.*, 1992, 2, 1241.
- 3 K. Wade, Adv. Inorg. Chem. Radiochem., 1976, 18, 1.
- 4 J. Cowie, B. D. Reid, J. M. S. Watmough and A. J. Welch, J. Organomet. Chem., 1994, 481, 283.
- 5 P. T. Brain, M. Bühl, J. Cowie, Z. G. Lewis and A. J. Welch, J. Chem. Soc., Dalton Trans., 1996, 231.
- 6 See, for example, M. M. Fein, D. Grafstein, J. E. Paustian, J. Bobinski, B. M. Lichstein, N. Mayes, N. N. Schwartz and M. Cohen, *Inorg. Chem.*, 1963, 2, 1115, R. J. Cunningham, N. Bian and M. Jones, *Inorg. Chem.*, 1994, 33, 4811 and references cited therein.

Received, 6th March 1996; Com. 6/001617K