

Rotaxane construction with a binaphthol-derived crown ether

Stuart J. Cantrill,^a Matthew C. T. Fyfe,^a Aaron M. Heiss,^a J. Fraser Stoddart,^{*a} Andrew J. P. White^b and David J. Williams^b

^a Department of Chemistry and Biochemistry, University of California, Los Angeles, CA 90095, USA.
E-mail: stoddart@chem.ucla.edu

^b Department of Chemistry, Imperial College, South Kensington, London, UK SW7 2AY

Received (in Columbia, MO, USA) 16th March 1999, Accepted 20th May 1999

Secondary dialkylammonium ions thread through the cavity of (*RS*)-benzo-2,2'-binaphtho[26]crown-8 to create [2]pseudorotaxanes, one of which was stoppered to produce a [2]rotaxane—incorporating the chiral binaphthyl unit—that was characterised by NMR spectroscopy, mass spectrometry and X-ray crystallography.

There is currently a resurgence of interest in the employment of binaphthyl-containing macrocyclic hosts in supramolecular chemistry,¹ principally because of the potential for the chiral binaphthyl unit to associate diastereoselectively with racemic guest mixtures. However, the pioneering studies in this area took place more than a quarter of a century ago when, in 1973, Cram and his associates² described the synthesis of chiral binaphthyl-incorporating crown ethers, e.g. (*R*)-2,2'-binaphtho[20]crown-6 [(*R*)-BN20C6, Fig. 1], that exhibit enantio-meric recognition³ of racemic primary alkylammonium ($R^1R^2CHNH_3^+$) ions, e.g. (*RS*)- α -methoxycarbonylbenzylammonium [(*RS*)-1⁺], during the formation of face-to-face complexes. More recently, we discovered that crown ethers with suitably sized cavities, e.g. dibenzo[24]crown-8 (DB24C8), are pierced by secondary dialkylammonium ($R^1CH_2NH_2^+CH_2R^2$) ions, e.g. dibenzylammonium (2⁺), producing⁴ [2]pseudorotaxanes—and, ultimately, rotaxanes⁵—by means of, *inter alia*, hydrogen bonds. Here, we demonstrate that the expanded racemic binaphthol-derived crown ether (*RS*)-benzo-2,2'-binaphtho[26]crown-8 [(*RS*)-BBN26C8[†]] can be penetrated by $R^1CH_2NH_2^+CH_2R^2$ ions to produce (Fig. 1) [2]pseudorotaxanes.⁶ This observation has resulted in the synthesis of a racemic binaphthyl-containing [2]rotaxane that has been characterised by NMR spectroscopy, mass spectrometry and X-ray crystallography.





Fig. 1 Several complexes produced by the intermolecular association of crown ethers with ammonium ions. (a) Face-to-face complex [(*R*)-BN20C6-(*RS*)-1⁺]. (b) [2]Pseudorotaxane [DB24C8-2⁺]. (c) [2]Pseudorotaxane [(*RS*)-BBN26C8-3⁺].

The first indication that (*RS*)-BBN26C8 forms pseudorotaxane complexes with $R^1CH_2NH_2^+CH_2R^2$ ions was provided by FAB mass spectrometry. The FAB mass spectrum of a 1:1 CH_2Cl_2 solution of (*RS*)-BBN26C8 and bis(*p*-methylbenzyl)ammonium hexafluorophosphate^{4a} (3-PF₆) reveals a strong supramolecular ion at m/z 851, corresponding to [(*RS*)-BBN26C8-3]⁺. Complex formation was also indicated in solution by ¹H NMR spectroscopy. The ¹H NMR spectrum [400 MHz, CDCl₃-CD₃CN (3:1), 300 K] of an equimolar solution of (*RS*)-BBN26C8 and 3-PF₆ shows that, like⁴ [DB24C8-2]⁺, the complex [(*RS*)-BBN26C8-3]⁺ exchanges slowly with its uncomplexed constituents on the NMR timescale, signals being observed for (1) [(*RS*)-BBN26C8-3]⁺ itself, (2) free (*RS*)-BBN26C8 and (3) uncomplexed 3⁺. In other words, even though the 26-membered macroring of (*RS*)-BBN26C8 is two atoms larger than that of DB24C8, the cavity is still small enough for the relatively bulky aryl rings of the cation to have some difficulty threading. The fact that so many different species are equilibrating slowly with one another on the NMR timescale, coupled with the crown ether's C₂ symmetry, means that the signals associated with the polyether/benzylic CH₂ and aromatic CH portions of the spectrum, located at δ 2.84–4.15 and 6.53–7.80, respectively, are extremely complicated. However, the signals for the CH₃ protons in both the free and complexed states of 3⁺ are well separated from one another, resonating at δ 2.23 and 2.13, respectively. From an analysis of the relative intensities of these signals, an association constant (K_a) of 960 ± 100 M⁻¹ was calculated for [(*RS*)-BBN26C8-3][PF₆] by using the single-point method.⁴ Noticeably, this K_a is much lower than that obtained for the [DB24C8-3][PF₆] complex (1900 ± 200 M⁻¹) under identical conditions, indicating that replacing one of DB24C8's catechol units with the less preorganised binaphthol residue lowers the complex stability.[‡]

Next, we investigated the application of the (*RS*)-BBN26C8- $R^1CH_2NH_2^+CH_2R^2$ recognition motif to rotaxane synthesis. Gratifyingly, the [2]rotaxane (*RS*)-4-O₂CCF₃ was isolated[§] in 42% yield when (*RS*)-BBN26C8 was reacted (Scheme 1) with






Fig. 2 X-Ray crystal structure of the (*R*)-enantiomer of [2]rotaxane (*RS*)-4-O₂CCF₃. Hydrogen bonding distances and angles {[X...O], [H...O] distances (Å), [X-H...O] angles (°)}: (a) 2.86, 2.12, 139; (b) 2.95, 2.08, 160; (c) 3.28, 2.39, 153; (d) 3.21, 2.29, 160; (e) 2.86, 2.00, 161; (f) 2.89, 2.00, 168.

p-aminobenzyl-*m,m'*-di-*tert*-butylbenzylamine (**5**), HO₂CCF₃ and *o,o'*-diisopropylphenyl isocyanate (**6**).⁵ This interlocked compound is completely stable to column chromatography, indicating that the *m,m'*-di-*tert*-butylphenyl and *o,o'*-diisopropylphenyl termini of the rotaxane's 'dumbbell' component are sufficiently bulky to ensure that dissociation does not occur. Further evidence for the stability of the [2]rotaxane architecture is provided by the FAB mass spectrum of (*RS*)-4-O₂CCF₃, where the base peak, observed at *m/z* 1153, corresponds to the ion [(*RS*)-4]⁺. Although the ¹H NMR spectrum (400 MHz, CD₃CN, 300 K) of (*RS*)-4-O₂CCF₃ displays numerous sets of complicated multiplets, a comparison of the integrals associated with resonances for both (*RS*)-BBN26C8 and the dumbbell component reveals that both species are present in a 1 : 1 ratio in the rotaxane. Interestingly, the peaks associated with the benzylic CH₂NH₂⁺ protons do not lie in the 'expected' δ 4.45–4.75 range,⁵ presumably as a direct consequence of the binaphthyl unit's shielding effect. In this instance, a ¹H–¹³C HMQC experiment revealed that two sets of signals, ranging from δ 3.78–3.94 and 4.01–4.24, occur for these protons. The ¹³C NMR spectrum (100 MHz, CD₃CN, 300 K) of (*RS*)-4-O₂CCF₃ is also intriguing and demonstrates that the crown ether is desymmetrised, *i.e.* the C₂ axis is negated, upon its incorporation into the [2]rotaxane architecture. The presence of the unsymmetrical dumbbell makes BBN26C8's two halves heterotopic and, hence, *all* of its 38 carbon atoms anisochronous. A total of 55 of the 60 ¹³C NMR signals anticipated¶ for (*RS*)-4-O₂CCF₃ were observed in the spectrum (several of the heterotopic carbon atoms resonate at the same frequency).

The X-ray analysis|| of the rotaxane (*RS*)-4-O₂CCF₃ reveals (Fig. 2) that the binaphthol-derived crown ether BBN26C8 encircles the dumbbell's NH₂⁺ centre. Stabilisation of the [2]rotaxane architecture occurs principally *via* a combination of [N⁺–H...O] and [C–H...O] hydrogen bonding involving the NH₂⁺ centre, its adjacent CH₂ groups and the crown ether's oxygen atoms. There is also a near-parallel (5°), partial overlap between one of the BBN26C8 naphthalene rings and the *p*-toluidinyl ring of the dumbbell (mean interplanar separation 3.6 Å), indicative of a supplementary weak π–π stacking interaction. The –O₂CCF₃ anion hydrogen bonds to the two urea NH groups.⁵ There are no inter-[2]rotaxane interactions of note.

To summarise, we have established that R¹CH₂NH₂⁺CH₂R² ions penetrate the cavity of binaphthol-derived crown ether (*RS*)-BBN26C8, generating [2]pseudorotaxanes that may be capped to form [2]rotaxanes. The preparation of these pseudorotaxanes and rotaxanes, which incorporate the chiral binaphthyl unit, augurs well for future studies on (1) the concepts of supramolecular chirality,⁷ (2) the preferential recognition³ of a chiral R¹CH₂NH₂⁺CH₂R² ion over its enantiomer by either (*R*)- or (*S*)-BBN26C8 in the production of diastereoisomeric pseudorotaxanes⁸ and (3) the synthesis of optically active rotaxanes.⁹

Notes and references

† (*RS*)-BBN26C8 was acquired in 42% yield by reaction of (*RS*)-1,1'-bi-2-naphthol with *o*-bis(2-[2-(*p*-tolylsulfonyloxy)ethoxy]ethoxy)ethoxy)benzene (which was prepared using a method similar to that employed to obtain the corresponding *p*-derivative: M. J. Gunter, D. C. R. Hockless, M. R. Johnston, B. W. Skelton and A. H. White, *J. Am. Chem. Soc.*, 1994, **116**, 4810) in MeCN in the presence of Cs₂CO₃ and CsOTf.

‡ By the same token, Cram's group discovered (D. S. Lingemfelter, R. C. Helgeson and D. J. Cram, *J. Org. Chem.*, 1981, **46**, 393) that the binaphthol-derived crown ether BN20C6 binds RNH₃⁺ ions less well than its 2,3-dihydroxynaphthalene-derived congener.

§ It should be noted that 4-O₂CCF₃ was obtained as a racemic mixture, the rotaxane's chirality arising only by virtue of the C₂-symmetric binaphthyl unit. Here, cycloenantiomerism (C. Yamamoto, Y. Okamoto, T. Schmidt, R. Jäger and F. Vögtle, *J. Am. Chem. Soc.*, 1997, **119**, 10547), a phenomenon that would lead to the formation of two diastereoisomeric pairs of enantiomers, does not occur, because (*RS*)-BBN26C8 has two homotopic faces by virtue of its C₂ axis of rotation.

¶ Free (*RS*)-BBN26C8, dumbbell and anion give rise to 19, 20 and two signals, respectively, in their ¹³C NMR spectra. Thus, the ¹³C NMR spectrum of rotaxane (*RS*)-4-O₂CCF₃ would be expected to exhibit a total of 41 signals if no desymmetrisation were to occur.

|| X-Ray quality single crystals were obtained by vapour diffusion of *n*-C₅H₁₂ into a CH₂Cl₂ solution of (*RS*)-4-O₂CCF₃. *Crystal data*: [C₇₃H₉₀N₃O₉][O₂CCF₃]₂·2CH₂Cl₂, *M* = 1436.4, monoclinic, *P*2₁/*n* (no. 14), *a* = 13.281(3), *b* = 30.528(2), *c* = 21.593(2) Å, β = 96.80(1)°, *V* = 8694(2) Å³, *Z* = 4, *D*_c = 1.097 g cm⁻³, μ(Cu-Kα) = 17.2 cm⁻¹, *F*(000) = 3040, *T* = 173 K; Siemens P4 rotating anode diffractometer, ω-scans, 12673 independent reflections; structure solved by direct methods, all major occupancy non-hydrogen atoms of cations and anions refined anisotropically (non-hydrogen atoms of solvent molecules isotropically) using full-matrix least-squares, based on *F*², to give *R*₁ = 0.138, *wR*₂ = 0.342 for 5299 independent observed reflections [|*F*_o| > 4σ(|*F*_o|), 2θ ≤ 120°] and 950 parameters. CCDC 182/1269.

- L. Pu, *Chem. Rev.*, 1998, **98**, 2405.
- E. P. Kyba, M. G. Siegel, L. R. Sousa, G. D. Y. Sogah and D. J. Cram, *J. Am. Chem. Soc.*, 1973, **95**, 2691.
- X. X. Zhang, J. S. Bradshaw and R. M. Izatt, *Chem. Rev.*, 1997, **97**, 3313.
- (a) P. R. Ashton, M. C. T. Fyfe, S. K. Hickingbottom, J. F. Stoddart, A. J. P. White and D. J. Williams, *J. Chem. Soc., Perkin Trans. 2*, 1998, 2117; (b) M. C. T. Fyfe and J. F. Stoddart, *Adv. Supramol. Chem.*, 1999, **5**, 1.
- S. J. Cantrill, D. A. Fulton, M. C. T. Fyfe, J. F. Stoddart, A. J. P. White and D. J. Williams, *Tetrahedron Lett.*, 1999, **40**, 3669.
- E. Ishow, A. Credi, V. Balzani, F. Spadola and L. Mandolini, *Chem. Eur. J.*, 1999, **5**, 984.
- M. Suárez, N. Branda, J.-M. Lehn, A. Decian and J. Fischer, *Helv. Chim. Acta*, 1998, **81**, 1.
- M. Asakawa, P. R. Ashton, W. Hayes, H. M. Janssen, E. W. Meijer, S. Menzer, D. Pasini, J. F. Stoddart, A. J. P. White and D. J. Williams, *J. Am. Chem. Soc.*, 1998, **120**, 920.
- T. Schmidt, R. Schmieder, W. M. Müller, B. Kiupel and F. Vögtle, *Eur. J. Org. Chem.*, 1998, 2003.

Communication 9/020961