Chem Comm

CHEMICAL COMMUNICATIONS • www.rsc.org/chemcomm





Cover (far left)

The first automated oligosaccharide synthesizer based on an ABI Peptide Synthesizer. Depicted against a backdrop of the custom-designed reaction vessel where the assembly of the oligosaccharide occurs at low temperature, are the cartridges containing the building blocks used in the assembly process and the needle used to deliver dissolved building blocks to the instrument (pp. 1115–1121).

Inside cover (left)

Formation of new amporphous silica structures, uniquely synthesized by a bioinspired synthetic system (pp. 1122–1123).

contents

FOCUS ARTICLE



Metallo-enzyme catalysis

R. J. P. Williams



With illustrative examples from copper, iron and zinc proteins, the author shows how the metal ion sites in metallo-enzymes are 'designed' for selective uptake and catalytic activity.

FEATURE ARTICLE



Automated carbohydrate synthesis to drive chemical glycomics

Peter H. Seeberger*

The development of the first automated oligosaccharide synthesizer has already begun to influence biochemistry, biology and medicine as evidenced by the development of a new malaria vaccine candidate.


COMMUNICATIONS



Bioinspired synthesis of new silica structures

Siddharth V. Patwardhan, Niloy Mukherjee, Miriam Steinitz-Kannan and Stephen J. Clarson*

The formation of new amorphous silica structures that were uniquely synthesized by a bioinspired synthetic system is reported.



Chemical Communications

http://www.rsc.org/chemcomm

EDITORIAL STAFF

Sarah Thomas

Deputy edito

Louise Gill

Assistant editors

Sula Armstrong

Nick Holmes

Caroline Evans

Publishing assistants

Jayne Drake Lois Kershaw
Jayne Gough Frances Thomson
Crystallographic data editor

Kirsty Anderson

eam Leader. Serials Production

Helen Saxton

Production editorial staff

Hamish Kidd Ziva Whitelock Kathryn Lees Ken Wilkinson Lee Martin

Graphics

Scott Ollington

Editorial secretary (production)

Sarah James

Publisher, Journals and Reviews

Adrian Kybett

Chemical Communications (print: ISSN 1359-7345; electronic: ISSN 1364-548X) is published 24 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 OWF. All orders accompanied by payment should be sent directly to Turpin Distribution Services Ltd, Blackhorse Road, Letchworth, Herts, UK SG6 1HN, 2003 Annual (print + electronic) subscription price: £878; US\$1450. 2003 Annual (electronic) subscription price: £790; US\$1305. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT. If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip. Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001, USA. US Postmaster: send address changes to Chemical Communications, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight. PRINTED IN THE LIK

Advertisement sales: Tel +44 (0)1223 432243; Fax +44 (0)1223 426017; E-mail advertising@rsc.org

© The Royal Society of Chemistry, 2003. Apart from fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publisher or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law applicable to users in the USA. The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions.

EDITORIAL BOARI

Chairman

Andrew B. Holmes, Cambridge, UK E-mail: abh1@cam.ac.uk

Frank Allen, CCDC, Cambridge, UK E-mail: allen@ccdc.cam.ac.uk Jerry L. Atwood, Columbia, MO, USA E-mail: rsc.chemcomm@missouri.edu Shankar Balasubramanian, Cambridge, UK E-mail: sb10031@cam.ac.uk Makoto Fujita, Tokyo, Japan E-mail: mfujita@appchem.t.u-tokyo.ac.jp

E-mail: fuerstner@mpi-muelheim.mpg.de **Donald Hilvert**, Zurich, Switzerland E-mail: hilvert@org.chem.ethz.ch **Wolfgang Hölderich**, Aachen, Germany E-mail: Hoelderich@rwth-aachen.de

Alois Fürstner, Mülheim, Germany

SCIENTIEIC EDITORS

The Scientific Editors welcome enquires from potential authors regarding the submission and scientific content of papers. For the submission of manuscripts please see http://www.rsc.org/chemcomm

Professor Dermot O'Hare

Inorganic Chemistry Laboratory University of Oxford Oxford, UK E-mail: chemcomm@chem.ox.ac.uk

ORS Professor Donald Hilvert

Laboratory of Organic Chemistry ETH Zentrum, Zurich, Switzerland E-mail: hilvert@org.chem.ethz.ch

Mir Wais Hosseini, Strasbourg, France

Barbara Imperiali, Cambridge, MA, USA

Roeland J. M. Nolte, Nijmegen, The Netherlands

E-mail: hosseini@chimie.u-strasbg.fr

E-mail: chemcomm@chem.ox.ac.uk

E-mail: clraston@chem.uwa.edu.au

Ian Rothwell, West Lafayette, IN, USA

E-mail: chemcomm@mit.edu

Dermot O'Hare, Oxford, UK

Colin Raston, Perth, Australia

E-mail: c.foote@reading.ac.uk

E-mail: chemcomm@purdue.edu

Clément Sanchez, Paris, France

James D. White, Corvallis, OR, USA

E-mail: clems@ccr.jussieu.fr

E-mail: james.white@orst.edu

David Rice, Reading, UK

E-mail: nolte@sci.kun.nl

Professor Mir Wais Hosseini

Lab de Chimie de Coordination Organique Universite Louis Pasteur, Strasbourg, France E-mail: hosseini@chimie.u-strasbg.fr

Professor Alois Fürstner

Professor Ian Rothwell

Department of Chemistry

West Lafayette, IN, USA

E-mail: chemcomm@purdue.edu

Professor James D. White

E-mail: james.white@orst.edu

Department of Chemistry

Oregon State University

Corvallis, OR, USA

Dr Sarah Thomas

Purdue University,

ORGANIC

Max-Planck-Institut für Kohlenforschung Müllheim/Ruhr, Germany E-mail: fuerstner@mpi-muelheim.mpg.de

INORGANIC, ORGANOMETALLIC AND MATERIALS

ASSOCIATE EDITORS

Manuscripts from the Americas should be submitted to the appropriate Associate Editor. Manuscripts from other regions should be submitted to the Cambridge Editorial Office. For information on how to submit your manuscript see http://www.rsc.org/chemcomm

Manuscripts from the Americas

SUPRAMOLECULAR

Professor Jerry L. Atwood 123 Chemistry Building University of Missouri Columbia, MO, USA

E-mail: rsc.chemcomm@missouri.edu

CHEMICAL BIOLOGY

Professor Barbara Imperiali

Department of Chemistry Massachusetts Institute of Technology Cambridge, MA, USA E-mail: chemcomm@mit.edu

Chemical Communications

Royal Society of Chemistry Thomas Graham House Science Park, Milton Road Cambridge, UK. CB4 0WF Tel (+44) (0) 1223 420066 Fax (+44) (0) 1223 420247 E-mail: chemcomm@rsc.org

EDITORIAL ADVISORY BOARI Takuzo Aida, Tokyo, Japan

Dario Braga, Bologna, Italy
Duncan W. Bruce, Exeter, UK
Jillian M. Buriak, West Lafayette, IN, USA
David H. G. Crout, Warwick, UK
Marcetta Darensbourg, College Station, TX, USA
Gautam R. Desiraju, Hyderabad, India
Pierre H. Dixneuf, Rennes, France
Gregory C. Fu, Cambridge, MA, USA
Tohru Fukuyama, Tokyo, Japan
Lutz Gade, Strasbourg, France
George W. Gokel, St Louis, MO, USA
Karl J. Hale, London, UK
Amir Hoveyda, Boston, MA, USA

Kazuyuki Kuroda, Tokyo, Japan Jérôme Lacour, Geneva, Switzerland E. W. 'Bert' Meijer, Eindhoven, The Netherlands Albert I. Meyers, Fort Collins, CO, USA Jason Micklefield, Manchester, UK Achim Müller, Bielefeld, Germany Maurizio Prato, Trieste, Italy Richard J. Puddephatt, London, ON, Canada Christopher A. Reed, Riverside, CA, USA Jonathan Sessler, Austin, TX, USA David C. Sherrington, Glasgow, UK Jonathan W. Steed, London, UK Herbert Waldmann, Dortmund, Germany Henry N. C. Wong, Hong Kong, PR China

Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation) – Reproduced by permission of the The Royal Society of Chemistry.

(1124

B A B B A A

Self-assembled dimers with supramolecular chirality

Anca Pop, Myroslav O. Vysotsky, Mohamed Saadioui and Volker Böhmer*

Calix[4] arenes composed of two different phenolic urea units are synthesized; the **supramolecular chirality** of their dimeric capsules is analyzed and demonstrated.

HOOC

trans,trans-muconic acid

mesoporous
silica

COOH

trans,trans-muconic acid

Ru₁₀Pt₂
adipic acid

Bimetallic nanocatalysts for the conversion of muconic acid to adipic acid


John Meurig Thomas,* Robert Raja,* Brian F. G. Johnson,* Timothy J. O'Connell, Gopinathan Sankar and Tetyana Khimyak

Industrially desirable chemical products such as adipic acid may be produced in good yields and selectivities from plant-crop sources, using highly active bimetallic nanocatalysts anchored onto mesoporous silica.

1128

Unwinding of DNA polymerases by the antitumor drug, *cis*-diamminedichloroplatinum(II)

Erika Volckova, Ferenc Evanics, Wei W. Yang and Rathindra N. Bose*




The helix-turn-helix motifs of the DNA binding domains of human polymerase- α and polymerase- κ are dramatically perturbed upon binding to cisplatin with concomitant release of zinc.

1130

First comparative emission assay of single-wall carbon nanotubes—solutions and dispersions

Dirk M. Guldi,* Michael Holzinger, Andreas Hirsch,* Vasilios Georgakilas and Maurizio Prato*

A variety of single-wall carbon nanotube samples were tested in steady-state and time-resolved emission experiments, where it was found that chemical functionalization and different degrees of oxidation affect the emission behavior.



Dicationic [(BINAP)Pd(solvent)₂]²⁺[TfO⁻]₂: enantioselective hydroamination catalyst for alkenoyl-*N*-oxazolidinones

 R^1 = Me, Et, Pr $\frac{\text{cat. } [(\text{BINAP})\text{Pd}]^{2^+}}{18\text{h}}$ (up to 93% ee)

Kelin Li and King Kuok (Mimi) Hii*

Addition of primary aromatic amines to α , β -unsaturated oxazolidinones has been achieved in high yields and ee's (up to 93%) for the first time.


hv (520 nm) hv (NIR) (Ln = Nd, Yb, Er)

Energy-transfer from a Pt(II) chromophore results in sensitised near-IR emission from covalently-attached Yb, Nd or Er centres.

Sensitised near-infrared emission from lanthanides using a covalently-attached Pt(II) fragment as an antenna group

Nail M. Shavaleev, Lucy P. Moorcraft, Simon J. A. Pope, Zöe R. Bell, Stephen Faulkner* and Michael D. Ward*

In a series of heterodinuclear complexes in which a Pt(PPh₃)₂(catecholate) chromophore is covalently linked to a lanthanide tris(diketonate) unit, sensitised near-IR emission from Yb(III), Nd(III) and Er(III) occurs on excitation of the Pt(II) chromophore at 520 nm.



The truly symmetrical doubly-bridging mode of trimethylphosphine in a dinuclear rhodium complex

Thomas Pechmann, Carsten D. Brandt and Helmut Werner*

The dinuclear complex $[Rh_2I_2(\mu-CPh_2)_2(\mu-PMe_3)]$ was prepared from the Rh₂(acac)₂ counterpart and Me₃SiI and shown crystallographically to contain the PMe₃ ligand in a truly symmetrical bridging position; a new synthetic route to migrate more bulky phosphines such as PPh₃ and PⁱPr₃ from a terminal into a doubly-bridging site is also described.


A facile synthesis of bimodal mesoporous silica and its replication for bimodal mesoporous carbon

Jinwoo Lee, Jaeyun Kim and Taeghwan Hyeon*



Bimodal mesoporous silica material composed of 30 nm sized nanoparticles with 3.5 nm sized mesopores was synthesized. Using the bimodal mesoporous silica as a template, bimodal mesoporous carbon was synthesized.

Synthesis of the mixed lithium-potassium-(bis)magnesium N-metallated/ N, C-dimetallated amide $[Li_2K_2Mg_4\{Bu^t(Me_3Si)N\}_4\{Bu^t[Me_2(H_2C)Si]N\}_4]$: an inverse crown molecule with an atomless cavity



- Glenn C. Forbes, Fiona R. Kenley, Alan R. Kennedy, Robert E.
 - Mulvey,* Charles T. O'Hara and John A. Parkinson
- Introducing a third metal variable into a synergic amide mixture results in a novel new structural arrangement.

O Carbon

Silicon Nitrogen

Lithium

 Magnesium O Potassium

> Synthesis, structure and reductive dechlorination of the C-centred phosphorus(III) β-diketiminate PCl(Ph)L [L = $C\{C(Me)NC_6H_3Pr_2^i\}$ 2,6{C(Me)NHC₆H₃Prⁱ₂-2,6}]

Peter B. Hitchcock, Michael F. Lappert* and Jacek E. Nycz


Treatment of the β-diketimine HL with successively LiBuⁿ and PCl₂Ph gave the first C-centered monodentate β-diketiminate PCl(Ph)L; with C₈K it underwent reductive dechlorination yielding a novel N-P^{III}-P^{III}-C=C heterocycle.



Synthesis and crystallographic structure of a novel photoresponsive azobenzene-containing organosilane

Nanguo Liu, Darren R. Dunphy, Mark A. Rodriguez, Sarany Singer and Jeffrey Brinker*

A novel photoresponsive azobenzene-containing organosilane (4-(3-triethoxysilylpropyl-ureido)azobenzene) was synthesized *via* an isocyanato-amino coupling reaction and its crystal structure was determined by X-ray crystallography.




1146

Synthesis and characterization of highly ordered functional mesoporous silica thin films with positively chargeable $-NH_2$ groups

Nanguo Liu, Roger A. Assink, Bernd Smarsly and C. Jeffrey Brinker*

Highly ordered mesoporous hybrid silica thin films with covalently bonded, positively chargeable –NH₂ terminal groups, useful for mimicking biological ion channels, were synthesized by evaporation induced self-assembly.




1148

First helical zinc(II) complex with a salen ligand

Shin Mizukami,* Hirohiko Houjou, Yoshinobu Nagawa and Masatoshi Kanesato*

The structure of a tetra-coordinated zinc(II) complex with a salen ligand was determined for the first time; unexpectedly, the complex was an interesting 2:2 metal-to-ligand complex.




(1150)

Stereoselective aza-Diels-Alder reactions with 2*H*-azirines as dienophiles furnishing highly functionalized tetrahydropyridines

Åsa Sjöholm Timén, Andreas Fischer and Peter Somfai*

$$R^*$$
 R^*
 R^*
 R^*
 R^*
 R^*
 R^*
 R^*
 R^*

Stereoselective Diels–Alder reactions of various dienes and 2*H*-azirines with a chiral auxiliary gave in the presence of Lewis acids products with up to 97 % de.



L = pyridine, MeCN

A ruthenium dipyridophenazine complex that binds preferentially to GC sequences

Clive Metcalfe, Harry Adams, Ihtshamul Haq* and Jim A. Thomas*


The synthesis of achiral complexes incorporating the [Ru^{II}(dppz)] moiety is outlined. Luminescence and calorimetry studies indicate that they bind to DNA with high affinity. Uniquely for any dppz complexes, one of the new complexes shows almost an order of magnitude binding preference for GC rich sequences.



Chirality control in 2,2'-biphosphole ligand leading to enantiopure Pd complex

Carmen Ortega, Maryse Gouygou* and Jean-Claude Daran*


A new enantiomerically pure 2,2'-biphosphole complex has been synthesized *via* a process involving chirality control of the 2,2'-biphosphole ligand.



Isolation of electronic from geometric contributions to Bergman cyclization of metalloenediynes

Sibaprasad Bhattacharyya, Aurora E. Clark, Maren Pink and Jeffrey M. Zaleski


Conformationally constrained ethylene-diamine metalloenediyne compounds exhibit alkyne termini separations that are constant and independent of metal center geometry, ancillary chloride ligand electron donation into the Bergman cyclization reaction coordinate, however, dramatically influences the observed temperatures.



First report of $\mathbf{Z}\mathbf{n}^{2+}$ sensing exclusively at mesoscopic interfaces

Santanu Bhattacharya* and Akash Gulyani


1-Pyrenyl-methyl-bis (2-picolyl) amine (**Pybpa**) forms a certain type of aggregate in water and is inaccessible to metal ions in such a state. Micellar or vesicular assemblies solubilize **Pybpa** and when bound to such mesoscopic aggregates, the probe can sense interfacial Zn2+ ions.



Biarylpyrimidines: a new class of ligand for high-order DNA recognition

Peter M. Murphy, Victoria A. Phillips, Sharon A. Jennings, Nichola C. Garbett, Jonathan B. Chaires, Terence C. Jenkins and Richard T. Wheelhouse*

Biarylpyrimidines have been designed as ligands for high-order DNA structures: changing the functional group for sidechain attachment from thioether to amide switches the structural binding preference from triplex to tetraplex DNA.



Photoaccelerated oxidation of chlorinated phenols

Gábor Lente and James H. Espenson*


Illumination by visible light (between points A and B in the graph) accelerates the release of chloride ions during the catalyzed destructive oxidation of chlorophenols (the oxidation of 2,6-dichlorophenol by H_2O_2 catalyzed by $Fe(TPPS)^+$ is shown here).



A stable alkyl hydride of a first row transition metal

Leonard A. MacAdams, Gerald P. Buffone, Christopher D. Incarvito, James A. Golen, Arnold L. Rheingold and Klaus H. Theopold*

Hydrogenolysis of a Cr(III) dialkyl precursor produced a binuclear chromium complex with a bridging hydride and a bridging alkyl; this structurally characterized organometallic compound is thermally very stable and does not undergo the expected reductive elimination of alkane.



1166

Studies of the functionalisation of organic-inorganic hybrid materials by using the Heck reaction

i) $Br-ArCH_2PO_3Et_2$, Heck's reaction


Céline Carbonneau,* Jean-Olivier Durand, Michel Granier and Gérard F. Lanneau

Cogelation of 4-styryltrimethoxysilane was performed using NH_4F as catalyst. The functionalisation of the styryl group was then studied by using Heck's reaction with ethyl 4-bromobenzyl or 4-bromoarylvinylbenzyl phosphonates. The efficiency of the solid-phase reaction was highly dependent on the texture of the solids.



$[Ni(\eta^3-CH_2C(CH_3)CH_2)(SbPh_3)_3][BAr'_4]$: an extremely active cationic allyl nickel–stibine catalyst for the oligomerization of styrene

Manuel Jiménez-Tenorio, M. Carmen Puerta, Isabel Salcedo, Pedro Valerga,* Sandra I. Costa, Pedro T. Gomes and Kurt Mereiter




Despite its coordinatively saturated character, the novel pseudotetrahedral complex $[Ni(\eta^3\text{-}CH_2C(CH_3)CH_2)(SbPh_3)_3][BAr'_4]$ (Ar' = 3,5-C₆H₃(CF₃)₂) is an extremely efficient catalyst for the regioregular oligomerization of styrene



First total synthesis of the neuronal cell protecting carbazole alkaloid carbazomadurin A by sequential transition metal-catalyzed reactions

Hans-Joachim Knölker* and Jan Knöll

The highly oxygenated neuronal cell protecting carbazole alkaloid carbazomadurin A was synthesized in nine steps and 11% overall yield from isovanillic acid.




(1172)

Copper and manganese: two concordant partners in the catalytic oxidation of *p*-cresol to *p*-hydroxybenzaldehyde

Feng Wang, Guan-yu Yang, Wei Zhang, Wen-hai Wu and Jie Xu*

Copper and manganese are found to be two concordant partners in the catalytic oxidation of *p*-cresol to *p*-hydroxybenzaldehyde. Under mild conditions, this research realised 95.6% selectivity for *p*-hydroxybenzaldehyde at 98.5% conversion of *p*-cresol.





New mode of sterically imposed phosphorus hypercoordination

Petr Kilian, Alexandra M. Z. Slawin and J. Derek Woollins*

Secondary P=O···P bonding interaction in 1,8-diphosphanaphthalene derivative reported here provide example of an early stage in the interaction of an electrophile with a nucleophile.



Cationic benzyl zirconium heteroscorpionates: synthesis and characterization of a novel ethylene polymerisation catalyst showing an unusual temperature dependent polymerisation mechanism


Stefano Milione, Cosimo Montefusco, Tomas Cuenca and Alfonso Grassi*

The ion pair $[(bpzmp)Zr(CH_2Ph)_2]^+[PhCH_2B(C_6F_5)_3]^-$ is an active ethylene polymerisation catalyst that produces polyethylene samples with polydispersity values depending on temperature.



A new strategy towards ultra stable mesoporous titania with nanosized anatase walls

K. Cassiers,* T. Linssen, V. Meynen, P. Van Der Voort, P. Cool and E. F. Vansant






Well-defined star-shaped calcite crystals formed in agarose gels


Dong Yang, Limin Qi* and Jiming Ma

Unique star-like calcite crystals with eight trident-like arms extending radially from initial rhombohedral calcite nuclei were produced by controlled crystallization of CaCO₃ in agarose gels.



Homolytic 1,5-transfer of chiral organosilicon groups from an enoxy oxygen to an alkoxy oxygen—implications for mechanism

Sonia M. Horvat, Sunggak Kim and Carl H. Schiesser*




1,5-Homolytic transfers of chiral organosilicon groups from enoxy oxygen to alkoxy oxygen proceed with retention of configuration.



1188

Halogen-induced selectivity in heterogeneous epoxidation is an electronic effect—fluorine, chlorine, bromine and iodine in the Ag-catalysed selective oxidation of ethene




Richard M. Lambert,* Rachael L. Cropley, Alifiya Husain and Mintcho S. Tikhov

Selectivity promotion in the Ag-catalysed heterogeneous epoxidation of ethene correlates with halogen electron affinity showing that it is an electronic phenomenon rather than a steric or geometrical effect.

1186

Towards "designer" surfaces: functionalisation of self-assembled monolayer (SAM) on colloidal gold by alkene metathesis



Debasis Samanta, Nicolas Faure, Francis Rondelez and Amitabha Sarkar*

Using ruthenium-catalyzed cross-metathesis reaction as a mild and convenient strategy, organic and organometallic functional groups have been grafted on monolayer-protected gold clusters.


TCPP + TUBULIN + TAXOL (c) 600 Fluor escence / rfu TCPP + TUBULIN (b) 500 400 300 200 (c-b) = TAX OI 100 -100 610 620 640 650 660 600 670 680 690 700 Wavelength / nm

A novel bioassay for screening and quantification of taxanes

Sergi Morais, P. C. Pandey, Wilfred Chen and Ashok Mulchandani*

The bioassay is a novel method for the detection of antimitotic agents such as Taxol® through changes in the fluorescence spectrum of metal free tetrakis(4-carboxyphenyl)porphyrin (TCPP) using the receptor tubulin.

Two types of intramolecular homolytic substitution reactions at group XIV atoms: unusual radical 1,4-Sn shifts from Si to C and carbonylative S_Hi reaction at Si




Armido Studer,* Stephan Amrein, Hiroshi Matsubara, Carl H. Schiesser,* Takashi Doi, Tomonori Kawamura, Takahide Fukuyama and Ilhyong Ryu*


Two types of intramolecular homolytic substitution reactions: (i) an S_Hi-type reaction of acyl radical at Si and (ii) a 1,4-Sn shift from Si to C atom, are described.

2.5 mol% RhCl(PPh₃)-THF, 50 ~ 60 °C


Reductive cleavage of the C–O bond of acetals and orthoesters: reduction by silane in the presence of a Rh-PPh3 complex



Tetsuo Ohta,* Tsugumi Michibata, Kazuyuki Yamada, Ryohei Omori and Isao Furukawa



Acetals are smoothly reduced to ethers by hydrosilane using rhodium catalyst, and orthoester is selectively reduced to acetal by hydrosilane using rhodium catalyst in the presence of additional phosphine.




Synthesis, spectroscopic characterisation and structure of the first chiral heteroleptic bis(phthalocyaninato) rare earth complexes

Yongzhong Bian, Rongming Wang, Jianzhuang Jiang,* Chi-Hang Lee, Jinzhi Wang and Dennis K. P. Ng*

A series of chiral heteroleptic bis(phthalocyaninato) lanthanide(III) complexes $M^{III}(Pc)[Pc(OC_5H_{11})_4]$ (M = Sm, Eu, Gd) have been synthesised. The Sm and Eu analogues represent the first mixed phthalocyaninato complexes which have been structurally characterised.

Control of Al distribution in ZSM-5 by conditions of zeolite synthesis

Vendula Gábová, Jiří Dědeček and Jiří Čejka



Al Distribution (concentration of Al "pairs" and "single" Al atoms) in ZSM-5 can be controlled by the variation of Al and Si sources used for zeolite synthesis.

1198

Biocatalytic reduction of ketones by a semi-continuous flow process using supercritical carbon dioxide

Tomoko Matsuda,* Kazunori Watanabe, Takashi Kamitanaka, Tadao Harada and Kaoru Nakamura

The immobilized resting-cell of Geotrichum candidum was used as a catalyst for the reduction of a ketone in a semi-continuous flow process using supercritical carbon dioxide for the first time; it was also applied for the asymmetric reduction of a ketone and resulted in excellent enantioselectivity (ee >99%) and space-time yield.

^tBu₂MeSi ^tBu₂MeSi∠ 'SiMe^tBu₂ ^tBu₂MeSi**™** $h\nu \ (\lambda > 300 \text{ nm})$ C₆D₆, r.t.

Photochemical isomerization of 1,2,5-trisilabicyclo[3.2.0]hepta-3,6-diene to 1,4,7-trisilabicyclo[2.2.1]hepta-2,5-diene

Tadahiro Matsuno, Masaaki Ichinohe and Akira Sekiguchi*

The 1,2,5-trisilabicyclo[3.2.0]hepta-3,6-diene derivative photochemically isomerizes to 1,4,7-trisilabicyclo[2.2.1]hepta-2,5-diene via skeletal rearrangement.


A novel dry route to ortho-functionalized triarylbismuthanes that are difficult to access by conventional wet routes


Mika Urano, Shinobu Wada and Hitomi Suzuki*

When aryl iodides bearing an electron-withdrawing group at the ortho position were milled together with Bi shots and calcite in the presence of Cu powder and CuI, the ortho-functionalized triarylbismuthanes were obtained in moderate to good yield. R=F, CI, Br, CF₃, OMe, CO₂Et, NO₂



Ion-exchange synthesis and magneto-optical spectra of colored magnetic thin films composed of metal(II) hexacyanochromate(III)





Masanori Tozawa, Shin-ichi Ohkoshi,* Norimichi Kojima and Kazuhito Hashimoto*

Magnetic thin films composed of hexacyanochromate-based magnets were prepared on Nafion membrane by an ion-exchange process and their Faraday spectra were observed in the visible region.



Preparation of novel polythioether dendrons on a solid support

Adi Dahan, Avi Weissberg and Moshe Portnoy*

$$Me_{3}N \xrightarrow{O} S \xrightarrow{S} S$$

Novel solid-phase synthesis of unprecedented polythioether dendrons, based on a new mercaptoisophthalate furcated unit, has been demonstrated. The dendronized resins have been applied in Heck reaction catalysis.

COPIES OF CITED ARTICLES

The Library and Information Centre (LIC) of the RSC offers a first class Document Delivery Service for items in Chemistry and related subjects. Contact the LIC, The Royal Society of Chemistry, Burlington House, Piccadilly, London W1V 0BN, UK.

This service is only available from the LIC in London and not the RSC in Cambridge.

ADVANCE CONTENTS LISTS

Contents lists in advance of publication are available on the web via www.rsc.org/chemcomm – or take advantage of our free e-mail alerting service (www.rsc.org/ej_alert) to receive notification each time a new list becomes available.

ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and the electronic form of this journal is provided with a full-rate institutional subscription. See www.rsc.org/ejs for more information.

* Indicates the author for correspondence: see article for contact details.



Electronic supplementary information is available on http://www.rsc.org/esi: see article for further information.

AUTHOR INDEX

Adams, Harry, 1152 Amrein, Stephan, 1190 Assink, Roger A., 1146 Bell, Zöe R., 1134 Bhattacharya, Santanu, 1158 Bhattacharyya, Sibaprasad, 1156 Bian, Yongzhong, 1194 Böhmer, Volker, 1124 Bose, Rathindra N., 1128 Brandt, Carsten D., 1136 Brinker, C. Jeffrey, 1146 Brinker, Jeffrey, 1144 Buffone, Gerald P., 1164 Carbonneau, Céline, 1166 Cassiers, K., 1778 Čejka, Jiří, 1196 Chaires, Jonathan B., 1160 Chen, Wilfred, 1188 Clark, Aurora E., 1156 Clarson, Stephen J., 1122 Cool, P., 1778 Costa, Sandra I., 1168 Cropley, Rachael L., 1184 Cuenca, Tomas, 1176 Dahan, Adi, 1206 Daran, Jean-Claude, 1154 Dědeček, Jiří, 1196 Doi, Takashi, 1190 Dunphy, Darren R., 1144 Durand, Jean-Olivier, 1166 Espenson, James H., 1162 Evanics, Ferenc, 1128 Faulkner, Stephen, 1134 Faure, Nicolas, 1186 Fischer, Andreas, 1150 Forbes, Glenn C., 1140 Fukuyama, Takahide, 1190 Furukawa, Isao, 1192 Gábová, Vendula, 1196 Garbett, Nichola C., 1160 Georgakilas, Vasilios, 1130 Golen, James A., 1164 Gomes, Pedro T., 1168 Gouygou, Maryse, 1154

Granier, Michel, 1166 Grassi, Alfonso, 1176 Guldi, Dirk M., 1130 Gulyani, Akash, 1158 Haq, Ihtshamul, 1152 Harada, Tadao, 1198 Hashimoto, Kazuhito, 1204 Hii, King Kuok (Mimi), 1132 Hirsch, Andreas, 1130 Hitchcock, Peter B., 1142 Holzinger, Michael, 1130 Horvat, Sonia M., 1182 Houjou, Hirohiko, 1148 Husain, Alifiya, 1184 Hyeon, Taeghwan, 1138 Ichinohe, Masaaki, 1200 Incarvito, Christopher D., 1164 Jenkins, Terence C., 1160 Jennings, Sharon A., 1160 Jiang, Jianzhuang, 1194 Jiménez-Tenorio, Manuel, 1168 Johnson, Brian F. G., 1126 Kamitanaka, Takashi, 1198 Kanesato, Masatoshi, 1148 Kawamura, Tomonori, 1190 Kenley, Fiona R., 1140 Kennedy, Alan R., 1140 Khimyak, Tetyana, 1126 Kilian, Petr, 1174 Kim, Jaeyun, 1138 Kim, Sunggak, 1182 Knölker, Hans-Joachim, 1170 Knöll, Jan, 1170 Kojima, Norimichi, 1204 Lambert, Richard M., 1184 Lanneau, Gérard F., 1166 Lappert, Michael F., 1142 Lee, Chi-Hang, 1194 Lee, Jinwoo, 1138 Lente, Gábor, 1162 Li, Kelin, 1132 Linssen, T., 1778 Liu, Nanguo, 1144, 1146 Ma, Jiming, 1780 MacAdams, Leonard A., 1164

Matsubara, Hiroshi, 1190 Matsuda, Tomoko, 1198 Matsuno, Tadahiro, 1200 Mereiter, Kurt, 1168 Metcalfe, Clive, 1152 Meynen, V., 1778 Michibata, Tsugumi, 1192 Milione, Stefano, 1176 Mizukami, Shin, 1148 Montefusco, Cosimo, 1176 Moorcraft, Lucy P., 1134 Morais, Sergi, 1188 Mukherjee, Niloy, 1122 Mulchandani, Ashok, 1188 Mulvey, Robert E., 1140 Murphy, Peter M., 1160 Nagawa, Yoshinobu, 1148 Nakamura, Kaoru, 1198 Ng, Dennis K. P., 1194 Nycz, Jacek E., 1142 O'Connell, Timothy J., 1126 O'Hara, Charles T., 1140 Ohkoshi, Shin-ichi, 1204 Ohta, Tetsuo, 1192 Omori, Ryohei, 1192 Ortega, Carmen, 1154 Pandey, P. C., 1188 Parkinson, John A., 1140 Patwardhan, Siddharth V., 1122 Pechmann, Thomas, 1136 Phillips, Victoria A., 1160 Pink, Maren, 1156 Pop, Anca, 1124 Pope, Simon J. A., 1134 Portnoy, Moshe, 1206 Prato, Maurizio, 1130 Puerta, M. Carmen, 1168 Qi, Limin, 1780 Raja, Robert, 1126 Rheingold, Arnold L., 1164 Rodriguez, Mark A., 1144 Rondelez, Francis, 1186 Ryu, Ilhyong, 1190 Saadioui, Mohamed, 1124

Salcedo, Isabel, 1168

Samanta, Debasis, 1186 Sankar, Gopinathan, 1126 Sarkar, Amitabha, 1186 Schiesser, Carl H., 1182, 1190 Seeberger, Peter H., 1115 Sekiguchi, Akira, 1200 Shavaleev, Nail M., 1134 Singer, Sarany, 1144 Slawin, Alexandra M. Z., 1174 Smarsly, Bernd, 1146 Somfai, Peter, 1150 Steinitz-Kannan, Miriam, 1122 Studer, Armido, 1190 Suzuki, Hitomi, 1202 Theopold, Klaus H., 1164 Thomas, Jim A., 1152 Thomas, John Meurig, 1126 Tikhov, Mintcho S., 1184 Timén, Åsa Sjöholm, 1150 Tozawa, Masanori, 1204 Urano, Mika, 1202 Valerga, Pedro, 1168 Van Der Voort, P., 1778 Vansant, E. F., 1778 Volckova, Erika, 1128 Vysotsky, Myroslav O., 1124 Wada, Shinobu, 1202 Wang, Feng, 1172 Wang, Jinzhi, 1194 Wang, Rongming, 1194 Ward, Michael D., 1134 Watanabe, Kazunori, 1198 Weissberg, Avi, 1206 Werner, Helmut, 1136 Wheelhouse, Richard T., 1160 Williams, R. J. P., 1109 Woollins, J. Derek, 1174 Wu, Wen-hai, 1172 Xu, Jie, 1172 Yamada, Kazuyuki, 1192 Yang, Dong, 1780 Yang, Guan-yu, 1172 Yang, Wei W., 1128 Zaleski, Jeffrey M., 1156 Zhang, Wei, 1172

NOTE: An asterisk in the heading of each paper indicates the author who is to receive any correspondence.