

Tetravalent cerium carbene complexes†

Ian J. Casely,^a Stephen T. Liddle,^b Alexander J. Blake,^b Claire Wilson^c and Polly L. Arnold^{*a}

Received (in Cambridge, UK) 24th August 2007, Accepted 17th September 2007

First published as an Advance Article on the web 9th October 2007

DOI: 10.1039/b713041d

The tetravalent organometallic cerium complex [CeL₄] is readily accessible from the oxidation of the trivalent [CeL₃], L = a bidentate N-heterocyclic carbene alkoxide ligand, [C{(NPrⁱ)-CHCHN}CH₂CMe₂O]. The [CeL₄] complex should behave like the [UL₄] analogue, but the two complexes show significantly different structures, highlighting the differences between 4f and 5f metals.

Cerium is the only lanthanide with a readily accessible tetravalent oxidation state. As such, its chemistry offers unique opportunities for redox chemistry and, as the 4f Ce and 5f U cations are the same size, the comparison of analogues gives an insight into f-orbital covalency which is needed to improve the separation of lanthanides and actinides in nuclear waste.¹

Much research has been invested in the isolation of genuinely f⁰ examples of organometallic Ce^{IV}. Tetravalent cerium is strongly oxidising, whereas the conventional organometallic alkyl, cyclopentadienyl and cyclooctatetraenyl anions, R⁻, C₅R₅⁻, and C₈R₈²⁻, are reducing in nature. Thus, although complexes such as cerocene, [Ce(η⁸-C₈H₈)₂], and the fused-ring analogues [Ce{C₈H₄(SiPrⁱ₃-1,4)₂}₂] and [Ce(C₈Me₆)₂] are isolable,² there is no simple model that adequately describes the bonding, and they may be regarded as possessing multi-configurational ground states; cerocene has a ground state with 80% Ce^{III} 4f¹ character, with (C₈H₈)^{1.5-} ligands.³ The complexes [Ce(C₅H₅)₃X] and [Ce(C₅H₅)₂X₂] (X = OBU^t, OPrⁱ, halide) are closer to a formal Ce^{IV} state,⁴ but to date, no examples of Ce^{IV} with σ-bound hydrocarbyl ligands have been isolated.

Other than Ce(OPrⁱ)₄, Ce(OTf)₄ and the ceric ammonium nitrate (CAN)-derived [Ce(OBU^t)₂(NO₃)₂(THF)₂],⁵ routes to tetravalent complexes demand the oxidation of Ce^{III} salts. However, the outcome is rarely predictable from the redox potential of the oxidant, since ligand reorganisations contribute significantly to reaction thermodynamics. For example, oxidation with I₂ is effective for Ce[N(CH₂CH₂N{SiMe₂Bu^t})₃], but not [Ce{N(SiMe₃)₂}₃], despite the accessibility of [Ce{N(SiMe₃)₂}₃X] (X = Cl, Br).⁶

We have previously shown how the incorporation of a pendant anionic group into N-heterocyclic carbenes (NHCs) renders the synthesis of NHC adducts of electropositive metal cations easier.⁷ Herein, we show how these tethered carbenes can be used to


generate the first complexes with a simple, two-electron Ce^{IV}-C bond.

Treatment of [CeI₃(THF)₄] with three equivalents of [KL], K[OCMe₂CH₂(1-C{NCHCHNPrⁱ})], affords [CeL₃], **1**,† in good yield as a dark yellow microcrystalline powder, Scheme 1. Although no X-ray quality single crystal has been obtained, the paramagnetically shifted ligand resonances in the ¹H NMR spectrum of **1** are sharp and spread over a relatively narrow chemical shift range, suggestive of a high-symmetry structure.⁸ The solution magnetic susceptibility of **1** at 300 K is 2.21 μ_B; the range for Ce^{III} complexes is 1.8–2.5 μ_B.

Treatment of **1** with TeCl₄, PBr₂Ph₃ or I₂ (reagents previously used for the oxidation of Ce^{III} amides)⁶ did not yield the desired oxidation products. However, treatment of **1** with benzoquinone affords tetravalent **2**, [CeL₄], arising from oxidation and ligand redistribution, Scheme 1. Inclusion of [KL] in the reaction mixture affords an excellent yield of **2**, since no [CeL₃] is sacrificed.

Benzoquinone has been used before as an oxidant for Ce^{III} alkoxides, hinting at its generality.⁹ The oxidation of **1** is also effected by XeF₂ and by [Fe(Cp)₂][OTf], but with lower yields.

The ¹H NMR spectrum of **2** is diamagnetic, as expected for a Ce^{IV} complex, with sharp ligand resonances. The carbene carbon resonance is now observed in the ¹³C NMR spectrum at 212 ppm. One set of ligand resonances is visible in the NMR spectra, commensurate with a fast fluxional process between free and bound carbenes on the NMR timescale. In d₈-THF solution, the ¹H resonances decoalesce at 230 K, and at 198 K three sets of ligand resonances are observed in a 2 : 1 : 1 ratio. This is in accordance with a fast motion of the two pendant carbenes on the



Scheme 1 Synthesis of **1** and the Ce^{IV} complexes **2** and **3**.

^aSchool of Chemistry, University of Edinburgh, West Mains Road, Edinburgh, EH9 3JJ, UK. E-mail: Polly.Arnold@ed.ac.uk; Fax: +44 (0)131 650 5429; Tel: +44 (0)131 650 5429

^bSchool of Chemistry, University of Nottingham, University Park, Nottingham, NG7 2RD, UK

^cRigaku Europe, Chaucer Business Park, Watery Lane, Sevenoaks, Kent, UK TN15 6QY

† Electronic supplementary information (ESI) available: Synthetic details for all complexes described. See DOI: 10.1039/b713041d

NMR timescale, and a sterically congested, small Ce^{IV} centre enforcing different magnetic environments on the two rigid, bound bidentate ligands.

X-ray quality yellow single crystals of **2**† were grown from a THF solution, Fig. 1.

The cerium cation is coordinated by two bidentate L and two monodentate L, in which the NHC groups are unbound. The Ce–O distances are average for tetravalent cerium (av. 2.135 Å; range 2.02–2.15 Å) and the Ce–C1 and Ce–C11 bond lengths are 2.693(6) and 2.652(7) Å respectively. There are no tetravalent Ce–C single bonds with which to compare these Ce^{IV}–C bond lengths, but the shortest Ce^{III}–C_{carbene} distance reported is 2.670(2) Å in [Ce(L)(N{SiMe₃})₂] (L = C{N(Bu)ⁱ}CHCHN{CH₂CH₂NBu}¹⁰ the Ce^{III} alkyl distance in [Ce(CH{SiMe₃})₂] Ce^{III}–C is 2.475 Å.¹¹ In a separate experiment, the analogous Ce^{III} [CeL₂(HL)₂]¹² complex was structurally characterised and provides contrasting Ce^{III}–NHC and imidazolium data, which also confirm that the NHC groups in **2** have not been protonated.

The dynamic equilibria between free and coordinated carbenes may also be frozen out by treatment of **2** with two equivalents of the borane 9-BBN, 9-borabicyclo[3.3.1]nonane, Scheme 1, affording highly crystalline yellow [Ce(L)₂(L-9BBN)₂], **3**.§ This also confirms the absence of any protonated imidazolium salt in **2**. The NMR spectra of **3** are characteristically diamagnetic and invariant with temperature, with only one bound carbene carbon observed in the NMR spectra (the boron-coupled carbon resonances are not observed). X-ray quality yellow single crystals of **3** were grown from a benzene solution, Fig. 2.

The geometry at the Ce^{IV} centre in **3** is pseudo-octahedral, and apart from the coordinated boranes, the structures of **2** and **3** are very similar. The C_{carbene}–B distances (mean 1.639 Å) are comparable to those in simple carbene-borane adducts (mean 1.667 Å).¹³

It is instructive to compare this Ce^{IV} carbene complex **2** with the U^{IV} carbene analogue [UL₄], **4**,¹⁴ reported by us, Fig. 3. Despite the nearly-identical sizes of the two cations, it is clear that the softer carbenes favour coordination to the more polarisable 5f-actinide cation than the 4f-cation, resulting in striking differences in both coordination number and geometry between them. Three carbenes coordinate to U^{IV}, at the expense of forming longer U–O and U–C bonds, Table 1.

In summary, the use of NHC-containing ligands has allowed the isolation of tetravalent organometallic cerium complexes stabilised




Fig. 1 Displacement ellipsoid drawing of the molecular structure of **2** (50% probability ellipsoids). Solvent and hydrogens omitted. Selected distances (Å) and angles (°): Ce–O1 2.140(4), Ce–O3 2.130(4), Ce–C1 2.693(6), Ce–C11 2.652(7), N1–C1 1.355(8), N5–C21 1.388(8), N1–C1–N2 103.5(5), N6–C21–N5 101.1(6).




Fig. 2 Displacement ellipsoid drawing of the molecular structure of **3** (50% probability ellipsoids). Solvent and hydrogens omitted. Selected distances (Å) and angles (°): Ce–O1 2.151(1), Ce–O3 2.118(1), Ce–C1 2.705(2), Ce–C11 2.703(2), C21–B1 1.639(3), N1–C1 1.359(3), N5–C21 1.363(2), N1–C1–N2 102.9(2), N6–C21–N5 104.4(2).




Fig. 3 Related Ce^{IV} and U^{IV} complexes.

Table 1 Comparison of structural data for **2** and **4**

Distance/Å or angle/°	M = Ce	M = U	Δ(U–Ce)	Δ(U–Ce) corr ^d
M–O _(av)	2.135(5)	2.203(3)	0.068	–0.012
M–C _(av)	2.674(7)	2.747(3)	0.073	–0.007
N–C _{car(bound, av)}	1.367(8)	1.365(4)	—	—
N–C _{car(free, av)}	1.377(9)	1.373(4)	—	—
NCN _(bound, av)	102.3(6)	102.1(2)	—	—
NCN _(free, av)	100.9(6)	101.3(2)	—	—

^a corrected for 6- and 7-coordinate covalent radii of Ce^{IV} (1.01 Å) and U^{IV} (1.09 Å) respectively^{1c}

by two-electron donor carbene ligands. These have significantly different structures to the uranium analogues, highlighting the more ionic character of these lanthanide bonds in comparison to those of the 5f metals.

Work is in progress to identify other oxidisable reagents that may be bound by the pendant NHC groups.

The authors thank the EPSRC, the Royal Society, the Leverhulme Trust and the Universities of Edinburgh and Nottingham for financial support.

Notes and references

† Crystal data for **2**: C₅₂H₉₂CeN₈O₇, *M* = 1081.46, monoclinic, space group *P*2₁/*n*, *a* = 23.188(3) Å, *b* = 11.1458(14) Å, *c* = 24.392(3) Å, α = 90.00°, β = 99.709(2)°, γ = 90.00°, *V* = 6213.8(14) Å³, *Z* = 4,

$D_c = 1.156 \text{ g cm}^{-3}$, $\mu = 0.781 \text{ mm}^{-1}$ (MoK α , $\lambda = 0.71073 \text{ \AA}$), $T = 150 \text{ K}$, $R (F^2 > 2\sigma) = 0.0673$ (6660 reflections), $R_w (F^2, \text{all data}) = 0.1822$, goodness-of-fit = 0.963 for all 10920 unique data (38792 measured, $R_{\text{int}} = 0.11$, $2\theta < 50^\circ$, CCD diffractometer) and 640 refined parameters. CCDC 650969. For crystallographic data in CIF or other electronic format see DOI: 10.1039/b713041d

§ Crystal data for **3**: $\text{C}_{74}\text{H}_{116}\text{B}_2\text{CeN}_8\text{O}_4$, $M = 1343.49$, triclinic, space group $P\bar{1}$, $a = 13.6344(5) \text{ \AA}$, $b = 15.6439(6) \text{ \AA}$, $c = 19.9000(7) \text{ \AA}$, $\alpha = 78.468(2)^\circ$, $\beta = 74.110(2)^\circ$, $\gamma = 66.660(2)^\circ$, $V = 3728.3(2) \text{ \AA}^3$, $Z = 2$, $D_c = 1.197 \text{ g cm}^{-3}$, $\mu = 0.661 \text{ mm}^{-1}$ (MoK α , $\lambda = 0.71073 \text{ \AA}$), $T = 150 \text{ K}$, $R (F^2 > 2\sigma) = 0.0323$ (15594 reflections), $R_w (F^2, \text{all data}) = 0.0863$, goodness-of-fit = 1.065 for all 16851 unique data (34250 measured, $R_{\text{int}} = 0.013$, $2\theta < 55^\circ$, CCD diffractometer) and 826 refined parameters. CCDC 650970. For crystallographic data in CIF or other electronic format see DOI: 10.1039/b713041d

- (a) T. Mehdoui, J. C. Berthet, P. Thuery and M. Ephritikhine, *Chem. Commun.*, 2005, 2860; (b) A. E. V. Gorden, J. Xu, G. Szigethy, A. Oliver, D. K. Shuh and K. N. Raymond, *J. Am. Chem. Soc.*, 2007, **129**, 6674; (c) R. D. Shannon, *Acta Crystallogr., Sect. A: Cryst. Phys., Diffraction, Theor. Gen. Crystallogr.*, 1976, **32**, 751.
- (a) A. Ashley, G. Balazs, A. Cowley, J. Green, C. H. Booth and D. O'Hare, *Chem. Commun.*, 2007, 1515; (b) G. Balazs, F. G. N. Cloke, J. C. Green, R. M. Harker, A. Harrison, P. B. Hitchcock, C. N. Jardine and R. Walton, *Organometallics*, 2007, **26**, 3111; (c) U. Kilimann, R. Herbst-Irmer, D. Stalke and F. T. Edelmann, *Angew. Chem., Int. Ed. Engl.*, 1994, **33**, 1618; (d) G. B. Deacon, T. D. Tuong and D. G. Vince, *Polyhedron*, 1983, **2**, 969.
- (a) M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R. M. Pitzer, *Chem. Phys.*, 1995, **195**, 71; (b) M. Coreno, M. de Simone, J. C. Green, N. Kaltsoyannis, N. Narband and A. Sella, *Chem. Phys. Lett.*, 2006, **432**, 17; (c) H.-D. Amberger, H. Reddmann and F. T. Edelmann, *J. Organomet. Chem.*, 2005, **690**, 2238.
- W. J. Evans, T. J. Deming and J. W. Ziller, *Organometallics*, 1989, **8**, 1581.
- (a) A. Gulino, M. Casarin, V. P. Conticello, J. G. Gaudiello, H. Mauermann, I. Fragala and T. J. Marks, *Organometallics*, 1988, **7**, 2360; (b) W. J. Evans, T. J. Deming, J. M. Olofson and J. W. Ziller, *Inorg. Chem.*, 1989, **28**, 4027.
- (a) C. Morton, N. W. Alcock, M. R. Lees, I. J. Munslow, C. J. Sanders and P. Scott, *J. Am. Chem. Soc.*, 1999, **121**, 11255; (b) O. Eisenstein, P. B. Hitchcock, A. G. Hulkes, M. F. Lappert and L. Maron, *Chem. Commun.*, 2001, 1560; (c) P. B. Hitchcock, M. F. Lappert and A. V. Protchenko, *Chem. Commun.*, 2006, 3546; (d) P. B. Hitchcock, A. G. Hulkes and M. F. Lappert, *Inorg. Chem.*, 2004, **43**, 1031.
- (a) P. L. Arnold and S. T. Liddle, *Chem. Commun.*, 2006, 3959; (b) W. A. Herrmann, *Angew. Chem., Int. Ed.*, 2002, **41**, 1290; (c) A. J. Arduengo, M. Tamm, S. J. McLain, J. C. Calabrese, F. Davidson and W. J. Marshall, *J. Am. Chem. Soc.*, 1994, **116**, 7927.
- TiL₃ structure: N. A. Jones, S. T. Liddle, C. Wilson and P. L. Arnold, *Organometallics*, 2007, **26**, 755.
- A. Sen, H. A. Stecher and A. L. Rheingold, *Inorg. Chem.*, 1992, **31**, 473.
- S. T. Liddle and P. L. Arnold, *Organometallics*, 2005, **24**, 2597.
- A. G. Avent, C. F. Caro, P. B. Hitchcock, M. F. Lappert, Z. N. Li and X. H. Wei, *Dalton Trans.*, 2004, 1567.
- [Ce(L)₂(HL)₂] was isolated as an impurity from a different reaction; a single crystal diffraction study shows the two pendant ligands are imidazolium cations. Distances (Å) and angles (°): Ce–O_(av) 2.309; Ce–C_(av) 2.802, N–C_{imidazolium(av)} 1.332, N–C–N_{imidazolium(av)} 108.5. See supplementary data and CCDC 650971.
- Y. Yamaguchi, T. Kashiwabara, K. Ogata, Y. Miura, Y. Nakamura, K. Kobayashi and T. Ito, *Chem. Commun.*, 2004, 2160.
- P. L. Arnold, A. J. Blake and C. Wilson, *Chem.–Eur. J.*, 2005, **11**, 6095.