Stereoselective construction of nitrile-substituted cyclopropanes[†]‡

Justin R. Denton, Kevin Cheng and Huw M. L. Davies*

Received (in Maryland, MD, USA) 13th December 2007, Accepted 21st January 2008 First published as an Advance Article on the web 7th February 2008 DOI: 10.1039/b719175h

Nitrile-substituted cyclopropanes are readily synthesized in a stereocontrolled fashion from the intermolecular cyclopropanation between 2-diazo-2-phenylacetonitrile and electron-rich olefins, catalyzed by the chiral dirhodium complex, Rh₂(*S*-PTAD)₄.

Rhodium carbenoids, derived from diazo compounds, are versatile synthetic intermediates, capable of a range of useful transformations, such as cyclopropanation, C-H insertion and ylide formation.¹ It has become increasingly evident that the structure of the carbenoid greatly influences the outcome of this chemistry.² Most notably, donor/acceptor-substituted carbenoids are capable of a much wider range of selective transformations than the other classes of carbenoids.³ A distinctive feature of the cyclopropanation chemistry of donor/acceptorsubstituted carbenoids is the high diastereoselectivity exhibited with virtually all substrates.⁴ Most of the early examples of donor/acceptor carbenoids use a methyl ester as the acceptor group,^{2,4} and $Rh_2(S-DOSP)_4$ has been found to be an exceptional chiral catalyst for this system (1). Recent studies have been directed towards exploring the scope with other types of donor/acceptor systems such as the phosphonate 2^5 and the trifluoromethyl derivative 3.6 Rh₂(S-DOSP)₄ is not an effective chiral catalyst with these systems but the new catalyst, Rh₂(S-PTAD)₄,^{5b} circumvented this problem. In this communication, we describe the effect of chiral catalysts on the cyclopropana-



Department of Chemistry, University at Buffalo, State University of New York, Buffalo, NY 14260-3000, USA. E-mail:

tion reactions of donor/acceptor-substituted diazo compounds **4** where the acceptor group is a cyano group.

Donor/acceptor carbenoids containing a cyano group are not only of synthetic interest, but also offer further insight into the postulated mechanism of the cyclopropanation. Theoretical and kinetic isotope studies have led to the proposal that the cyclopropanation occurs in a concerted non-synchronous manner with the alkene approaching in a side-on manner (Fig. 1).⁷ The high diastereoselectivity is considered to be due to the bulky nature of the electron-withdrawing group, which avoids destabilizing the electrophilic carbenoid by aligning out of the plane of the rhodium carbene π -bond.^{7a} In the case of the diazo compounds **4**, the cyano group is not sterically bulky, and how this would influence the diastereoselectivity has been an interesting question.⁷

Several methods have been developed to synthesize nitrilesubstituted cyclopropanes,⁸ including the metal-catalyzed intermolecular cyclopropanation by α -diazoacetonitriles.⁹ α -Diazoacetonitriles containing a donor group have not been extensively studied and the reported cyclopropanations with α -diazoacetonitriles lacking a donor group have proceeded with variable diastereoselectivity and up to 70% ee.^{9c}

2-Diazo-2-phenylacetonitrile $(5)^{10}$ was used as the prototypical substrate in these studies. As a test reaction, the cyclopropanation of styrene was examined using the most generally effective chiral catalysts for the reactions of donor/ acceptor substituted carbenoids, Rh₂(S-DOSP)₄, Hashimoto's Rh₂(S-PTTL)₄,¹¹ and Rh₂(S-PTAD)₄ (Table 1). All three catalysts gave high yield of the cyclopropane 6a and good diastereocontrol ($\sim 95: 5 \, dr$), although the diastereoselectivity was lower than what had been observed with other types of donor/acceptor carbenoids.⁴⁻⁶ Rh₂(S-DOSP)₄ gave relatively low enantioinduction (34% ee), while Rh₂(S-PTTL)₄, and Rh₂(S-PTAD)₄ gave far superior results (90% ee). The optimal conditions were 2 mol% of catalyst in toluene at -78 °C followed by slowly warming to room temperature. At higher temperature, the enantioselectivity was significantly lower, and erosion of enantioselectivity was also observed when just 1 mol% of catalyst was used.

The carbenoid reaction of 5 was applied to a range of olefins using $Rh_2(S-PTAD)_4$ as catalyst and the results are



Fig. 1 The model for concerted non-synchronous cyclopropanation.

hdavies@buffalo.edu; Fax: 716-645-6547; Tel: 716-645-6800X2186 † CCDC 654356. For crystallographic data in CIF or other electronic format see DOI: 10.1039/b719175h

[‡] Electronic supplementary information (ESI) available: Experimental details for the synthesis of all new compounds. See DOI: 10.1039/ b719175h

 Table 1
 2-Diazo-2-phenylacetonitrile in intermolecular cyclopropanation of styrene



Rh(II)				Yield ^a		ee ^c
cat.	Loading	Solvent	Temp.	(%)	dr ^b	(%)
Rh ₂ (S-PTAD) ₄	2 mol%	TFT	rt	83	93:7	65
$Rh_2(S-PTAD)_4$	2 mol%	Toluene	rt	77	89:11	60
$Rh_2(S-DOSP)_4$	2 mol%	Toluene	−78 °C	85	95:5	34
$Rh_2(S-PTTL)_4$	2 mol%	Toluene	−78 °C	84	96:4	90
$Rh_2(S-PTAD)_4$	2 mol%	Toluene	−78 °C	86	97:3	90
$Rh_2(S-PTAD)_4$	1 mol%	Toluene	-78 °C	80	97:3	85
<i>a</i> · · · · · · ·						h _

^{*a*} Yield obtained after purification using flash chromatography. ^{*b*} Dr as judged by ¹H NMR spectroscopy before purification. ^{*c*} Ee as determined by chiral HPLC. TFT = $\alpha, \alpha, \alpha,$ -Trifluorotoluene.

summarized in Table 2. Styrenes were very effective substrates, generating cyclopropanes **6b-g** in high yields (80-89%), high diastereoselectivity (95 : 5 to > 97 : 3 dr) and moderate to high enantioselectivity (78-90% ee). The lowest enantioselectivity was obtained with the most electron-rich styrene, which might be expected as this would be the most reactive substrate. The trend is the same as seen with vinyl diazoacetates and aryl diazoacetates.^{4b,c} Extension of the study to *n*-butyl vinyl ether resulted in a dramatic drop in diastereoselectivity. The cyclopropane 6h was formed as a 62 : 38 mixture of diastereomers, although the enantioselectivity remained moderate (80% ee (major) and 79% ee (minor)). Very low diastereoselectivity was also observed in the reaction with vinyl acetate, and indeed, in this case the slightly preferred diastereomer was the (Z) isomer of cyclopropane **6i**, while the enantioselectivity remained high (92% ee). The last result is markedly different from the reaction of the diazo compound 1, which gave highly diastereoselective reactions with vinvl ethers.^{4b,c} Attempted reactions with electron-neutral substrates such as 1-hexene gave very low yields of cyclopropanes.

One of the most distinctive aspects of the cyclopropanation reactions with donor/acceptor carbenoids is that the diastereoselectivity is generally not sensitive to catalyst structure.¹² The reaction of **5** with 2,3-dihydrofuran did not follow this trend (Scheme 1).¹² The reaction catalyzed by $Rh_2(S-PTAD)_4$ gave the cyclopropane **7** in a 91 : 9 ratio of diastereomers while the reaction catalyzed by $Rh_2(S-DOSP)_4$ gave virtually a 1 : 1 dr of **7**. The enantioselectivity for the formation of **7** with either catalyst was very low (<15% ee).

Due to the variable stereoselectivity in these reactions, efforts were made to unambiguously verify the stereochemical assignments. The bromocyclopropane **6g** was enriched to >98% ee by recrystallization from absolute ethanol. X-Ray crystallographic analysis determined the relative and absolute configurations to be 1S,2R (Fig. 2).¹³ The relative configuration of the other cyclopropanes were readily assigned by a distinctive 0.3–0.4 ppm shielding of the C-2 proton when *cis* to the C-1 phenyl. The absolute configuration of the other cyclopropanes is tentatively assigned by analogy to **6g**.

 Table 2
 Intermolecular cyclopropanation of electron-rich olefins



^{*a*} Yield obtained after purification using flash chromatography. ^{*b*} Dr (E:Z) as judged by ¹H NMR spectroscopy before purification. ^{*c*} Ee as determined by chiral HPLC. ^{*d*} Combined yield of diastereomers.

The diastereoselectivity observed in these studies offer interesting insights into rhodium carbenoid chemistry. The reactions with styrenes gave high diastereoselectivity, even though it would have been predicted that the small cyano acceptor group would be unable to influence the reaction in such a way.⁷ In the case of alkenes lacking an aryl substituent the diastereoselectivity was very low. As the cyano group would



 $Rh_2(S-PTAD)_4$: yield 84%; dr 91:9; 12% ee $Rh_2(S-DOSP)_4$: yield 45%; dr 58:42; 9% ee

Scheme 1 Cyclopropanation of 2,3-dihydrofuran.



Fig. 2 X-Ray crystal structure of 6g.



Fig. 3 The proposed charge-transfer complex.

not be blocking approach of the alkene, a reasonable explanation for the high diastereoselectivity with styrenes would be the occurrence of an attractive π stacking interaction between the aryl rings during the cyclopropanation (Fig. 3). This would also explain the extremely high diastereoselectivity observed in styrene cyclopropanations with diazo compounds **1–3**, as the carbenoid in these cases would block approach of the substrate over the acceptor group⁷ and have an attracting π stacking interaction with the donor group.

In summary, the intermolecular cyclopropanation reactions of 2-diazo-2-phenylacetonitrile with various styrene derivatives afforded the nitrile-substituted cyclopropanes in high yield, high diastereoselectivity, and with moderate to high enantioselectivity. These studies underscore the importance of having both donor and acceptor groups on the carbenoid for diastereoselective cyclopropanation reactions, and suggest that even a small acceptor group such as cyano can be effective due to attractive π stacking interactions at the donor group.

Financial support of this work by the National Science Foundation (CHE-0350536) is gratefully acknowledged. We thank Dr. Mateusz Pitak from SUNY at Buffalo for the X-ray crystallographic analysis of **6g**.

Notes and references

§ General cyclopropanation procedure: To a flame-dried round bottom flask under argon, equipped with a stir bar, was added toluene, the electron rich olefin (5.0 equiv., ~1.0 M solution), and the Rh(II) catalyst (2 mol%). The green solution was then cooled to -78 °C and the diazo compound solution of 5 (1.0 equiv. in toluene, ~0.1 M) was then added dropwise over 15 min. The resulting orange solution was then allowed to warm to room temperature over 6 h. After which, the resulting green solution was then concentrated *in vacuo* and the dr was determined by ¹H NMR. The crude cyclopropane was then further purified by column chromatography and the e of the pure cyclopropane was determined by chiral HPLC.

- (a) M. Doyle, M. McKervey and T. Ye, Modern Catalytic Methods for Organic Synthesis with Diazo Compounds: From Cyclopropanes to Ylides, John Wiley & Sons Inc., New York, 1998, pp. 163–220;
 (b) H. M. L. Davies, Eur. J. Org. Chem., 1999, 2459; (c) T. Ye and A. McKervey, Chem. Rev., 1994, 94, 1091.
- 2 (a) H. M. L. Davies and R. Beckwith, *Chem. Rev.*, 2003, 103, 2861;
 (b) H. M. L. Davies and T. Hansen, *J. Am. Chem. Soc.*, 1997, 119, 9075.
- 3 Recent examples: (a) E. C. Lee and G. C. Fu, J. Am. Chem. Soc., 2007, **129**, 12066; (b) T. C. Mair and G. C. Fu, J. Am. Chem. Soc., 2006, **128**, 4594; (c) S. Paddibhotla, Y. Dang, J. O. Liu and D. Romo, J. Am. Chem. Soc., 2007, **129**, 12222; (d) J. Yang, H. Wu, L. Shen and Y. Qin, J. Am. Chem. Soc., 2007, **129**, 13794; (e) W. Guo, H. Huang, L. Yang and W. Hu, Org. Lett., 2007, **9**, 4721.
- 4 (a) H. M. L. Davies and R. J. Townsend, J. Org. Chem., 2001, 66, 6595; (b) H. M. L. Davies, P. Bruzinski, D. Lake, N. Kong and M. Fall, J. Am. Chem. Soc., 1996, 118, 6897; (c) H. M. L. Davies, P. R. Bruzinski and M. J. Fall, Tetrahedron Lett., 1996, 37, 4133; (d) J. L. Thompson and H. M. L. Davies, J. Am. Chem. Soc., 2007, 129, 6090.
- 5 (a) H. M. L. Davies and G. Lee, Org. Lett., 2004, 6, 2117;
 (b) R. Reddy, G. Lee and H. M. L. Davies, Org. Lett., 2006, 8, 3437.
- 6 J. R. Denton, D. Sukumaran and H. M. L. Davies, Org. Lett., 2007, 9, 2625.
- 7 (a) D. Nowlan, T. Gregg, H. M. L. Davies and D. Singleton, J. Am. Chem. Soc., 2003, **125**, 15902; (b) J. M. Fraile, J. I. Garcia, V. Martinez-Merino, J. A. Mayoral and L. Salvatella, J. Am. Chem. Soc., 2001, **123**, 7616; (c) T. Ikeno, I. Iwakura, S. Yabushita and T. Yamada, Org. Lett., 2002, **4**, 517; (d) T. Ikeno, I. Iwakura and T. Yamada, Bull. Chem. Soc. Jpn., 2001, **74**, 2151.
- 8 (a) R. Givens and W. Oettle, J. Org. Chem., 1972, 37, 4325; (b) M. Mitani, Y. Yamamoto and K. Koyama, J. Chem. Soc., Chem. Commun., 1983, 1446; (c) F. Couty, O. David, B. Larmanjat and J. Marrot, J. Org. Chem., 2007, 72, 1058; (d) D. Boger and C. Brotherton, J. Am. Chem. Soc., 1986, 108, 6695; (e) S. Bagal, M. Greef and S. Zard, Org. Lett., 2006, 8, 147.
- 9 (a) Y. Ferrand, P. Le Maux and G. Simonneaux, *Tetrahedron:* Asymmetry, 2005, 16, 3829; (b) P. E. O'Bannon and W. P. Dailey, *Tetrahedron*, 1990, 46, 7341; (c) R. Wurz and A. Charette, Org. Lett., 2005, 7, 2313; (d) for a recent intramolecular example, see: W. Lin and A. Charette, Adv. Synth. Catal., 2005, 347, 1547.
- 10 R. Breslow and C. Yuan, J. Am. Chem. Soc., 1958, 80, 5991.
- 11 (a) T. Takahashi, H. Tsutsui, M. Tamura, S. Kitagaki, M. Nakajima and S. Hashimoto, *Chem. Commun.*, 2001, 1604; (b) K. Minami, H. Saito, H. Tsutsui, H. Nambu, M. Anada and S. Hashimoto, *Adv. Synth. Catal.*, 2005, **347**, 1483.
- 12 S. J. Hedley, D. L. Ventura, P. M. Dominiak, C. L. Nygren and H. M. L. Davies, J. Org. Chem., 2006, 71, 5349.
- 13 The X-ray crystallographic data has been submitted to the Cambridge Structure Database:† M. Pitak and P. Coppens, 2007.