

THE CONSTITUTION AND STRUCTURE OF ULTRAMARINES¹

F. M. JAEGER²

University of Groningen, Holland

The problem of the constitution and structure of ultramarine, the splendid blue paint formerly extracted from lapis lazuli, has puzzled scientists ever since Giomet, a hundred years ago, discovered a method of preparing this dye synthetically. The difficulties of getting an insight into the nature of this remarkable kind of sodium aluminium thiosilicate are manifold. The author and his collaborators attacked the problem by means of x-rays, comparing the results obtained with those for some related silicates, such as nosean and hauyne. A certain part of the constituents of the ultramarines, which are easily replaceable by other elements, do not have fixed positions within the crystalline structure, but must be considered as "errant." A certain radical containing sodium, silicon, aluminium and oxygen is common to all ultramarines, but is electrically charged like the ammonium ion and hence cannot be separated from the ultramarine in the free state. The sulfur is present as a cause of color but is predominately "errant," being dispersed throughout the whole crystalline mass. The results of the calculation of the relative intensities of the x-ray diffraction lines are in good agreement with the observed values.

¹ This is an abstract of a paper which has been published in full in the *Transactions of the Faraday Society* **25**, 320 (1929). This abstract is published here to complete the Symposium.

² Non-Resident Lecturer, Cornell University, Ithaca, N. Y., 1929.