

Iron(III) Site Multiplicities in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$ 

B. J. EVANS

Received May 9, 1980

$^{57}\text{Fe}$  Mössbauer spectra of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  at 298 K are interpreted in terms of two  $\text{Fe}^{3+}$  species. The area fractions of 0.20 and 0.30 for the two sites are in agreement with the available structural data. The values of  $\delta$  and  $\Delta E_Q$  of the two  $\text{Fe}^{3+}$  patterns are 0.462  $\text{mm s}^{-1}$  and 0.414  $\text{mm s}^{-1}$ , respectively, for the more intense pattern and 0.459  $\text{mm s}^{-1}$  and 0.817  $\text{mm s}^{-1}$ , respectively, for the less intense pattern. The  $\text{Fe}^{3+}$  coordination polyhedra are either (1) isolated but have disordered ligand environments, (2) not isolated, or (3) not isolated and possess disordered ligand environments.


## Introduction

In a recent communication concerning local structures in some selected iron fluorides, it was noted that the  $^{57}\text{Fe}$  Mössbauer spectrum of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  at 298 K could not be accounted for in terms of a single  $\text{Fe}^{3+}$  crystal chemical species.<sup>1</sup> The presence of more than one  $\text{Fe}^{3+}$  pattern in the 298 K spectrum had been suggested by one group of investigators,<sup>2,3</sup> but the parameters of the two spectral components were not reported. The  $^{57}\text{Fe}$  spectrum of the magnetically ordered compound at 1.3 K clearly demonstrated the presence of two  $\text{Fe}^{3+}$  patterns.<sup>4</sup> Both the isomer shifts and magnetic hyperfine fields of the two  $\text{Fe}^{3+}$  patterns were significantly different, ruling out the possibility of a splitting of the spectrum of equivalent  $\text{Fe}^{3+}$  sites as a result of different relative orientations of the electric field gradient tensor and magnetic hyperfine field at otherwise equivalent positions. In our earlier report, the two  $\text{Fe}^{3+}$  patterns at 298 K were reported to have similar electric quadrupole splittings and rather different isomer shifts, contrary to the low-temperature<sup>4</sup> results. Further investigations of the spectra have shown another set of parameters to be equally consistent with the data and to be chemically and structurally more reasonable. One of our purposes here is to report these more acceptable results.

Furthermore, the initial X-ray diffraction characterization of  $\text{Fe}_2\text{Fe}_7 \cdot 7\text{H}_2\text{O}$ , which indicated five  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  formula units per unit cell,<sup>5</sup> poses some difficulties for the 1.3 K spectrum.<sup>1,4</sup> The 1.3 K spectrum indicates the existence of two  $\text{Fe}^{3+}$  patterns with relative intensities of 2:2.6; if there are five  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  formula units per cell and one assumes no disorder, ratios of 2:3 and 1:4 are the expected ones for the relative areas of the two  $\text{Fe}^{3+}$  patterns. For temperatures as low as 1.3 K, it is not expected that the integrated intensities of the two  $\text{Fe}^{3+}$  patterns would deviate significantly from the site occupancy ratios, and the observed ratio of 2:2.6 deviates too far from 2:3 to be consistent with the available structural data. On the other hand, there is no a priori empirical basis for expecting substantial deviations at 298 K of the integrated intensities of the spectral components of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  from the relative frequency of occurrence of the occupied Fe lattice sites, and information on the site occupancy can also be gained from the 298 K Mössbauer spectrum. For example, the previously reported ratios of the  $\text{Fe}^{3+}$  and  $\text{Fe}^{2+}$  patterns in the 298 K Mössbauer spectrum of  $\text{Fe}_2\text{F}_5 \cdot 2\text{H}_2\text{O}$  are in excellent agreement with the site occupancies.<sup>6</sup> While the relative frequency of occurrence of the two  $\text{Fe}^{3+}$  patterns of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  of 2:3.12<sup>1</sup> was consistent with the earlier X-ray data, there are the above-mentioned concerns regarding the relative isomer shifts

of the two patterns which warrant a confirmation of the area ratios for crystal chemically more acceptable hyperfine parameters. We have, therefore, repeated the synthesis and 298 K  $^{57}\text{Fe}$  Mössbauer measurements on  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  in an attempt to resolve these ambiguities.

Knowledge of the number of inequivalent  $\text{Fe}^{3+}$  sites in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  is critical to understanding the dehydration reaction (eq 1) leading to  $\text{Fe}_2\text{F}_5 \cdot 2\text{H}_2\text{O}$  and the associated change in color from pale yellow to intense red.



It had been supposed that the dehydration reaction corresponded to a simple clustering and condensation of coordination polyhedra, but there is only one  $\text{Fe}^{3+}$  site in  $\text{Fe}_2\text{F}_5 \cdot 2\text{H}_2\text{O}$ , and associated with the dehydration is a reduction in the number of distinct  $\text{Fe}^{3+}$  species. Dehydration occasions some changes in the long-range crystal/chemical interactions in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  which would have important implications in understanding the crystal chemical basis for the color changes.

## Experimental Section

$\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  was synthesized according to the method of Brauer and Eichner.<sup>5</sup> A portion of the initial batch of crystals was dissolved in and recrystallized from a dilute HF aqueous solution. Both were verified to be single phase by means of powder X-ray diffraction.


The Mössbauer spectra were obtained with a constant acceleration, electromechanical velocity drive employing a sawtooth velocity waveform. The spectrum was stored in 512 channels of a 1024 channel multichannel analyzer operated in the multiscaling mode. Disodium pentacyanonitrosylferrate(III) dihydrate,  $\text{Na}_2\text{Fe}(\text{CN})_5\text{NO} \cdot 2\text{H}_2\text{O}$ , and Fe metal foil were used as calibrants. The source was a 25-mCi  $^{57}\text{Co}/\text{Pd}$  foil, and both the source and absorber were at a temperature of 298 K. The absorber consisted of 15 mg of finely ground powder which was held under compression in a 12 mm diameter Lucite cup by means of a tightly fitting Lucite cover. The parameters reported were obtained from a least-squares fitting process assuming Lorentzian line shapes; the isomer shifts are reported relative to Fe metal.

## Results

The spectra for the initial crystallization product and the recrystallized sample of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  are shown in Figures 1 and 2. Two fits to the spectra are presented: one for a fit of two quadrupole (Figures 1A and 2A), e.g., one  $\text{Fe}^{3+}$  and one  $\text{Fe}^{2+}$  pattern and one for a fit of three quadrupole doublets (Figures 1B and 2B), e.g., two  $\text{Fe}^{3+}$  and one  $\text{Fe}^{2+}$  patterns. The superiority of the fit of three patterns is evident both qualitatively and quantitatively (cf. Table I). It is to be noted that the deviations of the two quadrupole doublets fits from the experimental data are located in the region of maximum absorption amplitude and changes in line shape from Lorentzian to Gaussian are not capable of accounting for the inadequacy of the two quadrupole doublet fits.


The fit of the three quadrupole doublets is, however, highly degenerate. Two interpretations of the line positions are consistent with the data. One assignment is reported in Table

- (1) Gallie, D.; Vogel, R. H.; Evans, B. J. *J. Phys., Suppl.* 1980, 41, C1-289.
- (2) Sakai, T.; Tominaga, T. *Radiochem. Radioanal. Lett.* 1975, 22, 11.
- (3) Sakai, T.; Tominaga, T. *Bull. Chem. Soc. Jpn.* 1975, 48, 3168.
- (4) Imbert, P.; Macheteau, Y.; Varret, F. *J. Phys.* 1973, 34, 49.
- (5) Brauer, G.; Eichner, M. *Z. Anorg. Allg. Chem.* 1958, 296, 13.
- (6) Walton, E. G.; Brown, D. B.; Wong, H.; Reiff, W. M. *Inorg. Chem.* 1977, 16, 2425.



**Figure 1.** (A) Fit of two quadrupole doublets (solid line), one Fe<sup>2+</sup> and one Fe<sup>3+</sup> doublet, to the 298 K <sup>57</sup>Fe Mössbauer spectrum (points) of the initial crystallization product of Fe<sub>2</sub>F<sub>5</sub>·7H<sub>2</sub>O. (B) Fit of three quadrupole doublets (solid line), one Fe<sup>2+</sup> and two Fe<sup>3+</sup> doublets to the 298 K <sup>57</sup>Fe Mössbauer spectrum (points) of the initial crystallization product. The overestimate of the intensities of the Fe<sup>3+</sup> pattern indicated by the arrows and the appreciable structure in the residual of (A) are noteworthy. The residual is plotted in units of  $[(N_{\text{expt}} - N_{\text{calcd}})/N_{\text{expt}}^{1/2}]_i$ , where  $N_{\text{expt}}$  is the number of experimental counts at velocity  $i$  and  $N_{\text{calcd}}$  is the calculated number of counts at velocity  $i$  for the model used in the fitting.

I; this is the preferred interpretation. The other set of parameters is similar to those published previously<sup>1</sup> in which the two patterns have nearly equal  $\Delta E_Q$  values of 0.590 and 0.594 mm s<sup>-1</sup> but very different isomer shifts of 0.553 and 0.349 mm s<sup>-1</sup>, respectively. This latter set of parameters can be eliminated on empirical grounds: no Fe<sup>3+</sup> halides have been observed to have isomer shifts as small as 0.35 mm s<sup>-1</sup> at 298 K.<sup>7</sup> The relative isomer shifts for the two Fe<sup>3+</sup> patterns



**Figure 2.** Same as in Figure 1 except that the spectrum is for the recrystallized sample. The lack of any qualitative differences between the appearance of the two spectra in Figures 1 and 2 is obvious, and the parameters corresponding to the envelope (solid line) are within the experimental error, virtually identical (cf. Table I).

according to the parameters presented in Table I are in good agreement with those obtained at 1.3 K. The relative areas of the three patterns are also presented in Table I.

### Discussion

There can be little question as to the existence of at least two Fe<sup>3+</sup> crystal chemical species in Fe<sub>2</sub>F<sub>5</sub>·7H<sub>2</sub>O. The question of the large difference in the isomer shifts for the two Fe<sup>3+</sup> patterns has been resolved satisfactorily and found to result from alternative assignments of the line positions to the two patterns. The similarity of the isomer shifts suggests that both Fe<sup>3+</sup> environments are similar and perhaps octahedral. The substantially different quadrupole splittings are indicative either of different ligand configurations, different distortions of the octahedra, or a combination of these two factors at the two Fe<sup>3+</sup> sites.

The relative intensities of the two patterns are in good agreement with the gross structural data currently available.

(7) Greenwood, N. N.; Gibb, T. C. "Mössbauer Spectroscopy"; Chapman and Hall: London, 1971; pp 148-155.

Table I.  $^{57}\text{Fe}$  Mössbauer Parameters of  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  at 298 K

sample		$\Delta E_Q$ , mm s $^{-1}$	$\delta$ , <sup>a</sup> mm s $^{-1}$	$\Gamma$ , mm s $^{-1}$	rel integrated intens
initial <sup>b</sup> crystallization product ( $\chi^2 = 539$ , MISFIT = 0.06%)	$\text{Fe}^{2+}$	$3.322 \pm 0.001$	$1.228 \pm 0.001$	$0.340 \pm 0.002$	$5 \pm 0.2$
	$\text{Fe}^{3+}_{\text{I}}$	$0.414 \pm 0.004$	$0.462 \pm 0.003$	$0.473 \pm 0.003$	$3.05 \pm 0.5$
	$\text{Fe}^{3+}_{\text{II}}$	$0.817 \pm 0.003$	$0.459 \pm 0.002$	$0.37 \pm 0.01$	$2.24 \pm 0.5$
recrystallized <sup>c</sup> sample ( $\chi^2 = 703$ , MISFIT = 0.05%)	$\text{Fe}^{2+}$	$3.319 \pm 0.001$	$1.291 \pm 0.001$	$0.340 \pm 0.001$	$5 \pm 0.1$
	$\text{Fe}^{3+}_{\text{I}}$	$0.431 \pm 0.030$	$0.462 \pm 0.002$	$0.50 \pm 0.02$	$3.15 \pm 0.2$
	$\text{Fe}^{3+}_{\text{II}}$	$0.83 \pm 0.02$	$0.465 \pm 0.003$	$0.37 \pm 0.03$	$2.05 \pm 0.2$

<sup>a</sup> Relative to iron metal. <sup>b</sup> The off-resonant count =  $2.4 \times 10^6$ . For a two quadrupole doublet fit  $\chi^2 = 1249$  and MISFIT = 0.1%. <sup>c</sup> The off-resonant count =  $1.2 \times 10^6$ . For a two quadrupole doublet fit  $\chi^2 = 953$  and MISFIT = 0.1%.

That is to say, if there are 5 formula units per unit cell, then the two  $\text{Fe}^{3+}$  patterns are expected to occur with relative intensities of 3:2 or 1:4. It is clear from the data that the relative frequencies of the two sites are 3:2. The broad line widths of the more intense  $\text{Fe}^{3+}$  component could be indicative of local crystallographic disorder. This possibility makes an attempt to arrive at some tentative conclusion as to the nature of the coordination of the two  $\text{Fe}^{3+}$  sites less straightforward. The average  $\text{Fe}^{3+}$  coordination is  $[\text{FeF}_5(\text{H}_2\text{O})]^{2-}$  which must therefore be divided into two crystal chemical species with a relative frequency of occurrence of 3:2. Of course, there could be just one combination of ligands for both species, i.e., five  $\text{F}^-$  and one  $\text{H}_2\text{O}$ . It is noteworthy that at 77 K the Mössbauer parameters of  $\text{K}_2[\text{FeF}_5(\text{H}_2\text{O})]$ ,<sup>8</sup> ( $\Delta E_Q = 0.60$  mm s $^{-1}$  and  $\delta_{\text{IS}} = 0.43$  mm s $^{-1}$ ) in which there are isolated  $[\text{Fe}(\text{H}_2\text{O})\text{F}_5]^{2-}$  octahedra are intermediate to those of the two  $\text{Fe}^{3+}$  patterns in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$ ; the difference in the temperatures at which the measurements have been made preclude a more critical comparison. The Mössbauer parameters of the  $\text{Fe}^{3+}$  patterns in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  and  $\beta\text{-FeF}_3 \cdot 3\text{H}_2\text{O}$  are quite similar. It is significant, then, that the structure of  $\beta\text{-FeF}_3 \cdot 3\text{H}_2\text{O}$  consists of infinite chains of vertex sharing (via a fluoride bridge) *trans*- $[\text{Fe}(\text{H}_2\text{O})_2\text{F}_4]^-$  octahedra for which the equatorial positions are occupied in a disordered fashion by two water molecules and two fluoride ions.<sup>9</sup> Such a structure cannot be transferred simply to the  $\text{Fe}^{3+}$  environments in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$

if the  $[\text{Fe}(\text{H}_2\text{O})\text{F}_5]^{2-}$  stoichiometry is correct. The line widths of the  $\text{Fe}^{3+}$  patterns in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  are also significantly larger than those in  $\beta\text{-FeF}_3 \cdot 3\text{H}_2\text{O}$ . Under any circumstance, it is not possible to arrive at two unique ligand groupings for isolated octahedra in the required 3:2 ratio which would give an average  $[\text{Fe}(\text{H}_2\text{O})\text{F}_5]^{2-}$  coordination. The  $\text{Fe}^{3+}$  octahedra are either disordered, share-polyhedral elements or are both disordered and share-polyhedral elements. Even though  $\text{K}_2\text{FeF}_5(\text{H}_2\text{O})$  contains isolated  $[\text{FeF}_5(\text{H}_2\text{O})]^{2-}$  octahedra, other pentafluoride hydrates, e.g.,  $\text{K}_2\text{AlF}_5(\text{H}_2\text{O})$  and  $\text{K}_2\text{MnF}_5(\text{H}_2\text{O})$  contain infinite chains of vertex sharing  $\text{MnF}_6$  octahedra. Therefore, the tentative conclusion arrived at in this investigation regarding the probable qualitative structural features of the  $\text{Fe}^{3+}$  coordination is not without precedence and the postulation of completely isolated and well-defined coordination polyhedra for all iron species in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  warrants further investigation by direct structural methods.

The complexity of the dehydration processes in  $\text{Fe}_2\text{F}_5 \cdot 7\text{H}_2\text{O}$  and  $\text{Fe}_2\text{F}_5 \cdot 2\text{H}_2\text{O}$  and the variable behavior of  $\text{Fe}_2\text{F}_5 \cdot 2\text{H}_2\text{O}$  produced by different means<sup>12</sup> might be better understood not only in terms of differences in the changes of the ligation at structurally and chemically inequivalent  $\text{Fe}^{2+}$  and  $\text{Fe}^{3+}$  ions but also in terms of different processes at the structurally inequivalent  $\text{Fe}^{3+}$  sites, which must have available appropriate kinetic routes for the removal of the site inequivalence during the dehydration process.

Registry No.  $\text{Fe}_2\text{F}_5$ , 12061-94-8.

(8) Syamal, A. *Curr. Sci.* 1974, 43.

(9) Teufer, G. *Acta Crystallogr.* 1964, 17, 1480.

(10) Edwards, A. J. J. *Chem. Soc. A* 1971, 2653.

(11) Edwards, A. J. J. *Chem. Soc. A* 1972, 816.

(12) Brown, D. B.; Dilts, J. A.; Walton, E. G. *J. Chem. Soc., Dalton Trans.*, in press.

Contribution from the Department of Chemistry, Kuwait University, Kuwait, Kuwait

## Kinetics and Mechanism of the Chromium(III)-Periodate Reaction

AHMED Y. KASSIM and YOUSIF SULFAB\*

Received April 2, 1980

The kinetics of oxidation of chromium(III) by periodate showed an unusual second-order dependence on chromium(III). Over the pH range 1.88-3.03 the kinetics obeyed the rate law  $d[\text{Cr(VI)}]/2dt = a[\text{Cr(III)}]_T^2[\text{I(VII)}]_T / (b[\text{H}^+]^2 + [\text{H}^+])$ . The values of  $a$  and  $b$  were determined as  $12.8 \pm 2.2 \text{ M}^{-1} \text{ s}^{-1}$  and  $770 \pm 26 \text{ M}^{-1}$ , respectively, at  $I = 0.25 \text{ M}$  and  $T = 25^\circ \text{C}$ . An inner-sphere mechanism in which two chromium(III) ions are bridged to I(VII) is proposed. The routes that may lead to the formation of dichromium(III)-iodine(VII) species are outlined. A single-step two one-electron transfer is suggested within the bridged species. An alternative mechanism may operate by inner- and outer-sphere mechanisms in which concurrent electron transfer occurs within  $[\text{Cr}(\text{OH})\text{I(VII)}]^+$  and from the  $\text{Cr}^{3+}$  ion.

### Introduction

Chromium(III) is reported to catalyze oxidation by periodate.<sup>1,2</sup> Catalysis is believed to be caused by chromium(VI) produced by a relatively rapid oxidation process of chromium(III) by periodate.<sup>2</sup> This observation seems to contradict

previous reports that an inner-sphere mechanism is the preferred, if not the only, path for periodate oxidation of metal complexes.<sup>3-7</sup> This conclusion is based on the observations

(1) D. J. B. Galliford and J. M. Ottaway, *Analyst (London)* 91, 415 (1972).

(2) D. P. Nikolelis and T. P. Hadjiannou, *Mikrochim. Acta*, 2, 105 (1978).

(3) Fouad R. El-Eziri and Yousif Sulfab, *Inorg. Chim. Acta*, 25, 15 (1977).

(4) Yousif Sulfab and A. I. Abu-Shaby, *Inorg. Chim. Acta*, 21, 115 (1977).

(5) Ahmed Y. Kassim and Yousif Sulfab, *Inorg. Chim. Acta*, 24, 247 (1977).

(6) Yousif Sulfab, *J. Inorg. Nucl. Chem.*, 38, 2271 (1976).