Inorg. Chem. 2007, 46, 8796-8800

Inorganic Chemistry

Syntheses of Mono- and Dinuclear Diiodoboryl Complexes of Platinum

Holger Braunschweig,* Krzysztof Radacki, and Katharina Uttinger

Julius-Maximilians Universität Würzburg, Am Hubland, 97074 Würzburg, Germany

Received June 5, 2007

Treatment of $[Pt(PCy_3)_2]$ (Cy = cyclohexyl) with Bl₃ afforded *trans*-[(Cy₃P)₂Pt(I)(Bl₂)] by the oxidative addition of a B–I bond. The title compound represents the first diiodoboryl complex and was fully characterized by NMR spectroscopy and X-ray diffraction analysis. The latter revealed a very short Pt–B distance, thus indicating a pronounced π contribution to this bond. By the addition of another 1 equiv of Bl₃ to *trans*-[(Cy₃P)₂Pt(I)(Bl₂)], a new Pt species [(Cy₃P)(I₂B)Pt(μ -I)]₂ was formed with concomitant buildup of the phosphine borane adduct [Cy₃P–Bl₃]. The former is obviously obtained by abstraction of PCy₃ from *trans*-[(Cy₃P)₂Pt(I)(Bl₂)] and the subsequent dimerization of two remaining fragments. Interestingly, the dimerization is reversible, and the dinuclear compound can be converted to *trans*-[(Cy₃P)₂Pt(I)(Bl₂)] upon the addition of PCy₃.

Introduction

Among the wide variety of boryl complexes, corresponding dihaloboryl species $[L_nM-BX_2]$ represent synthetically rather challenging targets, most of which were only recently achieved.¹ Spectroscopically fully characterized difluoroboryl complexes such as $[(\eta^5-C_5Me_5)IrH(BF_2)(PMe_3)]$ were first reported by Bergman et al.,² while Norman and co-workers recently described *cis*- $[(Ph_3P)_2Pt(BF_2)_2]$ and *fac*- $[(Ph_3P)_2-(OC)Ir(BF_2)_3]$, which were prepared by the oxidative addition of B₂F₄ to Pt(0) or Ir(I) precursors.³ In the case of these difluoro derivatives, no further functionalization is reported so far, presumably due to the high thermodynamic stability of the B–F bond and the decreased Lewis acidity of the boron center.

However, dichloro- and dibromoboryl complexes provide an interesting chemistry and were already utilized as precur-

* To whom correspondence should be addressed. E-mail: h.braunschweig@mail.uni-wuerzburg.de. Tel: +49 931 888 5260. Fax: +49 931 888 4623.

sors for a variety of substitution and addition reactions at the metal-coordinated Hal_2B group (Hal = halogen), thus leading to highly unusual coordination modes of boroncentered ligands. For example, the addition of 8-aminoquinoline to the dichloroboryl complex [(Ph₃P)₂(OC)Os-(BCl₂)Cl] afforded a base-stabilized borylene complex, which was reported by Roper et al. Further substitution chemistry resulted in a range of tethered boryl- and base-stabilized borylene compounds.⁴ Recently, a series of dichloroboryl complexes *trans*- $[(R_3P)_2Pt(Cl)(BCl_2)]$ (R₃ = Ph₃, Ph₂Me, PhMe₂, Me₃) were obtained by reacting the corresponding Pt(0) species with BCl_{3.} The latter shows reactivity toward Lewis bases, forming *trans*- $[(Me_3P)_2Pt(Cl){BCl_2(L)}]$ (L = NEt₃, NC₅H₅), and the substitution of one or two boronbound chlorides by HNEt₂, piperidine, or catechol is also possible.5

Our group succeeded in preparing iron and manganese complexes via the salt elimination of corresponding carbonylates and BX₃ (X = Br, Cl) or BF₃•OEt₂, resulting in the formation of $[(\eta^5-C_5R_5)(OC)_2Fe(BX_2)]$ (R = H, Me; X = F, Cl, Br) and $[(OC)_5Mn(BX_2)]$ (X = Cl, Br).⁶ Of these, $[(\eta^5-C_5H_5)(OC)_2Fe(BCl_2)]$ was the first dichloroboryl complex

 ⁽a) Irvine, G. I.; Lesley, M. J. G.; Marder, T. B.; Norman, N. C.; Rice, C. R.; Robins, E. G.; Roper, W. R.; Whittell, G. R.; Wright, L. J. Chem. Rev. 1998, 98, 2685–2722. (b) Braunschweig, H.; Colling, M. Coord. Chem. Rev. 2001, 223, 1–51. (c) Braunschweig, H. Angew. Chem. 1998, 110, 1882–1898. Braunschweig, H. Angew. Chem., Int. Ed. 1998, 37, 1786–1801. (d) Aldridge, S.; Coombs, D. L. Coord. Chem. Rev. 2004, 248, 535–559. (e) Braunschweig, H.; Kollann, C.; Rais, D. Angew. Chem. 2006, 118, 5380–5400. Braunschweig, H.; Kollann, C.; Rais, D. Angew. Chem., Int. Ed. 2006, 45, 5254–5274.
 (2) Peterson, T. H.; Golden, J. T.; Bergman, R. G. Organometallics 1999,

⁽²⁾ Peterson, T. H.; Golden, J. T.; Bergman, R. G. Organometallics 1999, 18, 2005–2020.

^{(3) (}a) Kerr, A.; Marder, T. B.; Norman, N. C.; Orpen, A. G.; Quayle, M. J.; Rice, C. R.; Timms, P. L.; Whittell, G. R. *Chem. Commun.* **1998**, 319–320. (b) Lu, N.; Norman, N. C.; Orpen, A. G.; Quayle, M. J.; Timms, P. L.; Whittell, G. R. *J. Chem. Soc., Dalton Trans.* **2000**, 4032–4037.

^{(4) (}a) Irvine, G. J.; Rickard, C. E. F.; Roper, W. R.; Williamson, A.; Wright, L. J. Angew. Chem. 2000, 112, 978-980. Irvine, G. J.; Rickard, C. E. F.; Roper, W. R.; Williamson, A.; Wright, L. J. Angew. Chem., Int. Ed. 2000, 39, 948-950. (b) Rickard, C. E. F.; Roper, W. R.; Williamson, A.; Wright, L. J. Organometallics 2002, 21, 4862-4872. (c) Clark, G. R.; Irvine, G. J.; Roper, W. R.; Wright, L. J. J. Organomet. Chem. 2003, 680, 81-88.

⁽⁵⁾ Charmant, J. P. H.; Fan, C.; Norman, N. C.; Pringle, P. G. Dalton Trans. 2007, 114–123.

⁽⁶⁾ Braunschweig, H.; Radacki, K.; Seeler, F.; Whittell, G. R. Organometallics 2006, 25, 4605–4610.

Diiodoboryl Complexes of Platinum

to be structurally characterized by X-ray diffraction,⁷ while spectroscopic evidence was initially reported by Aldridge et al.⁸ Despite its coordination to the potentially π -donating metal fragment, Lewis bases can be added to the boron atom, and compounds such as $[(\eta^5-C_5Me_5)(OC)_2Fe{BX_2(NC_5H_4-$ 4-Me)}] (X = Cl, Br) were isolated.^{6,7} In addition, dichloroand dibromoboryl complexes served as precursors for metalloborylenes $[(\eta^5-C_5Me_5)(OC)_2Fe(\mu^2-B)M(CO)_n]$ (M = Cr, n = 5; M = Fe, n = 4)⁹ and metal-base-stabilized metalloborylenes [(η⁵-C₅Me₅)(OC)Fe(μ-CO)M(PCy₃)(μ-Br)- $Pt(PCy_3)Br(\mu^3-B)$] (M = Pd, Pt; Cy = cyclohexyl),¹⁰ where the boron atom is exclusively coordinated to two or three transition metals. Aside from those, bridging boryl $[(\eta^5-C_5-$ Me₅)Fe(μ -CO)₂(μ -BCl₂)Pd(PCy₃)]¹¹ and heterodinuclear borylene complexes $[(\eta^5-C_5Me_5)Fe(CO)(\mu-CO)(\mu-BBr)PdBr (PCy_3)$ ¹² were obtained.

Despite recent advances in the preparation of dihaloboryl complexes, fully characterized transition-metal compounds displaying B–I bonds are still absent. Herein, we report on the synthesis and full characterization of two diiodoboryl complexes, obtained by the oxidative addition of BI₃ to [Pt-(PCy₃)₂].

Discussion

In an extension of our recent work on boryl complexes being obtained by the oxidative addition of B–Br bonds to late transition metals,^{12,13} [Pt(PCy₃)₂] was reacted with equimolar amounts of BI₃, and multinuclear NMR spectroscopy of the benzene reaction mixture revealed the complete consumption of the starting materials and the predominant formation of one new species. The ³¹P{¹H} NMR spectrum showed a singlet at 10.3 ppm flanked by Pt satellites (J =2737 Hz), with the coupling constant possessing a typical magnitude for boryl complexes with phosphine ligands in mutual trans disposition.^{5,13,14} In addition, a broad resonance

- (7) Braunschweig, H.; Radacki, K.; Seeler, F.; Whittell, G. R. Organometallics 2004, 23, 4178–4180.
- (8) (a) Aldridge, S.; Calder, R. J.; Baghurst, R. E.; Light, M. E.; Hursthouse, M. B. *J. Organomet. Chem.* 2002, 649, 9–14. (b) Aldridge, S.; Calder, R. J.; Coles, S. J.; Hursthouse, M. B. *J. Chem. Crystallogr.* 2003, 33, 805–810.
- (9) (a) Braunschweig, H.; Radacki, K.; Scheschkewitz, D.; Whittell, G. R. Angew. Chem. 2005, 117, 1685–1688. Angew. Chem., Int. Ed. 2005, 44, 1658–1660. (b) Braunschweig, H.; Whittell, G. R. Chem.– Eur. J. 2005, 11, 6128–6133.
- (10) Braunschweig, H.; Radacki, K.; Rais, D.; Seeler, F. Angew. Chem.
 2006, 118, 1087-1090. Braunschweig, H.; Radacki, K.; Rais, D.; Seeler, F. Angew. Chem., Int. Ed. 2006, 45, 1066-1069.
- (11) Braunschweig, H.; Radacki, K.; Rais, D.; Whittell, G. R. Angew. Chem.
 2005, 117, 1217–1219. Braunschweig, H.; Radacki, K.; Rais, D.; Whittell, G. R. Angew. Chem., Int. Ed. 2005, 44, 1192–1194.
- (12) Braunschweig, H.; Radacki, K.; Rais, D.; Seeler, F.; Uttinger, K. J. Am. Chem. Soc. 2005, 127, 1386–1387.
- (13) (a) Braunschweig, H.; Radacki, K.; Rais, D.; Seeler, F., Organometallics 2004, 23, 5545-5549. (b) Braunschweig, H.; Radacki, K.; Rais, D.; Uttinger, K. Angew. Chem. 2006, 118, 169-172. Braunschweig, H.; Radacki, K.; Rais, D.; Uttinger, K. Angew. Chem., Int. Ed. 2006, 45, 162-165. (c) Braunschweig, H.; Radacki, K.; Uttinger, K. Angew. Chem. 2007, 119, 4054-4057. Braunschweig, H.; Radacki, K.; Uttinger, K. Angew. Chem., Int. Ed. 2007, 46, 3979-3982. (d) Braunschweig, H.; Radacki, K.; Rais, D.; Scheschkewitz, D. Angew. Chem. 2005, 117, 5796-5799. Braunschweig, H.; Radacki, K.; Rais, D.; Scheschkewitz, D. Angew. Chem., Int. Ed. 2005, 44, 5651-5654.
- (14) Clegg, W.; Lawlor, F. J.; Lesley, G.; Marder, T. B.; Norman, N. C.; Orpen, A. G.; Quayle, M. J.; Rice, C. R.; Scott, A. J.; Souza, F. E. S. J. Organomet. Chem. **1998**, 550, 183–192.



Figure 1. Molecular structure of **2**. Thermal ellipsoids at 50% probability level. The unit cell contains two independent molecules and one molecule of C_6H_6 . Only one molecule is represented, and hydrogen atoms are omitted for clarity. Selected bond lengths (Å) and angles (deg): Pt1–B1 1.947(8), Pt1–P1 2.3524(15), Pt1–P2 2.3579(15), Pt1–I1 2.7813(7), B1–I2 2.189-(7), B1–I3 2.185(8), B1–Pt1–P1 90.3(2), P1–Pt1–I1 91.63(4), P1–Pt1–P2 165.31(6), B1–Pt1–I1 168.2(2), I3–B1–I2 110.4(3), Pt1–B1–I2 129.1(4), Pt1–B1–I3 120.5(4), P1–Pt1–B1–I2 97.8(3); Pt1'–B1' 1.952-(7), Pt1'–P1' 2.3561(17), Pt1'–P2' 2.3627(17), Pt1'–I1' 2.7495(6), B1'–12' 2.196(7), B1'–I3' 2.183(7), B1'–Pt1'–P1' 90.7(2), P1'–Pt1'–11' 90.23(4), P1'–Pt1'–P2' 167.22(6), B1'–Pt1'–I1' 169.6(2), I3'–B1'–I2' 110.1(3), Pt1'–B1'–I2' 129.5(4), Pt1'–B1'–I3' 120.4(4), P1'–Pt1'–B1'–I2' 97.5(4).

Scheme 1. Formation of 2 and 3.



at -26.6 ppm could be observed, indicating the presence of the phosphine borane adduct $[Cy_3P-BI_3]$ (1) (vide infra). After 15 min, some fine white powder precipitated from the red-brown solution, which was separated and washed with hexane and turned out to be the desired product *trans*- $[(Cy_3P)_2Pt(I)(BI_2)]$ (2) (41% yield) (Scheme 1). The ¹¹B- $\{^1H\}$ NMR spectrum of the isolated material featured a broad signal at 31.0 ppm, and the ${}^{13}C\{^{1}H\}$ and ${}^{1}H$ NMR data showed appropriate resonances for the cyclohexyl groups.

Single crystals suitable for X-ray diffraction analysis were obtained from a benzene solution by slow evaporation, and the molecular structure is shown in Figure 1. The molecule crystallizes in the space group C_2/c and adopts a slightly distorted square-planar geometry around platinum and a mutual trans arrangement of the phosphine ligands. (The parameters of only one of two independent molecules found in the unit cell will be considered in this discussion, whereas

the important data from the second molecule can be found in the figure caption.)

The diiodoboryl group is oriented almost perpendicular to the PtP₂I fragment, as indicated by the torsion angle P1-Pt1-B1-I2 of 97.8(3)°. The most noticeable structural feature is the Pt1–B1 distance of 1.947(8) Å, which is very small compared with that of the other complexes of trans- $[(Cy_3P)_2Pt(Br){B(Br)R}]$ (R = Fc = ferrocenyl, distance = 1.9963(34) Å;^{13a} R = Mes = mesityl, distance = 2.009(4)Å), 13c trans-[(Cy₃P)₂Pt{B(Br)Fc}][BAr^f₄] (Ar^f = 3,5-C₆H₃- $(CF_3)_2$; distance = 1.966(4) Å),^{13d} or *trans*-[(Ph₃P)₂Pt(Cl)-(BCat)] (Cat = catecholato; distance = 2.008(8) Å).¹⁴ Likewise, even dichloroboryl complexes of the type trans- $[(R_3P)_2Pt(Cl)(BCl_2)]$ display a longer Pt-B bond (1.963(6)-1.988(3) Å).⁵ The significantly reduced Pt-B separation observed here reflects the less-effective B-Hal π overlapping in the case of iodine in comparison with the smaller halogens and oxygen, thus imposing an increased Pt-B π backdonation. The B–I bonds (B1–I2 = 2.189(7) Å, B1–I3 = 2.185(8) Å) are slightly elongated with comparison to those in the only structurally characterized compound possessing a BI₂ moiety, i.e., $[(I_2B)(Me)(H)C)]_2BI(BI_2, B3-I2 = 2.13)$ (1) Å, B3-I3 = 2.12(1) Å; BI, B1-I1 = 2.15(1) Å).¹⁵ The Pt–I bond length of 2.7813(7) Å is remarkably longer (>7 pm) than that in *trans*- $[(Cy_3P)_2PtI_2]^{16}$ or *trans*- $[(Ph_3P)_2Pt \{CH=C(CH_3)_2\}I]^{17}$ with Pt-I separations of 2.612(1) and 2.709(4) Å, respectively, which is in line with the strong trans influence of the boryl group,¹⁸ whereas the Pt-P distances for *trans*- $[(Cy_3P)_2PtI_2]^{16}$ and **2** are similar (2.371-(2) Å versus 2.3524(15)/2.3579(15) Å).

Interestingly, the formation of the mononuclear complex 2 strongly depends on the stoichiometry of the reaction, as an excess of BI₃ leads to a different product. Initially, after mixing $[Pt(PCy_3)_2]$ and BI₃ in a 1:2 ratio, multinuclear NMR spectroscopy revealed, in addition to the presence of 2 and some unreacted BI₃, the formation of the phosphine borane adduct 1 as indicated by a broad quartet at -26.6 ppm (J =117 Hz) in the ³¹P{¹H} NMR spectrum and a significantly shielded doublet at -74.1 ppm (J = 117 Hz) in the ¹¹B{¹H} NMR spectrum, as well as a new compound with a ${}^{31}P{}^{1}H$ NMR resonance at 15.8 ppm indicative of a Pt-bound phosphine (J = 4460 Hz). Heating for 2–3 h at 55 °C led to completion of the reaction as indicated by the gradual decrease of the signal associated with 2 and the concomitant increase of the other two resonances. The spectroscopic data of the new compound are in agreement with its formulation as a dinuclear complex $[(Cy_3P)(I_2B)Pt(\mu-I)]_2$ (3), which was apparently formed upon the abstraction of PCy_3 from 2 by the Lewis-acidic BI₃ with the subsequent dimerization of two $[(Cy_3P)(I_2B)Pt(I)]$ fragments. Compound **3** was separated from the accompanying adduct 1 by crystallization and

- (16) (a) Alcock, N. W.; Levingston, P. G. J. Chem. Soc., Dalton Trans. 1974, 1834–1836. (b) Hitchcock, P. B.; Jacobson, B.; Pidcock, A. J. Chem. Soc., Dalton Trans. 1977, 2038–2042.
- (17) Stang, P. J.; Zhong, Z.; Kowalski, M. H. Organometallics 1990, 9, 833-838.
- (18) Zhu, J.; Lin, Z.; Marder, T. B. Inorg. Chem. 2005, 44, 9384-9390.



Figure 2. Molecular structure of **3**. Thermal ellipsoids at 50% probability level. Hydrogen atoms and one molecule of C_6H_6 are omitted for clarity. Selected bond lengths (Å) and angles (deg): Pt1–B1 2.002(11), Pt1–P1 2.267(2), Pt1–I1 2.8024(7), Pt1–I2 2.6689(7), B1–I3 2.108(12), B1–I4 2.167(11), Pt2–B2 1.971(12), Pt2–P2 2.268(2), Pt2–I1 2.6646(7), Pt2–I2 2.7962(7), B2–I5 2.182(19), B2–I6 2.151(11), Pt1–I1–Pt2 81.81(2), I1–Pt1–I2 83.74(2), B1–Pt1–I1 168.1(3), P1–Pt1–I2 172.90(6), B1–Pt1–P1 95.2(3), I3–B1–I4 115.3(5), P1–Pt1–B1–I4 92.7(5).

repeated rinsing with benzene and was isolated in 43% yield as an analytically pure beige solid. The new dinuclear species **3** proved to be extremely sensitive toward air and moisture and to slowly decompose in solution with formation of red $[Pt_2(\mu-I)_2I_2(PCy_3)_2]$,¹⁹ as indicated by ³¹P{¹H} NMR data. Interestingly, the formation of **3** is reversible: the addition of PCy₃ to a solution of **3** in benzene instantaneously afforded the mononuclear complex **2**, which in return could be converted to the dimer **3** and the adduct **1** by the addition of BI₃ to a benzene solution of **2** and the subsequent heating of the resulting mixture (Scheme 1).

Single crystals of **3** suitable for X-ray diffraction were obtained from a concentrated benzene solution (Figure 2).

In the solid state, both Pt atoms display a slightly distorted square-planar arrangement and the boryl groups are oriented almost orthogonally toward the corresponding PtPI fragment as indicated by the torsion angle from P1-Pt1-B1-I4 of 92.7(5)°. The Pt_2I_2 fragment adopts the geometry of a folded rhombus (123.3° between the two planes of I1-Pt1-I2 and I1-Pt2-I2), a geometry which was observed earlier for [Rh₂- $Cl_2(CO)_4$] or [{(F₅C₆)(Ph₃P)Pt(μ -PPh₂)(μ -I)}₂Pt].²⁰ The large Pt1-Pt2 distance of 3.582 Å appears to exclude the possibility of any metal-metal interaction.^{20b} The Pt-I separations in trans position to the boryl moieties are longer (Pt1-I1 = 2.8024(7) Å, Pt2-I2 = 2.7962(7) Å) than those in trans position to the phosphine ligands (Pt1-I2 = 2.6689-(7) Å, Pt2-I1 = 2.6646(7) Å), corroborating the high trans influence of a boryl residue.¹⁸ The longer Pt-I distances are comparable to those in 2, and the smaller ones are comparable to those in other complexes bearing iodine in trans position to a phosphine group, e.g., [Pt₂(*µ*-I)₂dppm][BF₄]₂ with 2.669(1) and 2.662(1) \mathring{A}^{21} or $[Pt_2(\mu-I)_2I_2(PCy_3)_2]$ with

- (19) Al-Najjar, I. M. Inorg. Chim. Acta 1987, 128, 93-104.
- (20) (a) Dahl, L. F.; Martell, C.; Wampler, D. L. J. Am. Chem. Soc. 1961, 83, 1761–1762. (b) Ara, I. Chaouche, N.; Forniés, J.; Consuelo Fortuño, C.; Kribii, A.; Tsipis, A. C.; Tsipis, C. A. Inorg. Chim. Acta 2005, 358, 1377–1385.

⁽¹⁵⁾ Derforth, T.; Kaschke, M.; Stock, H.; Pritzkow, H.; Siebert, W. Z. Naturforsch., B: Chem. Sci. 1997, 52b, 823-830.

⁽²¹⁾ Neve, F.; Crispini, A.; Ghedini, M.; De Munno, G. Inorg. Chim. Acta 1990, 176, 23–25.



Figure 3. Molecular structure of **1**. Thermal ellipsoids at 50% probability level. Hydrogen atoms and half a molecule of C_6H_6 are omitted for clarity. Selected bond lengths (Å): P1–B1 1.972(3), B1–I1 2.249(3), B1–I2 2.236-(3), B1–I3 2.237(3).

2.6707(17) Å (trans to PCy₃) and 2.597(2) Å (trans to I).²² The Pt–P bond lengths in **3** (Pt1–P1 = 2.267(2) Å, Pt2– P2 = 2.268(2) Å) are 9 pm shorter than those in the monomeric complex **2** (Pt1–P1 = 2.3524(15) Å, Pt1–P2 = 2.3579(15) Å) but comparable to other I-bridged complexes, for example, [Pt₂(μ -I)₂dppm][BF₄]₂ (2.243(2) and 2.240(2) Å)²¹ or [Pt₂(μ -I)₂l₂(PCy₃)₂] (2.327(5) Å).²² The Pt–B bonds with separations of 2.002(11) and 1.971(12) Å are longer than those in **2** but still in the range of the Pt– boryl distances.

In addition, the phosphine borane adduct 1, which in contrast to to the aforementioned procedure can be directly obtained from the reaction of Cy₃P and BI₃, was subjected to a single-crystal X-ray analysis (Figure 3).

The arrangement around the boron is tetrahedral, and the phosphine adopts a staggered conformation with respect to the iodine atoms. The P–B distance of 1.972(3) Å is slightly elongated in comparison to the one found in $[(H_2C=CH)_3P-BI_3]$ (1.944(4) Å)²³ or $[Me_3P-BI_3]$ (1.918(15) Å),²⁴ which is probably induced by the greater sterical demands of the cyclohexyl groups. The other structural parameters of **1** are similar to those of the other BI₃ phosphine adducts.^{23,24} The average B–I bond lengths for the adducts are 2.249(12) Å for $[Me_3P-BI_3]$, 2.229(4) Å for $[(H_2C=CH)_3P-BI_3]$, and 2.241(3) Å for **1**.

Conclusion

In conclusion, we prepared and fully characterized the first diiodoboryl complex *trans*-[(Cy₃P)₂Pt(I)(BI₂)], which is characterized by a very short Pt—B distance and the strong trans influence of the boryl group. Furthermore, *trans*-[(Cy₃P)₂Pt(I)(BI₂)] was converted into the iodine-bridged diiodoboryl complex *trans*-[(Cy₃P)(I₂B)Pt(μ -I)]₂ by the addition of BI₃. This dimerization is reversible, and the reaction with PCy₃ affords *trans*-[(Cy₃P)₂Pt(I)(BI₂)].

Experimental Section

General Considerations. All manipulations were conducted under an atmosphere of dry argon or in vacuo using standard Schlenk-line or glovebox techniques. Benzene, toluene, and hexane were purified by distillation from Na/K alloy under dry argon and stored over molecular sieves in the glovebox. C_6D_6 and C_7D_8 were degassed by three freeze-pump-thaw cycles and stored over molecular sieves in the glovebox. NMR spectra were recorded on a Bruker Avance 500 NMR spectrometer. ¹H and ¹³C{¹H} NMR spectra were referenced to external TMS via the residual protio solvent (¹H) or the solvent itself (¹³C). ¹¹B{¹H} and ³¹P{¹H} NMR spectra were referenced to external BF₃•OEt₂ and 85% H₃PO₄, respectively. Microanalyses for C and H were performed on a Elementar Vario MICRO cube instrument. [Pt(PCy₃)₂] and BI₃ were synthesized according to previously published procedures.

 $[Cy_3P-BI_3]$ (1): $[Pt(PCy_3)_2]$ (200 mg, 0.265 mmol) and BI₃ (260 mg, 0.794 mmol) were dissolved in toluene (4.0 mL). The mixture immediately turned brown. After 3 h at 55 °C, yellow crystalline material had been formed, which was separated from the brown solution via cannula and dried in vacuo, yielding 70 mg (39%) of pure colorless $[Cy_3P-BI_3]$. Alternatively, equimolar amounts of PCy₃ and BI₃ were dissolved in C₆H₆, yielding 1. Single crystals were obtained by the slow evaporation of the solvent.

¹H NMR (500.1 MHz, C₆D₆, 23 °C): δ 2.89 (m, 3H, Cy), 2.27 (m, 6H, Cy), 1.57 (m, 12H, Cy), 1.46 (m, 3H, Cy), 1.11 (m, 6H, Cy), 0.94 (m, 3H, Cy). ¹³C{¹H} NMR (125.8 MHz, C₆D₆, 23 °C): δ 35.5 (d, ¹J_{C-P} = 31 Hz, C¹, Cy), 28.5 (d, ³J_{C-P} = 4 Hz, C^{3.5}, Cy), 27.2 (d, ²J_{C-P} = 10 Hz, C^{2.6}, Cy), 25.8 (d, ⁴J_{C-P} = 1 Hz, C⁴, Cy). ¹¹B{¹H} NMR (160.5 MHz, C₆D₆, 23 °C): δ -74.1 (d, ¹J_{B-P} = 117 Hz). ³¹P{¹H} NMR (202.4 MHz, C₆D₆, 22 °C): δ -26.6 (q, ¹J_{P-B} = 117 Hz). Elemental Anal. Calcd for C₁₈H₃₆BI₃P: C 32.17, H 4.95. Found: C 32.85, H 5.13.

trans-[(Cy₃P)₂Pt(I)(BI₂)] (2): A pale yellow solution of [Pt-(PCy₃)₂] (100 mg, 0.132 mmol) in C₆H₆ (0.6 mL) was added to a colorless solution of BI₃ (52 mg, 0.132 mmol) in C₆H₆ (0.4 mL). The mixture immediately turned red-brown, and after 15 min, a white, fine solid precipitated. The next day hexane (1 mL) was added to increase the amount of the precipitate. The solid was separated and washed with hexane (2 × 0.5 mL), yielding 62 mg (41%) of pure *trans*-[(Cy₃P)₂Pt(I)(BI₂)]. Single crystals were obtained by slow evaporation of the solvent from a benzene solution. Alternatively, a stoichiometric amount of PCy₃ (4 mg, 0.014 mmol) was added to a solution of [(Cy₃P)(I₂B)Pt(μ -I)]₂ (11 mg, 0.007 mmol) in benzene. Multinuclear NMR data immediately showed complete conversion of the starting materials to *trans*-[(Cy₃P)₂Pt(I)(BI₂)].

¹H NMR (500.1 MHz, C₆D₆, 24 °C): δ 2.86 (m, 6H, Cy), 2.15 (m, 12H, Cy), 1.82–1.70 (m, 30H, Cy), 1.30 (m, 18H, Cy). ¹³C-{¹H} NMR (125.8 MHz, C₆D₆, 24 °C): δ 36.7 (vt, $N = |{}^{1}J_{C-P} + {}^{3}J_{C-P}| = 28$ Hz, C¹, Cy), 31.0 (s, C^{3.5}, Cy), 27.6 (vt, $N = |{}^{2}J_{C-P} + {}^{4}J_{C-P}| = 12$ Hz, C^{2.6}, Cy), 26.6 (s, C⁴, Cy). ¹¹B{¹H} NMR (160.5 MHz, C₆D₆, 24 °C): δ 31.0 (br s). ³¹P{¹H} NMR (202.4 MHz, C₆D₆, 24 °C): δ 10.3 ppm (s, ${}^{1}J_{P-Pt} = 2737$ Hz). Elemental Anal. Calcd for C₃₆H₆₆B₂I₆P₂Pt·0.5(C₆H₆): C 39.48, H 5.86. Found: C 38.94, H 5.69.

 $[(Cy_3P)(I_2B)Pt(\mu-I)]_2$ (3): $[Pt(PCy_3)_2]$ (205 mg, 0.271 mmol) and BI₃ (228 mg, 0.582 mmol) were placed in a Schlenk tube and dissolved in C₆H₆ (2.0 mL). The mixture immediately turned redbrown and a fine white solid precipitated. After 3 h at 55 °C, yellow crystalline material had been formed, which was separated from the brown solution via a cannula and dried in vacuo. The solid was washed 17 times with benzene (0.3 mL), yielding 102 mg

⁽²²⁾ Béni, Z.; Ros, R.; Tassan, A.; Scopelliti, R.; Roulet, R. Dalton Trans. 2005, 315–325.

⁽²³⁾ Monkowius, U.; Nogai, S.; Schmidbaur, H. Dalton Trans. 2003, 987– 991.

 ^{(24) (}a) Denniston, M. L.; Martin, D. R. J. Inorg. Nucl. Chem. 1974, 36, 1461–1464.
 (b) Black, D. L.; Taylor, R. C. Acta Crystallogr., Sect. B 1975, B31 (4), 1116–1120.

Braunschweig et al.

(43%) of pure beige $[(Cy_3P)(I_2B)Pt(\mu-I)]_2$. Single crystals were obtained by the slow evaporation of the solvent from a benzene solution. Alternatively, the reaction of equimolar amounts of BI₃ (5 mg, 0.013 mmol) and trans- $[(Cy_3P)_2Pt(I)(BI_2)]$ (15 mg, 0.013 mmol) in benzene led to $[(Cy_3P)(I_2B)Pt(\mu-I)]_2$. After 1 h at 60 °C, NMR spectra showed the complete conversion of the starting materials and the formation of the products $[(Cy_3P)(I_2B)Pt(\mu-I)]_2$ and $[Cy_3P-BI_3]$.

¹H NMR (500.1 MHz, C_7D_8 , 22 °C): δ 2.25–2.10 (m, 18H, Cy), 1.78–1.58 (m, 30H, Cy), 1.28–1.11 (m, 18H, Cy). ¹³C{¹H} NMR (125.8 MHz, C_7D_8 , 23 °C): δ 37.4 (d, ¹ $J_{C-P} = 30$ Hz, C¹, Cy), 30.7 (s, C^{3.5}, Cy), 27.6 (d, ² $J_{C-P} = 12$ Hz, C^{2.6}, Cy), 26.5 (s, C⁴, Cy). ¹¹B{¹H} NMR (160.5 MHz, C₇ D_8 , 22 °C): no signal could be detected, due to the poor solubility of the compound. ³¹P{¹H} NMR (202.4 MHz, C₇ D_8 , 22 °C): δ 15.8 (s, ¹ $J_{P-Pt} = 4460$ Hz). Elemental Anal. Calcd for C₃₆H₆₆B₂I₆P₂Pt·C₆H₆: C 27.84, H 4.00. Found: C 28.03, H 4.03.

Crystal-Structure Determination. The crystal data of 1-3 were collected at a Bruker X8 APEX diffractometer with a CCD area detector and multilayer mirror-monochromated Mo K α radiation. The structures were solved using direct methods, refined with the *SHELX* software package (G. Sheldrick, University of Göttingen, 1997), and expanded using Fourier techniques. All non-hydrogen atoms were refined anisotropically. Hydrogen atoms were assigned idealized positions, and they were included in structure-factor calculations.

Crystal data for 1: $C_{18}H_{33}BI_3P^{1/2}(C_6H_6)$, $M_r = 710.98$, colorless block, $0.18 \times 0.12 \times 0.09$ mm³, triclinic space group $P\overline{1}$, a =

8.2530(2) Å, b = 11.9107(3) Å, c = 13.6448(3) Å, $\alpha = 108.6880$ -(10)°, $\beta = 95.8110(10)$ °, $\gamma = 90.8790(10)$ °, V = 1262.40(5) Å³, Z = 2, $\rho_{calcd} = 1.870$ g·cm⁻³, $\mu = 3.782$ mm⁻¹, F(000) = 682, T = 100(2) K, $R_1 = 0.0207$, $R_2 = 0.0548$, 5032 independent reflections $[2\theta \le 52.54^\circ]$, and 232 parameters.

Crystal data for **2**: $C_{36}H_{66}BI_3P_2Pt^{-1/2}(C_6H_6)$, $M_r = 1186.48$, yellow plate, $0.08 \times 0.21 \times 0.38 \text{ mm}^3$, monoclinic space group C_2/c , a = 53.108(6) Å, b = 10.3619(13) Å, c = 38.802(5) Å, $\beta = 126.230(4)^\circ$, V = 17224(4) Å³, Z = 16, $\rho_{calcd} = 1.830$ g·cm⁻³, $\mu = 5.509 \text{ mm}^{-1}$, F(000) = 9200, T = 100(2) K, $R_1 = 0.0792$, $R_2 = 0.1296$, 25577 independent reflections $[2\theta \le 62.06^\circ]$, and 829 parameters.

Crystal data for **3**: $C_{36}H_{66}B_{2}I_{6}P_{2}Pt_{2}\cdot(C_{6}H_{6})$, $M_{r} = 1812.14$, colorless needle, $0.25 \times 0.04 \times 0.03 \text{ mm}^{3}$, monoclinic space group $P2_{1}/c$, a = 17.6997(14) Å, b = 19.2051(15) Å, c = 16.9665(13) Å, $\beta = 114.661(2)^{\circ}$, V = 5241.3(7) Å³, Z = 4, $\rho_{calcd} = 2.296$ g·cm⁻³, $\mu = 8.955 \text{ mm}^{-1}$, F(000) = 3352, T = 173(2) K, $R_{1} = 0.0551$, $R_{2} = 0.0974$, 10387 independent reflections $[2\theta \le 52.24^{\circ}]$, and 487 parameters.

Crystallographic data have been deposited with the Cambridge Crystallographic Data Center as supplementary publication nos. CCDC 649528–649530. These data can be obtained free of charge from The Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif.

Acknowledgment. This work was supported by the DFG. IC7011028