


for the isocyanate complex than for the analogous chloride (CCl_4 solvent): for $\text{Re}(\text{CO})_5(\text{NCO})$, 2159 (w), 2048 (vs), 2020 (vw), 1995 (s); for $\text{Re}(\text{CO})_5\text{Cl}$,⁹ 2156 (w), 2045 (vw), 2016 (vw), 1982 (s). This suggests that there is greater $\text{Re}-\text{CO}$ π bonding in the Cl complex than in the NCO derivative. From this one may infer that the $\text{Re}-\text{CO}$ bond is weaker for the NCO complex and that CO dissociation should occur more rapidly, as is indeed the case. While the $\text{C}-\text{O}$ stretching data and π -bonding arguments are consistent with the kinetic results in this case, this is frequently not true.¹⁸ A more reliable approach to predicting rates of CO dissociation is to consider the "hard" and "soft" properties of the ligands in the complex.¹⁸

The relatively fast dissociation of CO from $\text{Re}(\text{CO})_5(\text{NCO})$ is caused by the low enthalpy of activation.

This may occur because of weaker $\text{Re}-\text{CO}$ bonds as suggested by the infrared data or because of a stabilization of the transition state by a resonance form of the ligand



which places a high electron density on the N atom. This negative charge may then be donated to the Re to replace the electron density which is removed by the departing CO group. The entropy of activation (+1.8 eu) is somewhat low yet is in the range commonly found¹⁸ for CO dissociation in other metal carbonyl derivatives.

Acknowledgment.—We are grateful to the National Science Foundation (GP-12136) for support of this research.

CONTRIBUTION FROM NOYES CHEMICAL LABORATORY,
UNIVERSITY OF ILLINOIS, URBANA, ILLINOIS 61801

Reactions of $\text{Cl}_3\text{MCo}(\text{CO})_4$ Compounds with Lewis Bases¹

BY KAZUKO OGINO² AND THEODORE L. BROWN*

Received June 19, 1970

The reactions of $\text{Cl}_3\text{MCo}(\text{CO})_4$ ($\text{M} = \text{Si}, \text{Ge}, \text{Sn}$) compounds with $\text{P}(\text{OC}_2\text{H}_5)_3$, $\text{P}(n\text{-C}_4\text{H}_9)_3$, and $\text{P}(\text{C}_6\text{H}_5)_3$ have been studied. Reaction of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ with $\text{P}(\text{OC}_2\text{H}_5)_3$, $\text{P}(n\text{-C}_4\text{H}_9)_3$, or $\text{N}(\text{C}_2\text{H}_5)_3$ in hexane or with THF in the neat solvent leads to formation of $\text{SnCl}_2[\text{Co}(\text{CO})_4]_2$. The reaction appears to proceed *via* attack of the base at Sn , displacement of $\text{Co}(\text{CO})_4^-$, and subsequent displacement of chloride from $\text{Cl}_3\text{SnCo}(\text{CO})_4$ by $\text{Co}(\text{CO})_4^-$. In the presence of excess base, products of the form $\text{Cl}_3\text{MCo}(\text{CO})_3\text{L}_2$ were obtained for $\text{M} = \text{Sn}$ and Ge and $\text{L} = \text{P}(n\text{-C}_4\text{H}_9)_3$ and $\text{P}(\text{C}_6\text{H}_5)_3$. They are formulated as ionic, $\text{MCl}_3^-[\text{Co}(\text{CO})_3\text{L}_2]^+$, on the basis of infrared spectral data, including comparison with the previously reported $[\text{Co}(\text{CO})_3\text{L}_2]\text{B}-(\text{C}_6\text{H}_5)_4$. Under different reaction conditions the monosubstituted compounds, $\text{Cl}_3\text{MCo}(\text{CO})_3\text{L}$, adjudged to be the trans isomers on the basis of their infrared spectra and the ^{59}Co nuclear quadrupole resonance spectra, are obtained. The ^{59}Co nqr spectra are reported for a number of phosphine-substituted compounds.

Many five-coordinate cobalt tetracarbonyl compounds containing cobalt-metal bonds have been prepared in recent years. The characteristics of the metal-cobalt bond, particularly the extent of π bonding, have been discussed on the basis of molecular structure,³⁻⁶ vibrational spectra,^{7,8} and nuclear quadrupole resonance data.⁹⁻¹² However, the chemical behavior of

these compounds has not been fully studied. In the present publication, we report an investigation of the reactions of $\text{Cl}_3\text{MCo}(\text{CO})_4$ ($\text{M} = \text{Sn}, \text{Ge}, \text{Si}$) systems with nucleophiles such as $\text{P}(n\text{-C}_4\text{H}_9)_3$, $\text{P}(\text{C}_6\text{H}_5)_3$, and $\text{P}(\text{OC}_2\text{H}_5)_3$. The initial intent of the work was to determine the effect of the Cl_3M group on the kinetics of CO substitution. It soon became apparent, however, that the reactions were not simple substitutions.

The reactivities of $\text{R}_3\text{SiCo}(\text{CO})_4$ ($\text{R} = \text{H}, \text{CH}_3, \text{Cl}$) compounds with some bases have been described.¹³ In the presence of trimethylamine or trimethylphosphine $\text{R}_3\text{SiCo}(\text{CO})_4$ ($\text{R} = \text{H}$ and CH_3) undergo heterolytic cleavage of the $\text{Si}-\text{Co}$ bond to produce $[\text{R}_3\text{SiB}]^+[\text{Co}(\text{CO})_4]^-$.^{13,14} Substitutions on cobalt by the reaction of $\text{P}(\text{C}_6\text{H}_5)_3$ with $\text{H}_3\text{SiCo}(\text{CO})_4$ ¹⁵ and $\text{P}(\text{C}_2\text{H}_5)_3$ with $\text{R}_3\text{SiCo}(\text{CO})_4$ ($\text{R} = \text{C}_2\text{H}_5$ and Cl)¹⁶ have been reported.

The reactions of $\text{Co}_2(\text{CO})_8$ with bases have been ex-

(1) This research was supported through Grant 6396 X from the National Science Foundation.

(2) On leave from Department of Chemistry, Tohoku University, Sendai, Japan.

(3) W. T. Robinson and J. A. Ibers, *Inorg. Chem.*, **6**, 1208 (1967).

(4) A. G. Robiette, G. M. Sheldrick, R. N. F. Simpson, B. J. Aylett, and J. M. Campbell, *J. Organometal. Chem.*, **14**, 279 (1968).

(5) K. Emerson, P. R. Ireland, and W. T. Robinson, *Inorg. Chem.*, **9**, 438 (1970).

(6) J. K. Stalick and J. A. Ibers, *J. Organometal. Chem.*, **22**, 213 (1970).

(7) D. J. Patmore and W. A. G. Graham, *Inorg. Chem.*, **6**, 981 (1967).

(8) K. L. Watters, J. N. Brittain, and W. M. Risen, Jr., *ibid.*, **8**, 1347 (1969).

(9) T. L. Brown, P. A. Edwards, C. B. Harris, and J. L. Kirsch, *ibid.*, **8**, 763 (1969).

(10) A. N. Nesmeyanov, G. K. Semin, E. V. Bryuchova, K. N. Anisimov, N. E. Kolobova, and V. N. Khandozhko, *Izv. Akad. Nauk SSSR, Ser. Khim.*, 1936 (1969).

(11) D. D. Spencer, J. L. Kirsch, and T. L. Brown, *Inorg. Chem.*, **9**, 235 (1970).

(12) J. D. Graybeal, S. D. Ing, and M. W. Hsu, *ibid.*, **9**, 678 (1970).

(13) J. P. Bald, Jr., and A. G. MacDiarmid, *J. Organometal. Chem.*, **22**, C22 (1970).

(14) B. J. Aylett and J. M. Campbell, *J. Chem. Soc. A*, 1920 (1969).


(15) B. J. Aylett and J. M. Campbell, *ibid.*, 1910 (1969).

(16) O. Kahn and M. Bigorgne, *J. Organometal. Chem.*, **10**, 137 (1967).


TABLE I
ANALYSES (%)

	C		H		Cl		Co	
	Calcd	Found	Calcd	Found	Calcd	Found	Calcd	Found
$\text{Cl}_3\text{SiCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$	37.56	37.82	5.68	5.67	12.28	12.38		
$\text{Cl}_3\text{GeCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$	34.37	34.66	5.19	5.14	20.28	20.18	11.24	11.16
$\text{Cl}_3\text{SnCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$	31.59	31.45	4.77	4.96	18.65	18.57	10.33	10.25
$\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3$	41.97	42.34	7.05	6.96	13.77	13.27		
$\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	43.17	43.49	2.59	2.64	18.21	17.34	10.09	9.88
$\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$	55.35	55.51	3.57	3.56				
$\text{Cl}_3\text{SnCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$	52.48	52.53	3.39	3.49	11.92	11.93	6.60	6.75
$\text{Cl}_3\text{GeCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	40.15	40.47	2.41	2.50	16.93	16.81		
$\text{Cl}_3\text{SnCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	37.41	37.69	2.24	2.10	15.77	15.73		
$[\text{Co}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3]^+[\text{B}(\text{C}_6\text{H}_5)_4]^-$	70.67	70.39	8.61	8.53			6.80	7.04
							Sn	
							Calcd	Found
$(\text{C}_2\text{H}_5)_4\text{NSnCl}_3$	27.04	26.52	5.67	5.53	29.93	29.41	33.40	32.85
KSnCl_3					40.27	40.05	44.93	45.13


tensively investigated. These reactions often result in heterolytic cleavage of the Co-Co bond



where L may be $\text{P}(\text{C}_6\text{H}_5)_3$,¹⁷ $\text{P}(n\text{-C}_4\text{H}_9)_3$,¹⁸ $\text{P}[\text{N}(\text{CH}_3)_2]_3$,¹⁹ etc. Alternatively, with these bases and with some phosphites^{20,21} simple CO substitution may occur, as in



or



We have found that nucleophilic attack on $\text{Cl}_3\text{MCo}(\text{CO})_4$ may result in displacement of CO, in coordination at Co, or in heterolytic rupture of the M-Co bond to produce $[\text{MCl}_3\text{L}_n]^+[\text{Co}(\text{CO})_4]^-$ or $\text{MCl}_3^-[\text{CoL}_n(\text{CO})_{5-n}]^+$.

Experimental Section

$\text{Cl}_3\text{SnCo}(\text{CO})_4$,²² $\text{Cl}_3\text{GeCo}(\text{CO})_4$,⁷ and $\text{Cl}_3\text{SiCo}(\text{CO})_4$ ²³ were prepared according to methods described in the literature. $\text{Cl}_3\text{SnCo}(\text{CO})_4$ was also prepared by treating $(\text{C}_6\text{H}_5)_3\text{SnCo}(\text{CO})_4$ with excess SnCl_4 . The $\text{Cl}_3\text{SnCo}(\text{CO})_4$ formed was recrystallized from *n*-hexane. This method yielded 7 g of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ from 5 g of $\text{Co}_2(\text{CO})_8$.

Reactions between the carbonyl compounds and bases were carried out under an argon atmosphere. In addition, kinetic studies were carried out in the dark.

$\text{Cl}_3\text{SiCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$.—When 0.165 g of $\text{P}(n\text{-C}_4\text{H}_9)_3$ (0.82 mmol) in 10 ml of *n*-hexane was added to 0.25 g of $\text{Cl}_3\text{SiCo}(\text{CO})_4$ (0.82 mmol) in 10 ml of *n*-hexane, some turbidity was observed. The solution was filtered and the filtrate was concentrated to 3 ml under reduced pressure, affording yellow crystals; yield 0.18 g.

$\text{Cl}_3\text{GeCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$.—A 0.05-g sample of $\text{P}(n\text{-C}_4\text{H}_9)_3$ (0.25 mmol) in 2 ml of benzene was added to 0.09 g of $\text{Cl}_3\text{GeCo}(\text{CO})_4$ (0.26 mmol) in 5 ml of benzene and 5 ml of THF. After 20 min solvent volume was reduced to 3 ml; the crystals formed were washed with *n*-hexane; yield 0.05 g. This compound was also obtained in 80% yield by adding $\text{Cl}_3\text{GeCo}(\text{CO})_4$ to a slight excess of $\text{P}(n\text{-C}_4\text{H}_9)_3$ without solvent. The product was washed with small amounts of benzene and thoroughly washed with *n*-hexane.

(17) W. Hieber and W. Freyer, *Chem. Ber.*, **91**, 1230 (1958).

(18) F. Piacenti, M. Bianchi, and E. Benedetti, *Chim. Ind. (Milan)*, **49**, 245 (1967).

(19) R. B. King, *Inorg. Chem.*, **2**, 936 (1963).

(20) A. Sacco, *Ann. Chim. (Rome)*, **43**, 495 (1953).

(21) P. Szabo, L. Fekete, and G. Bor, *J. Organometal. Chem.*, **12**, 245 (1968).

(22) D. J. Patmore and W. A. G. Graham, *Inorg. Chem.*, **7**, 771 (1968).

(23) D. Darenbourg, Ph.D. Thesis, University of Illinois, 1968.

$\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$ and $\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$.—A 1.15-g sample of $\text{P}(\text{C}_6\text{H}_5)_3$ (4.4 mmol) in 100 ml of benzene was added to 1.66 g of $\text{Cl}_3\text{GeCo}(\text{CO})_4$ (4.7 mmol) in 100 ml of benzene. After 1 hr, the solution was filtered, affording 0.35 g of yellow precipitate of composition $\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$. The filtrate was concentrated to ~5 ml. Addition of *n*-hexane afforded 1.7 g of yellow precipitate of a composition corresponding to $\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$.

$\text{Cl}_3\text{GeCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$.—A 0.05-g sample of $\text{Cl}_3\text{GeCo}(\text{CO})_4$ (0.14 mmol) and 0.05 g of $\text{As}(\text{C}_6\text{H}_5)_3$ (0.16 mmol) were mixed in 10 ml of *n*-hexane. After 1 hr, the solvent was removed under reduced pressure until yellow crystals appeared; these were washed with a small amount of *n*-hexane; yield 0.06 g.

$\text{Cl}_3\text{SnCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$.²⁴—(a) A 1.25 g sample of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (3.1 mmol) in 40 ml of benzene was added dropwise to 0.65 g of $\text{P}(n\text{-C}_4\text{H}_9)_3$ (3.2 mmol) in 60 ml of benzene. After 1 hr the solution was filtered and the yellow precipitate was washed with benzene; yield 1.4 g. (b) A 0.05-g sample of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (0.13 mmol) in 10 ml of benzene was added to 0.10 g of $\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3$ (0.13 mmol) in 10 ml of benzene. The resulting precipitate was washed with benzene; yield 0.14 g.

$\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3$.—A 0.06-g sample of $\text{P}(n\text{-C}_4\text{H}_9)_3$ (0.3 mmol) was added to 0.06 g of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (0.15 mmol) in 20 ml of *n*-hexane. The resulting yellow precipitate was recrystallized by dissolving in benzene followed by the addition of *n*-hexane; yield 0.07 g.

$\text{Cl}_3\text{SnCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$.—A 0.08-g sample of $\text{P}(\text{C}_6\text{H}_5)_3$ (0.3 mmol) in 3 ml of *n*-hexane was added to 0.06 g of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (0.15 mmol) in 10 ml of *n*-hexane. A 0.13-g amount of yellow precipitate was obtained.

$\text{Cl}_3\text{SnCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$.—A 0.05-g sample of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (0.13 mmol) in 10 ml of *n*-hexane was added to 0.11 g of $\text{As}(\text{C}_6\text{H}_5)_3$ (0.33 mmol) in 10 ml of *n*-hexane. After 1 hr, the solution was filtered and a yellow precipitate was extracted with benzene. The benzene solution was concentrated under reduced pressure. Addition of *n*-hexane afforded 0.02 g of $\text{Cl}_3\text{SnCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$.

$[\text{Co}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3]_2[\text{B}(\text{C}_6\text{H}_5)_4]$.—An excess of $\text{NaB}(\text{C}_6\text{H}_5)_4$ was added to an acetone solution of $\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3$. Addition of water afforded a colorless precipitate of $\text{Co}[\text{P}(n\text{-C}_4\text{H}_9)_2]_2(\text{CO})_3\text{B}(\text{C}_6\text{H}_5)_4$. $\text{Co}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3\text{B}(\text{C}_6\text{H}_5)_4$ ²⁵ was obtained in the same manner from $\text{Cl}_3\text{SnCo}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3$.

$(\text{C}_2\text{H}_5)_4\text{NSnCl}_3$ was prepared by mixing SnCl_2 and $(\text{C}_2\text{H}_5)_4\text{NCl}$ in ethanol. $\text{KSnCl}_3 \cdot \text{H}_2\text{O}$ was obtained by mixing equimolar SnCl_2 and KCl in a small amount of water. The anhydrous material was obtained by drying under vacuum for 24 hr.

Analytical data for the above compounds are given in Table I. Table II lists the CO infrared stretching frequencies obtained

(24) This compound was prepared by the reaction $\text{Co}(\text{CO})_2\text{P}(n\text{-C}_4\text{H}_9)_3 + \text{HgCl}_2 + \text{SnCl}_2 \rightarrow \text{Cl}_3\text{SnCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$: F. Bonati, S. Cenini, and R. Ugo, *J. Chem. Soc. A*, 932 (1967).

(25) This compound was prepared by Hieber and Freyer¹⁷ by a different method. A trans structure was proposed for the cation $\text{Co}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{CO})_3^+$: O. Vohler, *Chem. Ber.*, **91**, 1235 (1958).

TABLE II
INFRARED DATA FOR $\text{Cl}_3\text{MCoL}_n(\text{CO})_3$ COMPOUNDS (cm^{-1})
 $\nu(\text{C}-\text{O})$ in CHCl_3 soln
600–250 cm^{-1} (in Nujol mull)^b
 $\nu(\text{Sn}-\text{Cl})$ or $\nu(\text{Ge}-\text{Cl})$

	$\nu(\text{C}-\text{O})$ in CHCl_3 soln	600–250 cm^{-1} (in Nujol mull) ^b	$\nu(\text{Sn}-\text{Cl})$ or $\nu(\text{Ge}-\text{Cl})$
	1983 s ^a		
$\text{Cl}_3\text{SiCoP}(\text{n}-\text{C}_4\text{H}_9)_3(\text{CO})_3$	2052 vw, 1980 s, 1987 s	576 s, 550 s, sh, 547 s, 494 s, sh, 486 m, sh	
$\text{Cl}_3\text{GeCoP}(\text{n}-\text{C}_4\text{H}_9)_3(\text{CO})_3$	2064 vw, 1993 s, 2002 s	572 s, 560 s, 510 m, 497 m, 487.5 s	376 s, 366 s
$\text{Cl}_3\text{SnCoP}(\text{n}-\text{C}_4\text{H}_9)_3(\text{CO})_3$	2060 vw, 1995 s	577 s, 555 s, 511 m, 498 m, 485 s	338 s
$\text{Cl}_3\text{SnCo}[\text{P}(\text{n}-\text{C}_4\text{H}_9)_3]_2(\text{CO})_3$	2066 vw, 1990 s, 1995 s	575 s, 557 w, 516 m, 500 s	296 m, 292 m
	2003 s ^a		
$\text{Cl}_3\text{GeCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	2064 vw, 2004 s	561 s, 505 w, 482 s, 475 m, 468 m	390 sh, 379 s
	2000 s ^a		
$\text{Cl}_3\text{SnCoAs}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	2061 vw, 2003 s	557 s, 500 w, 481 s, 474 m, 468 m	351 s, 343 s, 337 sh
	2004 s ^a		
$\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$	2065 vw, 2004 s	560 s, 523 s, 481 s, 471 w, sh	386 s, sh, 379 s
$\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$	2074 vw, 2005 s, 2011 s	563 s, 523 s, 514 s, 477 w, sh, 472 m	335 m, 294 m, 275 w
$\text{Cl}_3\text{SnCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$	2075 vw, 2006 s, 2012 s	563 s, 523 s, 513 s, 477 m, 472 m, sh	294 m
$\text{Co}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3\text{B}(\text{C}_6\text{H}_5)_4$	2074 vw, 2006 s, 2012 s	563 s, 523 s, 513 s, 477 w, sh, 472 m	
$(\text{C}_2\text{H}_5)_4\text{NSnCl}_3$			298, 279
KSnCl_3			~310

^a In *n*-hexane; because of limited solubility, the low-intensity band at higher frequency was not obtained. ^b $\nu(\text{Co}-\text{C})$, $\delta(\text{Co}-\text{C}-\text{O})$, $\nu(\text{Si}-\text{Cl})$, or bands due to L.

with a frequency-calibrated Beckman IR 7 and bands seen in the 600–250- cm^{-1} region, measured with a frequency-calibrated Beckman IR 20A. Infrared spectra of $\text{Cl}_3\text{MCo}(\text{CO})_4$ ($\text{M} = \text{Sn}, \text{Ge}, \text{Si}$) have recently been reported.⁹

Reaction between $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{P}(\text{OC}_2\text{H}_5)_3$.—A 0.50-g sample of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ (0.125 mmol) in 10 ml of *n*-hexane was mixed with 0.0166 g of $\text{P}(\text{OC}_2\text{H}_5)_3$ (0.10 mmol) in 5 ml of *n*-hexane, and the solution was kept at 40°. After 24 hr the reaction was complete; the infrared spectrum of the solution showed that it contained $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ in a molar ratio of 6:10. The solution was filtered leaving an oily residue. The filtrate was evaporated and cooled in Dry Ice. Orange-yellow crystals obtained were identified as $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ on the basis of the infrared spectrum,⁷ melting point,²⁶ and analysis. *Anal.* Calcd for $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$: C, 18.04. Found: C, 18.52. The oily residue was dissolved in benzene. On the addition of pyridine to this solution a precipitate formed; it was identified as $\text{SnCl}_4(\text{C}_5\text{H}_5\text{N})_2$ from its infrared spectrum.²⁷


The kinetic behavior of this reaction was studied. Since it was found to be light sensitive, kinetic runs were carried out in a completely dark vessel fitted with a rubber serum cap. *n*-Hexane solutions of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{P}(\text{OC}_2\text{H}_5)_3$ were kept in a thermostated bath at 30.0°. $\text{P}(\text{OC}_2\text{H}_5)_3$ solution was injected into the $\text{Cl}_3\text{SnCo}(\text{CO})_4$ solution. At appropriate time intervals portions of the solution were withdrawn and placed in a 1-mm path length sodium chloride cell and the infrared spectra were recorded. A specially constructed cell chamber was kept at 30° with a flow of thermostated air. All visible light to the cell was cut off by means of a Kodak Series 200 S filter.

Nuclear quadrupole resonance spectra were obtained as described previously.¹¹

Results and Discussion

Reaction between $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{P}(\text{OC}_2\text{H}_5)_3$.

Figure 1 shows the change with time in the infrared spectrum of $7 \times 10^{-4} \text{ M}$ $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and 0.026 M $\text{P}(\text{OC}_2\text{H}_5)_3$ in *n*-hexane. The spectra show isosbestic points at frequencies at which $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ have the same extinction coefficients. It therefore appears that there is no stable intermediate produced in the reaction, and the overall process can be expressed as



(26) D. J. Patmore and W. A. G. Graham, *Inorg. Chem.*, **5**, 1405 (1966).

(27) I. R. Beattie, G. P. McQuillan, L. Rule, and M. Webster, *J. Chem. Soc.*, 1514 (1963).




Figure 1.—Infrared spectra of a hexane solution containing 0.026 M $\text{P}(\text{OC}_2\text{H}_5)_3$ and $7 \times 10^{-4} \text{ M}$ $\text{Cl}_3\text{SnCo}(\text{CO})_4$, at various times: A, 5 min; B, 21 min; C, 37 min; D, 48 min; E, 97 min.




Figure 2.—Pseudo-first-order rate constant k' as a function of $\text{P}(\text{OC}_2\text{H}_5)_3$ concentration, using the absorption at 2120.5 cm^{-1} (○) and at 2097.5 cm^{-1} (●).

A reaction mixture initially containing 0.125 mmol of $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and 0.1 mmol of $\text{P}(\text{OC}_2\text{H}_5)_3$ was found to contain $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ in about a 6:10 molar ratio, upon completion of the reaction, indicating that n in eq 4 is probably 2.

From $\log |A_\infty - A|$ vs. t plots it was ascertained that the reaction obeyed pseudo-first-order kinetics. The pseudo-first-order rate constant k' was obtained and is displayed in Figure 2 as a function of the phosphite concentration. These results indicate that the rate expression is

$$\text{rate} = k[\text{Cl}_3\text{SnCo}(\text{CO})_4][\text{P}(\text{OC}_2\text{H}_5)_3] \quad (5)$$





The values of k are given in Table III.

TABLE III
RATE OF REACTION 4 IN *n*-HEXANE AT 30°

$10^2[\text{Cl}_3\text{SnCo}(\text{CO})_4], M$	$10^2[\text{P}(\text{OC}_2\text{H}_5)_3],$	$10^3k, \text{min}^{-1}$	$k, M^{-1} \text{min}^{-1}$
0.51	5	0.65	1.3 ^a
0.51	10	1.6	1.6 ^a
0.51	10	1.2	1.2 ^a
0.51	20	2.5	1.3 ^a
0.51	20	2.3	1.1 ^b
0.55	27	3.4	1.2 ^b
0.28	27	2.9	1.1 ^b

^a Followed at 2120.5 cm⁻¹. ^b Followed at 2097.5 cm⁻¹.

The mechanism of reaction 4 is possibly



The species formed in step 6a is assumed to be a phosphite adduct of tin. The role of phosphite in the reaction can be considered to be production of $\text{Co}(\text{CO})_4^-$ anion. It is not clear from the rate law at which stage of the reaction the second phosphite is involved. It is certain only that it is involved in a reaction subsequent to the rate-determining step. Formation of $\text{Co}(\text{CO})_4^-$ has been observed in the reaction between $\text{R}_3\text{SiCo}(\text{CO})_4$ and some bases.^{13,14} The compound $\text{R}_3\text{SnCo}(\text{CO})_4$ is considered to dissociate to R_3Sn^+ and $\text{Co}(\text{CO})_4^-$ in acetone, methanol,²⁸ and DMF.²⁹ The rate-determining step is probably formation of $\text{Co}(\text{CO})_4^-$. Adduct formation (step 6a) should be rapid but probably does not proceed far to the right (*vide infra*).

The dicobalt species $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ is formed rapidly when $\text{Cl}_3\text{SnCo}(\text{CO})_4$ is dissolved in THF (half-time ~ 30 min at room temperature) and in *n*-hexane solutions containing $\text{P}(n\text{-C}_4\text{H}_9)_3$ or $\text{N}(\text{C}_2\text{H}_5)_3$ at low concentration (~ 1 mM); reaction was complete within 5 min. These observations can also be understood in terms of the mechanism proposed. The steps corresponding to (6a) and (6b) are much more rapid with $\text{P}(n\text{-C}_4\text{H}_9)_3$ or $\text{N}(\text{C}_2\text{H}_5)_3$ than with $\text{P}(\text{OC}_2\text{H}_5)_3$ because $\text{P}(n\text{-C}_4\text{H}_9)_3$ and $\text{N}(\text{C}_2\text{H}_5)_3$ are stronger bases than $\text{P}(\text{OC}_2\text{H}_5)_3$ toward tin in $\text{Cl}_3\text{SnCo}(\text{CO})_4$. When $\text{P}(n\text{-C}_4\text{H}_9)_3$ or $\text{N}(\text{C}_2\text{H}_5)_3$ are added in high concentrations to a $\text{Cl}_3\text{SnCo}(\text{CO})_4$ solution in *n*-hexane, formation of $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$ was not observed. Under these conditions, steps 6a and 6b proceed very rapidly compared to step 6c, and all $\text{Cl}_3\text{SnCo}(\text{CO})_4$ is converted to the adduct; the $\text{Co}(\text{CO})_4^-$ thus produced cannot react with $\text{Cl}_3\text{SnCo}(\text{CO})_4$ to form $\text{Cl}_2\text{Sn}[\text{Co}(\text{CO})_4]_2$. The compound $\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_3]_2(\text{CO})_3$ is formed in the case of $\text{P}(n\text{-C}_4\text{H}_9)_3$. The final product of the reaction between $\text{Cl}_3\text{SnCo}(\text{CO})_4$ and $\text{N}(\text{C}_2\text{H}_5)_3$ was not identified.

Reaction 4 is similar to the reaction between $\text{Pt}(\text{C}_6\text{H}_5)_2[\text{Co}(\text{CO})_4]_2$ and $\text{P}(\text{C}_6\text{H}_5)_3$ or $\text{P}(n\text{-C}_4\text{H}_9)_3$,³⁰

(28) A. D. Beveridge and H. C. Clark, *J. Organometal. Chem.*, **11**, 601 (1968).

(29) J. M. Burtlitch, *J. Amer. Chem. Soc.*, **91**, 4562 (1969).

(30) R. G. Pearson and J. Dehand, *J. Organometal. Chem.*, **16**, 485 (1969).

in that cleavage of the Co-metal bond occurs instead of cleavage of the Co-CO bond.

$\text{Cl}_3\text{MCoL}(\text{CO})_3$ and $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$.—These two types of phosphine- or arsine-substituted compounds were synthesized by mixing the corresponding carbonyl compound and base. The $\text{Cl}_3\text{MCoL}(\text{CO})_3$ compounds are assigned the trans structure on the basis of the infrared CO spectra; the higher frequency band of very low intensity is the totally symmetric A_1 mode; the intense band at lower frequency is due to the E mode. The trans structure has been assigned to several cobalt carbonyl compounds on the basis of the CO stretching bands.^{16,22} The very small or zero asymmetry parameter found in ⁵⁹Co nuclear quadrupole resonance spectra of $\text{Cl}_3\text{MCoL}(\text{CO})_3$ compounds are also consistent with the trans structure.

In $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$ compounds, the number of carbonyl groups in the compound is not clear from the chemical analysis alone, because of the high molecular weight. However, the molar integrated intensity of the infrared CO stretching bands of $\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$ was found to be smaller than that of $\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$ by only about 8%. This suggests that the former compound has also three carbonyl groups, since the integrated intensity should be roughly proportional to the number of CO groups.


The CO stretching regions are similar in the ir spectra of $\text{Cl}_3\text{MCoL}(\text{CO})_3$ and $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$. On the other hand, distinct differences in ir spectra of $\text{Cl}_3\text{MCoL}(\text{CO})_3$ and $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$ are observed at frequencies lower than 400 cm⁻¹ (Table II). Bands in this region are considered to be due to Sn-Cl or Ge-Cl stretching. The M-Cl bands for $\text{Cl}_3\text{MCoL}(\text{CO})_3$ have similar shapes and intensity to those for $\text{Cl}_3\text{MCo}(\text{CO})_4$, while the M-Cl bands for $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$ are markedly different. The Sn-Cl stretching bands in $\text{Cl}_3\text{SnCoL}_2(\text{CO})_3$ appear at frequencies close to those for SnCl_3^- salts. The frequencies of the M-Cl modes for $\text{Cl}_3\text{MCoL}(\text{CO})_3$ change with the nature of L in the order⁸ $\text{CO} > \text{P}(\text{C}_6\text{H}_5)_3 \sim \text{As}(\text{C}_6\text{H}_5)_3 > \text{P}(n\text{-C}_4\text{H}_9)_3$. The infrared spectra of $\text{Cl}_3\text{SnCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$, $\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$, and $\text{Co}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3\text{B}(\text{C}_6\text{H}_5)_4$ are essentially the same in the CO stretching and 600-400-cm⁻¹ regions. From the above comparison of infrared spectra and the observation that the ionic species $[\text{CoL}_2(\text{CO})_3]^+[\text{B}(\text{C}_6\text{H}_5)_4]^-$ was obtained by the reaction of $\text{Cl}_3\text{SnCoL}_2(\text{CO})_3$ and $\text{NaB}(\text{C}_6\text{H}_5)_4$, an ionic structure $[\text{trans-CoL}_2(\text{CO})_3]^+[\text{MCl}_3]^-$ is proposed for $\text{Cl}_3\text{MCoL}_2(\text{CO})_3$ compounds. The intense CO stretching band at ~ 2000 cm⁻¹ is assigned as the E species mode. The very low intensity band at higher frequency is the nearly infrared-inactive A_1 mode absorption.

$\text{Cl}_3\text{MCoL}(\text{CO})_3$ compounds are less reactive toward substitution than $\text{Cl}_3\text{MCo}(\text{CO})_4$. $\text{Cl}_3\text{SiCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$ and $\text{Cl}_3\text{GeCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$ are stable in neat $\text{P}(n\text{-C}_4\text{H}_9)_3$, whereas the corresponding tetracarbonyls react immediately. The THF solution of $\text{Cl}_3\text{SnCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$ did not show formation of species such as $\text{Cl}_2\text{Sn}[\text{CoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3]_2$ after 24 hr, presumably because the activation energy for reactions such as


(6a) and (6b) is larger for $\text{Cl}_3\text{SnCoL}(\text{CO})_3$ than for $\text{Cl}_3\text{SnCo}(\text{CO})_4$. This corresponds to the result that the pK_a of $\text{HCoL}(\text{CO})_3$ is considerably higher for $\text{L} = \text{P}(\text{C}_6\text{H}_5)_3$ than for $\text{L} = \text{CO}$ ^{31,32} and adds further support to the proposed mechanism. The rate in the slow step should be related to the relative ability of the cobalt-containing species to act as a leaving group.

It was found that $\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$ was stable in benzene solution containing $\text{P}(\text{C}_6\text{H}_5)_3$ or in neat $\text{P}(n\text{-C}_4\text{H}_9)_3$. This indicates that $\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$ is not an intermediate in the formation of $\text{Cl}_3\text{-GeCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$. The mechanisms of formation of two types of phosphine-substituted compounds are not clear at this stage. The reaction between $\text{RCOCo}(\text{CO})_4$ and $\text{P}(\text{C}_6\text{H}_5)_3$ to form $\text{RCOCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$ ³³ and the CO exchange reaction of $\text{RCOCo}(\text{CO})_4$ ³⁴ were reported to proceed *via* a dissociative mechanism. On the other hand, the formation of $\text{Cl}_3\text{MCoL}(\text{CO})_3$ from $\text{Cl}_3\text{MCo}(\text{CO})_4$ and L cannot proceed *via* a simple dissociative mechanism, because the ¹³C exchange reaction of $\text{Cl}_3\text{GeCo}(\text{CO})_4$ is much slower.³⁵ It does appear, however, that both the acidity of M in $\text{Cl}_3\text{-MCo}(\text{CO})_4$ and the basicity of L are important factors in the reaction.

The formation of two types of compounds, $[\text{CoL}_2(\text{CO})_3]^+[\text{MCl}_3]^-$ and $\text{Cl}_3\text{MCoL}(\text{CO})_3$, corresponds to reactions of $\text{Co}_2(\text{CO})_8$ with phosphines, expressed by eq 1 and 2. The relative amounts of the two compounds depend on the conditions, especially solvent and concentration. The ionic compound $\text{Cl}_3\text{SnCo}[\text{P}(n\text{-C}_4\text{H}_9)_3]_2(\text{CO})_3$ was found to react with $\text{Cl}_3\text{SnCo}(\text{CO})_4$ in benzene to yield $\text{Cl}_3\text{SnCoP}(n\text{-C}_4\text{H}_9)_3(\text{CO})_3$ (and $\text{Cl}_3\text{GeCo}[\text{P}(\text{C}_6\text{H}_5)_3]_2(\text{CO})_3$ with $\text{Cl}_3\text{GeCo}(\text{CO})_4$ in 1:1 benzene-THF solution to give $\text{Cl}_3\text{GeCoP}(\text{C}_6\text{H}_5)_3(\text{CO})_3$) according to



This reaction corresponds to that of the derivative of $\text{Co}_2(\text{CO})_8$ ^{18,36}



Some reactions of $\text{Cl}_3\text{MCo}(\text{CO})_4$ with bases can thus be closely related to those of $\text{Co}_2(\text{CO})_8$ in which the Cl_3M group is replaced by a $(\text{CO})_4\text{Co}$ group.

Nuclear Quadrupole Resonance Spectra.—The ⁵⁹Co and ³⁵Cl nuclear quadrupole resonance spectra were obtained for a number of phosphine-substituted compounds. The results are given in Table IV. Axial substitution of the trichlorotin and trichlorogermanium compounds by either triphenylphosphine or tributylphosphine results in only a small change in eQq at cobalt. Nesmeyanov and coworkers¹⁰ have reported analogous data for the triphenylphosphine-substituted trichlorotin compound at 77°K. The temperature coefficient of the ⁵⁹Co quadrupole coupling constant is

(31) W. Hieber and E. Lindner, *Z. Naturforsch. B*, **16**, 137 (1961).

(32) W. Hieber and E. Lindner, *Chem. Ber.*, **94**, 1417 (1961).

(33) F. Heck, *J. Amer. Chem. Soc.*, **85**, 651 (1963).

(34) S. Breitschaft and F. Basolo, *ibid.*, **88**, 2702 (1966).

(35) R. S. Gay and W. A. G. Graham, personal communication.

(36) J. A. McCleverty, A. Davison, and G. Wilkinson, *J. Chem. Soc.*, **3890** (1965).

TABLE IV

⁵⁹Co AND ³⁵Cl NUCLEAR QUADRUPOLE RESONANCE DATA (25°)

Compound	ν_2 , MHz	ν_3 , MHz	eQq	η	$\nu(^{35}\text{Cl})$, MHz
$\text{Cl}_3\text{SiCo}(\text{CO})_4$ ^a	18.50	27.96	130.7	0.13	19.08
$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{P}(n\text{-C}_4\text{H}_9)_3$	16.27	24.40	113.9	0	...
$\text{Cl}_3\text{GeCo}(\text{CO})_4$ ^a	23.09	34.62	161.6	0	21.98 ^b
	22.77	34.15	159.3		
$\text{Cl}_3\text{GeCo}(\text{CO})_3\text{P}(n\text{-C}_4\text{H}_9)_3$	23.71	35.56	166.0	0	19.515
$\text{Cl}_3\text{GeCo}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$	22.31	33.58	156.9	0.08	...
	22.32	33.60	156.8	0.08	
$\text{Cl}_3\text{SnCo}(\text{CO})_4$ ^a	23.38	35.02	163.4	0	19.880
$\text{Cl}_3\text{SnCo}(\text{CO})_3\text{P}(n\text{-C}_4\text{H}_9)_3$	24.80	37.19	173.6	0	19.31
$[\text{Co}(\text{CO})_4][\text{Co}(\text{CO})_3[\text{P}(\text{C}_6\text{H}_5)_3]_2]$	22.77	34.20	159.7	0.05	...
$[\text{Co}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3]_2$ ^c	20.96	31.46	146.8	0	...

^a Data from ref 9 ^b Average of three very closely spaced resonances: H. W. Spiess and R. K. Sheline, *J. Chem. Phys.*, **53**, 3036 (1970). ^c Prepared as described in ref 36.

negative for the trichloro compounds, such that the coupling constant at room temperature is about 2–3 MHz lower than at 77°K.^{9,10} We may therefore estimate from the Russian data that eQq for $\text{SnCl}_3\text{Co}(\text{CO})_3\text{-P}(\text{C}_6\text{H}_5)_3$ at 25° is on the order of 160 MHz. Thus, in both the SnCl_3 and GeCl_3 compounds, axial substitution by $\text{P}(\text{C}_6\text{H}_5)_3$ results in a slight lowering of eQq , whereas axial substitution by $\text{P}(n\text{-C}_4\text{H}_9)_3$ results in a somewhat larger increase. By contrast, axial substitution on $\text{SiCl}_3\text{Co}(\text{CO})_4$ by $\text{P}(n\text{-C}_4\text{H}_9)_3$ results in a substantial decrease in eQq . Unfortunately, the ³⁵Cl resonance in $\text{SiCl}_3\text{Co}(\text{CO})_3\text{P}(n\text{-C}_4\text{H}_9)_3$ could not be seen.

On the basis of these limited data it appears that axial substitution does not markedly change the quadrupole coupling constant at Co when both axial ligands are capable of π -acceptor character. This generalization is exemplified also by the value of eQq for $\text{Co}(\text{CO})_3\text{-}[\text{P}(\text{C}_6\text{H}_5)_3]_2^+$, which can be thought of as derived from either $\text{Cl}_3\text{SnCo}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$ or $\text{Cl}_3\text{GeCo}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$ by replacement of SnCl_3^- or GeCl_3^- , respectively, by the neutral $\text{P}(\text{C}_6\text{H}_5)_3$.

In this connection, it is significant that the quadrupole coupling constant at Fe in $\text{Fe}(\text{CO})_4\text{P}(\text{C}_6\text{H}_5)_3$ is essentially identical with that for $\text{Fe}(\text{CO})_5$, as evidenced by the quadrupole splitting in the Mössbauer spectrum.³⁷ Similarly, the quadrupole coupling constant in $\text{Fe}(\text{CO})_4\text{P}(\text{OC}_2\text{H}_5)_3$ is only slightly lowered from the value for the parent compound.³⁴

The substituted binuclear compound $[\text{Co}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3]_2$ containing a Co-Co bond can be thought of as resulting from removal of the trichlorometal group from $\text{Cl}_3\text{GeCo}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$ or $\text{Cl}_3\text{SnCo}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$ and replacement by $\text{Co}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3$.

The replacing ligand in this instance is not capable of π -acceptor action, however, and the quadrupole coupling constant decreases.

The asymmetry parameter is zero or nearly so in all of the substituted compounds examined. This is in agreement with the infrared evidence based on the CO stretching bands, which indicates trans substitution. The fact that η is zero for $[\text{Co}(\text{CO})_3\text{P}(\text{C}_6\text{H}_5)_3]_2$ is evidence that the structure of this compound is similar to that of $[\text{Co}(\text{CO})_3\text{P}(n\text{-C}_4\text{H}_9)_3]_2$, in which there are no bridging carbonyls.³⁸

(37) R. L. Collins and R. Petit, *J. Chem. Phys.*, **39**, 3433 (1963).

(38) J. A. Ibers, *J. Organometal. Chem.*, **14**, 423 (1968).