

stated, then, we believe the emitting state is one of the spin-orbit components of  ${}^3A_{2u}$  ( $A_{1u}$  or  $E_u$ ). Assignment of the emission to  ${}^1A_{2u} \rightarrow {}^1A_{1g}$ , however, is not entirely out of the question, as a large geometrical distortion in the  ${}^1A_{2u}$  state of  $M_2X_8^{n-}$  complexes could lead to nonoverlapping emission and absorption systems. The Duschinsky effect<sup>17</sup> could then operate to give an emission band shape that is considerably distorted from that of the corresponding absorption.<sup>18</sup> For the  $M_2X_8^{n-}$  ( $M = \text{Re}, \text{Mo}; X = \text{Cl}, \text{Br}; n = 2 \text{ or } 4$ ) compounds, the excited-state distortion most likely would involve an eclipsed ( $D_{4h}$ ) to noneclipsed ( $D_{4d}$ ) conformational change. Even if this type of distortion occurs, it apparently does not affect the  $a_1$  vibrational modes to a large extent, as the ground to excited state frequency shifts of  $a_1(\text{ReRe})$  and  $a_1(\text{ReReCl})$  are small.<sup>13</sup> Additionally, the calculations of Norman and Kolari<sup>4,5</sup> for  $\text{Mo}_2\text{Cl}_8^{4-}$  suggest that chloride-chloride attractions contribute to the stabilization of the eclipsed geometry. Thus there is doubt whether the  ${}^1A_{2u}$  state would distort at all from the eclipsed configuration.

The evidence favors assignment of the emission to one of the transitions  $A_{1u}({}^3A_{2u})$  or  $E_u({}^3A_{2u}) \rightarrow {}^1A_{1g}$ . This interpretation places the singlet-triplet ( ${}^1A_{2u}$ - ${}^3A_{2u}$ ) separation in the range 1000–3000  $\text{cm}^{-1}$ . This range is quite in line with the only documented singlet-triplet splitting in a binuclear  $\text{Re}(\text{III})$  or  $\text{Mo}(\text{II})$  compound, which is 1800  $\text{cm}^{-1}$  for the  ${}^3,1E_g(\delta \rightarrow \pi^*)$  excited states of  $\text{Mo}_2(\text{O}_2\text{CCF}_3)_4$ .<sup>2</sup> Further elucidation of the nature and position of the low-lying triplet excited states in  $M_2X_8^{n-}$  complexes will require much additional theoretical and experimental effort.

**Acknowledgment.** We thank Ib Trajberg for experimental assistance and Professors F. A. Cotton and D. S. Martin, Jr., for communication of their results<sup>7</sup> prior to publication. Professor W. A. Goddard III is acknowledged for helpful

discussions. W.C.T. held an IBM fellowship for 1976–1977. This research was supported by the National Science Foundation (Grant CHE-7519086).

**Registry No.** ( $n\text{-Bu}_4\text{N}$ )<sub>2</sub>[ $\text{Re}_2\text{Cl}_8$ ], 14023-10-0; ( $n\text{-Bu}_4\text{N}$ )<sub>2</sub>[ $\text{Re}_2\text{Br}_8$ ], 14049-60-6;  $\text{K}_4\text{Mo}_2\text{Cl}_8$ , 25448-39-9; ( $\text{enH}_2$ )<sub>2</sub> $\text{Cl}_2$ , 333-18-6.

### References and Notes

- (1) W. C. Trogler, C. D. Cowman, H. B. Gray, and F. A. Cotton, *J. Am. Chem. Soc.*, **99**, 2993 (1977), and references therein.
- (2) W. C. Trogler, E. I. Solomon, I. Trajberg, C. J. Ballhausen, and H. B. Gray, *Inorg. Chem.*, **16**, 828 (1977); F. A. Cotton, D. S. Martin, T. R. Webb, and T. J. Peters, *ibid.*, **15**, 1199 (1976); F. A. Cotton, D. S. Martin, P. E. Fanwick, T. J. Peters, and T. R. Webb, *J. Am. Chem. Soc.*, **98**, 4681 (1976).
- (3) A. P. Mortola, J. W. Moskowitz, N. Rosch, C. D. Cowman, and H. B. Gray, *Chem. Phys. Lett.*, **32**, 283 (1975).
- (4) J. G. Norman and H. J. Kolari, *J. Am. Chem. Soc.*, **97**, 33 (1975).
- (5) J. G. Norman, H. J. Kolari, H. B. Gray, and W. C. Trogler, *Inorg. Chem.*, **16**, 987 (1977).
- (6) R. J. H. Clark and M. L. Franks, *J. Am. Chem. Soc.*, **97**, 2691 (1975).
- (7) P. E. Fanwick, D. S. Martin, F. A. Cotton, and T. R. Webb, *Inorg. Chem.*, **16**, 2103 (1977).
- (8) In this connection, it should be mentioned that the spectrum of the one-electron oxidation product of  $\text{Mo}_2(\text{SO}_4)_4^{4-}$  exhibits a structured  $\delta \rightarrow \delta^*$  absorption band at 7100  $\text{cm}^{-1}$ ; D. K. Erwin, G. L. Geoffroy, H. B. Gray, G. S. Hammond, E. I. Solomon, W. C. Trogler, and A. A. Zagars, *J. Am. Chem. Soc.*, **99**, 3620 (1977).
- (9) F. A. Cotton, N. F. Curtis, B. F. G. Johnson, and W. R. Robinson, *Inorg. Chem.*, **4**, 329 (1965).
- (10) J. V. Brencic and F. A. Cotton, *Inorg. Chem.*, **8**, 2698 (1969).
- (11) T. A. Stephenson, E. Bannister, and G. Wilkinson, *J. Chem. Soc.*, 2538 (1964).
- (12) T. Ashida and S. Hirokawa, *Bull. Chem. Soc. Jpn.*, **36**, 704 (1963).
- (13) C. D. Cowman and H. B. Gray, *J. Am. Chem. Soc.*, **95**, 8177 (1973).
- (14) C. D. Cowman, Ph.D. Thesis, California Institute of Technology, 1974.
- (15) M. J. Bennett, J. V. Brencic, and F. A. Cotton, *Inorg. Chem.*, **8**, 1060 (1969); F. A. Cotton and B. J. Kalbacher, *ibid.*, **15**, 522 (1976).
- (16) J. B. Birks, "Photophysics of Aromatic Molecules", Wiley-Interscience, New York, N.Y., 1970, pp 87–88.
- (17) F. Duschinsky, *Acta Physicochim. URSS*, **1**, 551 (1937).
- (18) C. J. Ballhausen and A. E. Hansen, *Annu. Rev. Phys. Chem.*, **23**, 15 (1972).

Contribution from the Department of Chemistry,  
Texas Tech University, Lubbock, Texas 79409

## <sup>31</sup>P NMR Study of Some Coordination Complexes of the Phosphorus Cage Molecule Tetraphosphorus Heptaoxide<sup>1</sup>

MICHAEL L. WALKER and JERRY L. MILLS\*


Received December 1, 1976

AIC60862I

The molecule  $\text{P}_4\text{O}_7$  is a structural derivative of the phosphorus cage molecule  $\text{P}_4\text{O}_6$ , and, as such, can potentially behave as a nonchelating, tridentate ligand. Complexes formed between  $\text{P}_4\text{O}_7$  and the metal carbonyls  $\text{Ni}(\text{CO})_4$ ,  $\text{Fe}_2(\text{CO})_9$ ,  $\text{Cr}(\text{CO})_6$ ,  $\text{Mo}(\text{CO})_6$ , and  $\text{W}(\text{CO})_6$  are characterized by  ${}^{31}\text{P}$  NMR spectroscopy. A two-to-one complex is formed between  $\text{BF}_3$  and  $\text{P}_4\text{O}_7$ , while borane and trimethylborane do not react with  $\text{P}_4\text{O}_7$ . A comparison between the ligative properties of  $\text{P}_4\text{O}_6$  and  $\text{P}_4\text{O}_7$  is discussed in terms of  ${}^{31}\text{P}$  NMR spectral data.

### Introduction

Earlier we communicated the preparation of  $\text{P}_4\text{O}_7$ , giving




spectroscopic evidence for the compound retaining the adamantane-like structure of  $\text{P}_4\text{O}_6$ , with the addition of an exocyclic oxygen atom to the cage.<sup>2</sup> Since  $\text{P}_4\text{O}_6$  had been shown to react with  $\text{Ni}(\text{CO})_4$ ,<sup>3</sup> iron carbonyls,<sup>4</sup> group 6B metal carbonyls,<sup>5</sup> and diborane,<sup>6</sup> it was expected that  $\text{P}_4\text{O}_7$  should behave in a similar manner and act as a tridentate, nonchelating ligand. Also of interest was the effect of oxidation of one phosphorus atom of the  $\text{P}_4\text{O}_6$  cage on the potential Lewis basicity of the other three phosphorus Lewis base

sites. The present paper reports the details of preparation and  ${}^{31}\text{P}$  NMR characterization of several  $\text{P}_4\text{O}_7$  metal carbonyl complexes, with comparison to the  $\text{P}_4\text{O}_6$  analogues.

### Results

Due to the extreme air sensitivity of  $\text{P}_4\text{O}_7$  and its derivative metal carbonyl adducts, attempts to isolate the compounds in pure form were unsuccessful. The use of  ${}^{31}\text{P}$  NMR allowed the study of reaction mixtures with the identification of the compounds by hyperfine splitting patterns and chemical shift data. In all cases the reaction of metal carbonyls with  $\text{P}_4\text{O}_7$  followed the general scheme



For nickel carbonyl an entirely closed system was used to exclude air and water. Progressive addition of  $\text{Ni}(\text{CO})_4$  to  $\text{P}_4\text{O}_7$  from a mole ratio of about 0.7 to 4.0 favored saturative ligation of the  $\text{P}_4\text{O}_7$  cage, with a mixture of products [Ni-

Table I.  $^{31}\text{P}$  NMR Data for Metal Carbonyl Complexes of  $\text{P}_4\text{O}_7$  in Benzene Solvent

Compd	Spin system	Chemical shift, <sup>a</sup> ppm	Pattern <sup>g</sup>	Coupling constants, Hz
[Ni(CO) <sub>3</sub> ](P <sub>4</sub> O <sub>7</sub> ) <sup>b</sup>	AM <sub>2</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 33.3$	t of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 30.5$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 15.4$	d of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 22.5$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 168.9$	d of t	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 1.5$
[Ni(CO) <sub>3</sub> ] <sub>2</sub> (P <sub>4</sub> O <sub>7</sub> ) <sup>b</sup>	A <sub>2</sub> MX	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 31.3$	d of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 28.5$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 7.8$	t of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 26.5$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 166.7$	t of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 5.0$
[Ni(CO) <sub>3</sub> ] <sub>2</sub> (P <sub>4</sub> O <sub>7</sub> ) <sup>b</sup>	A <sub>3</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 27.3$	d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 31.5$
[Fe(CO) <sub>4</sub> ](P <sub>4</sub> O <sub>7</sub> )	AM <sub>2</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 66.0$	Overlapping d of t	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 26.0$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 13.9$	d of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 32.5$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 168.8$	d of t	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 3.0$
[Fe(CO) <sub>4</sub> ] <sub>2</sub> (P <sub>4</sub> O <sub>7</sub> )	A <sub>2</sub> MX	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 60.6$	d of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 22.0$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) + 2.2$	t of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 39.0$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 165.2$	t of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 9.5$
[Cr(CO) <sub>5</sub> ](P <sub>4</sub> O <sub>7</sub> ) <sup>c</sup>	AM <sub>2</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 66.0$	q <sup>d</sup>	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 28.0$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 13.1$	d of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 28.0$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 168.7$	d of t	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 2.5$
[Mo(CO) <sub>5</sub> ](P <sub>4</sub> O <sub>7</sub> ) <sup>c</sup>	AM <sub>2</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 40.4$	q <sup>d</sup>	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 25.0$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 13.4$	d of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 25.0$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 168.6$	d of t	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 2.0$
[Mo(CO) <sub>5</sub> ] <sub>2</sub> (P <sub>4</sub> O <sub>7</sub> ) <sup>c</sup>	A <sub>2</sub> MX	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 35.2$	d of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AM}}) = 23.0$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{M}}) - 0.2$	t of d	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 30.5$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 166.9$	t of d	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{MX}}) = 7.5$
[W(CO) <sub>5</sub> ](P <sub>4</sub> O <sub>7</sub> ) <sup>e</sup>	AB <sub>2</sub> X	$\delta_{\text{P}^{\text{IV}}}(\delta_{\text{A}}) - 9.4$	Complex	$J_{\text{P}^{\text{III}}-\text{P}^{\text{IV}}}(J_{\text{AB}}) = 24.6^f$
		$\delta_{\text{P}^{\text{III}}}(\delta_{\text{B}}) - 12.3$	Complex	$J_{\text{P}^{\text{IV}}-\text{P}^{\text{V}}}(J_{\text{AX}}) = 27.0^f$
		$\delta_{\text{P}^{\text{V}}}(\delta_{\text{X}}) + 168.8$	Complex	$J_{\text{P}^{\text{III}}-\text{P}^{\text{V}}}(J_{\text{BX}}) = 2.5^f$

<sup>a</sup> Relative to  $\text{P}_4\text{O}_6$  using  $\text{P}_4\text{O}_7$  as an internal standard (doublet,  $-19.9$  ppm; quartet,  $+173.0$  ppm). Upfield shifts are reported as positive.

<sup>b</sup> Toluene solution at  $-16^\circ\text{C}$ . <sup>c</sup> Obtained with time-averaging computer. <sup>d</sup> Overlapping doublet of triplets to give apparent quartet. <sup>e</sup>  $J_{\text{W-P}}$  was not observed due to limited solubility of the complex and the second-order spectrum. <sup>f</sup> Obtained by use of computer simulation (see text). <sup>g</sup> Key: d = doublet, t = triplet, q = quartet.

(CO)<sub>3</sub>]<sub>n</sub>(P<sub>4</sub>O<sub>7</sub>),  $n = 1-3$ , being found in all cases; the reaction stoichiometry largely controlled the product distribution. Because of compound decomposition and the fact that the spectral resolution was insufficient to make peak integrations meaningful, formation constants were not calculated; however, qualitatively the degree of substitution on the  $\text{P}_4\text{O}_7$  cage was approximately statistical. A reaction temperature of about  $0^\circ\text{C}$  was the best compromise between reactivity and thermal decomposition.

In the iron carbonyl system, the use of the reactive intermediate generated by the reaction of  $\text{Fe}_2(\text{CO})_9$  with an ether solvent was employed.<sup>7</sup> Tetrahydrofuran was found to polymerize at high concentrations of diiron enneacarbonyl; glyme (1,2-dimethoxyethane) was found to be a satisfactory substitute. At small ratios of  $\text{Fe}_2(\text{CO})_9$  to  $\text{P}_4\text{O}_7$ , the preponderant product was  $[\text{Fe}(\text{CO})_4](\text{P}_4\text{O}_7)$ . By increasing the ratio of  $\text{Fe}_2(\text{CO})_9$  to  $\text{P}_4\text{O}_7$ , it was found that more  $[\text{Fe}(\text{C}-\text{O})_4]_2(\text{P}_4\text{O}_7)$  was formed at the expense of  $\text{P}_4\text{O}_7$  and  $[\text{Fe}(\text{CO})_4](\text{P}_4\text{O}_7)$ . Due to either reactivity or solubility limitations, the addition of a third  $\text{Fe}(\text{CO})_4$  moiety to the  $\text{P}_4\text{O}_7$  cage was not observed. (Some weak resonances were observed in the  $^{31}\text{P}$  NMR spectrum in the P-Fe region, but they could not absolutely be assigned to  $[\text{Fe}(\text{CO})_4]_3(\text{P}_4\text{O}_7)$ .) At high iron ratios of 5 to 1 or greater at  $60^\circ\text{C}$ , no phosphorus NMR resonances were observed.

The use of the reactive intermediate  $\text{M}(\text{CO})_5\text{THF}^8$  was found to be the only practical method of introducing  $\text{M}(\text{CO})_5$  units onto the  $\text{P}_4\text{O}_7$  cage. In general the reaction of the group 6B metal carbonyls with  $\text{P}_4\text{O}_7$  offered low yields.

Tensimetric titrations of  $\text{P}_4\text{O}_7$  with  $\text{BF}_3$  showed a sharp break after the second equivalence point, indicating a strong two to one complex,  $(\text{BF}_3)_2(\text{P}_4\text{O}_7)$ , being formed at  $-78^\circ\text{C}$ . The tensimetric titration indicated the possibility of a weak complex formed with the third equivalent of  $\text{BF}_3$ . With the Lewis acids  $\text{B}_2\text{H}_6$  and  $\text{BMe}_3$ , tensimetric titrations indicated no complexation with  $\text{P}_4\text{O}_7$ .

## Discussion

The addition of an exocyclic oxygen atom to the  $\text{P}_4\text{O}_6$  cage

has a distinct effect on the ability of the other phosphorus atoms in  $\text{P}_4\text{O}_7$  to behave as Lewis base sites. Tensimetric titrations of  $\text{P}_4\text{O}_7$  with  $\text{B}_2\text{H}_6$  at ambient temperature indicated no absorption, whereas  $\text{P}_4\text{O}_6$  will react with  $\text{B}_2\text{H}_6$  giving as an insoluble species  $(\text{P}_4\text{O}_6)(\text{BH}_3)_2$ .<sup>6a</sup> In contrast,  $\text{P}_4\text{O}_6$  will not form a stable complex with  $\text{BF}_3$ <sup>6a</sup> but slowly decomposes, whereas  $\text{P}_4\text{O}_7$  will accommodate up to 2 equiv of  $\text{BF}_3$  per  $\text{P}_4\text{O}_7$  cage. In the Pearson sense,<sup>9</sup>  $\text{BH}_3$  is a softer acid than  $\text{BF}_3$ , and  $\text{P}_4\text{O}_6$  is a softer base than  $\text{P}_4\text{O}_7$ . The resultant ability of  $\text{P}_4\text{O}_7$  to coordinate with the hard acid  $\text{BF}_3$  is attributed to the inductive effect of the exocyclic oxygen atom oxidizing the phosphorus<sup>III</sup> to phosphorus<sup>V</sup>, which in turn withdraws electron density from the remaining phosphorus<sup>III</sup> atoms through the  $\text{P}^{\text{V}}-\text{O}-\text{P}^{\text{III}}$  linkage. (In the remainder of the paper, the phosphorus atoms will be designated as either  $\text{P}^{\text{III}}$ ,  $\text{P}^{\text{IV}}$ , or  $\text{P}^{\text{V}}$ . Phosphorus<sup>III</sup> refers to trivalent, tricoordinate phosphorus atoms (M in Figure 1); phosphorus<sup>IV</sup> refers to the tetravalent phosphorus atoms bonded as Lewis bases to metal carbonyls or boron Lewis acids (A in Figure 1); phosphorus<sup>V</sup> refers to the unique  $\text{P}=\text{O}$  phosphorus atom in the cage (X in Figure 1). The phosphorus<sup>III</sup> resonance occurs at  $-20$  ppm (relative to  $\text{P}_4\text{O}_6$ ) in  $\text{P}_4\text{O}_7$ ;<sup>2</sup> bearing in mind the problems inherent in such chemical shift arguments, this shift is at least qualitatively in accord with reduced, less polarizable electron density at the phosphorus<sup>III</sup> site.<sup>10</sup>

When  $\text{P}_4\text{O}_7$  was monocoordinated to a metal carbonyl, the expected first-order  $^{31}\text{P}$  NMR spectral pattern was observed, i.e., an  $\text{AM}_2\text{X}$  spin system (Table I and Figure 1). The only second-order spectrum noted was that of  $[\text{W}(\text{CO})_5](\text{P}_4\text{O}_7)$ , where  $J_{\text{P}^{\text{IV}}-\text{P}^{\text{III}}}/\Delta\delta = 0.22$ , which was therefore a complex  $\text{AB}_2\text{X}$  spin system. The chemical shift, as well as the peak multiplicities, was diagnostic of the type of phosphorus atom in the cage. Upon complexation, three distinct phosphorus resonances were found: the phosphorus<sup>IV</sup> resonances occurred at low fields, the uncomplexed phosphorus<sup>III</sup> resonances at very near 0 ppm, and the phosphorus<sup>V</sup> resonances at high field ( $165-170$  ppm).

It has been previously reported<sup>4</sup> that when  $\text{P}_4\text{O}_6$  is poly-




Figure 1. Proposed structure for a metal carbonyl- $P_4O_7$  complex. The labels A, M, and X on the phosphorus atoms correspond to the NMR spin system designations in Table I.

substituted by metal carbonyls, the internal coordination chemical shift  $\delta^*$  (defined as the difference in the  $^{31}P$  NMR chemical shift of the coordinated and the uncoordinated phosphorus atoms in the cage) is inversely proportional to the number of metal carbonyl moieties coordinated to the cage. This was interpreted as indicating that progressive coordination of metal carbonyl units affected the cage in an equivalent manner and that the effect was simply additive. A similar effect was not found in  $P_4O_7$  derivatives. The only clearly established trend in the  $P_4O_7$  series is the small downfield shift of the  $P^V=O$  group upon progressive substitution on the cage.

It has previously been demonstrated by Gorenstein<sup>11</sup> that the  $^{31}P$  chemical shift for all classes of phosphate esters has a direct relationship to the O-P-O bond angle. The relationship was found to be independent of electronegativity of the pendant organic groups and of the charge of the phosphate esters, except to the extent that they affect the O-P-O bond angle. While Gorenstein made no claim for the applicability of the correlation to other classes of phosphoryl compounds, the extension of the empirical relationship to the chemical shift of the phosphorus<sup>V</sup> atom in  $P_4O_7$  is reasonable. Because of the adamantane-like structure of the cage, the O-P-O bond angle of the phosphorus<sup>V</sup> in  $P_4O_7$  should be relatively resistant to change upon coordination of the phosphorus<sup>III</sup> atoms, thus yielding a small range of chemical shifts. The phosphorus<sup>V</sup> chemical shift of  $P_4O_7$  coordinated to a single metal carbonyl unit is essentially constant (Table I), irrespective of the metal carbonyl, while di- and tricoordination decreases the shift by a maximum of 4 ppm. For phosphate esters, a change of 4 ppm corresponds to an O-P-O bond angle change of less than  $1^\circ$ .<sup>11</sup>

Interestingly, the chemical shift (Table I) of the phosphorus<sup>IV</sup> atom in  $MP_4O_7$  complexes ( $M = Fe, Ni, Cr, Mo,$  and  $W$  carbonyls) can be accurately predicted by comparison to the analogous  $MP_4O_6$  complexes by use of coordination chemical shifts (Table II). Thus the coordination chemical shift,  $\Delta\delta$  (the difference between  $\delta$  of the coordinated phosphorus atom and  $\delta$  of the free ligand), for a particular  $MP_4O_6$  complex is essentially the same as the coordination chemical

Table II. Constancy of  $^{31}P$  Coordination Chemical Shifts<sup>a</sup> of  $P_4O_6$  Metal Carbonyl Complexes

Metal CO moiety M	Coordination chemical shift	
	For $M(P_4O_6)$	For $M(P_4O_7)^b$
Ni(CO) <sub>3</sub>	-13.0 <sup>c</sup>	-13.3
Fe(CO) <sub>4</sub>	-48.5 <sup>d</sup>	-46.0
Cr(CO) <sub>5</sub>	-46.0 <sup>e</sup>	-46.0
Mo(CO) <sub>5</sub>	-20.2 <sup>e</sup>	-20.4
W(CO) <sub>5</sub>	+9.7 <sup>e</sup>	+10.6

<sup>a</sup> Coordination chemical shift = ( $\delta$  of coordinated phosphorus) - ( $\delta$  of phosphorus<sup>III</sup> in free ligand). <sup>b</sup> The  $\delta$  for the phosphorus<sup>III</sup> in the free ligand is -20.0 ppm for the phosphorus<sup>III</sup> atoms in  $P_4O_7$ . <sup>c</sup> Reference 3. <sup>d</sup> Reference 4. <sup>e</sup> Reference 5.

shift for a  $MP_4O_7$  complex (where  $\delta$  for the free ligand is for the phosphorus<sup>III</sup> atoms in  $P_4O_7$ ). This would seem to indicate that the phosphorus<sup>IV</sup> chemical shift is a direct result of metal carbonyl inductive effects in both  $P_4O_6$  and  $P_4O_7$  complexes.

In all metal carbonyl complexes of  $P_4O_6$ , the phosphorus<sup>III</sup> atoms are shifted downfield relative to  $P_4O_6$ .<sup>3-5</sup> However, the phosphorus<sup>III</sup> atoms in metal carbonyl complexes of  $P_4O_7$  are shifted upfield relative to the phosphorus<sup>III</sup> atoms in uncomplexed  $P_4O_7$  ( $\delta$  -19.9 ppm relative to  $P_4O_6$ , Table I). The upfield shift of phosphorus<sup>III</sup> upon metal coordination is unexpected, particularly since it has previously been shown that the chemical shift of the three uncoordinated phosphorus<sup>III</sup> atoms in a monosubstituted  $P_4O_6$  complex appears to be solely dependent on inductive effects through the  $P^{IV}-O-P^{III}$  linkage.<sup>5</sup> Presumably, the effect of the phosphoryl oxygen in  $P_4O_7$  complexes partially negates the inductive effects of the metal carbonyl.

An examination of the phosphorus-oxygen-phosphorus coupling constants in  $P_4O_7$  complexes reveals that, in general, the couplings increase in the order  $P^{III}-O-P^V < P^{III}-O-P^{IV} < P^{IV}-O-P^V$ . Assuming that  $^2J_{PP}$  is dominated by the Fermi contact term, its magnitude should mirror the partial charge, as related to the substituent electronegativity, of the nuclei involved. A change in the phosphorus coordination number brings about a change in the s electron density in the P-O bonds coincident with small variations in the cage bond angles, which, as noted above, need to be measured to fully interpret the NMR data.

### Experimental Section

**Materials and Methods.** All compound syntheses and manipulations were performed using standard vacuum line and inert atmosphere techniques.<sup>12</sup> Solvents were distilled from  $CaH_2$  or  $LiAlH_4$  and stored over  $CaH_2$ . Prior to use, solvents were degassed with dry  $N_2$  for at least 5 min. The metal carbonyls  $Cr(CO)_6$ ,  $Mo(CO)_6$ ,  $W(CO)_6$ , and  $Fe_2(CO)_9$  were purchased from Pressure Chemical. Before use, the hexacarbonyls were sublimed, and  $Fe_2(CO)_9$  was dried in vacuo at  $50^\circ C$  for 1 h.<sup>7</sup> The compounds  $Ni(CO)_4$  and  $BF_3$  were purchased from Matheson Gas Products and used as received. Diborane was prepared<sup>13</sup> according to literature procedures. A Varian Associates NMR spectrometer Model XL-100-15 operating at 40.55 MHz was used in conjunction with a Model 1024 time averaging computer to obtain  $^{31}P$  spectra. Upfield (more shielded) chemical shifts are reported as positive and are relative to external  $P_4O_6$  (50 vol % in  $C_6D_6$ ). Photochemical reactions were carried out using a 100-W medium-pressure Hanovia lamp in Pyrex reaction vessels.

**Preparations:  $P_4O_7$ .** The procedure used for the preparation of  $P_4O_7$  was as previously described,<sup>2</sup> except for a slight modification in the purification procedure. The purification was performed by sublimation under a high vacuum ( $10^{-5}$  Torr) into a cold finger held at  $-78^\circ C$ . The temperature of the bath surrounding the sublimator was raised slowly from ambient temperature to  $60^\circ C$  over 48 h.

$[Ni(CO)_3]_n P_4O_7$ ,  $n = 1, 2, 3$ . The reaction of  $P_4O_7$  with  $Ni(CO)_4$  was performed in a reaction vessel constructed from a test tube ended 24/40 glass joint having a total length of 12 cm. Three NMR tubes were attached via a small length of 5-mm tubing to the vessel as near to the ground joint as practical and then the tubes were bent parallel to the reaction vessel, giving the apparatus the appearance of having three "legs". The vessel was carefully dried and placed into a drybox

where, in a typical reaction, 0.346 g (1.47 mmol) of  $P_4O_7$  was transferred into the apparatus. The vessel containing the  $P_4O_7$  was sealed with a stopcock adapter, removed from the drybox, and attached to a vacuum line. Approximately 3 mL of toluene was vapor transferred into the reaction vessel. The solution (ca. 0.49 M in  $P_4O_7$ ) was frozen at  $-196^\circ\text{C}$ , and 1.0 mmol of  $Ni(CO)_4$  was condensed into the vessel. The temperature was slowly raised to  $0^\circ\text{C}$ , with concomitant CO evolution. The reaction temperature was maintained at  $0^\circ\text{C}$  for 1.5 h, and then was quenched at  $-196^\circ\text{C}$ . The vessel was reevacuated, allowed to warm to  $-78^\circ\text{C}$  to degas and again cooled to  $-196^\circ\text{C}$ , and reevacuated. The solution was warmed to  $-78^\circ\text{C}$  and was then poured into an attached NMR tube that had been precooled to  $-78^\circ\text{C}$ . Sufficient solution was poured into the cooled NMR tube to reach a depth of ca. 3 cm. The tube and bulk solution were frozen at  $-196^\circ\text{C}$ , and the NMR tube was flame sealed, removed from the reaction vessel, and stored at  $-196^\circ\text{C}$ . A  $^{31}\text{P}$  NMR spectrum showed a mixture of products, with  $[Ni(CO)_3](P_4O_7)$  dominating. The entire process was repeated with the addition of a second millimole of  $Ni(CO)_4$  with 1.5 h of reaction at  $0^\circ\text{C}$ . The second NMR tube contained as the primary component  $[Ni(CO)_3]_2(P_4O_7)$ . Upon addition of a third millimole of  $Ni(CO)_4$  and repeating the above process, the  $^{31}\text{P}$  NMR spectrum indicated that  $[Ni(CO)_3]_3(P_4O_7)$  was the major product. All  $^{31}\text{P}$  NMR spectra were recorded at  $-16^\circ\text{C}$  to prevent product decomposition with subsequent evolution of CO.

**$[Fe(CO)_4]_n(P_4O_7)$ ,  $n = 1, 2$ .** The reaction between  $Fe_2(CO)_9$  and  $P_4O_7$  was carried out in a drybox. To 50 mL of dry glyme was added 1.0 g (2.8 mmol) of  $Fe_2(CO)_9$ , and 0.7 g (2.9 mmol) of  $P_4O_7$ . The mixture was vigorously stirred magnetically for 3 h at  $40^\circ\text{C}$ . A 5-mL aliquot of the solution was removed and the solvent evaporated from it. To the remaining green residue was added 1.0 mL of dry degassed benzene. The major product, as shown by  $^{31}\text{P}$  NMR, was  $[Fe(CO)_4]_2(P_4O_7)$ . To the remaining glyme solution was added another 1.0 g of  $Fe_2(CO)_9$ , and the solution was stirred for 3 h. After being cooled, the reaction mixture was treated as above; the  $^{31}\text{P}$  spectrum showed  $[Fe(CO)_4]_2(P_4O_7)$  to be the major product.

**$[M(CO)_3](P_4O_7)$ ,  $M = Cr, Mo, W$ .** Into a 50-mL, three-necked round-bottom flask was added under inert atmosphere 20 mL of dry THF, 0.53 g (2.26 mmol) of  $P_4O_7$ , and 0.80 g (3.6 mmol) of  $Cr(CO)_6$ . The solution was stirred until dissolution of the carbonyl and was UV irradiated from the underside of the flask for 2 h. Irradiation was ceased, and the solvent was removed by vapor transfer. The flask was transferred into the drybox, and the residue was treated with 2 mL of dry benzene. The  $^{31}\text{P}$  NMR of the benzene solution showed  $[Cr(CO)_3](P_4O_7)$ . For the preparation of the molybdenum analogue, the above procedure was used with 0.30 g (1.30 mmol) of  $P_4O_7$  and 0.50 g (1.90 mmol) of  $Mo(CO)_6$  with 2.5 h of irradiation. The tungsten analogue was prepared using 1.30 mmol of  $W(CO)_6$  and

0.90 mmol of  $P_4O_7$ , with 3.5 h of irradiation. The reaction of  $Mo(CO)_6$  produced some disubstituted product  $[Mo(CO)_5]_2(P_4O_7)$ , in addition to the monosubstituted product.

**Tensimetric Titrations.** In a drybox a known quantity (typically 0.1–0.2 mmol) of  $P_4O_7$  was placed in a tensimeter.<sup>14</sup> The tensimeter was transferred to a vacuum line, and ca. 3.0 mL of dry toluene was vapor transferred onto the  $P_4O_7$ . The particular Lewis acid ( $BF_3$ ,  $BMe_3$ , and  $B_2H_6$ ) was then vapor transferred into the tensimeter in increments corresponding to ca. 1:4 mole ratio of the  $P_4O_7$  used. After each addition the solution was rapidly stirred and maintained at  $-78^\circ\text{C}$  for 1.5–2 h, to ensure equilibrium conditions, before a pressure reading was taken.

**Acknowledgment.** Support of this research by the Robert A. Welch Foundation is gratefully acknowledged. We also thank Mr. Milburn Taylor for a copy of the program NMREN-NMRIT and Mr. Chris Hodge for considerable programming assistance.

**Registry No.**  $[Ni(CO)_3](P_4O_7)$ , 64045-11-0;  $[Ni(CO)_3]_2(P_4O_7)$ , 64045-10-9;  $[Ni(CO)_3]_3(P_4O_7)$ , 64045-09-6;  $[Fe(CO)_4](P_4O_7)$ , 64045-08-5;  $[Fe(CO)_4]_2(P_4O_7)$ , 64045-07-4;  $[Cr(CO)_3](P_4O_7)$ , 64045-06-3;  $[Mo(CO)_5](P_4O_7)$ , 64045-05-2;  $[Mo(CO)_5]_2(P_4O_7)$ , 64045-04-1;  $[W(CO)_5](P_4O_7)$ , 64070-32-2;  $(BF_3)_2(P_4O_7)$ , 64056-83-3;  $Ni(CO)_4$ , 13463-39-3;  $Fe_2(CO)_9$ , 15321-51-4;  $Cr(CO)_6$ , 13007-92-6;  $Mo(CO)_6$ , 13939-06-5;  $W(CO)_6$ , 14040-11-0.

## References and Notes

- (1) Presented in part before the Inorganic Division, First Chemical Congress of the North American Continent, Mexico City, Mexico, Dec 1975.
- (2) M. L. Walker and J. L. Mills, *Synth. React. Inorg. Metal-Org. Chem.*, **5**, 29 (1975).
- (3) J. G. Riess and J. R. Van Wazer, *J. Am. Chem. Soc.*, **88**, 2166 (1966).
- (4) M. L. Walker and J. L. Mills, *Inorg. Chem.*, **14**, 2438 (1975).
- (5) M. L. Walker, J. L. Mills, *J. Organomet. Chem.*, 355 (1976).
- (6) (a) J. G. Riess and J. R. Van Wazer, *J. Am. Chem. Soc.*, **89**, 851 (1967); (b) *ibid.*, **88**, 2339 (1966); (c) G. Kodama and H. Kondo, *ibid.*, **88**, 2045 (1966).
- (7) F. A. Cotton and J. M. Troup, *J. Am. Chem. Soc.*, **96**, 3438 (1974).
- (8) W. Strohmeier, *Angew. Chem., Int. Ed. Engl.*, **3**, 11 (1964).
- (9) R. G. Pearson, *J. Am. Chem. Soc.*, **85**, 3533 (1963).
- (10) In the compounds  $P_4O_6S$  and  $P_4O_6Se$ , the phosphorus<sup>III</sup> resonances occur at  $-12.5$  and  $-11.0$  ppm, respectively, which supports the argument that the  $^{31}\text{P}$  NMR chemical shift of the phosphorus<sup>III</sup> atoms on monosubstituted  $P_4O_6$  cage compounds is dependent on the electronegativity of the exocyclic substituent. M. L. Walker, D. E. Peckenpaugh, and J. L. Mills, manuscript in preparation.
- (11) D. G. Gorenstein, *J. Am. Chem. Soc.*, **97**, 898 (1975).
- (12) D. F. Shriver, "The Manipulation of Air Sensitive Compounds", McGraw-Hill, New York, N.Y., 1969.
- (13) A. D. Norman and W. L. Jolly, *Inorg. Synth.*, **11**, 15 (1968).
- (14) J. L. Mills and L. C. Flukinger, *J. Chem. Educ.*, **50**, 636 (1973).

Contribution from the Departments of Chemistry, Sonoma State College, Rohnert Park, California 94928, and University of Washington, Seattle, Washington 98195

## Gas-Phase Ultraviolet and Visible Spectra of Sodium Tetrachloroferrate(III) and of Monomeric and Dimeric Iron(III) Chloride

D. S. RUSTAD and N. W. GREGORY\*

Received April 6, 1977

AIC70238L

Molar absorptivities in the ultraviolet and visible range for  $FeCl_3(g)$  at  $400$ – $650^\circ\text{C}$ ,  $Fe_2Cl_6(g)$  at  $200$ – $600^\circ\text{C}$ , and  $NaFeCl_4(g)$  at  $450$ – $650^\circ\text{C}$  have been evaluated; the temperature dependence of the vaporization of  $NaFeCl_4$  from a liquid phase in equilibrium with  $NaCl(s)$  has also been studied spectrophotometrically. The vapor-phase spectra of these molecules, along with  $FeAlCl_6$ , are discussed in terms of the different chlorine environments of the iron atoms and are compared with condensed-phase spectra of similar species as reported by other authors.

### Introduction

A previous spectrophotometric study<sup>1</sup> of gaseous  $Fe_2Cl_6$  and  $FeAlCl_6$  has shown these substances to have similar

\* To whom correspondence should be addressed at the University of Washington.

charge-transfer ultraviolet and visible spectra with absorption maxima at 245 and 360 nm. Molar absorptivities of  $FeAlCl_6$  are lower, by about one-third at 245 nm and by about one-half at 360 nm, than those of  $Fe_2Cl_6$ . The two molecules are expected to have similar structures (fourfold chlorine coordinated metal atoms joined by sharing two of the chlorine