

## Oxidative Addition of Group 13 and 14 Metal Halides and Alkyls to Ga(DDP) (DDP = Bulky Bisimidinate)

Andreas Kempter, Christian Gemel, and Roland A. Fischer\*

*Anorganische Chemie II - Organometallics & Materials, Ruhr-Universität Bochum, D-44780 Bochum, Germany*

Received April 17, 2008

The oxidative addition of a variety of group 13 and group 14 halides and alkyls  $R_aMX$  to the mono valent group 13 bis-imidinate Ga(DDP) (DDP = 2-((2,6-diisopropyl-phenyl)amino)-4-((2,6-diisopropylphenyl)imino)-2-pentene) is reported. Accordingly, the insertion of Ga(DDP) into the Ga-Me bond of  $GaMe_3$  yield in the complexes  $[(DDP)GaMe]GaMe_2$  (**1**) and  $[(DDP)GaMe]_2GaMe$  (**2**), respectively, which show a temperature-dependent equilibrium between **1** at higher temperatures and **2** at lower temperatures. In the case of  $GaCl_3$ , the only isolable product is  $[(DDP)GaCl]_2GaCl$  (**3**). The related reaction of  $SnMe_2Cl_2$  with Ga(DDP) yields the compound  $[Me_2Sn\{ClGa(DDP)\}_2]$  (**4**), whereas  $SnMe_4$  behaves inert. In the case of  $SiCl_4$ , only the monoinsertion product  $[Cl_3Si\{ClGa(DDP)\}]$  (**5**) was observed. Finally,  $[(CH_3)_3C\{ClGa(DDP)\}]$  (**6**) is synthesized by insertion of Ga(DDP) into the C-Cl bond of  $ClC(CH_3)_3$ . All new compounds were fully characterized by elemental analysis, NMR-spectroscopy, and single-crystal X-ray diffraction analysis.

### Introduction


The chemistry of monovalent group 13 compounds ER is a fascinating part of modern inorganic chemistry and has been explored extensively in the past 20 years.<sup>1–14</sup> Their coordination chemistry to electron-rich transition metals is very rich, especially for  $R = Cp^*$ , ranging from classical organometallic reactions such as C-H or C-C bond activation reactions,<sup>15–17</sup> to unprecedented product classes, for example, homoleptic cluster compounds of the type

$M_a(ER)_b$ .<sup>18–20</sup> Quite recently, Power, Roesky, and Hill added a new class of compounds to the series ER, that is the bulky bisimidinates E(DDP) (DDP = 2-((2,6-diisopropyl-phenyl)amino)-4-((2,6-diisopropylphenyl)imino)-2-pentene).<sup>21–23</sup> Additionally, the related borylene complex  $[B\{ArNCH\}_2]Li$  was reported by Segawa et al. in 2006.<sup>24</sup> The chemistry of these compounds has proven to be very prosperous and especially in the case of Al(DDP) a variety of coordination, oxidation and insertion reactions were studied in some detail.<sup>25–28</sup> Thus, the aluminum center in Al(DDP) has been shown to be rather Lewis acidic,

\* To whom correspondence should be addressed. E-mail: roland.fischer@ruhr-uni-bochum.de. Fax: (+49)234 321 4174.

- (1) Uhl, W. *Angew. Chem.* **1993**, *105*, 1449.
- (2) Loos, D.; Schnöckel, H. *J. Organomet. Chem.* **1993**, *463*, 37.
- (3) Dohmeier, C.; Loos, D.; Schnöckel, H. *Angew. Chem., Int. Ed.* **1996**, *35*, 129.
- (4) Haubrich, S. T.; Power, P. P. *J. Am. Chem. Soc.* **1998**, *120*, 2202.
- (5) Niemeyer, M.; Power, P. P. *Angew. Chem.* **1998**, *110*, 1291.
- (6) Murugavel, R.; Chandrasekhar, V. *Angew. Chem., Int. Ed.* **1999**, *38*, 1211.
- (7) Murugavel, R.; Chandrasekhar, V. *Angew. Chem.* **1999**, *111*, 1289.
- (8) Gemel, R. A.; Weiss, J. *Angew. Chem., Int. Ed.* **1999**, *38*, 2831.
- (9) Fischer, R. A.; Weiss, J. *Angew. Chem.* **1999**, *111*, 3002.
- (10) Twamley, B.; Power, P. P. *Angew. Chem.* **2000**, *112*, 3643.
- (11) Braunschweig, H.; Colling, M. *Coord. Chem. Rev.* **2001**, *223*, 1.
- (12) Braunschweig, H.; Colling, M. *Eur. J. Inorg. Chem.* **2003**, 393.
- (13) Hardman, N. J.; Wright, R. J.; Phillips, A. D.; Power, P. P. *J. Am. Chem. Soc.* **2003**, *125*, 2667.
- (14) Gemel, C.; Steinke, T.; Cokoja, M.; Kempter, A.; Fischer, R. A. *Eur. J. Inorg. Chem.* **2004**, 4161.
- (15) Steinke, T.; Gemel, C.; Cokoja, M.; Winter, M.; Fischer, R. A. *Angew. Chem.* **2004**, *116*, 2349.

- (16) Steinke, T.; Cokoja, M.; Gemel, C.; Kempter, A.; Krapp, A.; Frenking, G.; Zenneck, U.; Fischer, R. A. *Angew. Chem., Int. Ed.* **2005**, *44*, 2943.
- (17) Steinke, T.; Gemel, C.; Cokoja, M.; Winter, M.; Fischer, R. A. *Angew. Chem., Int. Ed.* **2004**, *43*, 2299.
- (18) Steinke, T.; Gemel, C.; Winter, M.; Fischer, R. A. *Chem.—Eur. J.* **2005**, *11*, 1636.
- (19) Steinke, T.; Gemel, C.; Winter, M.; Fischer, R. A. *Angew. Chem., Int. Ed.* **2002**, *41*, 4761.
- (20) Steinke, T.; Gemel, C.; Winter, M.; Fischer, R. A. *Angew. Chem.* **2002**, *114*, 4955.
- (21) Hardman, N. J.; Eichler, B. E.; Power, P. P. *Chem. Commun.* **2000**, 1991.
- (22) Cui, C.; Roesky, H. W.; Schmidt, H.-G.; Noltemeyer, M.; Hao, H.; Cimpoesu, F. *Angew. Chem., Int. Ed.* **2000**, *39*, 4274.
- (23) Hill, M. S.; Hitchcock, P. B. *Chem. Commun.* **2004**, 1818.
- (24) Segawa, Y.; Yamashita, M.; Nozaki, K. *Science* **2006**, *314*, 113.
- (25) Baker, R. J.; Jones, C. *Coord. Chem. Rev.* **2005**, *249*, 1857.
- (26) Roesky, H. W. *Inorg. Chem.* **2004**, *43*, 7284.
- (27) Roesky, H. W.; Kumar, S. S. *Chem. Commun.* **2005**, 4027.

**Scheme 1.** Synthesis of [(DDP)GaMe}GaMe<sub>2</sub>] (1) and [(DDP)GaMe]<sub>2</sub>GaX] (X = Me (2), Cl (3))

coordinating also weak donors such as the aromatic C–F group of a B(C<sub>6</sub>F<sub>5</sub>)<sub>3</sub> moiety.<sup>29</sup> Also, acetylene is coordinating strongly to the aluminum center leading to a metallacyclopentene structure through backbonding of Al(I) to the coordinating acetylene.<sup>30</sup> Al(DDP) is easily oxidized by a variety of reagents, P<sub>4</sub> or S<sub>8</sub> for example, leading to the dimeric aluminacycles [(DDP)Al]<sub>2</sub>P<sub>4</sub><sup>31</sup> and [(DDP)Al]<sub>2</sub>S<sub>6</sub>.<sup>32</sup> In the case of Ga(DDP), the latter reaction leads to the dimeric sulfide [(DDP)Ga]<sub>2</sub>S, whereas oxidation of Ga(DDP) by N<sub>2</sub>O leads to the structurally analogous oxide.<sup>33</sup>

Whereas the chemistry of the neutral compounds E(DDP) is mainly studied in the context of nonmetallic main group element substrates as outlined above, the anionic NHC congener [Ga{N(Ar)C(H)<sub>2</sub>}]<sup>–</sup> (Ar = 2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>) has been shown to form very stable bonds to electropositive elements such as Ca, Mg, Nd, Pb, Ge, or Sn.<sup>34–36</sup> In many cases, these compounds are prepared by salt metathesis reactions of substrates containing M–X bonds, which on reaction with [K(tmeda)][Ga{N(Ar)C(H)<sub>2</sub>}]<sup>–</sup> lead to M–Ga complexes under elimination of KX. The anionic intermediates of these reactions, that is the initial products formed by coordination or oxidative addition of M–X to the gallium heterocycle, have not been reported so far. However, the general possibility for oxidative addition of group 14 elements to gallium(I) heterocycles has been reported by Jones et al.<sup>37,38</sup>

Against this background of previous work, we became interested in the coordination behavior of Ga(DDP) to

electropositive main group element halides and alkyls. The fact that the Ga(I) center in this compound is easily oxidized suggests the use of substrates, which are intrinsically more difficult to reduce, such as Ga(III), Si(IV), or Sn(IV). In fact, the rich redox chemistry of Ga(DDP) could be an entry into M–Ga compounds also of the more electropositive main group metals, in analogy to the insertion reactions of Ga(DDP) into transition-metal halide bonds, which has been studied by us and others in more detail.<sup>39–41</sup> In this article, we present the reactions of Ga(DDP) with GaMe<sub>3</sub>, GaCl<sub>3</sub>, SiCl<sub>4</sub>, ClC(CH<sub>3</sub>)<sub>3</sub>, and Me<sub>2</sub>SnCl<sub>2</sub>. In all cases, oxidative addition of M–X to Ga(DDP) is observed, leading to a variety of new main group metal–gallium compounds.

## Results and Discussion

### Oxidative Addition of GaR<sub>3</sub> (R = CH<sub>3</sub>, Cl) to Ga(DDP).

When adding 1 equiv of GaMe<sub>3</sub> (as a 0.25 M solution in hexane) to a yellow solution of Ga(DDP) in hexane under vigorous stirring, the color of the solution turns to intense yellow. On storing, the resulting mixture at –30 °C overnight, bright-yellow crystals of [(DDP)GaMe}GaMe<sub>2</sub>] (1) can be obtained in 81% yield (Scheme 1). 1 is quite air sensitive but stable in an inert gas atmosphere for several days and can be dissolved in non polar organic solvents such as hexane or toluene.

The <sup>1</sup>H NMR spectrum of 1 in C<sub>6</sub>D<sub>6</sub> at room temperature shows the typical set of signals for a Ga(DDP) moiety with reduced (C<sub>5</sub>) symmetry, which is a result of the insertion of Ga(DDP) in one Ga–Me bond of GaMe<sub>3</sub> and is known for the insertion into transition-metal halide bonds (e.g., in [(Ph<sub>3</sub>P)AuCl] and [(COE)<sub>2</sub>RhCl]<sub>2</sub>).<sup>39,40</sup> Additionally, signals at 0.37 ppm (6H) and –0.25 ppm (3H) can be assigned to the methyl protons of the GaMe<sub>2</sub> moiety and the GaMe(DDP) ligand, respectively. The <sup>13</sup>C NMR spectrum is in good agreement with this result, showing two distinct signals for {MeGa(DDP)} (1.4 ppm) and {GaMe<sub>2</sub>} (–6.1 ppm), respectively.

Single crystals for X-ray diffraction could be obtained from a saturated solution of 1 in hexane at –30 °C. The molecular structure of 1 is shown in Figure 1 (left).

1 consists of a gallium atom, which is coordinated in a trigonal-planar geometry by two methyl and one {(DDP)-

(28) Hardman, N. J.; Phillips, A. D.; Power, P. P. *ACS Symposium Series* **2002**, 822, 2.

(29) Yang, Z.; Ma, X.; Oswald, R. B.; Roesky, H. W.; Zhu, H.; Schulzke, C.; Starke, K.; Baldus, M.; Schmidt, H.-G.; Noltemeyer, M. *Angew. Chem., Int. Ed.* **2005**, 44, 7072.

(30) Zhu, H.; Chai, J.; Fan, H.; Roesky, H. W.; He, C.; Jancik, V.; Schmidt, H.-G.; Noltemeyer, M.; Merrill, W. A.; Power, P. P. *Angew. Chem., Int. Ed.* **2005**, 44, 5090.

(31) Peng, Y.; Fan, H.; Zhu, H.; Roesky, H. W.; Magull, J.; Hughes, C. E. *Angew. Chem., Int. Ed.* **2004**, 43, 3443.

(32) Peng, Y.; Fan, H.; Jancik, V.; Roesky, H. W.; Herbst-Irmer, R. *Angew. Chem., Int. Ed.* **2004**, 43, 6190.

(33) Hardman, N. J.; Power, P. P. *Inorg. Chem.* **2001**, 40, 2474.

(34) Jones, C.; Mills, D. P.; Platts, J. A.; Rose, R. P. *Inorg. Chem.* **2006**, 45, 3146.

(35) Arnold, P. L.; Liddle, S. T.; McMaster, J.; Jones, C.; Mills, D. P. *J. Am. Chem. Soc.* **2007**, 129, 5360.


(36) Green, S. P.; Jones, C.; Lippert, K.-A.; Mills, D. P.; Stasch, A. *Inorg. Chem.* **2006**, 45, 7242.

(37) Jones, C.; Mills, D. P.; Rose, R. P. *J. Organomet. Chem.* **2006**, 691, 3060.

(38) Jin, G.; Jones, C.; Junk, P. C.; Stasch, A.; Woodul, W. D. *New J. Chem.* **2008**, 32, 835.

(39) Kempter, A.; Gemel, C.; Fischer, R. A. *Inorg. Chem.* **2005**, 44, 163.

(40) Kempter, A.; Gemel, C.; Hardman, N. J.; Fischer, R. A. *Inorg. Chem.* **2006**, 45, 3133.



**Figure 1.** Molecular structure of  $[(\text{DDP})\text{GaMe}\text{GaMe}_2]$  (**1**) (left) and  $[(\text{DDP})\text{GaMe}]_2\text{GaMe}$  (**2**) (right). Selected bond length (angstroms) and angles (degrees) for **1**: Ga1–Ga2 2.4508(18), Ga1–N1 1.981(5), Ga1–N2 2.001(6), Ga1–C30 1.981(6), Ga2–C31 1.815(7), Ga2–C32 1.990(7); N1–Ga1–N2 93.0(2), C30–Ga1–Ga2 113.8(2), C31–Ga2–Ga1 121.8(3), C32–Ga2–Ga1 121.2(2), C31–Ga2–C32 116.9(4), C30–Ga1–Ga2–C3 22.5. Selected bond length (angstroms) and angles (degrees) for **2**: Ga1–Ga2 2.5030(18), Ga1–Ga2\* 2.5062(17), Ga2–N1 2.006(8), Ga2–N2 2.005(8), Ga2\*–N1 2.048(8), Ga2\*–N2 2.037(7), Ga1–C30 2.000(9), Ga2–C31 1.981(7), Ga2\*–C3\* 1.996(7); Ga2–Ga1–Ga2\* 138.37(5), C30–Ga1–Ga2 122.5(3), C31–Ga1–Ga2\* 124.7(3), C31–Ga2–Ga1 112.2(2), C31\*–Ga2\*–Ga1 121.0(2), N1–Ga1–N2 91.7(3), N1–Ga2–N2 92.1(3), C30–Ga1–Ga2–C31 179.8(4), C31–Ga2–Ga2\*–C31\* 0.08.

GaMe} ligand, respectively. The Ga–Ga bond distance (2.4508(18) Å) is comparable to other covalent Ga–Ga interactions such as  $[\text{Cp}^*\text{Ga}(\text{GaCp}^*\text{Cl}_2)]$  (2.4245(3) Å)<sup>42</sup> or  $[(\text{CSiMe}_3)\text{GaBr}]_2$  (2.43 Å).<sup>43</sup>

Interestingly, the Ga–C bond length of the methyl groups cis to each other are quite similar with 1.981(6) Å (Ga1–C30) and 1.990(7) Å (Ga2–C32) and thus is comparable to those in  $[(\text{DDP})\text{GaMe}_2]$  (1.970(2) and 1.979(2) Å)<sup>44</sup> or  $[(\text{DDP})\text{GaMeCl}]$  (1.956(2) Å),<sup>45</sup> respectively. In contrast, the bond length of the methyl group cis to the DDP backbone is distinctly shorter (Ga2–C31: 1.815(7) Å). However, similar bond distances can be found for example in  $[(\text{Me}_3\text{Ga})_4(\text{C}_6\text{N}_4)]$  (1.837 Å;  $\text{C}_6\text{N}_4$  = hexamethylenetetramine,  $\text{N}_4$ , adamantane).<sup>46</sup>

The insertion of the Ga(DDP) moiety into the Ga–Me bond is reflected by the distorted tetrahedral geometry at the gallium center, coordinated by the DDP-backbone, the methyl, and the GaMe<sub>2</sub> moiety, respectively (angular sum Ga–N–N–Me: 319.55), with a dihedral angle between the C<sub>3</sub>N<sub>2</sub> and the GaN<sub>2</sub> arrays of 25.67°. The Ga–N bond distances are 1.981(5) Å and 2.001(6) Å, which is consistent with an electron rich gallium center. Similar Ga–N bond distances can be found for example in  $[(\text{DDP})\text{Ga}]\text{-Au}\{\text{Ga}(\text{DDP})\text{Cl}\}$  (1.936(5)–1.995(5) Å)<sup>39</sup> or  $[(\text{coe})(\eta^6\text{-benzene})\text{Rh}\{\text{DDP}\text{GaCl}\}]$  (1.974(3) Å and 2.018(3) Å).

On slow addition of GaMe<sub>3</sub> to 2 equiv of Ga(DDP) in hexane, the color changes to orange after the addition is completed. Stirring the reaction mixture for 1 h at room temperature and cooling it to –30 °C overnight leads to a mixture of bright-yellow single crystals of **1** (as proven by single-crystal X-ray diffraction analysis) and deep-orange crystals of  $[(\text{DDP})\text{GaMe}]_2\text{GaMe}$  (**2**) (Scheme 1). The overall yield of **2** is rather low (22–25%) and could only be determined by manual separation of the crystals. **2** is stable in the solid state in an inert gas atmosphere for several days without decomposition, but readily dissociates to **1** and Ga(DDP) on redissolving in all common organic solvents at room temperature, as proven by <sup>1</sup>H NMR spectroscopy. Therefore, variable-temperature <sup>1</sup>H NMR spectroscopy of a 2:1 mixture of Ga(DDP) and Me<sub>3</sub>Ga in toluene was performed (Supporting Information).

At 50 °C, only signals for free Ga(DDP) (5.18 ppm) and **1** (4.83 ppm) are observed. On cooling the solution to room temperature, new signals at 4.74, 0.42, and –0.01 ppm appear, which can be assigned to the  $\gamma$ -CH of the DDP backbone and the two distinct GaMe groups of **2**. On further cooling the solution to –40 °C, the signals for free Ga(DDP) and **1** vanish, and only the signals for **2** remain. Thus, a temperature-dependent equilibrium between **2**, **1**, and Ga(DDP) exists, which is shifted toward **2** at lower temperature (Scheme 1).

**2** crystallizes in the triclinic space group  $P\bar{1}$  with half of the molecule in the unit cell. Figure 1 (right) shows the molecular structure of **2**, which consists of a central GaMe moiety, which is coordinated by a methyl and two  $\{(\text{DDP})\text{-GaMe}\}$  moieties in a trigonal planar geometry (angular sum Ga–Ga–Ga–Me: 360.0°). The two Ga–Ga bonds of 2.5030(18) and 2.5062(17) Å are slightly longer than in **1** (2.4508(18)) but within the range of Ga–Ga distances in other trigallanes (e.g., 2.451(1) and 2.460(1) Å in  $[(\text{PETe}_3)\text{-}$

(41) Kempter, A.; Gemel, C.; Cadenbach, T.; Fischer, R. A. *Inorg. Chem.* **2007**, *46*, 9481.

(42) Jutzi, P.; Neumann, B.; Reumann, G.; Schebaum, L. O.; Stämmler, H.-G. *Organometallics* **2001**, *20*, 2854.

(43) Uhl, W.; Ei-Hamdan, A.; Geiseler, G.; Harms, K. Z. *Anorg. Allg. Chem.* **2004**, *630*, 821.

(44) Stender, M.; Eichler, B. E.; Hardman, N. J.; Power, P. P.; Prust, J.; Noltemeyer, M.; Roesky, H. W. *Inorg. Chem.* **2001**, *40*, 2794.

(45) Singh, S.; Ahn, H.-J.; Stasch, A.; Jancik, V.; Roesky, H. W.; Pal, A.; Biadene, M.; Herbst-Irmer, R.; Noltemeyer, M.; Schmidt, H.-G. *Inorg. Chem.* **2006**, *45*, 1853.

(46) Hill, J. B.; Eng, S. J.; Pennington, W. T.; Robinson, G. H. J. *Organomet. Chem.* **1993**, *445*, 11.



Table 1. Crystallographic Data for 1–6

	1	2	3	4	5	6
empirical formula	C <sub>32</sub> H <sub>50</sub> Ga <sub>2</sub> N <sub>2</sub>	C <sub>59</sub> H <sub>85</sub> Ga <sub>3</sub> N <sub>4</sub>	C <sub>58</sub> H <sub>82</sub> Cl <sub>3</sub> Ga <sub>3</sub> N <sub>4</sub>	C <sub>60</sub> H <sub>88</sub> Cl <sub>2</sub> Ga <sub>2</sub> N <sub>4</sub> Sn	C <sub>29</sub> H <sub>41</sub> Cl <sub>4</sub> GaN <sub>2</sub> Si	C <sub>33</sub> H <sub>50</sub> ClGaN <sub>2</sub>
fw	602.18	1059.47	1150.83	1197.43	657.25	579.92
temperature [K]	105(2)	113(2)	113(2)	113(2)	113(2)	113(2)
wavelength [Å]	0.71073	0.71073	0.71073	0.71073	0.71073	0.71073
cryst syst	triclinic	Triclinic	Monoclinic	monoclinic	monoclinic	monoclinic
space group	<i>P</i> $\bar{1}$	<i>P</i> $\bar{1}$	<i>P</i> <sub>2</sub> / <i>c</i>	<i>P</i> <sub>2</sub> / <i>c</i>	<i>P</i> <sub>2</sub> / <i>m</i>	<i>P</i> <sub>2</sub> / <i>c</i>
<i>a</i> (Å)	11.025(5)	8.957(5)	14.5470(14)	22.3307(10)	9.0848(5)	10.203(12)
<i>b</i> (Å)	12.214(5)	12.996(12)	20.3303(18)	12.8162(5)	20.4648(15)	26.884(8)
<i>c</i> (Å)	14.119(6)	14.388(7)	24.2913(14)	32.5680(18)	9.6349(6)	13.510(12)
$\alpha$ (deg)	65.03(4)	85.47(6)	90.00	90.00	90.00	90.00
$\beta$ (deg)	68.78(4)	80.28(5)	104.506(7)	118.894(4)	114.738(6)	120.31(6)
$\gamma$ (deg)	70.49(4)	80.24(6)	90.00	90.00	90.00	90.00
<i>V</i> (Å <sup>3</sup> )	1569.3(12)	1625(2)	6955.0(10)	8160.5(7)	1626.92(18)	3199(5)
<i>Z</i>	2	1	2	4	2	2
$\delta_{\text{calcd}}$ [g cm <sup>-3</sup> ]	1.274	1.083	1.273	1.047	1.342	1.204
$\mu$ [mm <sup>-1</sup> ]	1.738	1.269	1.311	1.058	1.232	0.966
<i>F</i> (000)	636	623	2800	2688	684	1240
2 $\theta$ range [deg]	3.05 – 27.56	3.36 – 27.56	2.71 – 27.58	2.62 – 27.59	2.66 – 27.58	3.08 – 25.10
index ranges	–14 ≤ <i>h</i> ≤ 10	–11 ≤ <i>h</i> ≤ 10	–18 ≤ <i>h</i> ≤ 18	–24 ≤ <i>h</i> ≤ 29	–10 ≤ <i>h</i> ≤ 11	–9 ≤ <i>h</i> ≤ 12
	–15 ≤ <i>k</i> ≤ 15	–16 ≤ <i>k</i> ≤ 16	–25 ≤ <i>k</i> ≤ 26	–16 ≤ <i>k</i> ≤ 24	–23 ≤ <i>k</i> ≤ 26	–30 ≤ <i>k</i> ≤ 31
	–18 ≤ <i>l</i> ≤ 16	–18 ≤ <i>l</i> ≤ 18	–24 ≤ <i>l</i> ≤ 31	–14 ≤ <i>l</i> ≤ 42	–12 ≤ <i>l</i> ≤ 11	–16 ≤ <i>l</i> ≤ 16
reflins collected	7148	7417	15 967	18 841	3867	5641
reflins unique	2275	4517	3569	6188	2754	4233
GOF on <i>F</i> <sup>2</sup>	0.751	1.016	0.478	0.721	0.983	1.163
final <i>R</i> indices [ <i>I</i> > 2 $\sigma$ ( <i>I</i> )]	<i>R</i> <sub>1</sub> = 0.0667 <i>wR</i> <sub>2</sub> = 0.0966	<i>R</i> <sub>1</sub> = 0.0637 <i>wR</i> <sub>2</sub> = 0.1635	<i>R</i> <sub>1</sub> = 0.0436 <i>wR</i> <sub>2</sub> = 0.527	<i>R</i> <sub>1</sub> = 0.0466 <i>wR</i> <sub>2</sub> = 0.1156	<i>R</i> <sub>1</sub> = 0.0451 <i>wR</i> <sub>2</sub> = 0.1214	<i>R</i> <sub>1</sub> = 0.0642 <i>wR</i> <sub>2</sub> = 0.1060
<i>R</i> indices (all data)	<i>R</i> <sub>1</sub> = 0.2123, <i>wR</i> <sub>2</sub> = 0.1300	<i>R</i> <sub>1</sub> = 0.0996, <i>wR</i> <sub>2</sub> = 0.1754	<i>R</i> <sub>1</sub> = 0.02155, <i>wR</i> <sub>2</sub> = 0.678	<i>R</i> <sub>1</sub> = 0.1276, <i>wR</i> <sub>2</sub> = 0.1254	<i>R</i> <sub>1</sub> = 0.0662, <i>wR</i> <sub>2</sub> = 0.1377	<i>R</i> <sub>1</sub> = 0.0868, <i>wR</i> <sub>2</sub> = 0.1120

GaI<sub>2</sub>Ga(I)(PEt<sub>3</sub>),<sup>47</sup> 2.4071(9) Å in [GaH<sub>2</sub>(Ga{NC(R)C(H)}<sub>2</sub>)<sub>2</sub>][K(tmeda)]<sup>48</sup> or 2.5267(7) and 2.879(1) in [(<sup>t</sup>Bu<sub>3</sub>Si)<sub>4</sub>Ga<sub>3</sub>]<sup>49</sup>). The gallium atoms and the methyl groups are coplanar (torsion angles 0.20° and 0.24°) and coordinated trans to each other, giving a Y-shaped arrangement (Ga–Ga–Ga angle: 138.37°).

The DDP backbones are both orientated perpendicular toward the GaMe plane. Obviously due to steric interactions, only one (DDP)Ga ring is planar (Ga1), whereas in the second one the GaN<sub>2</sub> and C<sub>3</sub>N<sub>2</sub> planes adopt an angle of 35.7°. This tilting is within the range of other sterically crowded Ga(DDP) complexes, for example [(DDP)Ga]Au{Ga(DDP)Cl}] (22.4°)<sup>39</sup> or [(COE)( $\eta^6$ -benzene)Rh{(DDP)-GaCl}] (29.8°). The Ga–N bond distances in **2** (2.005(8) Å to 2.048(8) Å) are slightly longer than those in **1** (1.981(5) Å and 2.001(6) Å).

By using GaCl<sub>3</sub> instead of GaMe<sub>3</sub>, the only isolable product is [(DDP)GaCl]<sub>2</sub>GaCl (**3**), independent of the reaction conditions or the ratio of the reactants used (Scheme 1). **3** is soluble in common organic solvents and can be stored without decomposition in an inert gas atmosphere for several weeks. The <sup>1</sup>H NMR spectrum of **3** in C<sub>6</sub>D<sub>6</sub> at room temperature does not show the expected splitting of the DDP-proton signals for a C<sub>s</sub> symmetric DDP-ligand; instead only one septet signal at 3.43 ppm as well as two doublet signals at 1.42 and 1.10 ppm can be observed, indicating a fast exchange of the chlorine atoms in solution. Additionally, the <sup>13</sup>C NMR spectrum is in good agreement with this result.

Crystals suitable for single-crystal X-ray analysis could be grown from a saturated solution of **3** in hexane at –30 °C overnight. The molecular structure is similar to that of **2** with chlorine atoms instead of methyl groups coordinating the gallium centers. A mercury plot as well as a table with selected bond lengths and angles can be found in the Supporting Information. The Ga–Ga bond distances of 2.4376(7) Å and 2.4436(8) Å are shorter than those in **2**, but still in the range of Ga<sub>3</sub> chains known in literature (vide supra). The distinctly shorter Ga–N bond distances of **3** (1.929(4) to 1.948(4) Å) as compared to **2** (2.005(8) Å to 2.048(8) Å) are explained by the substantial polarization and thus enhanced electrophilicity of the gallium centers caused by the chloride ligands.


On reaction of AlMe<sub>3</sub> with Ga(DDP) in toluene, no oxidative addition reaction can be observed. Instead, single crystals of pure ligand can be isolated when cooling the reaction mixture. However, the <sup>1</sup>H NMR spectrum of the reaction mixture shows a clear shift of the resonances for free Ga(DDP), indicating the formation of a donor–acceptor bond between Ga(DDP) and AlMe<sub>3</sub>. However, all attempts to grow single crystals of this adduct failed.

**Oxidative Addition of Group 14 halides R<sub>3</sub>ECl (E = C, Si, Sn) to Ga(DDP).** Ga(DDP) readily reacts with [SnMe<sub>2</sub>Cl<sub>2</sub>] in hexane at room temperature, giving [Me<sub>2</sub>Sn{ClGa(DDP)}<sub>2</sub>] (**4**) as colorless crystals after crystallization from hexane at –30° (Scheme 2). **4** readily dissolves in all common organic solvents such as hexane or THF and can be stored in an inert gas atmosphere for several days, whereas immediate decomposition occurs upon contact with air. The reaction of less than 2 equiv Ga(DDP) with [SnMe<sub>2</sub>Cl<sub>2</sub>] only reduces the yield of **4** and does not lead to different products. Interestingly, only the insertion into the Sn–Cl bonds of

(47) Schnepf, A.; Doriat, C.; Moellhausen, E.; Schnoekel, H. *Chem. Commun.* **1997**, 2111.

(48) Baker, R. J.; Jones, C.; Kloth, M.; Platts, J. A. *Angew. Chem., Int. Ed.* **2003**, *42*, 2660.

(49) Wiberg, N.; Blank, T.; Amelunxen, K.; Noth, H.; Knizek, J.; Habereeder, T.; Kaim, W.; Wanner, M. *Eur. J. Inorg. Chem.* **2001**, 1719.


Scheme 2. Synthesis of  $[\text{Me}_2\text{Sn}\{\text{ClGa}(\text{DDP})\}_2]$  (**4**)

$\text{SnMe}_2\text{Cl}_2$  occurs, probably because of kinetic reasons. It should be noted, that  $\text{SnMe}_4$  behaves inert against  $\text{Ga}(\text{DDP})$  and no reaction is observed as indicated by  $^{119}\text{Sn}$  NMR spectroscopy.


The  $^1\text{H}$  NMR spectrum of **4** at room temperature shows signals for a  $\text{Ga}(\text{DDP})$  ligand with  $C_s$  symmetry. The signal for the protons of the  $\text{SnMe}_2$  moiety can be found at  $-0.76$  ppm, showing the expected  $^{119}\text{Sn}$  satellites with a coupling constant of 21.7 Hz. The  $^{119}\text{Sn}$ -NMR spectrum shows a resonance at 1189 ppm relative to  $\text{SnMe}_4$ . This large downfield-shift compared to the resonances for the  $\text{Sn}-\text{Ga}$  complexes  $[\text{K}(\text{tmeda})][\text{Sn}\{\text{CH}(\text{SiMe}_3)_2\text{Ga}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2\}]^-$  ( $\delta = -97.9$  ppm) and  $[\text{K}(\text{tmeda})][(\text{Ar}')_2\text{SnGa}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2]^-$  ( $\text{Ar}' = \text{C}_6\text{H}_2\text{Pr}^i_{3-2,4,6}$ ;  $\delta = -306.7$  ppm) is not surprising considering the anionic nature of the latter complexes, which can be compared to trialkyl stannate anions (e.g.,  $\text{LiSnMe}_3$ ;  $\delta = -189$  ppm).<sup>50</sup> Comparable shifts to **4** are reported for the neutral complexes  $[(\text{Giso})\text{SnGa}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2]$  ( $\delta = 455$  ppm;  $\text{Giso} = [\text{Pr}^i_2\text{NC}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2]^-$ ) or the related NHC complex  $[(\text{NHC})\text{Sn}(\text{Ar}')_2]$  ( $\delta = 710$  ppm).<sup>51</sup>

**4** crystallizes in the monoclinic space group  $P2_1/c$ . The molecular structure is depicted in Figure 2 and consists of a central  $\text{SnMe}_2$  moiety in a distorted tetrahedral coordination environment surrounded by two  $\{\text{ClGa}(\text{DDP})\}$  and two methyl groups. The  $\text{Sn}-\text{Ga}$  bond distances are almost identical with 2.6236(7) Å and 2.6328(7) Å, which are significantly shorter than the reported  $\text{Sn}-\text{Ga}$  bond distances in the anionic complexes  $[\text{R}_2\text{SnGa}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2]^-$  (2.7186(6) Å) and  $[\text{R}\text{Sn}\{\text{Ga}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2\}]_2$  (2.6361(5) Å and 2.6610(5) Å) ( $\text{R} = \text{CH}(\text{SiMe}_3)_2$ ).<sup>36</sup> Also, the neutral complex  $[(\text{Giso})\text{SnGa}\{[\text{N}(\text{Ar})\text{C}(\text{H})_2]\}_2]$  exhibits longer bond distances (2.6888(6) Å). The distorted tetrahedral coordination environment at the tin center is reflected in a comparably large  $\text{Ga}-\text{Sn}-\text{Ga}$  bond angle of  $127^\circ$  and a rather small angle of  $103^\circ$  for the  $\text{Me}-\text{Sn}-\text{Me}$  arrangement. The gallium centers of the  $\text{Ga}(\text{DDP})$  ligands are also tetrahedrally coordinated by the nitrogen atoms of the DDP backbone, the tin and the chlorine atoms, leading to dihedral angles between the  $\text{C}_3\text{N}_2$  and the  $\text{GaN}_2$  arrays of  $35.87^\circ$  ( $\text{Ga1}$ ) and  $23.34^\circ$  ( $\text{Ga2}$ ), respectively. The  $\text{Ga}-\text{Cl}$  bond distances (av. 2.247 Å) are similar to those in  $[(\text{DDP})\text{GaCl}_2]$  (2.228(1) Å and 2.218(1) Å)<sup>44</sup> but slightly shorter than in  $[(\text{COE})(\eta^6\text{-benzene})\text{-Rh}\{(\text{DDP})\text{GaCl}\}]$  (2.321(2) Å).<sup>40</sup>


Upon mixing  $\text{Ga}(\text{DDP})$  with  $\text{SiCl}_4$  in a ratio of 1:1 in hexane or toluene (Scheme 3), a colorless precipitate is formed. On recrystallization, colorless crystals of  $[\text{Cl}_3\text{Si}-$



**Figure 2.** Molecular structure of  $[\text{Me}_2\text{Sn}\{\text{ClGa}(\text{DDP})\}_2]$  (**4**). Selected bond lengths (angstroms) and angles (degrees):  $\text{Sn}-\text{C60}$  2.175(5),  $\text{Sn}-\text{C61}$  2.178(5),  $\text{Sn}-\text{Ga1}$  2.6236(7),  $\text{Sn}-\text{Ga2}$  2.6328(7),  $\text{Ga1}-\text{Cl1}$  2.2471(15),  $\text{Ga2}-\text{Cl2}$  2.2470(15),  $\text{Ga1}-\text{N11}$  1.977(4),  $\text{Ga1}-\text{N12}$  1.969(4),  $\text{Ga2}-\text{N21}$  1.979(4),  $\text{Ga2}-\text{N2}$  1.962(4),  $\text{C60}-\text{Sn}-\text{C61}$  103.4(2),  $\text{Ga1}-\text{Sn}-\text{Ga2}$  21.27(2),  $\text{N11}-\text{Ga1}-\text{N12}$  94.14(18),  $\text{N21}-\text{Ga2}-\text{N22}$  94.78(18),  $\text{Sn}-\text{Ga1}-\text{Cl1}$  15.77(4),  $\text{Sn}-\text{Ga2}-\text{Cl2}$  116.72(4).



**Figure 3.** Molecular structure of  $[\text{Cl}_3\text{Si}\{\text{ClGa}(\text{DDP})\}]$  (**5**). Selected bond lengths (angstroms) and angles (degrees):  $\text{Ga}-\text{Si}$  2.3860(13),  $\text{Si}-\text{Cl2}$  1.999(2),  $\text{Si}-\text{Cl3}$  2.0135(15),  $\text{Ga}-\text{N1}$  1.917(2),  $\text{Ga}-\text{Cl1}$  2.1980(11);  $\text{N1}-\text{Ga}-\text{N1}$  98.46(14),  $\text{Cl1}-\text{Ga}-\text{Si}$  103.71(5),  $\text{Cl2}-\text{Si}-\text{Cl3}$  105.75(8),  $\text{Cl3}-\text{Si}-\text{Cl3}$  105.04(16),  $\text{Cl2}-\text{Si}-\text{Ga}$  121.80(8).

Scheme 3. Synthesis of  $[\text{Cl}_3\text{Si}\{\text{ClGa}(\text{DDP})\}]$  (**5**)

$\{\text{ClGa}(\text{DDP})\}$  (**5**) are obtained in high yields. It should be noted that the 1:1 reaction product **5** is formed also in the presence of excess of  $\text{Ga}(\text{DDP})$ . **5** is soluble in several organic solvents (hexane, toluene, benzene) and stable at room temperature in an inert gas atmosphere for several weeks without decomposition (Figure 3).

(50) Reimann, W.; Kuivila, H. G.; Farah, D.; Apoussidis, T. *Organometallics* **1987**, 6, 557.

(51) Schaefer, A.; Weidenbruch, M.; Saak, W.; Pohl, S. *J. Chem. Soc., Chem. Commun.* **1995**, 1157.





mL, 0.2489 M) in hexane was slowly added. The reaction mixture turned to deep yellow and was stirred for an additional 1 h at room temperature. The solvent was reduced to ca. 2 mL and stored at  $-30\text{ }^{\circ}\text{C}$  overnight to give deep-yellow crystals of **1** in 200 mg yield (81%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ ,  $25\text{ }^{\circ}\text{C}$ ):  $\delta$  7.15–6.95 (m, 6H), 4.78 (s, 1H,  $\gamma$ -CH), 3.52 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 3.04 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 1.52 (s, 6H,  $\text{CH}_3$ ), 1.35 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.13 (d, 12H,  $\text{CH}(\text{Me})_2$ ), 1.08 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 0.37 (br, 6H,  $\text{GaMe}_2$ ),  $-0.25$  (s, 3H,  $\text{GaMe}$ ).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ ,  $25\text{ }^{\circ}\text{C}$ ):  $\delta$  168.0 (CN), 143.7 (CMe), 143.6 (Ar), 142.2 (Ar), 126.6 (Ar), 124.3 (Ar), 124.2 (Ar), 96.2 ( $\gamma$ -C), 28.6 ( $\text{CHMe}_2$ ), 25.7 ( $\text{CHMe}_2$ ), 24.8 (CMe), 24.6 (CMe), 23.9 ( $\text{CHMe}_2$ ), 23.2 ( $\text{CHMe}_2$ ), 1.4 ( $\text{GaMe}$ ),  $-6.1$  ( $\text{GaMe}_2$ ). Elemental Anal. Calcd (found) for  $\text{C}_{32}\text{H}_{50}\text{Ga}_2\text{N}_2$ : C, 63.82 (63.89); H, 8.37 (8.41); N, 4.65 (5.08).

**[(DDP)GaMe<sub>2</sub>GaMe] (2)**. Ga(DDP) (0.031 mmol, 150 mg) was dissolved in 5 mL of hexane at room temperature. On slow addition of 0.49 mL of a 0.2489 M solution of  $\text{GaMe}_3$  in hexane, the color of the solution turns to intense yellow (after the addition of  $1/2$  equiv of  $\text{GaMe}_3$ ) and changes to orange after the addition was completed. After stirring the reaction mixture for 1 h at room temperature and cooling it to  $-30\text{ }^{\circ}\text{C}$  overnight, a mixture of bright-yellow and deep-orange crystals were obtained. Separating the orange crystals of **2** manually gave a yield of 29 mg (25%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ ,  $-40\text{ }^{\circ}\text{C}$ ):  $\delta$  7.15–6.95 (br, m, 12H), 4.64 (s, 2H,  $\gamma$ -CH), 3.35 (br, sept, 8H,  $\text{CH}(\text{Me})_2$ ), 1.41 (br, s, 12H,  $\text{CH}_3$ ), 1.09 (br, d, 48H,  $\text{CH}(\text{Me})_2$ ), 0.63 (br, 6H, (DDP)GaMe), 0.03 (br, s, 3H,  $\text{GaMe}$ ).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ ,  $-40\text{ }^{\circ}\text{C}$ ):  $\delta$  169.7 (CN), 146.7 (CMe), 146.4 (CMe), 145.5 (CMe), 145.2 (CMe), 140.1 (Ar), 128.9 (Ar), 126.9 (Ar), 126.7 (Ar), 126.2 (Ar), 98.8 ( $\gamma$ -C), 37.6 ( $\text{CHMe}_2$ ), 35.0 ( $\text{CHMe}_2$ ), 31.3 ( $\text{CHMe}_2$ ), 31.2 ( $\text{CHMe}_2$ ), 30.7 ( $\text{CHMe}_2$ ), 29.8 ( $\text{CHMe}_2$ ), 28.2 ( $\text{CHMe}_2$ ), 27.4 ( $\text{CHMe}_2$ ), 27.1 ( $\text{CHMe}_2$ ), 26.4 ( $\text{CHMe}_2$ ), 26.2 ( $\text{CHMe}_2$ ), 26.1 ( $\text{CHMe}_2$ ), 17.4 (CMe), 14.6 (CMe), 4.1 ( $\text{GaMe}$ ), 0.86 ( $\text{GaMe}$ ). Elemental Anal. Calcd (found) for  $\text{C}_{61}\text{H}_{91}\text{Ga}_3\text{N}_4$ : C, 67.24 (67.24); H, 8.42 (8.37); N, 5.17 (5.41).

**[(DDP)GaCl<sub>2</sub>GaCl] (3)**. Ga(DDP) (0.0205 mmol, 100 mg) and 18 mg  $\text{GaCl}_3$  (0.01 mmol) were dissolved in 5 mL of hexane at room temperature. After stirring the solution for 15 min, the solvent was concentrated and stored at  $-30\text{ }^{\circ}\text{C}$  overnight to yield pale-yellow/colorless crystals of **3**. Yield: 71 mg (60%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ ):  $\delta$  7.15–7.07 (br, m, 24H), 4.74 (s, 2H,  $\gamma$ -CH), 3.43 (sept, 8H,  $\text{CH}(\text{Me})_2$ ), 1.49 (s, 12H,  $\text{CH}_3$ ), 1.42 (d, 24H,  $\text{CH}(\text{Me})_2$ ), 1.10 (d, 24H,  $\text{CH}(\text{Me})_2$ ).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ ):  $\delta$  174.1 (CN), 144.4 (Ar), 141.2 (Ar), 127.5 (Ar), 99.6 ( $\gamma$ -C), 31.5 ( $\text{CHMe}_2$ ), 28.1 ( $\text{CHMe}_2$ ), 27.4 ( $\text{CHMe}_2$ ), 26.4 (CMe). Elemental Anal. Calcd (found) for  $\text{C}_{58}\text{H}_{82}\text{Cl}_3\text{Ga}_3\text{N}_4$ : C, 60.53 (60.56); H, 7.18 (6.89); N, 4.87 (5.41).

**[Me<sub>2</sub>Sn{ClGa(DDP)}<sub>2</sub>] (4)**.  $[\text{SnMe}_2\text{Cl}_2]$  (0.205 mmol, 45 mg) and 200 mg Ga(DDP) (0.41 mmol) were dissolved in toluene at room temperature. The color of the former yellow solution turns slightly orange after several minutes. Concentrating and cooling

the solution to  $-30\text{ }^{\circ}\text{C}$  overnight gave **4** as colorless crystals. Yield: 125 mg (86%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  7.20 – 6.96 (6H), 4.96 (s, 1H,  $\gamma$ -CH), 3.84 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 3.10 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 1.48 (s, 6H,  $\text{CH}_3$ ), 1.31 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.24 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.21 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 0.93 (d, 6H,  $\text{CH}(\text{Me})_2$ ),  $-0.76$  ( $\text{SnMe}$   $J = 21.7$  Hz).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  169.0, 146.5, 142.3, 125.5, 123.4, 99.3, 29.5, 28.7, 28.1, 24.8, 24.2, 24.1, 24.0,  $-12.4$ . Elemental Anal. Calcd (found) for  $\text{C}_{60}\text{H}_{88}\text{Cl}_2\text{Ga}_2\text{N}_4\text{Sn}$ : C, 60.33 (60.35); H, 7.43 (7.80); N, 4.69 (4.54).

**[Cl<sub>3</sub>Si{ClGa(DDP)}] (5)**. Ga(DDP) (0.41 mmol, 200 mg) were dissolved in 5 mL hexane, and an excess of  $\text{SiCl}_4$  (1 mL) was added via a syringe to the solution. Heating the solution to reflux and stirring for 10 min at room temperature afforded a colorless precipitate. All volatiles were removed in vacuo, the colorless precipitate redissolved in 3 mL hexane, and again heated to reflux and slowly cooled to room temperature to give colorless crystals. Yield: 130 mg (48%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  7.16–7.04 (6H), 4.88 (s, 1H,  $\gamma$ -CH), 3.74 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 3.18 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 1.54 (s, 6H,  $\text{CH}_3$ ), 1.51 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.38 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.18 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 0.99 (d, 6H,  $\text{CH}(\text{Me})_2$ ).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  170.9, 145.9, 142.6, 140.2, 126.7, 124.1, 123.6, 98.5, 29.9, 28.2, 26.6, 24.9, 24.5, 23.8, 23.5. Elemental Anal. Calcd (found) for  $\text{C}_{29}\text{H}_{41}\text{Cl}_4\text{GaN}_2\text{Si}$ : C, 52.99 (53.75); H, 6.29 (5.89); N, 4.26 (4.00).

**[(DDP)Ga(Bu)(Cl)] (6)**. Ga(DDP) (220 mg, 0.45 mmol) was dissolved in hexane (10 mL) at room temperature. Excess  $\text{tBuCl}$  (1 mL, 1.5 mmol) was added via a syringe. The reaction mixture was heated to  $60\text{ }^{\circ}\text{C}$  and stirred for 20 min. All volatiles were removed in vacuo and the crude product recrystallized from hexane ( $-30\text{ }^{\circ}\text{C}$ , overnight). Yield 195 mg (89%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  7.15 – 7.01 (6H), 4.97 (s, 1H,  $\gamma$ -CH), 3.92 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 3.30 (sept, 2H,  $\text{CH}(\text{Me})_2$ ), 1.61 (s, 6H,  $\text{CH}_3$ ), 1.50 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.31 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.17 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 1.00 (d, 6H,  $\text{CH}(\text{Me})_2$ ), 0.84 (s, 9H,  $\text{tBu}$ ).  $^{13}\text{C}$  NMR ( $\text{C}_6\text{D}_6$ , RT):  $\delta$  169.7, 145.9, 142.6, 142.5, 125.6, 123.6, 98.3, 30.8, 29.6, 28.0, 25.7, 25.0, 24.9, 23.7, 23.4. Elemental Anal. Calcd (found) for  $\text{C}_{33}\text{H}_{50}\text{ClGaN}_2$ : C, 68.34 (67.86); H, 8.69 (8.83); N, 4.83 (5.56).

**Acknowledgment.** This work was supported by the Fonds der Chemischen Industrie, Germany. A.K. is grateful for a Ph.D. fellowship granted by the Fonds.

**Supporting Information Available:** Crystallographic data files of the **1–6** in CIF format, temperature-depending NMR spectra of **1** and **2**, mercury plot and table with selected bond length and angles of **3**. This material is available free of charge via the Internet at <http://pubs.acs.org>.

IC800690Z