DOI: 10.1021/ic1004616



Activation of a PARACEST Agent for MRI through Selective Outersphere **Interactions with Phosphate Diesters**

Ching-Hui Huang, † Jacob Hammell, † S. James Ratnakar, † A. Dean Sherry, **, and Janet R. Morrow*, †

[†]Department of Chemistry, University at Buffalo, State University of New York, Buffalo, New York 14260, *Advanced Imaging Research Center, University of Texas Southwestern Medical Center, 2201 Inwood Road, Dallas, Texas 75390-8568, and Department of Chemistry, University of Texas, Dallas, P.O. Box 830688, Richardon, Texas 75083-0688

Received March 9, 2010

 $Ln(S-THP)^{3+}$ complexes are paramagnetic chemical exchange saturation transfer (PARACEST) agents for magnetic resonance imaging (MRI; **S-THP** = (1S,4S,7S,10S)-1,4,7,10-tetrakis(2-hydroxypropyl)-1,4,7,10-tetraazacyclododecane, Ln(III) = Ce(III), Eu(III), Yb(III)). CEST spectra at 11.7 T show that the PARACEST effect of these complexes is enhanced at neutral pH in buffered solutions containing 100 mM NaCl upon the addition of 1-2 equiv of diethylphosphate (DEP). CEST images of phantoms at 4.7 T confirm that DEP enhances the properties of Yb (S-THP)³⁺ as a PARACEST MRI agent in buffered solutions at neutral pH and 100 mM NaCl. Studies using ¹H NMR, direct excitation Eu(III) luminescence spectroscopy, and UV-visible spectroscopy show that **DEP** is an outersphere ligand. Dissociation constants for [Ln(S-THP)(OH₂)](DEP) are 1.9 mM and 2.8 mM for Ln(III) = Yb(III) at pH 7.0 and Eu(III) at pH 7.4. Related ligands including phosphorothioic acid, O,O-diethylester, ethyl methylphosphonate, O-(4-nitrophenylphosphoryl)choline, and cyclic 3,5-adenosine monophosphate do not activate PARACEST. BNPP (bis(4-nitrophenyl phosphate) activates PARACEST of Ln(S-THP)³⁺ (Ln(III) = Eu(III), Yb(III)), albeit less effectively than does **DEP**. These data show that binding through second coordination sphere interactions is selective for phosphate diesters with two terminal oxygens and two identical ester groups. A crystal structure of [Eu-(S-THP)(OH₂)]((O₂NPhO)₂PO₂)₂(CF₃SO₃)·2H₂O·*I*PrOH has two outersphere **BNPP** anions that form hydrogen bonds to the alcohol groups of the macrocycle and the bound water ligand. This structure supports ¹H NMR spectroscopy studies showing that outersphere interactions of the phosphate diester with the alcohol protons modulate the rate of alcohol proton exchange to influence the PARACEST properties of the complex. Further, DEP interacts only with the nonionized form of the complex, Ln(S-THP)(OH₂)³⁺ contributing to the pH dependence of the PARACEST effect.

Introduction

The development of Ln(III) magnetic resonance imaging (MRI) contrast agents that report on their environment through molecular interactions is an active area of research. 1-3 Ln(III) MRI agents have been designed for sensing pH,⁴

*To whom correspondence should be addressed. Fax: (1)716-645-6963. E-mail: Jmorrow@buffalo.edu.

metabolite concentrations, 5-7 metal ions, 8-10 proteins, 11 or enzymes. 12,13 Both innersphere and outersphere interactions induce changes in the properties of MRI contrast agents. For the well-known Gd(III) MRI contrast agents, contrast properties are modulated through a change in the number of exchangeable water ligands in the inner coordination sphere³ or through a change in rotational correlation time and associated relaxivity induced by binding to a macromolecule. ¹⁴ To a lesser extent, outersphere anions or cations may serve to modulate the water structure around the Gd(III) cation with

Yoo, B.; Pagel, M. D. Front. Biosci. 2008, 13, 1733.
 Sherry, A. D.; Woods, M. Annu. Rev. Biomed. Eng. 2008, 10, 391.
 Major, J. L.; Meade, T. J. Acc. Chem. Res. 2009, 42, 893.
 Aime, S.; Barge, A.; Castelli, D. D.; Fedeli, F.; Mortillaro, A.; Nielsen, F. U.; Terreno, E. Magn. Reson. Med. 2002, 47, 639.

⁽⁵⁾ Ren, J.; Trokowski, R.; Zhang, S.; Malloy, C. R.; Sherry, A. D. Magn. Reson. Med. 2008, 60, 1047.

⁽⁶⁾ van Zijl, P. C. M.; Jones, C. K.; Ren, J.; Malloy, C. R.; Sherry, A. D. Proc. Natl. Acad. Sci. U. S. A. **2007**, 104, 4359. (7) Woods, M.; Zhang, S.; Von Howard, E.; Sherry, A. D. Chem.—Eur. J.

^{2003, 9, 4634.}

⁽⁸⁾ Major, J. L.; Parigi, G.; Luchinat, C.; Meade, T. J. Proc. Natl. Acad. Sci. U. S. A. 2007, 104, 13881.

⁽⁹⁾ Que, E. L.; Chang, C. J. J. Am. Chem. Soc. 2006, 128, 15942.

⁽¹⁰⁾ Zhang, X.-a.; Lovejoy, K. S.; Jasanoff, A.; Lippard, S. J. Proc. Natl. Acad. Sci. U. S. A. 2007, 104, 10780.

⁽¹¹⁾ Ali, M. M.; Woods, M.; Suh, E. H.; Kovacs, Z.; Tircso, G.; Zhao, P.; Kodibagkar, V. D.; Sherry, A. D. J. Biol. Inorg. Chem. 2007, 12, 855. (12) Yoo, B.; Raam, M. S.; Rosenblum, R. M.; Pagel, M. D. Contrast

Media Mol. Imaging 2007, 2, 189.

⁽¹³⁾ Chauvin, T.; Durand, P.; Bernier, M.; Meudal, H.; Doan, B.-T.; Noury, F.; Badet, B.; Beloeil, J.-C.; Toth, E. Angew. Chem., Int. Ed. 2008, 47,

⁽¹⁴⁾ Caravan, P. Acc. Chem. Res. 2009, 42, 851.

the net effect of influencing water ligand exchange, an important property for this class of MRI contrast agent. ^{15–18}

A relatively new class of contrast agents known as paramagnetic chemical exchange saturation transfer (PARA-CEST) agents shows promise for development as responsive MRI agents. ¹⁹ PARACEST agents are paramagnetic Ln(III) complexes that have mobile protons in chemical exchange with bulk water. Application of a presaturation pulse at the resonance frequency of the mobile protons leads to a reduction of the bulk water proton resonance through exchange of the saturated lanthanide complex protons with bulk water. Efforts have been made to develop PARACEST agents that respond to both outer- and innersphere ligands. Macrocyclic Ln(III) complexes have been functionalized to bind Zn(II) or neutral small molecules such as glucose in remote binding pockets. ^{22,23} The PARACEST spectrum of these complexes changes due to outersphere water-mediated interactions that influence the mobile protons of the water ligand. Metabolites that act as innersphere ligands also modulate the PARACEST effect of Ln(III) complexes, generally by changing the chemical shift of the mobile proton resonance that gives rise to the PARACEST effect. 24,25 A variation of this theme is found in the PARACEST agents that are activated by enzymatic cleavage of pendent groups to create a new innersphere donor group with exchangeable protons. 12,13

Ln(S-THP)³⁺ complexes (Ln = Ce(III), Eu(III), Yb(III)) act as responsive PARACEST agents for magnetic resonance imaging (Chart 1) through exchange of the alcohol protons of the macrocyclic complex.^{24,26,27} Changes in PARACEST properties of these complexes are affected by both outersphere and innersphere ligand interactions.²⁴ Notably, the PARACEST properties of these complexes are not optimal under physiological conditions of neutral pH but are highly pH-dependent over the pH range of 3–7. Optimal conditions for chemical exchange saturation transfer (CEST) of the alcohol protons are observed at pH 3 for Yb(S-THP)³⁺, pH 5 for Eu(S-THP)³⁺, and pH 6 for Ce(S-THP)³⁺.²⁶ We previously showed that addition of diethylphosphate (DEP) modulates the PARACEST effect for Eu(S-THP)³⁺ at near

(16) Yerly, F.; Borel, A.; Helm, L.; Merbach, A. E. *Chem.—Eur. J.* **2003**, 9, 5468.

(18) Barge, A.; Botta, M.; Parker, D.; Puschmann, H. Chem. Commun. 2003, 1386.

(21) Aime, S.; Castelli, D. D.; Geninatti Crich, S.; Gianolio, E.; Terreno,

(23) Trokowski, R.; Zhang, S.; Sherry, A. D. Bioconjugate Chem. 2004, 15, 1431.

- (24) Huang, C.-H.; Morrow, J. R. J. Am. Chem. Soc. **2009**, 131, 4206.
- (25) Aime, S.; Castelli, D. D.; Fedeli, F.; Terreno, E. *J. Am. Chem. Soc.* **2002**, *124*, 9364.

(26) Huang, C.-H.; Morrow, J. R. *Inorg. Chem.* **2009**, *48*, 7237.

Chart 1

neutral pH through an outersphere interaction. In the present work, we seek to understand the mechanism for modulation of the PARACEST effect as well as to study the selectivity and strength of the interaction.

Characterization of outersphere complexes in solution is difficult because there are few spectroscopic methods for monitoring these indirect interactions. One promising method is high energy X-ray scattering of aqueous solutions of lanthanide(III) complexes.²⁸ In these studies, both innersphere and outersphere ligands are indentified. More commonly, NMR spectroscopy methods are used. For example, outersphere interactions have been monitored for Ln(III) complexes by using hyperfine shifted ¹³C NMR ligand resonances.²⁹ Here, we show that direct excitation lanthanide luminescence spectroscopy in conjunction with ¹H NMR spectroscopy enables us to determine the binding strength and to study the selectivity of an unusual outersphere interaction between phosphate diester monoanions and lanthanide(III)-based PARACEST agents.

Experimental Section

Materials. [Ln(S-THP)](CF₃SO₃)₃ complexes were prepared as reported previously.^{26,30} MES buffer was used at pH 5.5 to 6.5, HEPES buffer was used at pH 6.5 to 7.5, and EPPS buffer was used from pH 7.5 to 8.0. Diethyl phosphate (**DEP**), bis-(4-nitrophenyl) phosphate (**BNPP**), 2',3'-cyclic AMP, O-(4-nitrophenylphosphoryl)choline (**NPPC**), phosphorothioic acid, O, O-diethylester (**DEPS**), and ethyl methylphosphonate (**EMP**) were purchased from commercial sources and used without further purification.

CEST Experiments. CEST experiments were acquired on an Inova-500 Spectrometer (11.7 T) at room temperature, $B_1 = 800$ Hz (19 μ T), with an irradiation time of 3 s. Measurements of the reduction of the percent water magnetization ($M_z/M_o \times 100$) or saturation transfer (ST% = $(1 - M_z/M_o) \times 100$) had standard deviations of 1–2%. The CEST spectra were fit to modified Bloch equations with three exchangeable sites to obtain rate constants for exchange by using Matlab. ³¹ CEST imaging was

⁽¹⁵⁾ Thompson, A. L.; Parker, D.; Fulton, D. A.; Howard, J. A. K.; Pandya, S. U.; Puschmann, H.; Senanayake, K.; Stenson, P. A.; Badari, A.; Botta, M.; Avedano, S.; Aime, S. *Dalton Trans.* **2006**, 5605.

⁽¹⁷⁾ Kotkova, Z.; Pereira, G. A.; Djanashvili, K.; Kotek, J.; Rudovsky, J.; Hermann, P.; Vander Elst, L.; Muller, R. N.; Geraldes, C. F. G. C.; Lukes, I.; Peters, J. A. Eur. J. Inorg. Chem. 2009, 119.

⁽¹⁹⁾ De Leon-Rodriguez, L. M.; Lubag, A. J. M.; Malloy, C. R.; Martinez, G. V.; Gillies, R. J.; Sherry, A. D. Acc. Chem. Res. 2009, 42, 948. (20) Woods, M.; Woessner, D. E.; Sherry, A. D. Chem. Soc. Rev. 2006, 35,

<sup>E. Acc. Chem. Res. 2009, 42, 822.
(22) Esqueda, A. C.; Lopez, J. A.; Andreu-de-Riquer, G.; Alvarado-Monzon, J. C.; Ratnakar, J.; Lubag, A. J. M.; Sherry, A. D.; De Leon-Rodriguez, L. M. J. Am. Chem. Soc. 2009, 131, 11387.</sup>

⁽²⁷⁾ Woods, M.; Woessner, D. E.; Zhao, P. Y.; Pasha, A.; Yang, M. Y.; Huang, C. H.; Vasalitiy, O.; Morrow, J. R.; Sherry, A. D. *J. Am. Chem. Soc.* **2006**, *128*, 10155.

⁽²⁸⁾ Soderholm, L.; Skanthakumar, S.; Wilson, R. E. J. Phys. Chem. A 2009, 113, 6391.

 ⁽²⁹⁾ Corsi, D. M.; van Bekkum, H.; Peters, J. A. *Inorg. Chem.* 2000, *39*, 4802.
 (30) Chin, K. O. A.; Morrow, J. R.; Lake, C. H.; Churchill, M. R. *Inorg. Chem.* 1994, *33*, 656.

⁽³¹⁾ Woessner, D. E.; Zhang, S.; Merritt, M. E.; Sherry, A. D. Magn. Reson. Med. 2005, 53, 790.

 $\textbf{Table 1.} \ Crystal \ Data \ and \ Structure \ Refinement \ for \ [Eu(\textit{S-THP})(OH_2)][(O_2NPhO)_2PO_2]_2[CF_3SO_3] \cdot 2H_2O \cdot \textit{iPrOH}_2 + 2H_2O \cdot \textit{iPrOH}_3]_2 + 2H_2O \cdot \textit{iPrOH}_3 + 2H_2O \cdot \textit{iPrOH}_3 + 2H_2O \cdot \textit{iPrOH}_3 + 2H_2O \cdot \textit{iPrOH}_3]_2 + 2H_2O \cdot \textit{iPrOH}_3 + 2H_2O \cdot$

```
C_{48}H_{74}EuF_3N_8O_{27}P_2S
empirical formula
                                                                      1498.11
                                                                      100.0(1) K
temperature
wavelength
                                                                      0.71073 Å
                                                                      monoclinic
cryst syst
space group
                                                                      P2_1
                                                                      a = 25.491(5) \text{ Å}
                                                                                                                                                              \alpha = 90^{\circ}
unit cell dimensions
                                                                      b = 9.8057(18) \text{ Å}
                                                                                                                                                              \beta = 112.122(3)^{\circ}
                                                                      c = 27.192(5) \text{ Å}
                                                                                                                                                              \gamma = 90^{\circ}
volume
                                                                      6296(2) \text{ Å}^3
Z
                                                                      1.580 \text{ Mg/m}^3
density (calcd)
abs coeff
                                                                      1.178 \text{ mm}^{-1}
                                                                      3080
F(000)
cryst color, morphology
                                                                      colorless, plate
cryst size
                                                                      0.28 \times 0.12 \times 0.06 \text{ mm}^3
                                                                      1.39 to 29.57°
Θ range for data collection
index ranges
                                                                      -35 \le h \le 35, -13 \le k \le 13, -37 \le l \le 37
reflns collected
                                                                      136522
independent reflns
                                                                      35308 [R(int) = 0.0803]
obsd reflns
                                                                      29118
completeness to \Theta = 29.57^{\circ}
                                                                      99.9%
                                                                      multiscan
abs correction
max. and min transmission
                                                                      0.9327 and 0.7339
                                                                      full-matrix least-squares on F^2
refinement method
data/restraints/params
                                                                      35308/93/1635
goodness-of-fit on F^2
                                                                      R_1 = 0.0763, wR_2 = 0.1382

R_1 = 0.0932, wR_2 = 0.1440
final R indices [I > 2\sigma(I)]
R indices (all data)
                                                                      0.042(9)
absolute structure param
                                                                      1.931 and -3.732 \,\mathrm{e} \cdot \mathrm{\AA}^{-3}
largest diff. peak and hole
```

performed on a phantom of 2×2 and 3×3 wells. A Varian 200 MHz horizontal bore NMR spectrometer was used for imaging. A standard spin-echo pulse sequence with presaturation was used to acquire the images. A 5 s presaturation pulse $(B_1 = 11 \ \mu\text{T})$ was employed with TR = 10 s, TE = 8.2 ms, matrix = 128×128 , FOV = $35 \text{ mm} \times 35 \text{ mm}$, slice thickness = 5 mm, and a coronal slice. Images were collected by applying an on resonance saturation frequency at +21 ppm and an off resonance frequency at -21 ppm from the bulk water signal. The final CEST images were obtained by subtracting the -21ppm (off-resonance) image from the +21 ppm image using the Image J (NIH) program.

Luminescence Spectroscopy. Eu(III) excitation spectra and excited state lifetimes were obtained using a Spectra-Physics Quanta Ray PRO-270-10 Q-switched Nd:YAG pump laser (10 Hz, 60–70 mJ pulse⁻¹) and a MOPO SL for all luminescence measurements. ³² The $^{7}F_{0} \rightarrow ^{5}D_{0}$ transition of the Eu(III) ion was scanned between 578 and 581 nm, while the ${}^5D_0 \rightarrow {}^7F_2$ emission band was monitored at 628 ± 27 nm using a band-pass filter. Excitation spectra were fit by using the program Peak Fit 4.12 (Jandel). Binding constants determined from fits of luminescence data are reproducible to within $\pm 10\%$. Time resolved luminescence measurements were collected by using a digital Tektronix TDS 3034B oscilloscope. Data were fit to single exponential decays by using GraphPad Prism4. Solutions contained 10.0 mM Eu(S-THP)³⁺, 20.0 mM EPPS buffer, and 100.0 mM NaCl with 0 to 3 equiv of **DEP** at pH 8.0.

Data Collection. A crystal $(0.28 \times 0.12 \times 0.06 \text{ mm}^3)$ was placed onto the tip of a 0.1-mm-diameter glass capillary tube or fiber and mounted on a Bruker SMART APEX II CCD Platform diffractometer for a data collection at 100.0(1). A preliminary set of cell constants and an orientation matrix were calculated from reflections harvested from three orthogonal wedges of reciprocal space. The full data collection was carried out using Mo $K\alpha$ radiation (graphite monochromator) with a frame time of 45 s and a detector distance of 4.98 cm. A

randomly oriented region of reciprocal space was surveyed: six major sections of frames were collected with 0.50° steps in ω at six different φ settings and a detector position of -33° in 2ϑ . The intensity data were corrected for absorption (Sheldrick, G. M. SADABS, version 2008/1; University of Göttingen). Final cell constants were calculated from the xyz centroids of 3833 strong reflections from the actual data collection after integration (SAINT, version 7.68A; Bruker AXS: Madison, WI, 2009). See Table 1 for additional crystal and refinement information.

Structure Solution and Refinement. The structure was solved using SIR97 and refined using SHELXL-97.33 The space group P2₁ was determined on the basis of systematic absences and intensity statistics. A direct-methods solution was calculated which provided most non-hydrogen atoms from the E-map. Full-matrix least-squares/difference Fourier cycles were performed which located the remaining non-hydrogen atoms. All non-hydrogen atoms were refined with anisotropic displacement parameters. The hydrogen atoms that participate in hydrogen bonding were either found from the difference Fourier map or placed in logical positions for hydrogen bonding. Once placed, their positions were fixed at O-H distances of 0.84 A, and they were refined relative to their bonded oxygen atoms. Their isotropic displacement parameters were also refined relative to equivalent isotropic displacement parameters of the respective oxygen atoms. All other hydrogen atoms were placed in ideal positions and refined as riding atoms with relative isotropic displacement parameters. The final full matrix leastsquares refinement converged to $R_1 = 0.0763 (F^2, I > 2\sigma(I))$ and $wR_2 = 0.1440 (F^2, \text{ all data}).$

Results

CEST Spectra. CEST spectra were recorded for Yb- $(S-THP)^{3+}$ and $Ce(S-THP)^{3+}$ in solutions containing 20 mM buffer and 100 mM NaCl at near neutral pH. These spectra show the percent decrease in the water

⁽³²⁾ Andolina, C. M.; Holthoff, W. G.; Page, P. M.; Mathews, R. A.; Morrow, J. R.; Bright, F. V. Appl. Spectrosc. 2009, 63, 483.

⁽³³⁾ Sheldrick, G. M. Acta Crystallogr., Sect. A: Found. Crystallogr. 2008, 112




Figure 1. Top: PARACEST spectra of 10.0 mM Ce(S-THP)³⁺ with the addition of diethylphosphate (DEP) at pH 6.5, 100 mM NaCl, and 20 mM Mes buffer. (\Box) 0.0 mM, (\triangle) 5.0 mM, (\times) 10.0 mM, (\bigcirc) 15.0 mM, (\bigcirc) 20.0 mM. Bottom: PARACEST spectra of 5 mM Yb(S-THP)³⁺, 20 mM buffer, and 100 mM NaCl at pH 7.0 with (○) and without (●) the addition of 10 mM **DEP**. Presaturation pulse (B_1) was 800 Hz for 3 s at 22 °C.

resonance plotted as a function of the frequency of the presaturation pulse (Figure 1). For both complexes, the addition of a simple phosphate diester, diethylphosphate (**DEP**), enhances the PARACEST effect at near neutral pH, as observed previously for Eu(S-THP)³⁺. ²⁴ The addition of **DEP** to Ce(S-THP)³⁺ leads initially to an increase and sharpening of the CEST peak attributed to the alcohol protons of the complex. However, the addition of more than 1 equiv leads to a decrease in the CEST peak. The addition of **DEP** to solutions containing Yb(S-THP)³⁺ leads to an increase in the CEST peak attributed to the alcohol protons of the complex. In contrast to the Ce(III) complex, the intensity of the PARACEST peak for the Yb(III) complex increases with the concentration of **DEP**, even at greater than 1 equiv of **DEP**. A plot of the percent reduction in water magnetization, M_z/M_o , of Yb(S-THP)³⁺ as a function of **DEP** concentration at pH 7.0 is given in Figure S1 (Supporting Information). Data is fit to a 1:1 binding isotherm to give a K_d of 1.9 mM for the interaction of **DEP** with Yb(S-THP)³⁺

Further comparative CEST spectra were recorded on samples of Yb(S-THP)3+ alone in buffer versus Yb-(S-THP)³⁺ plus 2 equiv of DEP. These results indicate that CEST is larger for the sample containing DEP at all pH values from 5.5 to 7.5 but that the CEST difference is largest at pH 7 (Figure S2, Supporting Information). This indicates that the optimum pH for CEST from Ln(S-THP)³⁺ is below pH 3, consistent with reported PARACEST spectra, ²⁶ while the optimal pH for CEST from Ln(S-THP)³⁺ plus DEP is near neutral pH. The PARACEST peak of Ln(S-THP)³⁺ in the presence of 2 equiv of **DEP** at pH 7.0 was nearly as intense at the physiological temperature of 37 °C as at 22 °C (Figure S3, Supporting Information).

Phantom Images. To validate the observed CEST dependence of the Yb(S-THP)³⁺ complex with respect to



Figure 2. (i) CEST images at 4.7 T of 5.00 mM Yb(S-THP)³⁺ in pure water, 25 °C, at different pH values: (A) pure water as a control, (B) pH 4.5, (C) pH 5.5, (D) pH 7.0. (ii) Lower row from left to right: water as control (W). Middle row from left to right: 5.00 mM Yb(S-THP)³⁺, 20.0 mM buffer, and 100 mM NaCl at pH 4.6 (A), 5.5 (B), and 7.0 (C). Upper row from left to right: Addition of 10.0 mM DEP to 5.00 mM Yb(S-THP)³⁺, 20.0 mM buffer, and 100 mM NaCl at pH 4.6 (D), 5.5 (E), and 7.0 (F).

the pH, CEST imaging was done at 4.7 T using a 2×2 well phantom containing solutions of 5 mM Yb(S-THP)³⁺ at different pH values, as shown in Figure 2. The images were obtained by using a standard spin echo acquisition of the bulk water signal preceded by a presaturation pulse on resonance (21 ppm) or off resonance (-21 ppm). The difference between these two images generates the CEST images of the phantoms. Imaging experiments in Figure 2i (left) are carried out on the complex in pure water, which is the optimal condition for observation of the alcohol PARA-CEST effect for the complex alone. These individual wells show a pH dependent difference in CEST intensity with the intensity decreasing from pH 4.5 to pH 7.0. At pH 7, there is no CEST seen which correlates with the result that is observed by using CEST spectroscopy.²⁶ In contrast, phantom images as well as PARACEST spectra for Yb(S-THP)³⁺ solutions in the presence of **DEP**, containing both buffer and 100 mM NaCl, show a reversal in the trend of their CEST effect, as seen in Figure 2ii, right. Under these conditions, the most intense CEST contrast was observed for the solution at pH 7.0 in the presence of **DEP**, and the least intense CEST effect was observed for the solution at pH 4.5 with **DEP**.

Luminescence, UV-Vis, and ¹H NMR Spectroscopy. To better understand the basis for DEP induced PARA-CEST changes, Ln(S-THP)³⁺ complexes of **DEP** were studied by using ¹H NMR, UV-visible, and luminescence spectroscopy. Luminescence spectroscopy of the Eu(S-THP)³⁺ complex is especially useful in delineating the effect of **DEP** on the speciation of the Eu(III) complex in solution at different pH values. We monitor the ${}^{7}F_{0} \rightarrow {}^{5}D_{0}$ Eu(III) transition which occurs between two nondegenerate states so that, barring overlap, each unique Eu(III) species in solution gives rise to a distinct excitation peak.34 The two peaks in the ${}^{7}F_{0} \rightarrow {}^{5}D_{0}$ excitation spectrum of Eu(S-THP) $^{3+}$ have been assigned to ionized and nonionized species as shown previously by the pH dependence of the excitation spectrum which correlates to pH-potentiometric titrations (Figure 3). 35,36 The excitation peak at 577.7 nm is assigned to the ionized species (Eu(S-THPD)(OH₂)²⁺) and the peak at 579.32 nm to the nonionized form $Eu(S-THP)(OH_2)^{3+}$. The ionized species, Eu(S-THPD)(OH₂)²⁺, is proposed to be an alkoxide complex arising from deprotonation of an alcohol group, based on previous studies of reactivity of the

⁽³⁴⁾ Horrocks, W. D., Jr.; Sudnick, D. R. J. Am. Chem. Soc. 1979, 101, 334.

⁽³⁵⁾ Chappell, L. L.; Voss, D. A.; Horrocks, W. D.; Morrow, J. R. Inorg. Chem. 1998, 37, 3989.

⁽³⁶⁾ Chin, K. O. A.; Morrow, J. R. Inorg. Chem. 1994, 33, 5036.




Figure 3. ${}^{7}F_{0} \rightarrow {}^{5}D_{0}$ excitation spectra (${}^{5}D_{0} \rightarrow {}^{7}F_{2}$ emission) of 10.0 mM Eu(S-THP)³⁺, 20.0 mM buffer, and 100.0 mM NaCl with **DEP** at (●) 0 mM, (\triangle) 10 mM, (\triangle) 20.0 mM, and (\bigcirc) 30 mM at pH 8.0 and $22 ^{\circ}\text{C}$.

complex in conjunction with luminescence properties (Scheme 1). 35,37-39 For clarification of speciation in the following discussion, Eu(S-THP)³⁺ designates the Eu(III) complex of S-THP for all species present in solution, while $Eu(S-THPD)(OH_2)^{2+}$ designates only the ionized species and Eu(S-THP)(OH₂)³⁺ designates only the nonionized

Under conditions where the nonionized complex is the major form, the addition of **DEP** to Eu(S-THP)³⁺ produces no change in the excitation spectrum, consistent with an outersphere complex ([Eu(S-THP)(OH₂)](DEP) as shown in Scheme 1.²⁴ In addition, luminescence lifetime measurements in H₂O and D₂O are consistent with a single bound water for Eu(S-THP)(OH₂)³⁺ and [Eu-(S-THP)(OH₂)](DEP). Thus, as shown previously, DEP does not replace a water molecule and instead forms an outersphere complex with $Eu(S-THP)(OH_2)^{3+}$. However, the addition of **DEP** to a solution of Eu(S-THP)³⁺ at basic pH results in the disappearance of the excitation peak assigned to the ionized complex (577.7 nm) and a slight increase in the intensity of the excitation peak for the nonionized species (Figure 3). This shows that outersphere **DEP** suppresses the formation of the ionized complex by interacting with the nonionized complex (Scheme 1). A binding curve generated by monitoring the decrease in the excitation peak at 577.7 nm gives a K_d of 2.8 mM at pH 7.4, similar to that obtained by PARA-CEST titrations of **DEP** with the $Yb(S-THP)^{3+}$ complex (Figure S1, Supporting Information).

Analogous to the luminescence data for the Eu(III) complex, the UV-vis spectrum of a solution of 5 mM Ce(S-THP)³⁺ showing absorption bands arising from f→d orbital based transitions⁴⁰ does not change in the presence of 1-5 equiv of **DEP** at pH 6.5, conditions that show modulation of the CEST effect (compare Figure 1 and Figure S4, Supporting Information). This supports the formation of an outersphere Ce(S-THP)³⁺ complex of **DEP**. In contrast, methylphosphate (**MP**), which forms an innersphere complex with Eu(S-THP)³⁺, ²⁴ also appears to form an innersphere complex with Ce(S-THP)³⁺, as shown by changes in the UV-visible spectrum of Ce(S-THP)³⁺

Scheme 1

upon the addition of MP. Consistent with innersphere complexation, the electronic transitions of Ce(S-THP)³⁺ are perturbed upon binding of MP (Figure S4, Supporting Information).

¹H NMR spectroscopy studies are also supportive of the formation of an outersphere **DEP** complex and with the conversion of the ionized species Ln(S-THPD)- $(OH_2)^{2+}$ to the nonionized species in the presence of **DEP**. As shown previously, the addition of **DEP** to $Eu(S-THP)^{3+}$ leads to the appearance of a proton resonance assigned as the alcohol protons of the macrocyclic complex. In the absence of **DEP**, there is no visible alcohol proton resonance under similar conditions.²⁴ This shows that the **DEP** interaction has a direct effect on the alcohol proton exchange rate, as discussed further below. In addition to alcohol proton resonances, macrocyclic proton resonances are indicative of the nature of the complex. Under conditions where the nonionized $Eu(S-THP)(OH_2)^{3+}$ is the major complex, the nonalcoholic macrocycle proton resonances do not change upon the addition of DEP as would be expected for an outersphere interaction.²⁴ In contrast, the ionized Yb(S-THPD)(OH₂)²⁺ is the major complex in solution at pH 7.0 due to the low p K_a values of late Ln-(S-THP)³⁺ complexes.^{36,41} The ¹H NMR spectrum of Yb-(S-THP)³⁺ changes dramatically at high and low pH because the ionized and nonionized species have distinct hyperfine shifted macrocycle proton resonances (Figure S5, Supporting Information). The addition of **DEP** to a solution of the Yb(S-THP)³⁺ complex at pH 7.0 shifts the macrocycle ¹H resonances of the complex from those of the ionized complex, $Yb(S-THPD)(OH_2)^{2+}$, to match those of Yb- $(S-THP)(OH_2)^{3+}$ (Figure S5). This suggests that outersphere binding of **DEP** to the Yb(S-THP)(OH₂)³⁺ complex inhibits its ionization (Scheme 1). Thus, ¹H NMR spectroscopy data for Eu(S-THP)³⁺ and Yb(S-THP)³⁺ support the luminescence spectroscopy studies of DEP induced speciation changes of the $Eu(S-THP)^{3+}$ complex.

To explore the specificity of the outersphere interaction, several different phosphate esters were studied as

⁽³⁷⁾ Baker, B. F.; Khalili, H.; Wei, N.; Morrow, J. R. J. Am. Chem. Soc. **1997**, 119, 8749.

⁽³⁸⁾ Epstein, D. M.; Chappell, L. L.; Khalili, H.; Supkowski, R. M.; Horrocks, W. D., Jr.; Morrow, J. R. Inorg. Chem. 2000, 39, 2130.

⁽³⁹⁾ Morrow, J. R.; Aures, K.; Epstein, D. J. Chem. Soc., Chem. Commun.

⁽⁴⁰⁾ Frey, S. T.; Horrocks, W. D., Jr. Inorg. Chem. 1991, 30, 1073.

⁽⁴¹⁾ Lelli, M.; Pintacuda, G.; Cuzzola, A.; Di Bari, L. Chirality 2005, 17, 201

agents to activate Yb(S-THP)³⁺ and Eu(S-THP)³⁺ PARACEST agents. Biologically relevant esters include NPPC, a phospholipid analog, and cyclic-3'-5'-AMP. Phosphate esters not found in biological systems, **BNPP**, **DEPS**, and **EMP**, were studied to better understand the nature of the outersphere interaction. Remarkably, only DEP and BNPP affect the PARACEST spectrum of $Yb(S-THP)^{3+}$ or $Eu(S-THP)^{3+}$ upon the addition of 1-2 equiv of phosphate ester, the solubility limit for the biologically relevant esters or up to 20 equiv for **DEPS** and EMP with Yb(S-THP)³⁺ (Figures S6 and S7, Supporting Information). BNPP binds more weakly than **DEP**, as shown by the relatively small effect of 1 equiv of **BNPP** on the PARACEST spectrum of Eu(S-THP)³⁺ compared to **DEP** at pH 6.5 (Figure S7a). Similarly, BNPP gives the same PARACEST increase with Yb- $(S-THP)^{3+}$ as does **DEP** at pH 5.5 but does not have an effect on Yb(S-THP)³⁺ PARACEST at pH 7.0 (compare Figure S7a and b). Furthermore, unlike **DEP**, **BNPP** has little effect on the luminescence excitation peak of Eu- $(S-THPD)(OH_2)^{2+}$ (pH 7.5) at concentrations of 5 mM, the upper limit for solubility (data not shown). This suggests that BNPP does not bind strongly enough to $Ln(S-THP)(OH_2)^{3+}$ to suppress ionization and activate PARACEST at neutral pH under conditions favorable for ionization but does bind sufficiently strongly at acidic pH values where ionization is not an important competing process. Thus, BNPP should give rise to a distinct pH dependence for the PARACEST spectrum of Yb-(S-THP)³⁺ because it activates CEST only at more acidic pH values.

Luminescence titrations by monitoring the ${}^{7}F_{0} \rightarrow {}^{5}D_{0}$ Eu(III) excitation peak show that NPPC, cyclic-3'-5'-AMP, DEPS, and EMP do not change the excitation spectrum of the Eu(S-THP)³⁺ complex at pH 7.5 (Figure S8, Supporting Information) in contrast to observations for DEP (Figure 3). The weaker binding of these phosphate diesters to Eu(S-THP)(OH₂)³⁺ in comparison to DEP provides a rationale for their inability to activate PARACEST

Crystal Structure. To further characterize the outersphere interaction of Ln(S-THP)³⁺ complexes with phosphate esters, a crystal structure of [Eu(S-THP)(OH₂)]- $(BNPP)_2(CF_3SO_3) \cdot 2H_2O \cdot iPrOH$ was obtained (Figure 4). The unit cell contains two crystallographically independent Eu(III) complexes that have the same macrocyclic complex stereochemistry. The coordination sphere of the complex cation, $[Eu(S-THP)(OH_2)]^{3+}$, has a twisted square prismatic geometry with a capping water molecule. Consistent with this geometrical assignment, 42 the twist angle between the two square planes of the antiprism consisting of the four basal nitrogens and the four alcohol oxygens is 22°. All Eu-O or Eu-N distances are similar to those observed previously in a crystal structure of the complex cation lacking the phosphate diester which contained two diastereomeric complex cations, (Eu(RRRS-THP)(H₂O)](CF₃SO₃)₃ and (Eu(SSSR-THP)(H₂O)](CF₃SO₃)₃. In this earlier crystal structure, complex cations with both the capped twisted square antiprismatic geometry and the capped square antiprismatic




Figure 4. Ortep diagram (50% ellipsoids) of [Eu(S-THP)(OH₂)][-(O₂NPhO)₂PO₂]₂[CF₃SO₃] · 2H₂O · *i*PrOH. Selected bond lengths (Å): Eu(1) – O(3), 2.373(6); Eu(1) – O(1), 2.386(5); Eu(1) – O(2), 2.422(5); Eu(1) – O(4), 2.423(4); Eu(1) – O(9), 2.450(5); Eu(1) – N(1), 2.711(7); Eu(1) – N(2), 2.676(6); Eu(1) – N(3), 2.671(7); Eu(1) – N(4), 2.612(6). Bond angles (deg): O(3) – Eu(1) – O(1), 137.79(18); O(3) – Eu(1) – O(2), 82.49(19); O(3) – Eu(1) – O(9), 66.52(19); O(1) – Eu(1) – O(9), 71.48(18); O(1) – Eu(1) – N(1), 63.13(18).

isomer were found. In the work here, only a single diastereomer is observed for the simpler case that has SSSS-THP (S-THP) as the macrocyclic ligand. The outersphere interactions include an extensive hydrogen bonding network between the macrocycle alcohol or water ligand protons and the two outersphere phosphate diesters. For both BNPP molecules, a single oxygen of each of the phosphate esters is within hydrogen bonding distance of the alcohol proton and one of the bound water protons of the complex. The second phosphate oxygen of each BNPP is involved in hydrogen bonding to two outersphere water molecules. The remaining two alcohol protons of the S-THP macrocycle are within hydrogen bonding distance of the 2-propanol and one of the second sphere water molecules. The triflate counterion is not involved in the hydrogen bonding network.

Discussion

Previous studies indentified the alcohol protons of the $\operatorname{Ln}(\mathbf{S}\text{-}\mathbf{THP})^{3+}$ complexes as the exchangeable protons that give rise to the PARACEST spectrum. This assignment was based on the identification of the alcohol proton and bound water resonances in acetonitrile and acetonitrile/water mixtures and comparison of the chemical shift of the alcohol resonances with the CEST spectrum. ^{24,27,43} This assignment is also supported by the very rapid exchange rate constant for the water ligand in $\operatorname{Ln}(\mathbf{S}\text{-}\mathbf{THP})^{3+}$ that makes it unlikely that the water ligand will contribute to the CEST spectrum. ⁴⁴ The large pH dependence of the PARACEST effect of these complexes is attributed, in part, to the ionization of the Ln- $(\mathbf{S}\text{-}\mathbf{THP})^{3+}$ complexes to form a new species. ³⁰ The nonionized complex contains a single bound water $(\operatorname{Ln}(\mathbf{S}\text{-}\mathbf{THP})(\mathrm{OH}_2)^{3+})$, and the ionized complex most likely involves deprotonation of the alcohol to give $\operatorname{Ln}(\mathbf{S}\text{-}\mathbf{THPD})(\mathrm{OH}_2)^{2+}$ (Scheme 1). ³⁵

⁽⁴²⁾ Benetollo, F.; Bombieri, G.; Calabi, L.; Aime, S.; Botta, M. *Inorg. Chem.* **2003**. 42, 148.

⁽⁴³⁾ Huang, C.-H.; Morrow, J. R. *Inorg. Chem.* 2009, 48, 7237.
(44) Corsi, D. M.; Vander Elst, L.; Muller, R. N.; van Bekkum, H.; Peters,

J. A. Chem.—Eur. J. 2001, 7, 1383.

Reported p K_a values for La(S-THP)³⁺, Eu(S-THP)³⁺, Yb- $(S-THP)^{3+}$, and Lu(S-THP)³⁺ are 8.5, 7.5, 6.4, and 6.5, respectively. The p K_a value for Ce(S-THP)³⁺ is assumed to be close to that of the La(III) complex, in line with the monotonic decrease of pK_a values across the lanthanide series. Thus, early and mid lanthanides such as Eu(S-THP)³⁺ and Ce(S-THP)³⁺ have the nonionized complex as the dominant species in solution at acidic pH. It is the nonionized complex which gives rise to a PARACEST effect; no PARACEST is observed at pH values where the ionized species is dominant. Similarly, the PARACEST effect for Yb(S-THP)³⁺ is strongest at pH values where the nonionized form is the major species in solution, in this case at pH 3.43

Proton exchange rate constants as determined by fitting PARACEST spectra³¹ show that **DEP** binding optimizes the rate constants for proton exchange between the lanthanide complex and bulk water. In the absence of **DEP** at pH 7.0, the proton exchange rate constant for Yb(S-THP) $^{3+}$ is 54 s $^{-1}$. This rate constant increases to $300 \,\mathrm{s}^{-1}$ in the presence of **DEP** at pH 7.0. The higher rate constant for proton exchange leads to more effective PARACEST for the Yb(III) complex, as predicted by the relationship between saturation transfer and mobile proton exchange rate constants. 45 Notably, the rate constant for proton exchange in the presence of DEP is similar to that of the complex under acidic conditions (pH 3.1) where the nonionized complex dominates (370 s⁻¹). On the basis of these observations and the ¹H NMR studies of the complex speciation, we assign [Yb(S-THP)(OH₂)](DEP) as the species which produces the PARACEST spectrum at neutral pH. An alternative is a complex with two outersphere **DEP** molecules, based on the presence of two DEP molecules in the crystal structure. However, binding isotherms are most consistent with a single molecule of **DEP** interacting with $Ln(S-THP)^{3+}$.

Ce(S-THP)³⁺ rate constants for alcohol proton exchange are 1040 s⁻¹ and 430 s⁻¹ in the absence and presence of 1 equiv of **DEP**, respectively. Here, the role of **DEP** is to decrease rate constants that are too large to obtain a strong PARACEST alcohol peak. For Ce(S-THP)3+ and Eu-(S-THP)³⁺, the slow exchange limit is almost exceeded at near neutral pH as a result of the small separation between the alcohol proton resonances and that of bulk water. 26 The addition of an equivalent of DEP serves to sharpen the PARACEST alcohol peak by lowering the rate constant for exchange.²⁴ For Ce(S-THP)³⁺, the addition of a 2-fold excess of **DEP** decreases the CEST effect, a complication not observed for the Eu(III) or Yb(III) complex.

We propose that **DEP** interacts with $Ln(S-THP)(OH_2)^{3+}$ through the alcoholic and water ligand protons of the complexes, as shown in Scheme 1. This second coordination sphere binding mode is consistent with the change in proton exchange rate constants of Ln(S-THP)³⁺ upon the addition of **DEP** and with the suppression of the formation of the ionized species through the formation of a specific outersphere interaction. Examination of the crystal structure suggests that an extensive hydrogen bonding network that includes the phosphate ester oxygens, the alcohol groups, and both inner- and outersphere water ligands may be important in these interactions. The involvement of both the macrocyclic alcohol protons and the water ligand protons in interaction with the phosphate diester raises the question of which protons in the complex give rise to the CEST peak for [Ln(S-THP)(OH₂)](DEP). We propose that it is the alcohol protons in the complex with **DEP** that give rise to the CEST effect on the basis of the similarity of the chemical shift of the protons that give rise to the CEST effect for [Ln(S-THP)-(OH₂)](**DEP**) to that of the alcohol protons in [Ln(**S-THP**)- (OH_2)]³⁺. 24,27,43

The outersphere interaction requires two terminal oxygen donors and two identical ester groups on the phosphate diester. Curiously, this interaction is not highly selective for simple uncharged ester groups because both BNPP and DEP activate PARACEST. However, phosphate diesters which do not have identical ester groups do not activate PARACEST. For example, NPPC does not bind to Eu(S-THP)³⁺ or activate PARACEST. The weaker interaction of NPPC with the cationic Ln(III) complexes is attributed to the overall neutral charge of this phosphate ester. In cyclic phosphate diesters, the two oxygen atoms have distinctly different electronic charge distributions⁴⁶ which may be important in preventing the formation of the outersphere complex. This is supported by the most surprising result, that two compounds even more structurally similar to DEP, such as DEPS and EMP, do not affect the PARACEST spectra of Ln-(S-THP)³⁺ even at a 20-fold excess of phosphate ester. That such subtle changes in the phosphate groups reduce interaction with Ln(S-THP)³⁺ suggests that electronic charge distribution on the terminal and bridging oxygens is an important factor in the formation of a specific outersphere interaction. That the simple DEP monoanion forms a relatively strong and specific outersphere complex (K_d = 2-3 mM) under conditions of high salt concentration is quite remarkable.

Conclusions

In summary, phosphate diesters (PDE) that modulate the PARACEST spectrum of Ln(S-THP)³⁺ interact with the nonionized complex to form [Ln(S-THP)(OH₂)](PDE), as supported by luminescence spectroscopy of the Eu(III) complex, UV-vis spectroscopy of the Ce(III) complex, and ¹H NMR spectroscopy of the Yb(III) and Eu(III) complexes. This outersphere complex has exchange rate constants that are more suitable for PARACEST at neutral pH than those of the complex under these conditions in the absence of DEP. This interaction serves to switch on the alcohol PARACEST peak of the complexes at neutral pH in buffered solutions containing 100 mM NaCl. An interesting feature of this work is the selective formation of an outersphere complex with symmetrical phosphate diesters. The complex cation in the structure shown here, [Eu(S-THP)(OH₂)]- $(BNPP)_2(CF_3SO_3) \cdot 2H_2O \cdot iPrOH$, has two outersphere phosphate diesters that participate in an extensive hydrogen bonding network with the alcohol protons and water ligand of the macrocyclic complex.

This work shows that outersphere interactions of Ln(III) complexes may be useful for the modulation of PARACEST properties even in systems that lack designed binding sites for inducing a specific response to a desired anionic ligand or cation. Efforts are underway to further probe the specificity of this interaction and to determine whether enhanced

⁽⁴⁵⁾ Zhang, S.; Merritt, M.; Woessner, D. E.; Lenkinski, R. E.; Sherry, A. D. Acc. Chem. Res. 2003, 36, 783.

⁽⁴⁶⁾ Gerlt, J. A.; Demou, P. C.; Mehdi, S. J. Am. Chem. Soc. 1982, 104, 2848

binding pockets⁴⁷ will modulate the selectivity and strength of binding for the detection of phosphate ester metabolites that are biomarkers for disease.^{48,49}

Acknowledgment. This work was supported in part by grants from the National Institutes of Health (EB-04609

to J.R.M., RR-02584 and CA-115531 to A.D.S.) and from the National Science Foundation for a major instrumentation award (CHE-0321058 to J.R.M.) to build the MOPO laser system. J.R.M. thanks Jean-Marc Escudier of Université Paul Sabatier for helpful discussions. We thank William W. Brennessel of the X-ray Crystallographic Facility, Department of Chemistry, University of Rochester for solving the crystal structure presented here.

Supporting Information Available: Listings of CEST, ¹H NMR, and luminescence spectra. This material is available free of charge via the Internet at http://pubs.acs.org

⁽⁴⁷⁾ Damsyik, A.; Lincoln, S. F.; Wainwright, K. P. Inorg. Chem. 2006, 45, 9834.

⁽⁴⁸⁾ Glunde, K.; Ackerstaff, E.; Mori, N.; Jacobs, M. A.; Bhujwalla, Z. M. *Mol. Pharmaceutics* **2006**, *3*, 496. (49) Stanley, J. A.; Kipp, H.; Greisenegger, E.; MacMaster, F. P.;

⁽⁴⁹⁾ Stanley, J. A.; Kipp, H.; Greisenegger, E.; MacMaster, F. P.; Panchalingam, K.; Pettegrew, J. W.; Keshavan, M. S.; Bukstein, O. G. *Psychiatry Res.: Neuroimaging* **2006**, *148*, 217.