

CONTRIBUTION FROM THE DEPARTMENT OF CHEMISTRY,
UNIVERSITY OF CALIFORNIA, BERKELEY, CALIFORNIA 94720The Crystal and Molecular Structure of $S_2N_2(SbCl_5)_2$

BY R. LYLE PATTON AND KENNETH N. RAYMOND

Received February 21, 1969

The crystal structure of the antimony pentachloride diadduct of disulfur dinitride, $S_2N_2(SbCl_5)_2$, has been determined from three-dimensional X-ray diffraction counter data. The material crystallizes in space group $I\bar{4}2d$ of the tetragonal system with eight molecules in a unit cell of dimensions $a = 14.933$ (3) and $c = 15.547$ (3) Å. The calculated density of 2.64 g/cm³ agrees well with the value 2.70 g/cm³ measured by flotation. Refinement of the structure on F^2 by least-squares methods resulted in a final conventional R factor based on F of 3.8%, for 768 independent reflections above background. The structure contains a planar S_2N_2 ring with alternating sulfur and nitrogen atoms. An $SbCl_5$ group is bonded *via* the antimony atom to each nitrogen of the ring. The two antimony atoms, two nitrogen atoms, and two axial chlorine atoms all lie on a crystallographic twofold axis which passes through the molecule. The two crystallographically independent S-N distances of 1.616 (7) and 1.623 (8) Å are equal to within the estimated error, as are the two Sb-N distances of 2.281 (10) and 2.285 (11) Å. The S_2N_2 ring is nearly square with S-N-S angles of 95.4 (6) and 94.8 (6)° and N-S-N angles of 84.9 (4)°.

Introduction

The compound S_2N_2 is obtained as an unstable crystalline material from the thermal cleavage of S_4N_4 .¹ On the basis of the infrared spectrum of S_2N_2 , a planar ring structure of alternating nitrogen and sulfur atoms was proposed.² This was the first example to our knowledge of a tetraatomic molecule of this kind. An X-ray diffraction study of S_2N_2 has not been attempted, however, as the crystals polymerize to $(SN)_x$ when warmed above -80° . In a recent study of the reactions of S_2N_2 with Lewis acids,³ a crystalline diadduct of S_2N_2 with antimony pentachloride, $S_2N_2(SbCl_5)_2$, has been prepared which is thermally stable at room temperature. From the chemical properties of $S_2N_2(SbCl_5)_2$ and the similarity of its infrared spectrum to that of S_2N_2 , it was proposed that the S_2N_2 ring remains unbroken and planar after coordination by $SbCl_5$. To confirm this proposed structure and to show that a planar S_2N_2 ring does indeed exist, the crystal structure of $S_2N_2(SbCl_5)_2$ has been determined by three-dimensional X-ray analysis.

Experimental Section

Yellow crystals of $S_2N_2(SbCl_5)_2$ were prepared as described previously.³ The crystals had moderately well-developed faces and exhibited sharp extinction under the polarizing microscope. As the crystals were extremely moisture sensitive and blackened immediately in room air, several were stuck to the inside of thin-walled quartz capillaries with Kel-F grease in a nitrogen-flushed glove box and the capillaries were sealed. These crystals were then examined under the polarizing microscope and the one whose size, clarity, extinction, and shape seemed most suitable was chosen for further study.

Precession photographs (using molybdenum radiation) of the $h0l$, $0kl$, $1kl$, hhl , and $h,2h,l$ zones and a Weissenberg photograph of the $hk0$ zone showed $4/mmm$ symmetry with the systematic absences: hkl , $h + k + l \neq 2n$; hhl , $2h + l \neq 4n$. The absences are consistent only with the two space groups $I\bar{4}2d$ and $I4_1md$. Preliminary cell constants were measured from the films. The density measured by flotation in a dibromomethane-carbon tetrabromide solution was 2.70 (8) g/cm³ compared with the calculated density of 2.64 g/cm³ for eight mole-

cules in the unit cell. Slow decomposition of the compound occurred during the density measurement, hence the large assigned error estimate. Since both possible space groups have 16 general positions in the cell, the molecules must lie in special positions with twofold (in $I\bar{4}2d$) or mirror (in $I4_1md$) symmetry.

The crystal was mounted on a eucentric goniometer head with the crystal c axis parallel to the spindle direction (ϕ axis) of a General Electric XRD-5 manual goniostat equipped with a scintillation counter, pulse a height discriminator, and a scaler. Molybdenum radiation at 45 kV and 21 mA was used. The diffracted beams were filtered through 3 mils of Zr foil. The receiving aperture was 10 mm high and 3 mm wide and was positioned 15 cm from the crystal. The cell dimensions, $a = 14.933$ (3) and $c = 15.547$ (3) Å, were determined using a small takeoff angle (using $Mo K\alpha_1$, λ 0.709261 Å) and narrow detector slit by careful measurement at 22° of the Bragg angles for high-index reflections of the type $h00$, $0k0$, and $00l$. The α_1 and α_2 peaks were well resolved in these measurements and were satisfactorily narrow. The standard deviations were estimated from the error in the 2θ angles and are given in parentheses.

Intensity data were collected by the point count method. The intensities of all 1670 symmetry-allowed reflections in the $+h, +k, +l$ octant were measured out to $2\theta = 50^\circ$ by 10-sec counts at the peak maximum with the crystal and counter stationary and at a takeoff angle of 4° . For all hhl , $h0l$, $0kl$, and $00l$ reflections, all hkl reflections with $2\theta \leq 20^\circ$, and about one-third of the reflections with $20^\circ < 2\theta \leq 50^\circ$, individual backgrounds were measured by seeking a minimum on the low- 2θ side of the peak. The remaining backgrounds were taken from a plot of background as a function of 2θ for various values of the orientation angles ϕ and χ . A set of arbitrarily chosen standard reflections which were monitored approximately every 100 measurements showed no change throughout the course of the measurement. The intensities I , after subtraction of background, were assigned standard deviations according to the formula $\sigma(I) = [I + 0.75B + (0.05I)^2]^{1/2}$, where the background, B , was not the actual background measured for each peak, but instead was estimated by the expression $B = 650 - 10(2\theta) + 0.02I$, which was a reasonable representation of the actual background counted. Values of I were then reduced to values of F^2 by application of Lorentz and polarization corrections.⁴

The measured reflections consisted of two sets: the first with $h \leq k$ and the second with $h \geq k$. These two sets are equivalent forms in both $I\bar{4}2d$ and $I4_1md$ since both space groups contain

(1) M. Becke-Goehring, *Inorg. Syn.*, **6**, 123 (1960).(2) J. R. W. Warn and D. Chapman, *Spectrochim. Acta*, **22**, 1371 (1966).(3) R. L. Patton and W. L. Jolly, *Inorg. Chem.*, **8**, 1389, 1392 (1969).(4) Programs for the CDC 6400 computer used in this study were Zalkin's *BULERA* and *AUDIT* programs for diffractometric data processing and the *FORDAP* Fourier program, Hamilton's *GONO9* absorption program, Iber's modifications of the Busing-Levy *ORFLS* least-squares and *ORFFE* error function programs, and Johnson's *ORTEP* thermal ellipsoid plotting program.

diagonal mirror planes. Comparison of the measured intensities for equivalent reflections in the two sets showed systematic differences due to absorption effects.

The dimensions of the crystal were carefully measured with a micrometer eyepiece attached to a microscope. Each bounding plane of the crystal was indexed and the plane-to-plane distances were determined. The approximate dimensions of the crystal are $0.15 \times 0.26 \times 0.45$ mm. These are along a , b , and c , respectively. An absorption correction was then applied to each reflection.⁴ For a linear absorption coefficient of 49.7 cm^{-1} the transmission factors of the measured reflections ranged from 0.474 to 0.587. The two forms were then averaged to give 859 independent reflections of which 761 were greater than three times their standard deviation. The weighted agreement between the two forms of F^2 averaged is 6%, in good agreement with the final weighted R factor based on F^2 .

Solution and Refinement of the Structure

An unsharpened Patterson function was calculated using the data set which was uncorrected for absorption and had $h \leq k$. An initial solution was attempted in $I4_1md$. Special positions on the mirror planes at $x = 0, 1/2$ and at $y = 0, 1/2$ could be chosen for two independent Sb atoms separated by $\Delta z = 1/2$ for which peaks corresponded to all predicted Sb-Sb vectors. However, the agreement for the weaker Sb-Cl vectors was unsatisfactory and the chlorine positions so determined required chemically unreasonable Sb-Cl bond lengths or Cl-Cl van der Waals contacts. Space group $I4_1md$ was therefore rejected. The subsequent alternate choice of $I\bar{4}2d$ was confirmed as correct by the successful refinement of the crystal structure.

Analysis of the Patterson map in $I\bar{4}2d$ led easily to two unique sets of antimony, chlorine, and sulfur positions for which all predicted positions and intensities of Sb-Sb, Sb-Cl, and Sb-S peaks were found in the 88 Patterson peaks with greater than 0.7% of the origin height. Both sets corresponded to the predicted molecular geometry of $S_2N_2(SbCl_5)_2$. This expected geometry has three different possible twofold axes, any of which may be utilized by the space group. The two solutions of the Patterson function corresponded to a choice between two of these. In both cases the long axis of the molecule (the Sb-Sb vector) lies in the xy plane, with the x and y coordinates of the Sb atoms very nearly equal to $0, 1/4$ and $1/2, 1/4$, respectively. The first solution placed them at $z = 3/8$. The antimony atoms then occupy the general position $16(e)$ and are related by the twofold axis passing between them at $1/4, y, 3/8$. The two N-SbCl₅ groups are, in fact, very nearly related by a noncrystallographic axis in exactly this way. In the second, correct, solution the z coordinate is $1/8$ and the two N-SbCl₅ groups occupy $8(e)$ with the twofold axis at $x, 1/4, 1/8$ passing through both groups, which are then crystallographically independent. These two solutions differ significantly only in the position of the sulfur atoms of the S_2N_2 ring. In the first case these atoms must lie on the twofold axis, in the second case they are in a general position and the S_2N_2 ring need not be parallel to the xy plane.

After several trials the correct orientations of the SbCl₅ groups were determined. The extra pseudosymmetry of the structure caused some singularity problems

in the initial refinements when the SbCl₅ groups were rotated such that the Sb-Cl_{eq} bonds were coincident with the crystal axes. In these and succeeding refinements the function minimized was $\Sigma w(|F_o| - |F_c|)^2$, in which $|F_o|$ and $|F_c|$ are the observed and calculated structure factors and the weights, w , were taken as $4F_o^2/\sigma^2(F_o^2)$. The atomic scattering factors for neutral Sb, Cl, S, and N tabulated by Ibers⁵ were used together with the values of $\Delta f'$ and $\Delta f''$ for Sb, Cl, and S given by Cromer⁶ to include the effects of anomalous dispersion.⁷

After the correct orientations of the SbCl₅ groups were determined, the refinement was straightforward. Twelve reflections were discarded because of data collection errors or because their very high intensities gave coincidence losses. Several cycles of refinement on F with all atoms assigned anisotropic thermal parameters brought $R_1 = \Sigma ||F_o| - |F_c||/\Sigma |F_o|$ and $R_2 = (\Sigma w(|F_o| - |F_c|)^2/\Sigma wF_o^2)^{1/2}$ to 4.2 and 6.5%, respectively.

The error in an observation of unit weight was 3.06 and was found to vary linearly with F_o as approximately $E = 3.19 - 2.53(F_o/F_{\max})$. The standard deviations were then revised by multiplying them by this quantity. Of 847 remaining reflections 768 had $F^2 > \sigma(F^2)$ and these were used in the final refinements, minimizing $\Sigma w(|F_o|^2 - |F_c|^2)^2$. After convergence, the final values of R_1 and R_2 based on F^2 are 5.6 and 9.7%, respectively,⁸ with an error in an observation of unit weight of 0.89. The final values of R_1 and R_2 based on F are 3.8 and 4.9%. A final difference Fourier map showed a maximum electron density of $0.37 \text{ e}^-/\text{\AA}^3$. Final values of $|F_o|$ and $|F_c|$ (in electrons $\times 5$) are given in Table I. Those reflections for which $F_o^2 < \sigma(F^2)$ all had $F_c^2 < 3\sigma(F^2)$ and are not included in Table I. The final values of the atomic parameters along with their standard deviations estimated from the variance-covariance matrix are given in Table II.

Description and Discussion of the Structure

The unit cell contains eight discrete $S_2N_2(SbCl_5)_2$ molecules, each lying on one of the twofold rotation axes perpendicular to c . The bulky SbCl₅ groups appear to be the main factor controlling the molecular packing with the S_2N_2 rings fitting into spaces between these groups. None of the intermolecular distances observed is short enough to indicate any unusual association. Several chlorine-chlorine contacts are slightly less than the sum of their expected van der

(5) J. A. Ibers, "International Tables for X-Ray Crystallography," Vol. 3, The Kynoch Press, Birmingham, England, 1962, Table 3.3.1A.

(6) D. T. Cromer, *Acta Cryst.*, **18**, 17 (1965).

(7) J. A. Ibers and W. C. Hamilton, *ibid.*, **17**, 781 (1964).

(8) Since $I\bar{4}2d$ lacks a center of symmetry, the intensities of centrosymmetrically related reflections are not identical. The correct assignment of the indices corresponds to a determination of the absolute configuration of the structure, even though the crystal is composed of racemic pairs of $S_2N_2(SbCl_5)_2$ molecules. The two configurations differ only in a rotation of 90° about c . That is, although the structure is its own enantiomorph, the x direction is the mirror image of the y direction. To test the assigned configuration, additional refinements were carried out with the signs of h , k , and l reversed. Both R_1 and R_2 were somewhat larger (5.9 and 10.0), indicating that the assigned configuration is correct.

TABLE I
 OBSERVED AND CALCULATED STRUCTURE AMPLITUDES (IN ELECTRONS × 5) FOR S₂N₂(SbCl₅)₂

K L FD FC	H.L.I.				H.L.I.				H.L.I.				H.L.I.				H.L.I.																			
	K	L	FD	FC	K	L	FD	FC	K	L	FD	FC	K	L	FD	FC	K	L	FD	FC																
0 0 18731	2	10	901	891	2	4	2176	2209	4	13	220	220	6	4	624	591	7	10	124	125	8	12	97	86	9	2	119	94	10	6	127	120	K <th>L</th> <th>FD</th> <th>FC</th>	L	FD	FC
0 12 1714 1608	2	12	233	210	2	4	176	140	4	13	220	220	6	4	624	591	7	10	124	125	8	12	97	86	9	2	119	94	10	6	127	120	0	0	1320	1287
0 14 748 678	2	16	70	33	2	6	1446	1460	4	13	220	220	6	4	624	591	7	10	124	125	8	12	97	86	9	2	119	94	10	6	127	120	0	0	552	514
	3	3	531	527	2	10	159	170	5	2	273	267	6	10	543	531	8	5	427	429	9	7	172	172	10	1	219	214	0	0	849	833				
	3	3	414	426	2	12	825	852	5	4	1802	1701	6	12	158	149	8	5	198	201	9	7	182	182	10	1	356	263	0	0	67	112				
	3	5	515	514	5	6	547	508	6	14	245	236	8	9	200	218	9	7	114	108	10	5	105	47	12	0	109	67	0	0	569	569				
	3	7	90	107	2	16	586	375	5	8	1202	1188	7	3	504	478	8	11	78	103	10	0	242	217	0	0	246	240	0	0	206	214				
	3	7	287	299	3	1	295	293	5	10	223	223	7	3	425	418	8	11	173	165	10	4	155	135	0	0	9	69	0	0	183	172				
	3	13	187	183	3	3	457	447	5	12	782	789	7	5	531	562	9	2	758	749	10	8	78	72	11	2	452	480	0	0	3	48				
	3	13	162	162	3	3	263	246	5	14	100	134	7	7	422	428	9	6	603	621	10	8	393	431	0	0	5	648								
	3	13	162	162	3	7	383	383	5	16	296	299	7	9	185	231	9	10	537	502	10	8	298	298	0	0	5	468								
	3	13	162	162	3	9	240	173	6	1	752	739	7	11	257	230	9	10	302	292	10	9	380	403	0	0	7	489								
	3	13	162	162	3	11	90	102	6	3	754	731	7	13	107	111	9	11	302	300	10	9	380	403	0	0	5	468								
	3	13	162	162	3	13	217	211	6	5	654	606	8	0	125	160	0	0	1392	1410	0	0	3	300	0	0	5	520								
	3	13	162	162	3	15	130	145	6	7	593	568	8	4	445	433	0	0	3	300	0	0	5	520	0	0	11	119								
	3	13	162	162	3	15	130	145	6	9	297	289	8	4	445	433	0	0	3	300	0	0	5	520	0	0	11	119								
	3	13	162	162	3	15	130	145	6	9	297	289	8	4	445	433	0	0	3	300	0	0	5	520	0	0	11	119								
	3	13	162	162	3	15	130	145	6	9	297	289	8	4	445	433	0	0	3	300	0	0	5	520	0	0	11	119								

 TABLE II
 POSITIONAL AND THERMAL PARAMETERS ($\times 10^5$) FOR S₂N₂(SbCl₅)₂

Atom	Position	x	y	z	β_{11}^a	β_{22}	β_{33}	β_{12}	β_{13}	β_{23}
Sb ₁	8d	03348 (6)	1/4	1/8	305 (4)	487 (7)	420 (6)	0	0	17 (8)
Sb ₂	8d	48558 (6)	1/4	1/8	319 (5)	402 (6)	457 (6)	0	0	21 (7)
Cl ₁₁	16e	05877 (33)	40153 (33)	14122 (66)	842 (26)	411 (21)	2294 (76)	154 (20)	113 (45)	7 (36)
Cl ₁₂	16e	04539 (37)	23087 (71)	27216 (28)	547 (17)	2097 (69)	476 (17)	70 (40)	17 (14)	181 (34)
Cl ₁₃	8d	-12118 (27)	1/4	1/8	306 (17)	1476 (57)	708 (27)	0	0	51 (63)
Cl ₂₁	16e	46035 (33)	39338 (40)	16963 (55)	648 (23)	647 (31)	2559 (97)	-1 (20)	-36 (32)	-798 (42)
Cl ₂₂	16e	47346 (35)	20357 (71)	26555 (40)	742 (28)	2729 (126)	710 (31)	-273 (37)	-106 (20)	657 (49)
Cl ₂₃	8d	64049 (26)	1/4	1/8	299 (16)	776 (35)	1053 (37)	0	0	-74 (51)
S	16e	25907 (21)	32866 (18)	13913 (28)	387 (12)	369 (13)	973 (25)	-8 (12)	7 (21)	-139 (13)
N ₁	8d	18623 (70)	1/4	1/8	307 (48)	353 (70)	424 (61)	0	0	-33 (82)
N ₂	8d	33258 (72)	1/4	1/8	303 (48)	375 (73)	500 (69)	0	0	-170 (89)

^a The form of the thermal ellipsoid is $\exp[-(\beta_{11}h^2 + \beta_{22}k^2 + \beta_{33}l^2 + 2\beta_{12}hk + 2\beta_{13}hl + 2\beta_{23}kl)]$.

Waals radii (3.6 Å); Cl₁₂-Cl₂₃, 3.337 Å; Cl₂₁-Cl₂₁, 3.397 Å; Cl₁₁-Cl₁₁, 3.425 Å; Cl₁₃-Cl₂₃, 3.559 Å. These may be compared with some close intermolecular Cl-Cl contacts found in previous structures involving SbCl₅ groups such as: SbCl₅, 3.33 Å;⁹ SbCl₅·SeOCl₂, 3.33 Å;¹⁰ SbCl₅·POCl₃, 3.41 Å.¹¹ All intermolecular distances less than 3.8 Å are listed in Table III.

The molecular structure contains an S₂N₂ ring formed of alternating sulfur and nitrogen atoms (Figures 1 and

2). Each of the nitrogen atoms is coordinated to an SbCl₅ group, and the N-SbCl₅ groups are then roughly octahedral. The crystallographic twofold axis passes through the axial chlorine, antimony, and nitrogen atoms. This twofold symmetry constrains the S₂N₂ ring to planarity. The S-N bond distances, given in Table IV, are equal to within the experimental error. Their weighted mean is 1.619 (5) Å. The internal angles of the ring are 84.9 (4) and 95.1 (4)° for the N-S-N and averaged S-N-S angles, respectively. These values are in remarkable agreement with those predicted from the infrared spectrum for the planar

(9) S. M. Ohlberg, *J. Am. Chem. Soc.*, **81**, 811 (1959).

(10) Y. Hermodsson, *Acta Chem. Scand.*, **31**, 1313 (1967).

(11) C. I. Brändén and I. Lindquist, *ibid.*, **17**, 353 (1963).

TABLE III
NONBONDED DISTANCES UNDER 3.8 Å

Intramolecular distances ^a				Intermolecular distances		
Cl ₁₃ -Cl ₁₁	3.522 (6)	Cl ₂₃ -Cl ₂₁	3.507 (6)	Cl ₁₃ -Cl ₂₃	(1) ^b	3.559 (6)
Cl ₁₃ -Cl ₁₂	3.392 (5)	Cl ₂₃ -Cl ₂₂	3.388 (6)	Cl ₁₃ -S	(2)	3.745 (4)
Cl ₁₁ -Cl ₁₂ '	3.268 (11)	Cl ₂₁ -Cl ₂₂	3.209 (12)	Cl ₁₂ -Cl ₂₃	(3)	3.703 (5)
Cl ₁₁ -Cl ₁₂	3.225 (12)	Cl ₂₁ -Cl ₂₂ '	3.228 (10)	Cl ₁₂ -Cl ₂₁	(4)	3.758 (11)
Cl ₁₁ -N ₁	2.968 (8)	Cl ₂₁ -N ₂	2.951 (9)	Cl ₁₂ -Cl ₂₂	(5)	3.337 (11)
Cl ₁₂ -N ₁	3.121 (8)	Cl ₂₂ -N ₂	3.111 (9)	Cl ₁₂ -S	(4)	3.521 (6)
Cl ₁₁ -S	3.183 (6)	Cl ₂₁ -S	3.193 (6)	Cl ₁₁ -Cl ₁₁	(6)	3.425 (11)
Sb ₁ -S	3.574 (3)	Sb ₂ -S	3.587 (3)	Cl ₂₁ -Cl ₂₁	(7)	3.397 (11)
N ₁ -N ₂	2.186 (15)			S-Cl ₂₂	(8)	3.568 (6)
S-S	2.390 (5)					

^a Primed atoms are related to those in Table II by the crystallographic (and molecular) twofold axis. ^b These numbers correspond to the following transformations of the positions given in Table II: (1) $x - 1, y, z$; (2) $y - 1/2, x, z - 1/4$; (3) $1/2 - y, x - 1/2, 1/2 - z$; (4) $y - 1/2, 1/2 - x, 1/2 - z$; (5) $1/2 - x, y, 3/4 - z$; (6) $-x, -y + 1, z$; (7) $-x + 1, -y + 1, z$; (8) $1/2 - y, 1 - x, z - 1/4$.

TABLE IV
BOND DISTANCES AND ANGLES IN $S_2N_2(SbCl_5)_2$


Atoms	Distance, Å		Atoms ^a	Angle, deg	
	Sb ₁	Sb ₂		Sb ₁	Sb ₂
S-N	1.616 (7)	1.623 (8)	S-N-S'	95.39 (59)	94.85 (61)
Sb-N	2.281 (10)	2.285 (11)	N ₁ -S-N ₂	84.88 (42)	
Sb-Cl ₁	2.308 (5)	2.282 (5)	Sb-N-S	132.31 (30)	132.57 (31)
Sb-Cl ₂	2.313 (4)	2.300 (6)	N-Sb-Cl ₁	80.58 (12)	80.50 (12)
Sb-Cl ₃	2.310 (4)	2.313 (4)	N-Sb-Cl ₂	85.59 (10)	85.49 (13)
			N-Sb-Cl ₃	180	180
			Cl ₁ -Sb-Cl ₂	90.03 (37)	88.91 (34)
			Cl ₁ -Sb-Cl ₂ '	88.53 (36)	89.60 (34)

Bond type	Wtd av bond distances		Angle	Wtd av bond angles	
	No.	Av distance, Å		No.	Av angle
Sb-Cl	6 ^b	2.305 (2)	S-N-S	2	95.11 (42)
S-N	2	1.619 (5)	Cl ₁ -Sb-N	2	80.54 (9)
Sb-N	2	2.283 (8)	Cl ₂ -Sb-N	2	85.55 (8)
			Cl ₁ -Sb-Cl ₂	4	89.26 (18)

^a The primed atoms are related to those in Table II by the twofold rotation. ^b This is the number of crystallographically independent bonds; the averaging is over all 10 Sb-Cl bonds.

S_2N_2 ring itself.² The predicted bond length and angles were 1.61 Å, 85°, and 95°. In fact, it is reasonable to assume that the coordination with $SbCl_5$ has not significantly changed the dimensions of the S_2N_2 ring. This is supported by the apparent weakness of the $N \rightarrow SbCl_5$ coordinate bond as evidenced by the ease with which one $SbCl_5$ can be removed,³ by the similar infrared absorption frequencies of S_2N_2 and $S_2N_2(SbCl_5)_2$,^{2,3} and by the relatively long Sb-N distance. The much stronger $S_4N_4 \cdot SbCl_5$ adduct is very difficult to dissociate¹² and has a significantly shorter Sb-N bond.¹³ However, even in this case the average S-N distance in the eight-membered puckered ring remains the same as in S_4N_4 itself.¹⁴

The S-N distance in $S_2N_2(SbCl_5)_2$ is the same as that determined for S_4N_4 , 1.616 (10) Å. Using a recent correlation of bond order vs. bond length in S-N compounds,¹⁵ this corresponds to a bond order near 1.3. The most reasonable resonance structures which explain a fractional double-bond character and are consistent with equivalent S-N bonds are the set



These resonance forms correspond directly to a molecular orbital description which uses only the valence s and p orbitals of nitrogen and sulfur. The basic features of such a description are the filled σ -bonding network ($a_g, b_{2u}, b_{1g},$ and b_{3u} , based on point group D_{2h}) and the nonbonding unshared electron pairs ($2a_g, b_{2u},$ and b_{3u}). In addition, there is one filled π -bonding orbital (b_{1u}) and two filled, nonbonding π orbitals (b_{2g} and b_{3g}). Although there is possibly some involvement of the sulfur 3d orbitals in the bonding, similar to that proposed by Craig¹⁶ and by Dewar, Lucken, and Whitehead¹⁷ for other S-N and P-N ring systems, this does not fundamentally alter the bonding scheme just described.

Attempts to determine the importance of different

(12) K. J. Wynne and W. L. Jolly, *Inorg. Chem.*, **6**, 107 (1967).

(13) D. Neubauer and J. Weiss, *Z. Anorg. Allgem. Chem.*, **308**, 28 (1960).

(14) B. D. Sharma and J. Donohue, *Acta Cryst.*, **16**, 891 (1963).

(15) O. Glemser, A. Müller, D. Böhler, and B. Krebs, *Z. Anorg. Allgem. Chem.*, **367**, 184 (1968).

(16) D. P. Craig and N. L. Paddock, *Nature*, **181**, 1052 (1958); D. P. Craig, *J. Chem. Soc.*, 997 (1959).

(17) M. J. S. Dewar, E. A. C. Lucken, and M. A. Whitehead, *ibid.*, **2423** (1960).




Figure 1.—A stereoscopic pair of drawings of the $S_2N_2(SbCl_5)_2$ molecule. The horizontal axis is a ; the vertical axis is b . The $SbCl_5$ groups on the left and right contain Sb_1 and Sb_2 , respectively. The thermal ellipsoids in this and the following drawings represent 50% probability contours.

TABLE V

Atoms	Root-mean-square amplitudes of vibration along principal axes			Bond lengths corrected for thermal motion			
	Axis 1	Axis 2	Axis 3	Atoms	a	b	c
Sb_1	0.1858 (13)	0.2248 (19)	0.2365 (21)	$S-N_1$	1.616 (7)		1.695
Sb_2	0.1899 (14)	0.2117 (17)	0.2378 (16)	$S-N_2$	1.623 (8)		1.705
Cl_{13}	0.1858 (52)	0.2937 (57)	0.4089 (80)	Sb_1-N_1	2.281 (10)		2.325
Cl_{23}	0.1837 (50)	0.2932 (73)	0.3616 (69)	Sb_2-N_2	2.285 (11)	2.285	2.329
Cl_{11}	0.2021 (57)	0.3158 (50)	0.5309 (88)	Sb_1-Cl_{11}	2.308 (5)	2.368	2.406
Cl_{12}	0.2358 (44)	0.2483 (41)	0.4897 (81)	Sb_1-Cl_{12}	2.313 (4)	2.358	2.397
Cl_{21}	0.2018 (62)	0.2707 (47)	0.5880 (109)	Sb_1-Cl_{13}	2.310 (4)	2.341	2.388
Cl_{22}	0.2496 (61)	0.2826 (56)	0.5804 (129)	Sb_2-Cl_{21}	2.282 (5)	2.353	2.394
S	0.1957 (36)	0.2093 (34)	0.3500 (44)	Sb_2-Cl_{22}	2.300 (6)	2.372	2.407
N_1	0.1863 (144)	0.1969 (229)	0.2303 (183)	Sb_2-Cl_{23}	2.313 (4)	2.338	2.382
N_2	0.1722 (276)	0.1851 (148)	0.2718 (236)				

^a Uncorrected for thermal motion. ^b Corrected for thermal motion—riding model.^d ^c Corrected for thermal motion—-independent model.^d ^d H. Binas, *Z. Anorg. Allgem. Chem.*, **352**, 271 (1967).

resonance forms by correlating them to the indicated bond order must be tempered by the recognition that the bonds are obviously strained in the four-membered ring. This four-membered ring is the smallest in a series of compounds containing rings composed only of sulfur and nitrogen atoms. Examples of other ring sizes are a five-membered ring in $S_3N_2Cl_2$,¹⁸ a six-membered ring in $(NSCl)_3$,¹⁹ a seven-membered ring in $S_4N_3NO_3$,²⁰ and an eight-membered ring in S_4N_4 .¹⁴

Coordination with nitrogen has changed the configuration around the antimony from the trigonal bipyramid in crystalline $SbCl_5$ ⁹ to a distorted octahedron with four equatorial chlorine atoms surrounding a linear $Cl-Sb-N$ axis. Although crystallographically independent, the two $NSbCl_5$ groups are structurally equivalent to within experimental error. The Sb_2-Cl_{21} bond is the only one which appears to deviate significantly from the average of 2.305 (3) Å. However, this deviation is very dependent on corrections for thermal motion.²¹ These bond length corrections and the rms amplitudes of vibration are listed in Table V.

The S_2N_2 ring is rotated 10.59 (21)° out of the xy plane. This and other dihedral angles are given in Table VI. By averaging two dihedral angles one can obtain a measure of the rotation of the $SbCl_5$ groups out of the xy plane. This rotation (where 0° would correspond to the equatorial $Sb-Cl$ bonds being in the

TABLE VI

DIHEDRAL ANGLES BETWEEN PLANES DEFINED BY THREE ATOMS

Plane 1	Plane 2	Angle, deg
$Cl_{11}-Sb_1-Cl_{13}$	$Cl_{12}-Sb_1-Cl_{13}$	90.8 (4)
$Cl_{11}-Sb_1-Cl_{13}$	$Cl_{12}'-Sb_1-Cl_{13}$	89.2 (4)
$Cl_{11}-Sb_1-Cl_{13}$	N_1-S-N_2	4.2 (3)
$Cl_{11}-Sb_1-Cl_{13}$	xy plane	6.3 (3)
$Cl_{12}-Sb_1-Cl_{13}$	$Cl_{22}-Sb_2-Cl_{23}$	10.5 (4)
$Cl_{21}-Sb_2-Cl_{23}$	$Cl_{22}-Sb_2-Cl_{23}$	89.6 (3)
$Cl_{21}-Sb_2-Cl_{23}$	$Cl_{22}'-Sb_2-Cl_{23}$	90.4 (3)
N_2-S-N_1	xy plane	10.6 (2)
$Cl_{21}-Sb_2-Cl_{23}$	N_1-S-N_2	7.4 (3)
$Cl_{21}-Sb_2-Cl_{23}$	xy plane	18.0 (2)
$Cl_{22}-Sb_2-Cl_{23}$	xy plane	107.6 (3)
$Cl_{12}-Sb_1-Cl_{13}$	xy plane	97.1 (3)




Figure 2.—A perspective drawing of the S_2N_2 ring in $S_2N_2(SbCl_5)_2$ as viewed normal to the plane of the ring.

(18) A. Zalkin, T. E. Hopkins, and D. H. Templeton, *Inorg. Chem.*, **5**, 1787 (1966).

(19) G. A. Wiegand and A. Vos, *Acta Cryst.*, **20**, 192 (1966).

(20) A. W. Cordes, R. F. Kruh, and E. K. Gordon, *Inorg. Chem.*, **4**, 681 (1965).

(21) C. K. Prout and J. D. Wright, *Angew. Chem. Intern. Ed. Engl.*, **7**, 659 (1968).

xz or xy planes) is 6.7 (2°) around Sb_1 and 17.8 (2°) around Sb_2 . These dihedral angles are shown in Figure 3. The ease of vibrational or librational motion around the long molecular axis can be seen in the shapes of the




Figure 3.—A perspective drawing of $S_2N_2(SbCl_5)_2$ which shows the relative orientations of the S_2N_2 ring and the $SbCl_5$ groups. The view is down the a axis, from Sb_2 to Sb_1 . The horizontal axis is $-c$; the vertical axis is $+b$.

thermal ellipsoids for the equatorial chlorine atoms, shown in Figures 1 and 3.

The octahedral geometry of the $N-SbCl_5$ groups is distorted by a shift of the equatorial chlorines toward the nitrogen donor atom such that the $Cl_{eq}-Sb-N$ angles are all less than 90° whereas the $Cl_{eq}-Sb-Cl_{ax}$ angles are correspondingly larger than 90° . This tendency of the equatorial chlorines to move in toward the donor atom is characteristic of $SbCl_5$ adducts. For example, $SbCl_5 \cdot SeOCl_2$,¹⁰ $SbCl_5 \cdot S_4N_4$,¹³ and $SbCl_5 \cdot CH_3CN$ ²² exhibit average $Cl_{eq}-Sb$ -donor atom angles of 86.2, 89.0, and 84.9°, respectively. The average $Sb-Cl$ bond length in $S_2N_2(SbCl_5)_2$, 2.305 (3) Å, falls at the short end of the range of distances previously reported for similar adducts. Some of these are: $SbCl_5 \cdot SO_2(CH_3)_2$, 2.32 Å;¹⁰ $SbCl_5 \cdot POCl_3$, 2.33 Å;¹¹ $SbCl_5 \cdot SeOCl_2$, 2.34 Å;¹⁰ $SbCl_5 \cdot PO(CH_3)_3$, 2.34 Å;¹¹ $SbCl_5 \cdot SO(C_6H_5)_2$, 2.35 Å;¹⁰ $SbCl_5 \cdot CH_3CN$, 2.36 Å;²² $SbCl_5 \cdot S_4N_4$, 2.39

(22) H. Binas, *Z. Anorg. Allgem. Chem.*, **352**, 271 (1967).

TABLE VII

	$S_4N_4 \cdot$ $SbCl_5^a$	$CH_3CN \cdot$ $SbCl_5^b$	$S_2N_2 \cdot$ $(SbCl_5)_2^c$	$SbCl_5^d$
N-Sb, dist, Å	2.17	2.23	2.283	
Sb-Cl dist, Å	2.39	2.36	2.305	2.31
$Cl_{eq}-Sb-N$, deg	89.0	84.9	83.04	

^a Reference 13. ^b Reference 22. ^c This work. ^d Reference 9.

Å.¹³ The $SbCl_5$ bond lengths reported for solid antimony pentachloride at -30° are 2.29 Å for the three basal chlorines and 2.34 Å for the two apical chlorines (average 2.31 Å).⁹

We find, then, that in comparison with known structures of similar adducts of $SbCl_5$ with Lewis bases, $S_2N_2(SbCl_5)_2$ contains the longest $Sb-N$ bond, the shortest $Sb-Cl$ bonds, and the greatest displacement of the equatorial chlorines toward the donor atom (smallest average $Cl_{eq}-Sb$ -donor atom angle). It appears that all three properties are functions of the strength of the adduct, and the data summarized in Table VII show that $S_2N_2(SbCl_5)_2$ is then the weakest such adduct reported to date. This correlation is apparently a general property of electron donor-acceptor complexes. In a recent review of this type of complex, Prout and Wright²¹ presented an analogous table of these properties for a series of $N-BF_3$ adducts which showed the same trends with increasing donor strength that we describe here for $N-SbCl_5$ adducts.

Acknowledgment.—We thank Professor William L. Jolly for his interest in this work and Professor David Templeton and Dr. Allen Zalkin for the use of their laboratory facilities. R. L. P. expresses his thanks to the United States Atomic Energy Commission for support through the Lawrence Radiation Laboratory Inorganic Materials Research Division.

CONTRIBUTION FROM THE DEPARTMENT OF CHEMISTRY,
MCGILL UNIVERSITY, MONTREAL 110, QUEBEC, CANADA

Preparation and Nuclear Quadrupole Resonance Interpretation of the Structure of cyclo-Tri- μ -nitrido-dichlorophosphorusbis(oxochlorosulfur)

BY RUTH CLIPSHAM, R. M. HART, AND M. A. WHITEHEAD

Received March 4, 1969

A new preparation of cyclo-tri- μ -nitrido-dichlorophosphorusbis(oxochlorosulfur), $NPCl_2(NSOCl)_2$, based on a pyrolytic decomposition of the product of a Kirsanov reaction between a linear phosphonitrilic chloride and sulfamic acid is presented. The infrared spectrum of $NPCl_2(NSOCl)_2$ in polar solution is similar to that of the solid state but relative intensities and positions of some of the bands in the solution spectra are solvent polarity dependent. The ^{35}Cl nuclear quadrupole resonance spectrum complements the known crystal structure and its temperature dependence provides additional evidence of the departure of molecular symmetry from C_3 in the solid state. The interactions are assigned and interpreted by comparison with those of other cyclic inorganic systems.

Introduction

There has been considerable interest in the structure and properties of cyclic phosphonitrilic halides, though no consensus has been reached concerning the bonding involved in such compounds. Cyclic trimeric sul-

fanuric halides have also been reported and characterized. A preparation of the title compound, $NPCl_2(NSOCl)_2$, was reported by van de Grampel and Vos in 1963.¹ It can be thought of as a ring composed of

(1) J. C. van de Grampel and A. Vos, *Rec. Trav. Chim.*, **82**, 246 (1963).