

ERRATA

ZVI HASHIN, Complex moduli of viscoelastic composites—II. Fiber reinforced materials. *Int. J. Solids Struct.* **6**, 797–807 (1970).

There are two misprints in the expression (2.12) for transverse shear modulus G_t^* , p. 799. The correct expression is

$$G_t^* = G_1 \frac{(1 + \alpha v_2^3)(\rho + \beta_1 v_2) - 3v_2 v_1^2 \beta_1^2}{(1 + \alpha v_2^3)(\rho - v_2) - 3v_2 v_1^2 \beta_1^2} \quad (\text{a})$$

$$\alpha = \frac{\beta_1 - \gamma \beta_2}{1 + \gamma \beta_2} \quad \rho = \frac{\gamma + \beta_1}{\gamma - 1} \quad (\text{b})$$

$$\gamma = \frac{G_2}{G_1} \quad (\text{c})$$

$$\beta_1 = \frac{1}{3 - 4v_1} \quad \beta_2 = \frac{1}{3 - 4v_2} \quad (\text{d})$$

(2.12)