

Comments on "Simultaneous Adsorption of Aniline and Cr(VI) Ion by Activated Carbon/Chitosan Composite"

Yuh-Shan Ho

Department of Biotechnology, College of Health Science, Asia University and Water Research Centre, Asia University, Taichung 41354, Taiwan

Correspondence to: Y.-S. Ho (E-mail: ysho@asia.edu.tw)

KEYWORDS: adsorption; biodegradable; classification

Received 14 May 2014; accepted 28 May 2014

DOI: 10.1002/app.41075

Recently, Huang et al. published the article entitled "Simultaneous adsorption of aniline and Cr(VI) ion by activated carbon/chitosan composite." In Section Adsorption Kinetics, authors presented "pseudo-second-order kinetic model" by the equation:

$$\frac{1}{q_t} = \frac{1}{k_2 q_e^2} + \frac{1}{q_e}$$

without any reference. This pseudosecond-order model is not correct. In fact, the pseudosecond-order kinetic expression for the adsorption systems of divalent metal ions using sphagnum moss peat has been presented. In 1997, a corrected pseudosecond-order kinetic expression was reported in a conference and journals in following years because a mistake was included in the previous publications. The pseudosecond-order kinetic model has a nonlinear form $q_t = \frac{q_e^2 kt}{1+q_e kt}$ and four linear forms, such as $\frac{t}{q_t} = \frac{1}{kq_e^2} + \frac{1}{q_e}t$, $\frac{1}{q_t} = \left(\frac{1}{kq_e^2}\right)\frac{1}{t} + \frac{1}{q_e}$, $q_t = q_e - \left(\frac{1}{kq_e}\right)\frac{q_t}{t}$, and $\frac{q_t}{t} = kq_e^2 - kq_eq_t$.

The model was also used in numbers of adsorption systems in subsequent years.⁷ A review of second-order models for adsorption systems gave more details.⁸

REFERENCES

- Huang, R. H.; Yang, B. C.; Liu, Q.; Liu, Y. P. J. Appl. Polym. Sci. 2014, 131, 39903.
- Ho, Y. S., Ph.D. Thesis, Adsorption of heavy metals from waste streams by peat, University of Birmingham: Birmingham, UK, 1995.
- 3. Ho, Y. S.; McKay, G. Advances in Adsorption Separation Science and Technology, In Proceedings of the Fourth China–Japan–USA Symposium on Advanced Adsorption Separation Science and Technology, South China University of Technology Press: Guangzhou, China, May 13–16, **1997**; p 257.
- 4. Ho, Y. S.; McKay, G. Chem. Eng. J. 1998, 70, 115.
- 5. Ho, Y. S.; McKay, G. Process Biochem. 1999, 34, 451.
- 6. Ho, Y. S. Water Res. 2006, 40, 119.
- 7. Ho, Y. S. J. Colloid Interface Sci. 2005, 283, 274.
- 8. Ho, Y. S. J. Hazard. Mater. 2006, 136, 681.