

Erratum

Erratum to “Structured catalyst of Pd/ZnO on sintered metal fibers
for 2-methyl-3-butyn-2-ol selective hydrogenation”
[J. Catal. 251 (2007) 213–222]

Natalia Semagina^a, Martin Grasemann^a, Nicolas Xanthopoulos^b, Albert Renken^a,
Liubov Kiwi-Minsker^{a,*}

^a Group of Chemical Reaction Engineering, Ecole Polytechnique Fédérale de Lausanne, GGRC-EPFL, Station 6, CH-1015 Lausanne, Switzerland

^b Metallurgical Chemistry Laboratory, EPFL-STI-IMX-LMCH, Station 12, CH-1015 Lausanne, Switzerland

The equations listed below represent the correct version of the corresponding equations in the original article.

Equations (1)–(5):

$$r_1 = k_1^* \frac{K_{\text{MBY}} C_{\text{MBY}}}{(1 + K_{\text{MBY}} C_{\text{MBY}} + K_{\text{H}}^{1/2} C_{\text{H}_2}^{1/2} + K_{\text{MBE}} C_{\text{MBE}} + K_{\text{MBA}} C_{\text{MBA}} + K_{\text{dimers}} C_{\text{dimers}})^2}, \quad (1)$$

$$r_1 = k_1^* \frac{K_{\text{MBY}} C_{\text{MBY}}}{(1 + K_{\text{MBY}} C_{\text{MBY}} + K_{\text{MBE}} (C_{\text{MBE}} + C_{\text{MBA}} + C_{\text{dimers}}))^2}, \quad (2)$$

$$r_2 = k_2^* \frac{K_{\text{MBE}} C_{\text{MBE}}}{(1 + K_{\text{MBY}} C_{\text{MBY}} + K_{\text{MBE}} (C_{\text{MBE}} + C_{\text{MBA}} + C_{\text{dimers}}))^2}, \quad (3)$$

$$r_3 = k_3^* \frac{K_{\text{MBY}}^2 C_{\text{MBY}}^2}{(1 + K_{\text{MBY}} C_{\text{MBY}} + K_{\text{MBE}} (C_{\text{MBE}} + C_{\text{MBA}} + C_{\text{dimers}}))^2}, \quad (4)$$

$$r_4 = k_4^* \frac{K_{\text{MBY}} C_{\text{MBY}}}{(1 + K_{\text{MBY}} C_{\text{MBY}} + K_{\text{MBE}} (C_{\text{MBE}} + C_{\text{MBA}} + C_{\text{dimers}}))^2}. \quad (5)$$

DOI of original article: [10.1016/j.jcat.2007.06.028](https://doi.org/10.1016/j.jcat.2007.06.028).

* Corresponding author.

E-mail address: liubov.kiwi-minsker@epfl.ch (L. Kiwi-Minsker).