Acta Cryst. (1971). B27, 718

The Crystal and Molecular Structure of Obtusifolin, a New Flavanone, C₂₄H₂₂O₇

BY P. NARAYANAN, K. ZECHMEISTER, M. RÖHRL AND W. HOPPE

Abteilung für Röntgenstrukturforschung am Max-Planck-Institut für Eiweiss- und Lederforschung, München und Physikalisch-Chemisches Institut der Technischen Hochschule München,

Abteilung für Strukturforschung, München, Deutschland

(Received 13 July 1970)

The crystal and molecular structure of obtusifolin, $C_{24}H_{22}O_7$, a flavanone, has been determined by a direct phase-determination method, and has been refined by least squares to an *R* index of 7.9% for 1926 reflexions measured on a Siemens off-line diffractometer. The space group is $P_{21}2_{1}2_{1}$ with four molecules in a unit cell of dimensions a=20.96, b=12.47 and c=7.99 Å. Obtusifolin is a dihydroxy-flavanone, which is linked with a tri-substituted 4-hydroxy-2-pyrone ring by a methylene bridge. Bond lengths and bond angles have been calculated. Best plane equations have also been calculated for various rings and for the pseudo-symmetry plane passing through the methylene carbon atom.

Introduction

Obtusifolin, $C_{24}H_{22}O_7$, a new flavanone was isolated by Hänsel, Ohlendorf & Pelter (1970) together with three other lipophilic substances from the leaves and stems of *Gnaphalium obtusifolium* (family: *Compositae*). An X-ray structure analysis was undertaken to determine the correct crystal and molecular structure of this natural compound. It crystallizes in colourless crystals from acetone (m.p. 202–204 °C). It forms a triacetate and a dimethyl derivative at m.p. 168–171 °C and a monomethyl derivative at m.p. 232–236 °C. It is optically active; $[\alpha]_D = +91\cdot2^\circ$ (c = 0.523).

Crystal data

The cell dimensions are:

a	20∙96 Å
b	12.47
с	7.99
V	2088 ų
M.W.	422.4

The space group is $P2_12_12_1$ and there are four molecules in a unit cell. The density of the crystals, measured by the flotation method in an aqueous potassium iodide solution, was $d_m = 1.32$ g.cm⁻³ and the calculated density for four molecules per unit cell is $d_{cal} = 1.34$ g.cm⁻³.

Intensity data

The three-dimensional X-ray diffraction intensity data were collected on a Siemens off-line four-circle singlecrystal diffractometer, using Cu K α radiation (1.54178 Å). The photographic films showed a rapid fall off in intensity of the reflexions beyond $\theta = 40^{\circ}$. The first intensity data measurements below the $\theta =$ 40° range gave a total of 778 reflexions and early attempts to solve the structure from these data proved futile. To collect more data, the thickest available crystal of size $0.4 \times 0.4 \times 0.7$ mm was selected. All the reflexions within $\theta \le 64^\circ$ were measured (mode of measurement: $\theta/2\theta$ scan, 5-point measuring procedure). Of the 1926 reflexions measured 167 were classified as 'weak', with an observed intensity less than twice the standard deviation of the measurements. The intensities were corrected for the Lorentz-polarization (1/Lp) factors. No absorption correction was applied.

Structure analysis

The corrected intensity data were sorted on the data reduction program *DATRDN*, which sorts $|F_0|$ values on an arbitrary scale and f(hkl) values at absolute zero temperature. The absolute scale factor k of the data $|F_o|$ and the overall temperature factor B were estimated from Wilson statistics (DATFIX). The values of the statistical averages for the normalized structure factors |E| and $|E^2-1|$ for non-centrosymmetric reflexions were 0.849 and 0.843 respectively as compared with the theoretical values 0.886 and 0.736 for noncentrosymmetric space groups. The overall thermal parameter B was 5.3 Å², consistent with the rapid fall off of intensities at high angles. The atomic scattering factors were taken from International Tables for X-ray Crystallography (1962). These intensities, set on an absolute scale, were used to solve the structure by a direct phase determination method, programmed by one of us (Zechmeister, 1969), which is based on a cyclic application of the statistical phase relationships given by Cochran (1955). This is also equivalent to the tangent formula (Karle & Hauptman, 1956).

The general formula for calculating the most probable value of the phase is

$$\langle \varphi_{\mathbf{h}} \rangle = \text{phase of} \sum_{1}^{m} |U_{\mathbf{h}}| |U_{\mathbf{h}-\mathbf{h}'}| \exp i (\varphi_{\mathbf{h}} + \varphi_{\mathbf{h}-\mathbf{h}'})$$
 (1)

To limit the procedure the statistical error equation $(\overline{\Delta \varphi_{h}})$, associated with each term in (1) was used.

In the acentric space groups with centrosymmetric projections such as $P2_12_12_1$, the origin is restricted to

Table 1. Starting phase set for the cyclic procedure

					Phase	
h	k	l	U	Initial	True (in cycl	les)
1	11	3	0.31	0.25	0.216)
6	10	1	0.31	0.00	0.004	Origin and anontiomorph
1	12	5	0.24	0.00	0.002	S Origin and enantionorph
23	4	0	0.26	0.25	0.25	
0	11	3	0.39	0.75	0.75	
12	8	0	0.29	0.00	0.00	

certain special positions. This condition for the restricted free choice of the origin in the unit cell and of the enantiomorphic structures allows the phases of four two-dimensional reflexions to be arbitrarily fixed in the space group concerned here. However, for the analysis of the present structure three of the four starting reflexions were three-dimensional. The initial phases of these three-dimensional reflexions were those obtained from the contributions of the strong twodimensional reflexions in the triple product relations (see Table 2). The phases of these three-dimensional reflexions were continually refined during the cyclic procedure. In order to extend the initial phase set, two more two-dimensional reflexions were included [see also the multisolution method of Germain & Woolfson (1968)].

 Table 2. Triple-product relations for the starting threedimensional reflexions

h	k	1	h	k	1	h k	1	Phase	
1	11	3	0 0 0	11 11 12	<u>5</u> i 3 i 3 r	$\begin{array}{ccc} 1 & 0 \\ 1 & 0 \\ 1 & \overline{1} \end{array}$	8 r 6 r 0 i	<u>+</u> i	
6	10	1	6 0	0 10	4 r 5 r	$\begin{array}{c} 0 & 10 \\ 6 & 0 \end{array}$	5 r 6 r	$\pm r$	
1	12	5	0 0 0	11 12 12	$\frac{5}{3} i$ $\frac{1}{1} r$	$egin{array}{ccc} 1 & 1 \ 1 & 0 \ 1 & 0 \ \end{array}$	0 i 8 r 6 r	± r	
i = imaginary; r = real.									

Table 3. Coordinates of the non-hydrogen atoms $\times 10^5$

E.s.d.'s are given in parentheses.

	x/a	y/b	z/c
O(1)	33737 (21)	37918 (34)	20810 (70)
O(2)	21111 (24)	30528 (38)	22345 (80)
O(3)	8212 (24)	54212 (46)	29877 (84)
O(4)	14735 (23)	66833 (39)	19817 (82)
O(5)	26830 (24)	74131 (37)	21302 (87)
0(6)	47263 (23)	65958 (45)	42139 (84)
O(7)	50676 (25)	46499 (52)	42952 (89)
C(1)	36447 (43)	15051 (73)	855 (122)
C(2)	16065 (52)	94989 (77)	49075 (149)
C(3)	31551 (54)	-602(75)	12199 (191)
C(4)	31667 (51)	3458 (89)	27065 (186)
C(5)	34106 (48)	14125 (78)	30606 (148)
C(6)	36543 (33)	19554 (67)	16655 (123)
C(7)	39287 (32)	30967 (53)	18753 (107)
C(8)	43829 (36)	32398 (65)	33744 (122)
C(9)	45618 (37)	43821 (65)	36676 (112)
C(10)	40782 (31)	51703 (61)	31750 (94)
C(11)	34950 (30)	48603 (52)	24147 (91)
C(12)	30226 (30)	55648 (50)	19796 (91)
C(13)	31196 (35)	66543 (60)	24508 (114)
C(14)	36940 (34)	70079 (57)	31671 (110)
C(15)	41676 (37)	62807 (62)	35149 (107)
C(16)	24479 (36)	52093 (52)	9680 (84)
C(17)	18618 (31)	48874 (53)	19325 (88)
C(18)	17135 (36)	38526 (59)	24105 (100)
C(19)	10893 (38)	35973 (66)	30948 (111)
C(20)	6581 (44)	43949 (78)	33488 (139)
C(21)	14000 (36)	57273 (68)	22657 (104)
C(22)	9424 (49)	24459 (79)	34931 (181)
C(23)	94 (49)	42419 (93)	40623 (218)
C(24)	3624 (51)	/1 (14/)	8342 (264)

Table 4. Anisotropic temperature factor coefficients $\times 10^5$

E.s.d.'s are given in parentheses.

The anisotropic thermal parameters are of the form $T = \exp\left[-\left(\beta_{11}h^2 + \beta_{22}k^2 + \beta_{33}l^2 + 2\beta_{12}hk + 2\beta_{13}hl + 2\beta_{23}kl\right)\right]$.

	β_{11}	β_{22}	β_{33}	β_{12}	β_{13}	β_{23}
O(1)	229 (12)	559 (30)	2468 (117)	-10 (16)	-41 (32)	- 50 (53)
O(2)	300 (14)	649 (34)	3469 (146)	-10(18)	- 130 (40)	306 (66)
O(3)	241 (14)	1041 (47)	3453 (149)	-62(21)	103 (40)	- 326 (78)
O(4)	262 (14)	703 (36)	3494 (143)	12 (19)	85 (40)	-45 (68)
Q(5)	300 (15)	560 (32)	3815 (162)	-5(19)	- 29 (45)	74 (68)
O (6)	235 (13)	1072 (47)	3142 (139)	-209(22)	- 107 (38)	- 187 (77)
$\vec{O}(\vec{7})$	242 (15)	1317 (58)	3614 (161)	-18(25)	- 309 (43)	106 (93)
CÌÌ	368 (26)	821 (69)	2621 (195)	48 (35)	- 83 (61)	-1 (102)
$\tilde{C}(2)$	512 (38)	728 (66)	3916 (277)	-68(43)	174 (90)	202 (123)
C(3)	368 (31)	713 (69)	5185 (359)	-20(37)	- 223 (94)	52 (146)
C(4)	366 (29)	1019 (91)	4973 (365)	-58(43)	142 (96)	1129 (161)
C(5)	426 (31)	980 (79)	3376 (261)	4 (41)	141 (82)	266 (132)
C(6)	202 (17)	637 (51)	3142 (202)	64 (24)	69 (52)	338 (93)
$\tilde{C}(\tilde{7})$	228 (18)	594 (45)	2581 (169)	39 (24)	118 (49)	- 54 (82)
C(8)	259 (20)	859 (62)	2755 (194)	98 (30)	5 (54)	280 (98)
C(9)	246 (20)	864 (62)	2446 (176)	46 (30)	5 (51)	38 (94)
C(10)	182 (16)	904 (58)	1796 (134)	- 74 (25)	40 (40)	155 (82)

	ß.	Baa	ßen	Ria	Rea	Roo
	p_{11}	P22	P33	p_{12}	p_{13}	P23
C(11)	213 (17)	639 (47)	1610 (123)	-20(23)	58 (39)	3 (69)
C(12)	210 (16)	575 (43)	1624 (129)	-23(23)	74 (41)	71 (69)
C(13)	265 (20)	718 (53)	2462 (181)	-17(28)	135 (52)	166 (90)
C(14)	241 (19)	661 (51)	2429 (167)	- 88 (26)	27 (49)	-16(87)
C(15)	295 (21)	834 (60)	2035 (161)	- 193 (30)	133 (49)	- 8 (86)
C(16)	300 (19)	659 (50)	1531 (118)	8 (27)	-48(42)	9 (68)
C(17)	2 44 (18)	727 (48)	1634 (124)	-22(35)	-159 (41)	-45 (72)
C(18)	316 (21)	796 (56)	1942 (148)	-118 (30)	-178(48)	215 (81)
C(19)	300 (22)	986 (66)	2508 (176)	-285(33)	— 189 (55)	323 (10)
C(20)	372 (27)	1078 (80)	3265 (231)	- 185 (40)	31 (68)	-94 (125)
$\tilde{C}(21)$	262 (20)	1042 (71)	2035 (153)	-65(31)	9 (48)	15 (94)
$\tilde{C}(22)$	454 (34)	1098 (80)	5919 (399)	-140(46)	187 (103)	744 (170)
Č(23)	302 (30)	1410 (105)	7810 (542)	-94(45)	673 (113)	366 (217)
C(24)	246 (30)	3564 (254)	10389 (716)	-121(70)	463 (123)	-2839(411)

The resulting four phase sets were refined over 30 cycles till the phases of almost all the unitary structure factors used (300) were determined. A U-Fourier synthesis of the first two sets, selected on the basis of the 'best solution' criterion (in which the phases of the individual **h** terms having the highest correlation, *i.e.* minimal Q-value given by the equation

$$\frac{\sum_{h=1}^{h} |U_{h}| \left\{ \sum_{h'}^{h'} |U_{h'} U_{h-h'}| \exp i (\varphi_{h'} + \varphi_{h-h'}) / \sum_{h'}^{h'} |U_{h'} U_{h-h'}| \right\}}{\sum_{h} |U_{h}|},$$

are selected) did not lead to the correct solution of the structure. A subsequent U-Fourier synthesis of the third phase set given in Table 1 with Q-value 0.3576



(b)

Fig. 1. (cont.) (b) Perspective view of the molecule along the c axis with 50% probability thermal ellipsoids.

Table	5.	Coordinates	of hydrogen	atoms	(×10 ³)	and
		temperatu	re factor coef	ficients		

	$T = \exp$	$(-B\sin^2\theta)$	9/λ2)	
	x/a	y/b	z/c	В
H(1)	125	768	427	5•0 Å2
H(2)	157	992	381	5.0
H(3)	304	915	112	5.0
H(4)	302	35	407	5.0
H(5)	333	200	410	5.0
H(7)	402	327	67	5.0
H(8)	411	290	447	5.0
H(9)	473	262	355	5.0
H(14)	377	777	344	5.0
H(16)	255	457	0	5.0
H(17)	233	585	31	5.0
H(20)	82	210	438	5.0
H(21)	114	203	306	5.0
H(22)	46	227	266	5.0
H(54)*	237	709	156	5.0

* H(54) belongs to the atom O(5).

Fig.1. (a) Numbering of atoms, bond distances and angles (excluding H-atoms).

immediately revealed 29 out of 31 non-hydrogen atoms of the molecule, with an R index of 33%. A Fourier synthesis using the phases of all reflexions, calculated



Table 4 (cont.)

from the coordinates of 29 atoms, yielded the two remaining atoms. After 3 cycles of isotropic refinement the R index fell to 17.3%. After five cycles of aniso-

0467 115918007770578888

C129 45 678841234547880

017365678851734857

1541210.997 694971

14124 111 -1734567#011171 11717.4 4.1

tropic refinement the R index was 10.3%. From the difference Fourier synthesis computed at this stage 15 hydrogen atoms could be located. With the inclusion of

dallas	Torristic (1999)						<pre></pre>		ч,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
••••••••••••••••••••••••••••••••••••	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· • • • • • • • • • • • • • • • • • • •	Viet • 107 117 Viet • 117 118 Viet 11 118 118 Viet 11 118 118 Viet 12 109 118 Viet 14 16 118 Viet 15 16 118 Viet 17 118 100 Viet 17 118 100 Viet 17 100 100 Viet 17 100 100 Viet 17 100 100 </td <td>17 31 37 44 110 6 14 10 6 12 14 10 7 14 10 6 17 12 14 17 18 17 14 16 17 18 10 7 19 19 70 94 19 7 424 97 94 7 424 97 94 9 9 9 14 19 10 70 9 14 19 14 17 17 74 17 14 17 17 12 40 17 17 12 40 17 17 17 12 40 17 10 17 12 12 40 10 17 12 17 17 10 17 17</td> <td>7 7 8 8 7 7 8 87 7 8 87 7 7 8 87 1 1 7 13 13 13 1 7 17 13 13 13 1 7 17 13 13 13 1 7 17 100 14 13 1 17 17 100 14 13 14 1 17 17 100 14 15 15 15 15 15 15 15 15 15 15 15 16 100 15 15 15 15 16 10 15 15 15 15 15 15 15 16 10 16 10 15 16 10 16 10 16 10 16 10 16 10 10 16 10</td> <td>H1.13 0 2707 2711 0 2407 2711 1000 1 117 1000 1000 1 1217 2000 1000 1 1217 2000 1000 1 1217 2000 1000 1 1100 1271 1000 1 1100 1277 1100 11 1177 1279 1000 11 1177 1279 1000 12 1000 1270 1000 13 1500 1000 1000 14 1000 1270 1000 15 1000 1000 1000 14 1000 1000 1000 15 1000 1000 1000 16 1000 1000 1000 15 1000 1000 1000 16 1000 1000 1000 17 10000</td> <td>H.4.44 1<td>17 10 12 10 14 31 10 14 31 10 14 31 11 14 31 12 111 14 11 111 14 11 111 14 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11</td><td>11171111111111111111111111111111111111</td></td>	17 31 37 44 110 6 14 10 6 12 14 10 7 14 10 6 17 12 14 17 18 17 14 16 17 18 10 7 19 19 70 94 19 7 424 97 94 7 424 97 94 9 9 9 14 19 10 70 9 14 19 14 17 17 74 17 14 17 17 12 40 17 17 12 40 17 17 17 12 40 17 10 17 12 12 40 10 17 12 17 17 10 17 17	7 7 8 8 7 7 8 87 7 8 87 7 7 8 87 1 1 7 13 13 13 1 7 17 13 13 13 1 7 17 13 13 13 1 7 17 100 14 13 1 17 17 100 14 13 14 1 17 17 100 14 15 15 15 15 15 15 15 15 15 15 15 16 100 15 15 15 15 16 10 15 15 15 15 15 15 15 16 10 16 10 15 16 10 16 10 16 10 16 10 16 10 10 16 10	H1.13 0 2707 2711 0 2407 2711 1000 1 117 1000 1000 1 1217 2000 1000 1 1217 2000 1000 1 1217 2000 1000 1 1100 1271 1000 1 1100 1277 1100 11 1177 1279 1000 11 1177 1279 1000 12 1000 1270 1000 13 1500 1000 1000 14 1000 1270 1000 15 1000 1000 1000 14 1000 1000 1000 15 1000 1000 1000 16 1000 1000 1000 15 1000 1000 1000 16 1000 1000 1000 17 10000	H.4.44 1 <td>17 10 12 10 14 31 10 14 31 10 14 31 11 14 31 12 111 14 11 111 14 11 111 14 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11</td> <td>11171111111111111111111111111111111111</td>	17 10 12 10 14 31 10 14 31 10 14 31 11 14 31 12 111 14 11 111 14 11 111 14 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11 111 111 11	11171111111111111111111111111111111111

Table 6. Observed and calculated structure factors

Tal	hl	e (5 (cont.)
14			~ (cominy

19 14 17	H,2 91 94 34	•	60 59 35 34	67 ••• 10 11	63 6 83 14 75 6 45	10 43 41 73 77 37	2345678	91 44 109 81 44 79 41	35 39 120 73 56 74	2345478	15 15 15 15 15 15 15 15 15 15 15 15 15 1	21 32 23 33 24 28 27	8 14 W,11,6 2 23 1 15 8 10	10 22	7 6 5 6 3 2 1	22 28 11 35 44 31	25 28 35 45 37	;	12 17 11, 5, 7 12	15	5 6 7 8 9 10	12 40 12 18 32 29	19 45 22 32 32 40	73.45.480	30 96 97 18 14	14 61 38 76 7 66	2345678	74 12 27 17 16	19 20 17 36 11	9 10 11 12	13 51 77 96 29 32	10 91 44 95 31 33	7 6 5	H, 5, A 24 27 11 29	25 21 19 30
18 17 16	H, 3 14 24 59	••	20 35 57 53	13 14 15 16 17	27 4P 29 15	14 36 29 12	10 11 12 13	30 20 15 11 17 24	37 20 14 12 23 24	10 11 12 13	11 71 47 15 41	11 79 76 15 39	4,10,6 1 44 2 11 3 11	ž	0 1	23 . 4.7.7 13 22	15	274547	14 43 100 43 43 24	43 39 105 40 44 73	11 12 13 14 15	31 21 19 37 10	26 26 19 31 7	11 12 13 14	12 17 11 37 23	5 19 10 36	10	16 77 47 10 H.1.8	10 78 45 6	11	H,3,8 44 25 91 30	46 25 99 23	47210	50 35 48 29 11	49 32 56 37
14	37 97 127 12	1	47 33 93 28 0 69	14	H,5,4 20 31 24	31 27 34 21	14	22 N,7,6 17 10	25 17	11 10 9	26 10 18 31	74 14 16 42	4 14 5 27 6 11 7 10 8 17	10 21 10 10	234547	67 38 45 43 61 25	67 35 67 61 27	19	77 26 29 26 13	76 30 29 31 18	14	H,2,7 25 18 11 33	24 21 3	16 16 14	72 H1017 11 15	20 17	12 11 10 8	24 47 47 64 21	27 47 51 68 14	* 65432	54 11 17 38 30 26	57 15 16 35 40 29	C 1 2 7	70 27 27 15	25 22 29
	1 32	1	32 63 7 36 14	12 11 10 8 7	46 47 55 41 26	36 32 42 51 43 29	11 10 9 8 7	42 25 43 33 30	54 41 32 42 35 29	7 65 4 3 7	10 11 12 14		*,11,6 2 10 1 10 0 10	?: !!	17 11	25 12 27 11 M,6,7	13	13 12 11	4.4.7 30 17 14	32 20 28	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 44 18 67 40 12	24 47 22 76 43 16	13 12 11 10 9	16 13 28 50 49	23 7 18 34 47 60	765452	35 12 12 36 34 51	29 29	2	18 12 H,4,8 23	16 10 34	• •	31 25 14 Hy7y8	22 25 15
1	34 99 M,4	••	35 9*		40 64 98 367 36	45 58 R3 120 49		65 63 31 35 28	65 65 29 31 28	1	() . 4.10.4		H, 4, 7 C 2C J 1C Z 10 J 49	24 11 14	17 11 10 9 8	37 25 31 40 11	32 20 27 47 22	76610	17 12 12 12	36 13 14 34 15		33 24 62 12 63	27 50 25 18	7 6 5 4 3 2 .	13 47 58 69 34 13	42 51 78 37 4	0	27 121 ****	121	123454	35 12 46 11 24 11	30 14 44 23 24 13	32	19 18 26	22
1234	100 34 52 17		48 42 58 70	î	H1616 12 45		0 1	41 1	52 16	.27457	15 11 20 27 15	24 18 21	₩,8,7 ₩,8,7	14 12		39 73 77 79	3# 74 47 82 24	0	23 12 14	26 32 23 23	2	12 H.1.7 18 50	12	î	28 H.O.B 72 119	63 113	123454	15 21 33 10 21	16 23 35 11 28	10	34 31 49	37 32 37 48			

these hydrogen atoms, two more cycles of anisotropic refinement of the non-hydrogen atoms were performed. No extinction correction was applied. The refinement was terminated when the shifts in the positional and thermal parameters for non-hydrogen atoms were all less than the standard deviation, $\sigma/3$ and $\sigma/2$ respectively. The final *R* index is 7.9%. The structural parameters with standard deviations in parentheses are given in Tables 3 to 4 for non-hydrogen atoms and in Table 5 for hydrogen atoms. and bond angles (excluding H atoms) of the molecule. Fig. 1(b) shows a perspective view of the molecule along the c axis with 50% probability thermal ellipsoids. The configuration of the molecule is shown in Fig. 2. The observed and calculated structure factors are listed in Table 6.

Discussion

Fig. 1(a) gives the numbering of atoms, distances

C(20) - O(3)

C(21)-O(3)

1.356 (11)

1.396 (9)

Bond lengths and bond angles involving non-hydrogen atoms are listed in Tables 7 and 8 respectively with

Table 7. Bond lengths

E.s.d.'s $\times 10^3$ are given in parentheses.

		-	
Carbon-car	bon bonds	C=O bor	nds
C(1) - C(2)	1·366 (13) Å	C(9)O(7)	1·219 (10) Å
C(1) - C(6)	1.382 (14)	C(21) - O(4)	1.223 (10)
C(2) - C(3)	1.357 (18)		
C(3) - C(4)	1.292 (21)		
C(4) - C(5)	1.453 (15)	C-H bor	nds
C(5) - C(6)	1.401 (14)	C(1) - H(1)	1.225
C(6) - C(7)	1.544 (10)	C(2) - H(2)	1.023
C(7)—C(8)	1.541 (12)	C(3) - H(3)	1.019
C(8)—C(9)	1.492 (11)	C(4)—H(4)	1.129
C(9)—C(10)	1.466 (11)	C(5)—H(5)	1.114
C(10)–C(11)	1.419 (9)	C(7)—H(7)	1.006
C(10)–C(15)	1.424 (11)	C(8)—H(8)	1.136
C(11)-C(12)	1.369 (9)	C(8)—H(9)	1.065
C(12)-C(13)	1.425 (10)	C(14)–H(14)	0.984
C(12)-C(16)	1.517 (10)	C(16)–H(16)	1.132
C(13) - C(14)	1.404 (11)	C(16)–H(17)	0.983
C(14) - C(15)	1.373 (11)	C(22)–H(20)	0.867
C(16)–C(17)	1.505 (7)	C(22)-H(21)	0.753
C(17)-C(18)	1.381 (10)	C(22)–H(22)	1.225
C(17) - C(21)	1.451 (10)		
C(18)-C(19)	1.453 (11)	0 11 1	
C(19)-C(20)	1.359 (13)	U-H boi	nas
C(19)-C(22)	1.503 (13)	O(5)H(54)	0.901
C(20)-C(23)	1.486 (15)		
C(23)-C(24)	1.235 (19)		
		0···H–0	oonds
0.01		$O(1) \cdots H - O(2)$	2.804 (5)
C-0 6	oonds	$O(4) \cdots H - O(5)$	2.696 (5)
C(7)—O(1)	1.460 (8)	$O(7) \cdots H - O(6)$	2.531 (8)
C(11)-O(1)	1.383 (8)		
C(15)-O(6)	1.355 (9)		
C(13)–O(5)	1.341 (9)		
C(18) = O(2)	1.307 (9)		

their associated standard deviations. Obtusifolin is a dihydroxyflavanone which is linked with a trisubstituted 4-hydroxy-2-pyrone ring by a methylene bridge.

Table 8. Bond angles

E.s.d.'s \times 10 are given in parentheses.

)°
í)
Ó
2Ĵ
Ó
ລ໌
ń
ń
ń
ő.
5
ň.
ń
ń
ń
ń
á.
ő.
ă.
ă
ล้
ő.
ă.
ă.
ő.
ň
ń
ś.
ň
ń
ń
ń
5)
<u>5</u>
5)
5)
ń)
<i>1</i>)
5)
~ /
ŝ)



Fig. 2. Configuration of the molecule.

rn 11	0	/ / /
Tabl	ех	(cont.)

	θ
C(22) = C(19) = C(20)	122.1 (8)
C(19) - C(20) - O(3)	119.5(8)
C(19) - C(20) - C(23)	124.8 (9)
C(23) - C(20) - O(3)	115.7 (8)
C(20) - C(23) - C(24)	120.2 (12)
C(20) - O(3) - C(21)	124.4 (6)
C(17) - C(21) - O(3)	117.2 (7)
C(17) - C(21) - O(4)	125.9 (7)
O(3) - C(21) - O(4)	116.9 (7)
Bond angles involving H	I-atoms
C(13) = O(5) = H(54)	106°
C(2) - C(1) - H(1)	140
C(6) - C(1) - H(1)	98
C(1) - C(2) - H(2)	121
C(3) - C(2) - H(2)	115
C(2) - C(3) - H(3)	121
C(4) - C(3) - H(3)	117
C(3) - C(4) - H(4)	152
C(5) - C(4) - H(4)	84
C(4) - C(5) - H(5)	133
C(6) - C(5) - H(5)	109
C(6) - C(7) - H(7)	99
C(8) - C(7) - H(7)	126
D(1) - C(7) - H(7)	9/
C(7) = C(8) = H(8)	104
C(8) - H(8)	111
C(7) = C(8) = H(9)	113
L(9) - C(8) - H(9)	88
C(13) = C(14) = H(14)	121
C(15) - C(14) - H(14)	118
C(12) - C(16) - H(16)	115
C(17) - C(16) - H(16)	108
C(12) - C(16) - H(17)	104
C(17) - C(16) - H(17)	106
H(16) - C(16) - H(17)	104
C(19) - C(22) - H(20)	135
C(19) - C(22) - H(21)	116
C(19) - C(22) - H(22)	102
H(20)-C(22)-H(21)	101
H(20)-C(22)-H(22)	96
H(21)-C(22)-H(22)	94

In the phenyl ring A the bond lengths C(3)-C(4) and C(4)-C(5) and the corresponding bond angles C(3)-C(4)-C(5) and C(4)-C(5)-C(6) vary significantly from the standard values, 1.395 Å and 120°. This extremely high deviation is surprising. Whereas all other bond length deviations are just within the allowed significance range of approximately 3σ , this bond length C(3)-C(4) is far too short. One of the reasons for the accuracy of this determination not being very high is certainly the value of the temperature factor $B \simeq 5.5$ Å², which weakens the high order reflexions. Even this does not explain the difference. Ring B has half-chair configuration. The bond length C(7)-O(1) corresponds to the C-O bond length in pyranoses and pyranosides, as found, for example, in the structure analysis of α -glucose by McDonald & Beevers (1952). The bond length C(11)-O(1) agrees with the C-O bond length found in the structure analysis of 2,6-dimethyl-ypyrone by Hope (1965).

Ring C is planar; the mean value of the C–C bonds in this aromatic ring is 1.40 Å. The individual bond

lengths, however, vary considerably from the standard values for a benzene ring. The carbonyl groups in rings B and D have bond lengths of 1.22 Å; the bond lengths of the phenolic hydroxy groups in ring C are as expected. Ring D, an α -pyrone ring, is planar and the bond lengths C(20)-O(3) and C(21)-O(3) agree with the values found in 2,6-dimethyl- γ -pyrone (Hope, 1965). The ethyl group C(23), C(24) is statistically disordered. The molecule has intramolecular hydrogen bonds between the atoms O(1)-O(2), O(4)-O(5) and O(6)-O(7) [see Fig. 1(a)]. The angles C(12)-C(13)-O(5), C(17)-C(21)-O(4) and C(17)-C(18)-O(2) are widened, and the angle C(12)-C(16)-C(17) at C(16) is greater than the normal tetrahedral angle. This means that there is a tendency (probably due to van der Waals repulsion of the oxygen atoms) to enlarge the distance between the two ring systems in spite of the hydrogen bonds O(1)-O(2) and O(4)-O(5).

Planarity of the rings and dihedral angles

Best-plane equations have been calculated for rings A, B, C and D and for the pseudo-symmetry plane S passing through C(16), by the method of Schomaker, Waser, Marsh & Bergman (1959). The least-squares plane equations are:

1.894 x - 0.4941 y + 0.1298 z - 0.6167 = 0 (*A*) 0.9186 x + 0.0800 y - 0.7166 z - 0.1889 = 0 (*B*) 0.8424 x + 0.1819 y - 0.7225 z - 0.2096 = 0 (*C*) 0.7862 x + 0.1733 y + 0.7325 z - 0.3752 = 0 (*D*) 2.001 x + 0.3692 y + 0.0159 z - 0.6828 = 0 (*S*)

Plane A defined by atoms C(1) through C(6) is planar with standard deviation 0.007 Å and atom C(7) deviates from this plane by 0.015 Å. The standard deviation of the atoms defining the plane B [C(8) through C(11) and O(1)] is 0.022 Å. Ring B is planar except for the atom C(7) whose deviation from this plane (-0.623Å) gives the half-chair configuration to this ring; the deviation of O(7) from this best plane is -0.060 Å. The dihedral angle between planes A and B is 77.0° . The planarity of ring C is defined by atoms C(10) through C(15) ($\sigma = 0.022$ Å). The atoms O(5), O(6) and C(16) deviate from this plane by 0.026, -0.040 and -0.215 Å respectively. Planes B and C are coplanar (dihedral angle = $5 \cdot 1^{\circ}$). The standard deviation of the atoms defining plane D [C(17) through C(21) and O(3)] is 0.022 Å. The deviations of other atoms from this plane, namely C(16), O(2), C(22), C(23), C(24) and O(4) are 0.216, -0.073, 0.027, 0.034, 0.117 and -0.016 Å respectively. The fractional coordinates of the centroids of the best planes C and D are

С	D
x/a = 0.3596	0.1257
y/b = 0.5923	0.4647
z/c = 0.2783	0.2673

The z coordinate is almost identical for the two planes, *i.e.* both are at the same height, and are tilted with

respect to each other $(131 \cdot 1^{\circ})$, the atom C(16) being the pivot, and C(16) deviates equally from these planes (-0.215 and 0.216 Å). Part of the molecule possesses an internal pseudo-symmetry plane (S), defined by coordinates of six points, namely the coordinates of atom C(16) and the mean of the coordinates of the pairs of atoms O(4)-O(5); C(13)-C(21); C(12)-C(17); C(11)-C(18) and O(1)-O(2) ($\sigma = 0.030$ Å). Most of the atoms in rings B and C lie symmetrically with respect to those in ring D with respect to this best plane S. The deviations of the atoms in these rings and also in ring A, from this plane are listed in Table 9. The dihedral angles between this plane (S) and planes C and D are 65.8 and 65.3° almost equal. The dihedral angles between this plane (S) and the other two planes (A)and B) are 41.5 and 65.2° respectively.

Table 9. Deviations of the atoms in the obtusifolinmolecule from the symmetry plane S

Deviation −1·31 Å O(5) O(4)1.38 C(13) -1.91 1.88 C(21) C(12) -1.31C(17) 1.27C(11) -- 2.00 C(18) 1.94 O(1) -1.36 O(2) 1.44 C(9) - 3.98 3.98 C(22) C(10) -3.29 C(19) 3.27 C(15) -3.89 C(20) 3.84 C(14) -3.20O(3) 3.14 O(6) -5.13C(23) 5.18 -1.02C(1) C(2)-0.15C(3) 0.52 C(4) 0.32 -0.57 C(5) C(6) -1.23-2.21C(7) C(8) -3.19 C(24) 5.64 O(7) - 5.10

Molecular structure

Obtusifolin is a dihydroxyflavanone, which is linked with a tri-substituted 4-hydroxy-2-pyrone ring by a methylene bridge. The molecular environment is: planar phenyl ring A inclined to the complanar planes B and C (77.0 and 80.9° to planes B and C), these planes being in turn tilted against planar ring D with methylene carbon atom C(16) as the centre (tilt of plane B to plane $D=130\cdot4^{\circ}$) and a pseudo-symmetry plane through C(16). The oxygen atoms in the molecule are bound by intramolecular hydrogen bonds. Intermolecular van der Waals forces hold the molecules together in the structure.

One of us (P.N.) is a recipient of a Deutscher Akademischer Austauschdienst scholarship, for which he is grateful.

References

COCHRAN, W. (1955). Acta Cryst. 8, 473.

- GERMAIN, G. & WOOLFSON, M. M. (1968). Acta Cryst. 24, 91.
- HÄNSEL, R., OHLENDORF, D. & PELTER, A. (1970). Z. Naturforsch. In the press.
- HOPE, H. (1965). Acta Chem. Scand. 19, 217.
- International Tables for X-ray Crystallography (1962). Vol. III, p. 202. Birmingham: Kynoch Press.
- KARLE, J. & HAUPTMAN, H. (1956). Acta Cryst. 9, 635.
- McDonald, T. R. R. & Beevers, C. A. (1952). Acta Cryst. 5, 654.
- SCHOMAKER, V., WASER, J., MARSH, R. E. & BERGMAN, G. (1959). Acta Cryst. 12, 600.
- ZECHMEISTER, K. (1969). Dissertation, Technische Hochschule, München.

Acta Cryst. (1971). B27, 725

The Crystal and Molecular Structure of Hydrotris(1-pyrazolyl)boratobenzenediazodicarbonyl Molybdenum HB(pz)₃Mo(CO)₂NNC₆H₅

BY G. AVITABILE,* P. GANIS,† AND M. NEMIROFF‡

Polymer Research Institute of the Polytechnic Institute of Brooklyn, Brooklyn, New York 11201, U.S.A.

(Received 24 April 1970)

Hydrotris(1-pyrazolyl)boratobenzenediazodicarbonyl molybdenum, HB(C₃N₂H₃)₃Mo(CO)₂N₂C₆H₅, crystallizes in the space group $P\bar{1}$. The unit-cell constants are: $a=9.495\pm0.010$, $b=11.878\pm0.014$, $c=9.190\pm0.009$ Å; $\alpha=102^{\circ}56'\pm5'$, $\beta=85^{\circ}56'\pm3'$, $\gamma=100^{\circ}44'\pm4'$, Z=2; $D_x=1.59$, $D_{meas}=1.59\pm0.01$. Data for 2571 reflections were collected at room temperature on a Picker automated diffractometer. The crystal structure was solved by the Patterson method and refined by block-matrix least-squares calculations on 2375 observed reflections to a reliability index of 0.038. Molybdenum and boron lie on the pseudo threefold axis of the molecule and are bonded to adjacent nitrogen atoms on each of the three pyrazole rings. The average B–N bond distance is 1.55 Å. The average Mo–N(pyrazolyl)bond distance is 2.22 Å whereas the Mo–N(diazo) bond distance is 1.83 Å. The geometry about the Mo atom is that of a slightly distorted octahedron. The boron atom exhibits slightly distorted tetrahedral geometry.

Introduction

In the last few years a number of transition metal pyrazolyl borate complexes have been prepared (Trofimenko, 1967, 1968, 1969). In order to gain more insight into the stereochemistry of such compounds we have undertaken the structural determination of the pyrazolyl borate complex hydrotris(1-pyrazolyl)boratobenzenediazodicarbonyl molybdenum.

A similar compound: hydrotris(1-pyrazolyl)boratodicarbonylnitrosylmolybdenum, $HB(pz)_{3}Mo(CO)_{2}NO$, has been recently studied (Holt, 1970). However, in the nitrosyl complex a statistical disorder involving the carbonyl and nitrosyl groups has been found. In addition the presence of a disordered solvent molecule has prevented the successful refinement of the structure. The present complex does not show a disordering of the carbonyl and benzenediazo groups because of the very different steric encumbrance of these ligands.

Experimental

Red-orange crystals of the complex were provided by S. Trofimenko. The one chosen was a plate of dimensions $0.45 \times 0.24 \times 0.04$ mm. Weissenberg photographs showed that the crystal was triclinic. Centrosymmetry was assumed and confirmed by the subsequent refinement.

The crystal was mounted on a Picker automated diffractometer with the *a* axis parallel to the spindle axis. The unit-cell constants were determined from a least-squares fit of the angular positions of twelve independent reflections. Data were taken to a 2θ value

^{*} Present address: Università di Napoli, Istituto Chimico, 80134 Napoli, Italy.

[†] On sabbatical leave from Università di Napoli, Istituto Chimico, 80134 Napoli, Italy.

[‡] Submitted in partial fulfillment of the degree of Doctor of Philosophy at the Polytechnic Institute of Brooklyn, Brooklyn, New York 11201.