P-3

ON THE STRUCTURAL EFFECTS OF CF3 GROUPS

Heinz Oberhammer

Universität Tübingen, Tübingen (F.R.G.)

Based on gas phase molecular structures for a series of molecules containing ${\rm CF}_3$ groups, some general effects of these groups on the molecular geometries are observed. Systematic trends of ${\rm CH}_3/{\rm CF}_3$ substitution on bond lengths and bond angles are discussed. Variations of bond lengths upon ${\rm CF}_3$ substitution are correlated with the "effective" electronegativity of the adjacent group. In sulfur compounds S-CF_3 bond lengths depend strongly on the sulfur oxidation number. The effect of ${\rm CF}_3$ groups on the stereochemistry of trigonal bipyramidal molecules depends on the central atom. Examples for trifluoromethyl sulfur fluorides, trifluoromethyl fluoro phosphoranes and trifluoromethyl chloro phosphoranes are presented. Simple bonding models are suggested to rationalize the structural effects of ${\rm CF}_3$ groups.

P-4

STRUCTURAL, VIBRATIONAL AND THERMODYNAMIC STUDIES OF PENTAFLUOROGERMANATE SALTS

T. Mallouk*, B. Desbat and N. Bartlett

Chemistry Department and Materials and Molecular Research Division, Lawrence Berkeley Laboratory, University of California, Berkeley, CA 94720 (U.S.A.)

The crystal structures of two $A^{\dagger}GeF_5^{-}$ salts (A = XeF₅, ClO₂), coupled with vibrational studies of these and other salts (A = NO₂, SF₃, Bu₄N), show that the anion has at least four different structural forms. In XeF₅ $^{\dagger}GeF_5^{-}$ the anion consists of infinite chains of trans-bridged GeF₆ octahedra with a Ge-F-Ge angle of 141°; ClO₂ $^{\dagger}GeF_5^{-}$ contains cis-bridged chains with corresponding angles of 143° and 148°. The Raman and infrared spectra confirm earlier studies that GeF₅- exists as a monomer of D₃h symmetry in Bu₄N $^{\dagger}GeF_5^{-}$. In NO₂ $^{\dagger}GeF_5^{-}$ a polymeric form different from those found in ClO₂ $^{\dagger}GeF_5^{-}$ and XeF₅ $^{\dagger}GeF_5^{-}$ must occur.

The enthalpies of formation of ${\rm C1O_2}^+{\rm GeF_5}^-$ and ${\rm (SF_3}^+)_2{\rm GeF_6}^{2-}$ (the structure of which will be described) were determined from ${\rm 1nK_p}$ vs. 1/T plots; from lattice energy evaluations of these salts (based upon a Madelung energy obtained by the method² of Bertaut) the first and second fluoride ion affinities of ${\rm GeF_4}$ have been determined: $\Delta {\rm H}({\rm GeF_4}(g)+{\rm F}^-(g))={\rm GeF_5}^-(g))=-101$, $\Delta {\rm H}({\rm GeF_5}^-(g)+{\rm F}^-(g)={\rm GeF_6}^{2-}(g))=+37$ kcal mole⁻¹. Similar evaluations led to $\Delta {\rm H}({\rm BF_3}(g)+{\rm F}^-(g)={\rm BF_4}^-(g))=-91$, and $\Delta {\rm H}({\rm UF_6}(g)+{\rm e}^-={\rm UF_6}^-(g))=-133$ kcal mole⁻¹.

I. Wharf and M. Onyszchuk, <u>Can. J. Chem.</u>, <u>48</u>, 2250 (1970).

² F. Bertaut, J. Phys. Radium, 13, 499 (1952).