Synthesis of 1,3-Diphenyl-6-alkyl/aryl-Substituted Fulvene Chromophores: Observation of $\pi-\pi$ Interactions in a 6-Pyrene-Substituted 1,3-Diphenylfulvene

Andrew I. Peloquin, † Rebecca L. Stone, † Sarah E. Avila, † Erlyn R. Rudico, † Christopher B. Horn, † Kim A. Gardner, \dagger David W. Ball, \dagger Jane E. B. Johnson, \dagger Scott T. Iacono, \dagger and Gary J. Balaich $*$, \dagger

† Department of Chemistry, United States Air Force Academy, USAF Academy, Colorado 80840, United States ‡ Department of Chemistry, Cleveland State University, Cleveland, Ohio 44115, United States

S Supporting Information

[AB](#page-4-0)STRACT: [The synthesis](#page-4-0), structural, and electronic properties of nine 1,3-diphenyl-6-alkyl/aryl substituted pentafulvenes were studied. Pyrene ring $\pi-\pi$ interactions were revealed from analysis of the experimental crystal packing of 1,3-diphenyl-6- (1-pyrene)fulvene and supporting DFT calculations. Photophysical properties derived from UV−vis and fluorescence emission measurements demonstrated tunable and low HOMO−LUMO band gaps for the series. The presented

results point to a model synthetic approach for incorporation of extended $π$ systems and donor- $π$ -acceptor groups for fulvenebased electronic materials.

Pentafulvenes have been investigated as important structural units in synthesis areas spanning natural products¹ and medicine, 2^{3} cyclic conjugated systems, 4.5 and organometallic complexes with catalytic and other properties.⁶ Rin[g](#page-4-0) and exocyclic [C6](#page-4-0)-substituted pentafulvenes [are](#page-4-0) receiving increased research attention in the design of materials wi[th](#page-4-0) electronic properties such as donor-π-acceptor systems and n-type semiconductors.^{7−9} The synthesis of pentafulvene-based polymers and supramolecular architectures, some of which exhibit luminesc[ent p](#page-4-0)roperties, has been reported.¹⁰ Important in this type of work are synthetic methods that give entry into substitutional variability for tuning of electron[ic](#page-4-0) properties while maintaining a framework that will allow for incorporation of the pentafulvene structural unit into polymers or extended networks. In the course of our research on the synthesis of C_2 symmetric *ansa*-metallocenes,^{11,12} the crystallinity and intense color of some of the pentafulvene precursors prompted us to consider more carefully th[eir a](#page-5-0)bsorption properties and a possible synthetic design for their incorporation into electronic materials. Herein, we report the synthesis, spectroscopic properties, and select single crystal X-ray structures of several new 1,3-diphenyl-6-alkyl/aryl fulvenes. This work represents a modular approach to the selective and stepwise attachment of electronically functional substituents in positions favorable for applications as monomeric units or for incorporation into polymers and supramolecular assemblies.

Fulvenes 4−12 were obtained using an overall four-step reaction sequence (Scheme 1). Stetter coupling of benzaldehyde with methyl vinyl ketone gave 1-phenyl-1,4-pentanedione 1, which was purified by vacu[um](#page-1-0) distillation. Conversion of 1 to 3-phenyl-cyclopenten-1-one 2 was carried out employing basepromoted cyclization. The Grignard addition of PhMgCl to 2, with ensuing dehydration, afforded 1,3-diphenyl-1,3-cyclopentadiene 3, which was purified by crystallization from hot EtOH.¹³ The final, key step¹⁴ is the reaction of 3 with numerous functionalized aldehydes producing a diverse fulvene substr[ate](#page-5-0) pool 4−12. The over[all](#page-5-0) procedure is high-yielding and operationally simple, requires no chromatography, and is easily amenable to scale up to multigram quantities of fulvenes. The fulvenes produced in the reaction of 3 with functionalized aldehydes crystallize from the ethanol and can be obtained as pure crystalline solids by recrystallization from common organic solvents. Structure elucidation and purity of fulvenes 4−12 were confirmed using a combination of spectroscopic techniques, including single crystal X-ray analysis for fulvenes 4−6, ¹⁵ 8, and 11 (see Supporting Information).

Organic materials incorporating pyrene in the molecular archi[tec](#page-5-0)ture are of current interest, 16,17 and herein, we highlight the molecular and c[rystal](#page-4-0) [structure](#page-4-0) [of](#page-4-0) [the](#page-4-0) 6-(1-pyrene) substituted fulvene 11 (Figure 1[\). Da](#page-5-0)rk prismatic crystals of 11 were obtained from THF layered with MeCN. Molecules of 11 crystallized out in the centr[os](#page-2-0)ymmetric space group, Pbca, with one molecule per asymmetric unit.¹⁸ Alternating short and long bond distances as well as alternating intraring bond angles for the fulvene ring of 11 were observe[d a](#page-5-0)nd are consistent with data for other substituted pentafulvenes reported previously (Figure 1).7−10,19−²¹ The pyrene ring of 11 is tilted out of the fulvene ring plane by the largest angle $[50.51^{\circ}(4)]$ compared to the oth[er](#page-2-0) [arom](#page-4-0)[ati](#page-5-0)c [ri](#page-5-0)ng 6-substituted fulvenes in this series [6,

Received: May 29, 2012 Published: June 29, 2012

44.60°(5); and 8, 45.75°(4)], and it is significantly larger than this angle reported for 1,2,3,4-tetramethyl-6-(1-pyrene)fulvene $(13.68^{\circ})^{22}$ Pyrene rings have been observed to form $\pi-\pi$ interactions in the solid state as well as in organic and organom[eta](#page-5-0)llic compounds with attached pyrene units.23−²⁶ These interactions play an important role in supramolecular chemistry and in organic- and organometallic-based mol[ecular](#page-5-0) electronics.27−³¹ One of the most notable features in the crystal structure of 11 is the organization of molecules into layers in which all [pyren](#page-5-0)e rings adopt a head-to-tail¹⁹ $\pi-\pi$ -stacked arrangement (Figure 1). In the c direction, molecules of 11 are arranged in a H-T-T-H-H-T-T-H bilaye[r-t](#page-5-0)ype repeating sequence [head (H) (H) = pyrene ring (red), tail (T) = 1,3diphenylfulvene rings (blue), Figure 1]. Adjacent fulvene molecules running along the b direction are packed such that the planes from attached pyrene ring[s](#page-2-0) are oriented nearly perpendicular (87.2°) to each other giving a herringbone appearance to the pattern. In the H \rightarrow H region, pyrene rings in the bottom of the bilayer are aligned almost face to face and

head to tail to their complementary pyrene rings in the top of the bilayer, forming $\pi-\pi$ -stacked dimers. A tetrameric packing motif results in which the space between π -stacked pyrene rings is shrouded by 1,3-diphenylfulvene rings from the top and bottom of the bilayer. The closest contacts between pyrene ring C atoms of adjacent molecules (see packing motif, Figure 1) range from 3.629 to 3.664 Å which gives an average centroidto-centroid distance of 3.64 Å. However, the centroids of t[he](#page-2-0) pyrene rings of π -stacked dimers of 11 are slipped 1.15 Å end to end and 0.51 Å edge to edge when viewed down the normals of pyrene rings (Figure 1). The angles between pyrene ring normals and centroid-to-centroid vectors are 18.4° in the endto-end direction and 8.1° in the edge-to-edge direction. This results in a somewhat slipped $\pi-\pi$ interaction between coplanar pyrene rings with an interplane contact distance of 3.46 Å, well within the distance expected for a noncovalent $\pi-\pi$ interaction.²⁴ In the crystal structure of fulvene 11, the pyrene ring overlap is intermediate between perfect face-to-face alignment [an](#page-5-0)d fully slipped alignment where some of the ring atoms are positioned directly above or below the centroid of the opposite ring.

In an effort to better understand the $\pi-\pi$ stacking, density functional theory (DFT) calculations were performed on 11. The calculations were performed with Gaussian 09^{32} using Grimme's generalized gradient approximation functional (keyword B97D)³³ and the standard 6-31G(d,p) basis set.³⁴ This functional has been shown in the past³⁵ to be an appropriate selecti[on](#page-5-0) for π -stacked systems. No basis set superposition error correction was performed, so the tar[get](#page-5-0)ed energy value, the energy of interaction of the dimer of 11, should be considered an upper limit. The resultant energy-minimized dimer was found to be 93.7 kJ mol[−]¹ more stable than isolated molecules of 11. Although this should be regarded as an upper limit, because of the relative simplicity of the calculation, it does point to a significant energetic tendency for the dimer to form, at least in the gas phase. Significant differenes in the calculated dimer structure were observed and include fully slipped π stacked pyrene rings, non-coplanar pyrene rings, and different relative orientations for the 1,3-diphenylfulvene rings (see Supporting Information for pictorial representations of calculated versus observed dimers). Although slipped, face-toface $\pi-\pi$ interactions exist in the solid state structure of 11, no [such](#page-4-0) [face-to-face](#page-4-0) [interacti](#page-4-0)ons were observed in the reported crystal structure of 1,2,3,4-tetramethyl-6- $(1$ -pyrene)fulvene.²² The noted differences between the calculated and observed dimer structures of 11 as well as the lack of any $\pi-\pi$ stacki[ng](#page-5-0) interactions in the crystal structure of 6-(pyrene)-1,2,3,4 tetramethylfulvene could point to a directing influence of 1,3 diaryl substituents in enforcing dimeric $\pi-\pi$ stacking interactions for these types of fulvenes, which is one focus of ongoing research.

The fulvene series 4−12 produced intensely colored, highmelting point solids ranging across the visible spectrum from orange and red to black based on the nature of substitution on the exocyclic C6 position on the fulvene core. In order to understand electronic-structure property relationships for 4− 12, solution studies including ultraviolet−visible excitation with complementary fluorescence emission were performed in THF with concentrations ranging from 0.4 to 0.6 mmol L^{-1} . . Absorbance studies on the fulvene series are compiled graphically in Figure 2, and selected optical properties are also shown in Table 1. All fulvenes produced more than two strong, distinct absorp[tio](#page-2-0)ns due to $\pi-\pi^*$ transitions from their

Figure 1. Crystal and molecular structure of fulvene 11, showing the ORTEP view (upper left, viewed normal to and with numbering scheme for the fulvene ring), crystal packing viewed along the b direction (upper right), and the slipped $\pi-\pi$ stacking arrangement of pyrene rings viewed normal to the pyrene ring planes (lower left), and in the plane of pyrene rings (lower right). Thermal ellipsoids are shown at the 50% probability level. Hydrogen atoms were omitted for clarity. Selected bond distances (Å): C1−C2 1.353(2), C2−C3 1.467(2), C3−C4 1.363(2), C4−C5 1.459(2), C5−C6 1.357(2). Selected bond angles (deg): C5−C1−C2 107.09(12), C1−C2−C3 110.06(12), C2−C3−C4 108.07(12), C3−C4−C5 108.74(12), C4−C5−C1 106.00(11).

Figure 2. Solution absorbance spectra of fulvene compounds 4−12 in THF.

structural contributions. Nonaromatic substituted fulvenes 4 and 5 produced the most intense absorption bands at only 260 and 280 nm, respectively. For fulvenes 6−12, absorptions beyond 300 nm are a consequence of through-space aromatic conjugation with the fulvene core.

The lowest-energy onset absorption extended to nearly 600 nm for the series, indicating that these fulvenes overall possess low HOMO−LUMO band gaps (ΔE ranging from 2.01 to 2.73 eV) making them attractive precursory organic-based elec-

excitiation. "Estimated by onset of absorption.

tronics. Extended fused ring fulvenes 11 and 12 produced the largest band gaps among the series, with absorption onsets slightly less than 500 nm. The maximum absorption wavelength (λ_{max}) was employed to excite each of the fulvenes in the series. All fulvenes in this study possessed weak emission signals, indicating most of the excitation energy is lost to primarily nonradiative-decay processes such as structural, translational, or rotational molecular vibrations. Overall, emission bathochromic shifts upon excitation appear within a narrow range of 55−73 nm with no direct correlation with fulvene structure. These small Stokes shifts indicate negligible intramolecular charge transfer.

Trifunctional 1,3,6-aryl and 1,3,6-alkyl/aryl pentafulvenes can be obtained using a modular approach based on the synthetic scheme for 1,3-diphenylcyclopentadiene and a subsequent fulvene synthesis step. The ability to tailor the synthesis provided a diverse pool of functionalized fulvene compounds. The commercial availability of alkyl and aryl aldehydes as well as various Grignard reagents makes this synthetic approach an attractive one for the design of new electronic materials and ligands containing or derived from a conjugated pentafulvene core. Incorporation of polyaromatic hydrocarbons, alkynes, and other heteroalkyl- and heteroaromatic-based functional groups may lead to highly conjugated and processable organic and organometallic materials. It is anticipated that the correct choice and placement of functional groups could result in materials with properties including donor-π-acceptor behavior, intense absorption in the visible and near-infrared (low band gap) regions, and fluorescence. Electronic-structure property relationships suggest that these fulvene-based compounds could also serve as valuable repeat structures for extended macromolecular systems possessing one or more of these properties.

EXPERIMENTAL SECTION

Syntheses of compounds 1, 2, and 3 were carried out using modified literature procedures.¹³ The procedures are outlined below and include spectroscopic data that were not available in the original reports. Fulvene syn[the](#page-5-0)ses using 3 as the cyclopentadiene starting material were carried out using the method of Stone and Little.¹ Reactions were carried out under an atmosphere of nitrogen unless otherwise noted. All glassware was oven-dried prior to use. 1 H, otherwise noted. All glassware was oven-dried prior to use. ${}^{1}H$, ${}^{13}C({}^{1}H)$, and ${}^{19}F$ NMR data were obtained under ambient temperature conditions, and chemical shifts were reported in parts per million (δ) . Chemical shifts were referenced using the peak for residual CHCl₃ (δ 7.25) or TMS (δ 0.00) for ¹H NMR and the peak for CDCl₃ (δ 77.0) for ¹³C NMR. ¹⁹F NMR was referenced to CFCl₃ $(\delta$ 0.00). Coupling constants for all spectra are reported in hertz. Samples for absorbance and emission spectra were collected in THF using a path length of 1 cm in Spectrosil quartz cuvettes (3 mL). HRMS data were obtained using a double focusing sector instrument operating in EI mode.

1-Phenyl-1,4-pentanedione 1. Freshly distilled benzaldehyde (31.2 g, 294 mmol) in DMF (150 mL) was added dropwise over 10 min to a vigorously stirred suspension of NaCN (1.5 g, 30.6 mmol) in DMF (100 mL) at 35 °C under N_2 . The color of the reaction mixture turned yellow and faded to a dark orange as the addition of benzaldehyde neared completion. The reaction mixture was allowed to stir for 10 min, and freshly distilled methyl vinyl ketone (16.0 g, 228 mmol) in DMF (150 mL) was added dropwise over 20 min with continued vigorous stirring at 35 °C under N_2 . The resulting dark red−brown reaction mixture was allowed to stir for 4 h at 35 °C under N_2 exposed to air and combined with twice the volume of water. The pale yellow suspension was extracted by vigorous stirring over two, 1 L portions of CHCl₃. The combined organic fractions were filtered through a cotton plug and concentrated under a rotary vacuum. Residual DMF was removed, by Kugelrohr vacuum distillation (100 $\rm{^{\circ}C},$ 2 Torr) followed by distillation of 1 (150 $\rm{^{\circ}C}$, 2 Torr), as a viscous light yellow liquid (32.7 g, 81%), which was >95% pure (1 H NMR, GC−MS). ¹H NMR (300 MHz, CDCl₃): δ 7.97 (m, 2H, o-<u>Ph</u>), 7.49 (m, 3H, m- and p-Ph), 3.25, 2.86 (t, 4H, CH₂), 2.23 (s, 3H, Me). ¹³C NMR (75 MHz, CDCl₃): δ 206.8, 198.1 (CO), 136.4, 132.8, 128.2, 127.7 (Ph), 36.7, 32.1, 29.7 (\underline{CH}_2 and \underline{Me}). MS (EI, 70 eV): m/z 176 (M^+) , 161 $(M^+ - Me)$, 133 $(M^+ - COCH_3)$, 105 $[M^+ (CH_2)_2$ COCH₃], 77 (Ph⁺).

3-Phenylcyclopent-2-en-1-one 2. A pale yellow suspension of 1 phenyl-1,4-pentanedione 1 (30.7 g, 174 mmol) in 0.5 M NaOH (400 mL) was vigorously stirred under reflux conditions for 4 h resulting in a brown-colored reaction mixture. The reaction mixture was cooled in an ice bath with vigorous stirring, and hydrochloric acid (200 mL, 3 M) was added until the mixture was acidic to pH paper. The resulting brown precipitate was vacuum filtered and washed with water (200 mL). The brown solid was air dried and subsequently dried in a vacuum desiccator giving 3-phenylcyclopent-2-en-1-one 2 as a crude, brown solid (25.2 g, 92%). The crude product was recrystallized by dissolving in boiling hot absolute EtOH (110 mL) and cooling (−5 °C). Vacuum filtration, washing with cold absolute EtOH (30 mL), and vacuum drying afforded 2 as a yellow crystalline solid (14.3 g, 52%). An additional crystalline crop of product was obtained by concentration of the filtrate to 50 mL, cooling (−5 °C), and seeding with crystals from the first crop (2.7 g, total combined yield 17.0 g, 62%). ¹H NMR (300 MHz, CDCl₃): δ 7.66, 7.46 (m, 5H, <u>Ph</u>), 6.57 (t, 1H, CH), 3.05, 2.59 (m, 4H, CH₂). ¹³C NMR (75 MHz, CDCl₃): δ 209.2 (CO), 173.8, 134.1 (Ph ipso-C and Ph-C), 131.2, 128.9, 127.5, 126.8 (CH), 35.3, 28.6 (CH₂). MS (EI, 70 eV): m/z 158 (M⁺), 129, 115, 102, 91, 77, 64.

1,3-Diphenylcyclopentadiene 3. A solution of 3-phenylcyclopent-2-en-1-one 2 (8.42 g, 53.2 mmol) in THF (80 mL) under N_2 was added dropwise over 15 min to vigorously stirred PhMgCl in THF (2 M, 35 mL, 70 mmol) under N_2 . The resulting brown reaction mixture was allowed to stir at room temperature for 16 h under N_2 exposed to air, and THF was removed by rotary vacuum to give a brown residue. The brown residue was taken up and vigorously stirred in a mixture of water (300 mL) and Et₂O (300 mL). Addition of 6 M H₂SO₄ (15 mL, 90 mmol) resulted in a brown Et_2O layer and a clear water layer, which was stirred for an additional 5 min. The brown $Et₂O$ layer was separated and washed sequentially with saturated NaHCO₃ (3×200) mL), water $(2 \times 200 \text{ mL})$, and saturated brine $(1 \times 200 \text{ mL})$. The organic layer was dried over anhydrous $Na₂SO₄$, filtered, and concentrated under vacuum to afford a golden-colored oil, which was recrystallized by dissolving in boiling hot absolute EtOH (300 mL) and cooling (−5 °C). Vacuum filtration, washing with cold absolute EtOH (20 mL), and vacuum drying afforded 3 as colorless crystalline flakes that appear golden in bulk $(9.16 \text{ g}, 79\%)$. ¹H NMR (300 MHz, CDCl3): δ 7.18−7.66 (m, 11H, Ph and PhCHCPh), 6.63 (m, 1H, PhCCHCH₂), 3.58 (m, 2H, CH₂). ¹³C NMR (75 MHz, CDCl3): δ 147.8, 146.6, 136.1, 135.6 (C), 128.7, 128.6, 127.4, 127.0, 126.9, 126.1, 125.9, 125.1 (CH), 41.8 (CH₂). MS (EI, 70 eV): m/z 218 (M⁺), 202, 189, 165, 141, 139, 115, 101.

1,3-Diphenyl-6-(tert-butyl)fulvene 4. To a vigorously stirred mixture of 1,3-diphenylcyclopentadiene (3.86 g, 17.7 mmol) in absolute EtOH (30 mL) under N_2 were added pivaldehyde (2.20 mL, 20.3 mmol) and pyrrolidine (2.20 mL, 26.4 mmol), and the reaction mixture was maintained at room temperature for 26 h. After 20 h, GC−MS analysis of the reaction mixture showed less than 1% 1,3-diphenylcyclopentadiene remaining. The precipitate from the reaction mixture was vacuum filtered, washed with cold absolute EtOH $(3 \times 30 \text{ mL})$, and vacuum dried to give 4 as a bright orange, microcrystalline solid (4.26 g, 84%). Crystals suitable for single-crystal X-ray diffraction were obtained from EtOH by slow evaporation. Mp: 96−97 °C. ¹H NMR (300 MHz, CDCl₃): δ 1.35 [s, 9H, C(<u>Me</u>)₃], 6.86, 7.05, 6.49 (3H, fulvene ring and exocyclic CH), 7.26−7.71 (m, 10H, Ph). ¹³C NMR (75 MHz, CDCl₃): δ 31.3 [C(Me)₃], 36.0 $[C(Me)_3]$, 114.2, 126.1, 126.6, 126.8, 127.7, 128.2, 128.6, 129.6, 135.5, 136.4, 141.3, 142.3, 145.0, 154.3 (CH and ring-C). HRMS-EI: m/z calcd for $C_{22}H_{22}$ [M]⁺, 286.17215; found, 286.17163.

1,3-Diphenyl-6-cyclohexylfulvene 5. Cyclohexane carboxaldehyde (1.88 mL, 15.6 mmol), pyrrolidine (1.75 mL, 21.3 mmol), and 1,3-diphenylcyclopentadiene (3.1 g, 14.2 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tertbutyl)fulvene 4 to obtain 5 as a bright orange, microcrystalline solid (2.79 g, 63%). Crystals suitable for single-crystal X-ray diffraction were obtained from THF layered with EtOH. Mp: 89−90 °C. ¹ H NMR (300 MHz, CDCl₃): δ 1.18–1.88 (m, 10H, Cy-C<u>H₂</u>), 2.83 (m, 1H, Cy-C<u>H</u>), 7.28−7.72 (m, 10H, <u>Ph</u>), 6.94, 6.89 (2H, fulvene ring-C<u>H</u>), 6.35 (d, 1H, fulvene exocyclic CHCy, $^{2}J = 10$ Hz). ¹³C NMR (75 MHz, CDCl₃): δ 25.6, 25.8, 33.2, 40.4 (Cy), 113.7, 126.0, 126.8, 127.6, 127.9, 128.3, 128.6, 129.2, 135.5, 136.2, 140.5, 142.7, 144.4, 148.9 (CH and <u>C</u>). HRMS-EI: m/z calcd for $C_{24}H_{24}$ [M]⁺, 312.18780; found, 312.18685.

1,3,6-Triphenylfulvene $6.^{15}$ Benzaldehyde (1.88 mL, 15.6) mmol), pyrrolidine (1.75 mL, 21.3 mmol), and 1,3-diphenylcyclopentadiene (3.1 g, 14.2 mmol) [we](#page-5-0)re used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tert-butyl)fulvene 4 to obtain 6 as a cherry-red, microcrystalline solid (1.89 g, 65%). Crystals suitable for single-crystal X-ray diffraction were obtained from 50:50 C_6H_6/M eOH at −5 °C. Mp: 121−22 °C. ¹H NMR (300 MHz, CDCl₃): δ 7.26–7.74 (overlapping m, 16H, $\overline{\text{Ph}}$, and fulvene exocyclic CH-Ph), 7.00, 7.04 (2H, fulvene ring-CH). ¹³C NMR (75 MHz, CDCl3): δ 114.6, 126.1, 127.1, 128.0, 128.1, 128.4, 128.6, 128.7, 129.1, 129.4, 131.0, 135.2, 136.0, 137.1, 138.5, 141.6, 144.3, 146.8 (CH and C). HRMS-EI: m/z calcd for $C_{24}H_{18}$ [M]⁺, 306.14085; found, 306.14108.

1,3-Diphenyl-6-(4-trifluoromethylphenyl)fulvene 7. 4- (Trifluoromethyl)benzaldehyde (3.40 mL, 25.7 mmol), pyrrolidine (2.30 mL, 27.5 mmol), and 1,3-diphenylcyclopentadiene (4.00 g, 18.3 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tert-butyl)fulvene 4 to obtain 7 as a maroon microcrystalline solid (2.60 g, 38%). Mp: 115−116 °C. ¹H NMR (300 MHz, CDCl₃): δ 7.22–7.74 [overlapping m, 15H, Ph, fulvene exocyclic CH- $(p$ -(CF₃)Ph, and p -(CF₃)Ph C<u>H</u>], 7.02, 6.93 (2H, fulvene ring-CH). ¹³C NMR (75 MHz, CDCl₃): δ 125.6 (q, CF₃, J_{CF} = 3.9 Hz), 113.9, 126.2, 127.3, 128.3, 128.5, 128.8, 128.9, 129.4, 130.6, 134.8, 135.6, 135.9, 140.5, 141.6, 146.3, 147.8 (CH and C). ¹⁹F NMR (376 MHz, CDCl₃): δ –62.6 (C_{E₃). HRMS-EI: m/z calcd for} $C_{25}H_{17}F_3$ [M]⁺, 374.12824; found, 374.12882.

1,3-Diphenyl-6-(3,5-dimethoxyphenyl)fulvene 8. 3,5-Dimethoxybenzaldehyde (1.88 mL, 15.6 mmol), pyrrolidine (1.75 mL, 21.3 mmol), and 1,3-diphenylcyclopentadiene (3.1 g, 14.2 mmol) were used employing the procedure outlined for the preparation of 1,3 diphenyl-6-(tert-butyl)fulvene 4 to obtain 8 as a dark red solid (2.79 g, 63%). Dark-red prismatic crystals suitable for single-crystal X-ray diffraction were obtained by cooling (−5 °C) a concentrated solution of 8 in CH₂Cl₂. Mp: 124−125 °C. ¹H NMR (300 MHz, CDCl₃): δ 3.84 (s, 6H, OMe), 6.51 (t, 1H, MeOCCHCOMe), 6.77 (d, 2H, MeOCCHCCHCOMe), 6.99, 7.04 (2H, fulvene ring-CH), 7.18−7.74 [overlapping m, 11H, Ph, and fulvene exocyclic CH-(3,5-dimethoxyphenyl)]. ¹³C NMR (75 MHz, CDCl₃): δ 55.4 (O $\overline{\text{Me}}$), 101.4, 108.4, 114.6, 126.1, 127.0, 128.0, 128.2, 128.4, 128.7, 129.4, 135.1, 135.9, 138.4, 138.8, 141.6, 144.6, 146.7, 160.8 (CH and C). HRMS-EI: m/z calcd for $C_{26}H_{22}O_2$ [M]⁺, 366.16198; found, 366.16105.

1,3-Diphenyl-6-(3-phenoxyphenyl)fulvene 9. 3-Phenoxybenzaldehyde (1.09 g, 5.51 mmol), pyrrolidine (0.57 mL, 6.89 mmol), and 1,3-diphenylcyclopentadiene (1.03 g, 4.59 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tertbutyl)fulvene 4 to obtain 9 as a dark-red microcrystalline solid (1.59 g, 87%). Mp: 132–133 °C. ¹H NMR (300 MHz, CDCl₃): δ 7.02–7.68 [overlapping m, 20H, *Ph*, fulvene exocyclic CH-(3-phenoxyphenyl), and 3-phenoxyphenyl CH], 6.97, 6.93 (2H, fulvene ring-CH). 13 C NMR (75 MHz, CDCl₃): δ 114.3, 119.3, 120.1, 123.7, 125.5, 126.1, 127.1, 128.0, 128.2, 128.4, 128.6, 129.3, 129.9, 130.0, 135.0, 135.8, 137.5, 138.6, 141.6, 144.7, 146.9, 156.8, 157.8 (CH, CO and C). HRMS-EI: m/z calcd for $C_{30}H_{22}O$ $[M]^+$, 398.16707; found, 398.16659.

1,3-Diphenyl-6-[5-(2,2′-bithiophene)]fulvene 10. (2,2′-Bithiophene)-5-carboxaldehyde (4.90 g, 25.7 mmol), pyrrolidine (2.30 mL, 27.5 mmol), and 1,3-diphenylcyclopentadiene (4.00 g, 18.3 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tert-butyl)fulvene 4 to obtain 10 as a dark red−brown microcrystalline solid (5.20 g, 72%). Mp: 130−134 °C. ¹ H NMR (300 MHz, CDCl₃): δ 6.90-7.80 (overlapping m, 18H, Ph, fulvene ring-CH, fulvene exocyclic CH-bithiophene and bithiophene CH). 13C NMR (75 MHz, CDCl₃): δ 113.3, 124.1, 124.8, 125.7, 126.2, 127.0, 127.3, 127.9, 128.1, 128.4, 128.7, 129.3, 130.0, 135.0, 135.3, 136.1, 136.8, 139.5, 141.0, 142.0, 143.0, 146.4. HRMS-EI: m/z calcd for $C_{26}H_{18}S_2$ [M]⁺, 394.08500; found, 394.08411.

1,3-Diphenyl-6-(1-pyrene)fulvene 11. 1-Pyrenecarboxaldehyde (1.30 g, 5.51 mmol), pyrrolidine (0.57 mL, 6.89 mmol), and 1,3 diphenylcyclopentadiene (1.03 g, 4.59 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tertbutyl)fulvene 4 to obtain 11 as a black microcrystalline solid (1.45 g, 71%). Dark-red prismatic crystals of 11, suitable for single-crystal X-ray diffraction, were obtained from THF layered with MeCN. Mp: 195− 196 °C. ¹H NMR (300 MHz, CDCl₃): δ 7.26−8.36 (overlapping m, 20H, Ph , fulvene exocyclic CH-pyrene, and pyrene CH), 7.11, 6.99 (2H, fulvene ring-CH). Selected ¹³C NMR (75 MHz, CDCl₃): δ 115.8, 123.8, 124.7, 125.7, 125.8, 126.1, 126.2, 127.1, 127.4, 128.0, 128.25, 128.33, 128.34, 128.4, 128.6, 128.7, 129.4, 129.5, 130.1, 130.9, 131.3, 131.4, 131.9, 135.2, 136.1, 136.5, 141.1, 146.0, 146.9. HRMS-EI: m/z calcd for $C_{34}H_{22}$ [M]⁺, 430.17215; found, 430.17145.

1,3-Diphenyl-6-(2-fluorenyl)fulvene 12. 2-Fluorenecarboxaldehyde (2.95 g, 15.2 mmol), pyrrolidine (1.71 mL, 20.9 mmol), and 1,3 diphenylcyclopentadiene (3.01 g, 13.9 mmol) were used employing the procedure outlined for the preparation of 1,3-diphenyl-6-(tertbutyl)fulvene 4 to obtain 12 as a dark red−brown microcrystalline solid (5.48 g, 93%). Mp: 179–180 °C. ¹H NMR (300 MHz, CDCl₃): δ 7.30−7.88 (overlapping m, 18H, Ph, fulvene exocyclic CH-fluorene, and fluorene CH), 7.00, 7.13 (2H, fulvene ring-CH), $3.\overline{98}$ (s, 2H, CH₂). ¹³C NMR (75 MHz, CDCl₃): δ 36.9 (CH₂), 114.6, 120.1, 120.4, 125.2, 126.1, 126.9, 127.0, 127.3, 127.4, 127.7, 127.9, 128.4, 128.7, 129.4, 130.1, 135.4, 135.7, 136.2, 139.2, 141.0, 141.8, 142.9, 143.6, 143.7, 143.9, 146.6 (CH and C). HRMS-EI m/z calcd for $C_{31}H_{22}$ [M]⁺, 394.17215; found, 394.17395.

■ ASSOCIATED CONTENT

6 Supporting Information

Figure of electronic absorption spectra and figures depicting ¹ 1 H, 13 C, and 19 F NMR spectra, text describing crystallographic details, tables of crystallographic data and cifs for fulvenes 4−6, 8, and 11, and text and data related to DFT calculations. This material is available free of charge via the Internet at http:// pubs.acs.org.

■ AUTHOR INFORMATION

[Correspond](http://pubs.acs.org)ing Author

*E-mail: gary.balaich@usafa.edu.

Notes

The auth[ors declare no competi](mailto:gary.balaich@usafa.edu)ng financial interest.

■ ACKNOWLEDGMENTS

We dedicate this paper to Professor John S. Wilkes who recently retired from his position as Director, Chemistry Research Center, USAF Academy. John is a renowned ionicliquids chemist and will be deeply missed. It has been a great experience working with him over the years. We acknowledge the Air Force Office of Scientific Research and the Department of Chemistry, USAF Academy, for funding.

■ REFERENCES

- (1) Hong, B.; Chen, F.; Chen, S.; Kiao, J.; Lee, G. Org. Lett. 2005, 7, 557 and references therein.
- (2) Strohfeldt, K.; Tacke, M. Chem. Soc. Rev. 2008, 37, 1174.
- (3) Vicente, J.; Abad, J.; Gil-Rubio, J. Organometallics 1995, 14, 2677. (4) Hafner, K. Pure Appl. Chem. 1990, 62, 531 and references therein.

(5) Erden, I.; Xu, F.; Sadoun, A.; Smith, W.; Sheff, G.; Ossun, M. J. Org. Chem. 1995, 60, 813.

- (6) For leading references in the literature, see: Enk, B.; Kopacka,
- H.; Wurst, K.; Muller, T.; Bildstein, B. Organometallics 2009, 28, 5575.
- (7) Aqad, E.; Leriche, P.; Mabon, G.; Gorgues, A.; Khodorkovsky, V. Org. Lett. 2001, 3, 2329.
- (8) Andrew, T. L.; Cox, J. R.; Swager, T. M. Org. Lett. 2010, 12, 5302. (9) Kondo, K.; Goda, H.; Takemoto, K.; Aso, H.; Sasaki, T.;

Kawakami, K.; Yoshida, H.; Yoshida, J. J. Mater. Chem. 1992, 2, 1097. (10) Dong, Y.; Geng, Y.; Ma, J.; Huang, R. Organometallics 2006, 25,

447 and referenes therein.

The Journal of Organic Chemistry Note

(11) Pitotti, C. J.; Roth, E. P.; Canfield, G. M.; Johnson, J. E. B.; Balaich, G. J.; Zakharov, L. N.; Rheingold, A. L. Organometallics 2005, 24, 1806.

(12) Bragg, S.; Johnson, J. E. B.; Graziano, G. M.; Balaich, G. J.; Heimer, N. E. Acta Crystallogr. 2002, E58, o1010.

(13) The synthesis of 1,3-diphenylcyclopentadiene was carried out using modifications to literature procedures: (a) Stetter, H. Angew. Chem., Int. Ed. 1976, 15, 639. (b) Borsch, W.; Menz, W. Eur. J. Inorg. Chem. 1908, 41, 190.

(14) Stone, K. J.; Little, R. D. J. Org. Chem. 1984, 49, 1849.

(15) The synthesis of the exocyclic Z-isomer of 6 by the Pd-mediated $[2 + 2 + 1]$ cycloaddition of phenylacetylene has been reported. See: Chukhadzhyan, G. A.; Abramyan, Zh. I.; Tonyan, G. M.; Matosyan, V. A. Zh. Org. Khim. 1974, 10, 1994 . To the best of our knowledge, the synthesis, spectroscopic characterization, and single-crystal X-ray structure of 6 (exocyclic E-isomer) have not been reported.

(16) Figueira-Duarte, T. M.; Mullen, K. Chem. Rev. 2011, 111, 7260. (17) Justin Thomas, K. R.; Kapoor, N.; Prasad Bolisetty, M. N. K.; Jou, J.; Chen, Y.; Jou, Y. J. Org. Chem. 2012, 77, 3921.

(18) Crystal data for 11 (100 K): $C_{34}H_{22}$, MW = 430.52; orthorhombic, Pbca $[a = 8.8631(5)$ Å, $b = 19.8424(14)$ Å, $c =$ 25.717(2) Å, $V = 4522.6(6)$ Å³, $Z = 8$]; $D_c = 1.265$; 28801 reflections collected, $(2\theta_{\text{max}} = 51^{\circ})$, 4166 unique $(R_{\text{int}} = 0.0347)$; Bruker Smart APEX CCD; Mo K α , λ = 0.71073 Å; final GOF = 1.032, R1 = 0.0375, wR2 = 0.0844 $[I > 2\sigma(I)]$; structure solved using direct methods; refinement, full-matrix least-squares on F^2 . .

(19) Peterson, M. L.; Strnad, J. T.; Markotan, T. P.; Morales, C. A.; Scaltrito, D. V.; Staley, S. W. J. Org. Chem. 1999, 64, 9067.

(20) Schwarzer, A.; Seichter, W.; Weber, E. Struct. Chem. 2011, 22, 95.

(21) Tintas, M.; Varga, R. A.; Grosu, I.; Bogdan, E. Acta Crystallogr. 2012, E68, o310.

(22) Tse, S. K. S.; Bai, W.; Sung, H. H.; Williams, I. D.; Jia, G. Organometallics 2010, 29, 3571.

(23) Gruber, T.; Seichter, W.; Weber, E. Acta Crystallogr. 2010, E66, o443 and references therein.

(24) Gruber, T.; Seichter, W.; Weber, E. Supramol. Chem. 2008, 20, 753.

(25) Ionkin, A. S.; Marshall, W. J.; Fish, B. M. Organometallics 2006, 25, 1461.

(26) Kim, S. K.; Kim, S. H.; Kim, H. J.; Lee, S. H.; Lee, S. W.; Ko, J.; Bartsch, R. A.; Kim, J. S. Inorg. Chem. 2005, 44, 7866.

(27) Grimme, S. Angew. Chem. 2008, 47, 3430.

(28) Janiak, C. J. Chem. Soc., Dalton Trans. 2000, 3885.

(29) Ionkin, A. S.; Marshall, W. J.; Wang, Y. Organometallics 2005, 24, 619.

(30) Hunter, C. A.; Sanders, K. M. J. Am. Chem. Soc. 1990, 112, 5525. (31) Steed, J. W.; Atwood, J. L. Supramolecular Chemistry, 2nd ed.; John Wiley and Sons, Ltd: Chichester, West Sussex, England, 2009; Chapter 8.

(32) Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Montgomery, J. A., Jr.; Vreven, T.; Kudin, K. N.; Burant, J. C.; Millam, J. M.; Iyengar, S. S.; Tomasi, J.; Barone, V.; Mennucci, B.; Cossi, M.; Scalmani, G.; Rega, N.; Petersson, G. A.; Nakatsuji, H.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Klene, M.; Li, X.; Knox, J. E.; Hratchian, H. P.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Ayala, P. Y.; Morokuma, K.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Zakrzewski, V. G.; Dapprich, S.; Daniels, A. D.; Strain, M. C.; Farkas, O.; Malick, D. K.; Rabuck, A. D.; Raghavachari, K.; Foresman, J. B.; Ortiz, J. V.; Cui, Q.; Baboul, A. G.; Clifford, S.; Cioslowski, J.; Stefanov, B. B.; Liu, G.; Liashenko, A.; Piskorz, P.; Komaromi, I.; Martin, R. L.; Fox, D. J.; Keith, T.; Al-Laham, M. A.; Peng, C. Y.; Nanayakkara, A.; Challacombe, M.; Gill, P. M. W.; Johnson, B.; Chen, W.; Wong, M. W.; Gonzalez, C.; Pople, J. A. Gaussian 03, revision D.01; Gaussian, Inc.: Wallingford, CT, 2004.

(33) Grimme, S. J. Comput. Chem. 2006, 27, 1787.

(34) Hariharan, P. C.; Pople, J. A. Theor. Chim. Acta 1973, 28, 213. (35) (a) Grimme, S.; Mü ck-Lichtenfeld, C.; Antony, J. J. Phys. Chem. C 2007, 111, 11199. (b) Antony, J.; Grimme, S. Phys. Chem. Chem. Phys. 2006, 8, 5287.