

PHARMACEUTICAL FORMULAS

PROPOSED FOR "UNOFFICIAL FORMULAS, A. PH. A."

The formulas heretofore published will be found in Volume I, JOURNAL A. PH. A., pp. 189, 366, 505, 637, 760 and 1307; Volume V, pp. 309, 422, 529, 631, 748, 862, 991 (see also p. 1129), 1126, 1265 and 1397; Volume VI, pp. 79, 194, 298, 393, 486, 563, 643, 729 and 823.

For list of committee members and committees see April issue, p. 292. Suggestions for formulas, and comments on those published are invited. They may be sent to a member of the committee or to chairman J. Leon Lascoff, 1223 Lexington Ave., New York, N. Y.

No. 668.

COMPOUND SALICYLIC ACID AND ZINC
OXIDE OINTMENT.

ECZEMA OINTMENT.

Acid Salicylic.....	1.3	Gm.
Ointment of Zinc oxide.....	8.0	Gm.
Hydrous Wool Fat.....	8.0	Gm.
Solution of Calcium Hydroxide, a sufficient quantity,		

To make..... 60.0 Gm.

Contributed by Chairman J. Leon Lascoff.

No. 669.

COMPOUND SALICYLIC ACID GARGLE

Acid Salicylic.....	15.0	Gm.
Alcohol		
Spirit of Nitrous Ether		
Distilled Water, of each.....	30.0	Cc.
Oil of Wintergreen (Methyl Salicylate)		
Oil of Clove of each.....	2.0	Cc.
Glycerin, a sufficient quantity,		

To make..... 120.0 Cc.

COMPOUND SALICYLIC ACID GARGLE
WITH FORMALDEHYDE.

To every Cc. of above add one drop of solution of formaldehyde. This gargle gradually darkens to a reddish brown, but its efficiency is not impaired.

Direct to use 1 Cc. to one-fourth glass of hot water, as a gargle.

Contributed by I. A. Becker.

No. 670.

FURNITURE POLISH.

Linseed Oil.....	500.0	Cc.
Cedar Wood Oil.....	100.0	Cc.
Oil of Turpentine.....	300.0	Cc.
Cedar Leaf Oil.....	200.0	Cc.
Carbon Tetrachloride.....	400.0	Cc.

Directions for use.—Wipe off the furniture with a dry cloth; apply the polish to the damp

cloth, and with it to the furniture. Rub well, and polish with a dry cloth.

Contributed by Mrs. M. A. Davis.

No. 671.

POLISHING POWDER FOR HARD METALS.

Infusorial Earth.....	80.0	Gm.
Tin Oxide.....	30.0	Gm.
Pipe Clay.....	30.0	Gm.
Tartaric Acid.....	3.0	Gm.
Powder and mix.		

II.

Infusorial Earth.....	28.0	Gm.
Pipe Clay.....	40.0	Gm.
Sodium Hyposulphite.....	3.0	Gm.
Iron Oxide.....	2.0	Gm.
Powder and mix.		

See also pp. 993 and 1397, Volume V, J. A. PH. A., 1916.

Contributed by Robert P. Fischell.

No. 672.

BENEDICTS' PICRATE-PICRIC ACID SOLUTION.

Add 3.6 gm. picric acid and 4 Cc. of hot distilled water to 50 Cc. of a 1% Sodium hydroxide solution. The mixture is shaken until the picric acid is dissolved. After cooling the solution is diluted to measure 100 Cc.

Contributed by J. Leon Lascoff.

No. 673.

FURNITURE POLISH.

Linseed Oil (Raw).....	512.00	Cc.
Alcohol.....	24.00	Cc.
Antimony Trichloride (Butter of Antimony).....	12.00	Cc.
Acetic Acid, 30%.....	3.00	Cc.
Hydrochloric Acid.....	3.00	Cc.

Mix, and allow to stand one week before using.

No. 674.

CAPPING FOR BOTTLES.

White Glue.....	30.00	Gm.
Water.....	45.00	Cc.
Glycerin.....	15.00	Cc.

Color to suit: zinc oxide for dull white, a

trace of ultramarine blue may be added; ammoniacal solution of carmine gives a transparent effect. The tops of the bottles and corks must be clean and dry. The mixture should be kept on a water-bath and the evaporation of the mixture made up by careful addition of hot water. The caps are trimmed, after the capping is thoroughly cooled, by cutting with a sharp knife.

Contributed by Jeannot Hostmann.

No. 875.

NAIL POLISH.

Talcum.....	554.00	Gm.
Tin Chloride.....	334.90	Gm.
Tragacanth, powder.....	1.10	Gm.
Glycerin.....	110.00	Gm.
Carmine, to color		
Water		
<hr/>		
To make.....	1000.00	Gm.

II.

NAIL POLISH, POWDER.

Talcum.....	334.00	Gm.
Tin Oxide.....	666.00	Gm.
Carmine and perfume to suit,		
<hr/>		
To make.....	1000.00	Gm.

No. 676.

NAIL BLEACH.

Acid Oxalic.....	16.00	Gm.
Perfume to suit		
Water,		
<hr/>		
To make.....	1000.00	Cc.

No. 677.

CAMPHOR ICE.

Liquid Petrolatum.....	120.00	Gm.
Paraffin (128-130 M. P.).....	362.00	Gm.
White Petrolatum.....	482.00	Gm.
Camphor, powdered.....	38.00	Gm.
<hr/>		
To make.....	1000.00	Gm.

No. 678.

COLD CREAM.

White Wax.....	126.00	Gm.
Paraffin (128-130 M. P.).....	94.00	Gm.
White Ceresine (145 M. P.).....	35.00	Gm.
Liquid Petrolatum.....	442.00	Gm.
Borax, powdered.....	8.00	Gm.
Distilled Water,		
<hr/>		
To make.....	1000.00	Gm.

No. 679.

VANISHING CREAM.

Distilled Water.....	747.50	Cc.
Borax.....	50.75	Gm.

Sodium Carbonate.....	4.00	Gm.
Glycerin.....	64.25	Gm.
Stearic Acid.....	130.00	Gm.
Tragacanth, powdered.....	3.50	Gm.

To make..... 1000.00 Gm.

Place water, borax, sodium carbonate and glycerin in an enameled or heavily tinned double boiler; when quite warm add the stearic acid, previously broken into small pieces, stir occasionally. When dissolved add the tragacanth and then stir vigorously; let cool, and stir until smooth.

Contributed by Robert R. Gerstner.

See also Volume V, pp. 309 and 748

No. 680.

WHITE LIP STICK.

White Wax.....	300.00	Gm.
Spermaceti.....	300.00	Gm.
Liquid Petrolatum.....	400.00	Gm.

To make..... 1000.00 Gm.

No. 681.

LIP ROUGE.

Liquid Petrolatum.....	389.00	Gm.
White Wax.....	278.00	Gm.
Spermaceti.....	278.00	Gm.
Carmine.....	55.56	Gm.

Perfume to suit,

To make..... 1000.00 Gm.

Rub the carmine to a smooth paste with the liquid petrolatum, then add remainder of liquid petrolatum; melt the wax and spermaceti and add the carmine mixture. Run through an ointment mill.

No. 682.

LIQUID ROUGE.

Carmine.....	51.00	Gm.
Distilled Water.....	775.00	Cc.
Stronger Ammonia Water.....	64.00	Cc.
Glycerin.....	110.00	Cc.

Perfume to suit,

To make..... 1000.00 Cc.

No. 683.

LIQUID FACE POWDER.

Zinc Oxide.....	54.00	Gm.
Bismuth Oxychloride.....	54.00	Gm.
Distilled Water.....	807.00	Cc.
Glycerin.....	67.00	Cc.

Perfume to suit,

To make..... 1000.00 Cc.

For "Face Powders" see also Volume V, p. 992.