ether to give 174 mg. (55% yield) of crude product, m.p. 242.5-246.5° with previous softening. Two crystallizations from acetone-petroleum ether gave 158 mg. of practically pure diol IId, m.p. 248.5-250.5° with previous softening.

B.—In another run, the product was purified for characterization by crystallization from acetone-petroleum ether, m.p. 249.5-250.5° with previous softening; λ_{max} 241-242 m μ (ϵ 15,500); ν_{max} 3460, 1735, 1664, 1622cm.⁻¹; $[\alpha]^{26}$ D +223° (c 0.242, α_{D} +0.54°).

Anal. Calcd. for $C_{19}H_{26}O_4$ (318.40): C, 71.67; H, 8.23. Found: C, 71.73; H, 8.27.

Acknowledgment.—We are indebted to Messrs. Louis M. Brancone, Samuel S. Modes, Frank C. Geronimo, Alexander N. Prezioso and Harold J. Ferrari for the microanalytical data, and to Messrs. William Fulmor and George Morton and Miss Anne Callaghan for the optical rotation data and the infrared absorption spectra.

CHEMICAL RESEARCH SECTION LEDERLE LABORATORIES, RESEARCH DIVISION AMERICAN CYANAMID CO. PEARL RIVER, NEW YORK

Some 1-Alkyl-2-imidazolidinethiones

By CHIEN-PEN LO

RECEIVED AUGUST 10, 1955

This note reports the synthesis of the 1-*n*-octyl-1-*t*-octyl-¹ and 1-*n*-octadecyl-2-imidazolidinethiones, the fungicidal properties of which have been discussed elsewhere by Rich and Horsfall.² The preparation of a series of 1-alkyl-2-imidazolidinethiones has just been reported by Thorn.³

Our 1-alkyl-2-imidazolidinethiones were prepared by a method similar to that used by Thorn.⁴ N-Alkylethylenediamines were allowed to react with one mole of carbon disulfide to give the corresponding dithiocarbamic acids (inner salts)⁵ which were isolated and characterized. These intermediate dithiocarbamic acids yielded the desired 1alkyl-2-imidazolidinethiones upon heating above their melting points.

Experimental⁶

N- β -Aminoethyl-N-*n*-octyldithiocarbamic Acid (inner salt).—N-*n*-Octylethylenediamine (172 g.) was treated with carbon disulfide (76 ml.) in acetone (500 ml.) to give 192 g. (77.5%) of a white solid melting at 116–118° (with effervescence).

Anal. Calcd. for $C_{11}H_{24}N_2S_2$: N, 11.3; CS_2 , 30.6. Found: N, 10.8; CS_2 , 30.3.

(1) In the present work, t-octyl denotes 1,1,3,3-tetramethylbutyl.

(2) S. Rich and J. G. Horsfall, *Science*, **120**, 122 (1954). In this article these compounds were named as derivatives of ethylene-thiourea.

(3) G. D. Thorn, Can. J. Chem., 33, 1278 (1955).

(4) For references on this general method of preparation of 2imidazolidinethiones, see ref. 3.

(6) All melting points are uncorrected. Analyses were performed under the direction of Mr. Thomas Callan. Carbon disulfide was determined by the method of D. G. Clarke, H. Baum, E. L. Stanley and W. F. Hester, Anal. Chem., 23, 1842 (1951). 1-n-Octyl-2-imidazolidinethione.—The above dithiocarbamic acid (161 g.) was heated at $120-140^{\circ}$ for two hours and the residue was crystallized from ethanol to give 122.5g. (88%) of a white solid melting at $54-55^{\circ}$.⁷

Notes

Anal. Calcd. for $C_{11}H_{22}N_2S$: N, 13.1; S, 14.9. Found: N, 12.8; S, 15.0.

1-n-Octyl-2-imidazolidinethione was also prepared directly from N-n-octylethylenediamine and carbon disulfide by omitting the use of solvent and the isolation of the intermediate dithiocarbamic acid. The yield of the crude 1-n-octyl-2-imidazolidinethione (m.p. $42-43^{\circ}$) was 90%, based on the amine used.

N- β -Aminoethyl-N-*t*-octyldithiocarbamic Acid (inner salt) was obtained from N-*t*-octylethylenediamine and carbon disulfide in ethanol as a white solid, m.p. 144–146°, yield 57%.

Anal. Calcd. for $C_{11}H_{24}N_2S_2$: N, 11.3; CS_2 , 30.6. Found: N, 11.0; CS_2 , 30.3.

1-*t*-Octyl-2-imidazolidinethione was prepared by heating the above dithiocarbamic acid at $140-150^{\circ}$ for three hours and obtained as a white solid (free ethanol); m.p. $164-165^{\circ}$, yield 66.5%.

Anal. Calcd. for $C_{11}H_{22}N_2S$: N, 13.1; S, 14.9. Found: N, 13.0; S, 15.1.

N- β -Aminoethyl-N-*n*-octadecyldithiocarbamic acid (inner salt) was obtained from N-octadecylethylenediamine and carbon disulfide in ethanol as a white solid, m.p. 106–108° (with effervescence), yield 83.5%.

Anal. Calcd. for $C_{21}H_{44}N_2S_2$: N, 7.2; CS₂, 19.6. Found: N, 6.8; CS₂, 19.2.

1-n-Octadecyl-2-imidazolidinethione was prepared by heating the above dithiocarbamic acid at $130-140^{\circ}$ for 2.5 hours and obtained as a white solid (from ethanol), m.p. $80-81^{\circ}$, yield 84%.

Anal. Calcd. for $C_{21}H_{42}N_2S$: N, 7.9; S, 9.1. Found: N, 7.8; S, 9.1.

Acknowledgment.—The author wishes to thank Dr. W E Craig for helpful advice and Mrs. Rose Alberts for technical assistance.

(7) Thorn (ref. 3) reported a melting point of 52-53°.

Rohm & Haas Company

PHILADELPHIA 37, PENNSYLVANIA

Acid-catalyzed Condensations. II.¹ The Condensation of Benzaldehyde with Substituted Acetophenones

BY ROBERT E. LYLE AND LEO P. PARADIS² RECEIVED AUGUST 18, 1955

The hydrogen chloride-catalyzed condensation of benzaldehyde with substituted acetophenones yields the hydrogen chloride addition compounds rather than the chalcones themselves.³ In view, however, of the successful formation of 1,3,5-triarylbenzenes and substituted dypnones¹ by the hydrogen chloride-catalyzed self-condensation of substituted acetophenones, the application of similar conditions to the synthesis of chalcones appeared worthy of investigation.

The reaction of seventeen monosubstituted acetophenones with benzaldehyde in methanolic hydrogen chloride gave the corresponding chalcones

(1) The first paper in this series is 1,3,5-Triarylbenzenes, R. E. Lyle, E. J. DeWitt, N. M. Nichols and W. Cleland, THIS JOURNAL, 75, 5959 (1953).

(2) Abstracted from the thesis of Leo P. Paradis presented to the Graduate School of the University of New Hampshire in partial fulfillment of the requirement of the degree of Master of Science.

(3) L. Claisen and A. Claperde, Ber., 14, 2463 (1881); W. Dilthey,
L. Neuhaus, E. Reis and W. Schommer, J. prakt. Chem., 124, 81 (1930); F. Bergel and A. L. Morrison and N. Rinderknecht, J. Chem. Soc., 659 (1950); A. Bell, *ibid.*, 2834 (1953).