[CONTRIBUTION FROM THE DEPARTMENT OF CHEMISTRY, UNIVERSITY OF WISCONSIN]

The Conversion of Fibrinogen to Fibrin. XVII. Further Studies of Electrical Birefringence of Fibrinogen

BY IRWIN H. BILLICK¹ AND JOHN D. FERRY

Received October 5, 1955

The electrical birefringence of fibrinogen and activated fibrinogen has been studied in salt-free solutions (containing glyc-The electrical birefringence of fibrinogen and activated fibrinogen has been studied in salt-free solutions (containing glyc-erol) near ρ H 4.5 and 8.5, using the single rectangular pulse method introduced by Benoit and modified by Tinoco. The rise and decay of birefringence were followed by oscilloscopic measurements of the response of a photomultiplier tube to light transmitted through crossed Nicol prisms. At a fibrinogen concentration of 7 g./l., near ρ H 8.5, the rotary diffusion con-stant (θ) reduced to water at 20° was 2.5 × 10⁴ sec.⁻¹; addition of urea up to 2 *M* increased this value progressively, ap-proaching 4.0 × 10⁴. Near ρ H 4.5, θ was 4.0 × 10⁴ and independent of urea concentration. The specific Kerr coefficients (*B/c*) were sensibly independent of urea concentration. At ρ H 8.5, *B/c* was about 0.8 × 10⁻² cm.⁴/volt² g., comparable with corresponding values measured by Tinoco in 3 *M* urea; at ρ H 4.5 it was about 0.5 × 10⁻². It was concluded that urea up to 3 *M* does not seriously affect *B/c*, and affects θ only through modifying the protein interactions. Activation by thrombin did not change θ but increased *B/c* by about 0.1 × 10⁻² (at ρ H 4.5). At ρ H 4.5 the birefringence rise curves were symmetrical to the decay curves, indicating no dipole moment parallel to the long axis of the molecule. At *p*H 8.5, however, the shape of the rise curves indicated that there was a component of the dipole moment in this direction. the shape of the rise curves indicated that there was a component of the dipole moment in this direction.

Introduction

In a recent study by Tinoco² of the electrical birefringence of solutions of bovine fibrinogen before and after its activation by thrombin, values of Kerr coefficients and rotary diffusion coefficients were obtained over a pH range from 6.0 to 9.6; some conclusions were drawn concerning the magnitudes of the dipole moment and its change upon activation, and the location of the site of attack by thrombin on fibrinogen. In these experiments, 2 or 3 M urea was present to keep the fibrinogen in solution in the absence of salt. Although denaturation did not occur at such levels of urea concentration, higher concentrations can cause profound changes,^{3,4} and it was therefore desirable to obtain some similar data with no urea present to determine whether this component had any influence on the results. The observation that fibringen is soluble in very dilute ammonia⁵ and acetic acid without salt has now made it possible to prepare solutions with sufficiently low conductivities for this purpose at ρH 4.3-4.6 and 8.2-8.8, respectively. The electrical birefringence of these solutions has been studied both with and without added urea.

Materials

The sources of the fibrinogen and thrombin were the same as in the previous study,² and the fibrinogen was refractionated and assayed in the manner previously described. The clottability ranged from 88 to 95%.

Stock solutions of fibrinogen in dilute ammonia were pre-pared by dialyzing solutions in salt (0.15-0.45 *M* sodium chloride and/or buffer, 20-25 g. fibrinogen per l.) against repeated changes of 10^{-3} M ammonium hydroxide. When buffer was present, the protein would precipitate and redis-solve in the course of dialysis. The final protein concentration was determined both spectrophotometrically and by dry weight. Stock solutions of activated fibrinogen (which does not

polymerize below pH 5) in dilute acetic acid were prepared by clotting a similar solution in sodium chloride and buffer at pH 6.2 with thrombin, allowing it to stand for at least ten times the clotting time to ensure complete conversion to fibrin, and then dialyzing against repeated changes of 10^{-3} M acetic acid, which completely dissolved the clot.

(5) F. R. Bettelheim, personal communication.

Stock solutions of unactivated fibrinogen in acetic acid were prepared in the same manner (from an identical aliquot of the original salt solution in each experiment) except that the thrombin was of course omitted. The final protein concen-tration was in every case determined by dry weight.

Sedimentation experiments6 on the fibrinogen solutions in acetic acid and ammonia (at a fibrinogen concentration of 7 g./l.) revealed in both solvents a single extremely sharp The sedimentation constants reduced to water at 20 peak. were 3.6 S in acetic acid and 5.6 S in ammonia; the Donnan effect in the absence of salt naturally depresses these values considerably below the normal figure⁷ of about 8 S.

considerably below the normal figure' of about 8.5. The solutions for electrical birefringence measurements were made up in glycerol, usually 64% by weight, to pro-vide a medium of high viscosity; and in some cases contained added urea as well. Each was prepared by mixing the ap-propriate stock fibrinogen solution with 96% glycerol, to-gether with a stock solution of 3 *M* urea in 96% glycerol if required to give the desired encountertions of a locarety required, to give the desired concentrations of all compo-nents. The final fibrinogen concentration was usually 7 g./ 1. The conductance was estimated by measuring the resistance of the Kerr cell filled with solution. The viscosity of the solvent was determined in each case by making up a similar mixture with $10^{-3} M$ acid or ammonia substituted for the stock protein solution, and measuring its flow time in an Ostwald viscosimeter.

Method

The apparatus of Tinoco,² which had been patterned after that of Benoit,⁸ was modified slightly. For a light source, a 6 volt, 18 amp. projection bulb was used, and a lens was inserted to focus it on the polarizing Nicol, providing about three times the previous intensity. The voltage for the photomultiplier tube was supplied by a Furst⁹ Power Supply, Model 810-P, and that for the Kerr cell itself from a Sorenson¹⁰ B-Nobatron, Model 560 BB. A new and improved rectangular pulse generator was constructed.¹¹

All measurements were made at room temperature, $25 \pm 1^\circ$. The procedure and coloritation The procedure and calculations were as described by Tinoco,² except that a more elaborate calculation was used to obtain the rotary diffusion coefficient. The response time of the photomultiplier circuit was first determined by measuring the apparent rate of decay of birefringence of fibrinogen in an aqueous solvent containing no glycerol. In this case the rotary diffusion is so rapid that the decay reflects only the response time, τ , which was found to be 14 microseconds. In the presence of glycerol, the decay is determined by both τ and the rotary diffusion coefficient of fibrinogen, θ . Network analysis of the photomultiplier circuit¹¹ shows that the relative height of the oscilloscope

(8) H. Benoit, Ann. Phys., 6, 561 (1951).

- (9) Furst Electronics, Chicago, Ill.
- (10) Sorensen and Co., Stamford, Conn.

(11) Further details are given in the Ph.D. Thesis of I. H. Billick, University of Wisconsin, 1955.

⁽¹⁾ Union Carbide and Carbon Fellow in Physical Chemistry, 1954-1955.

⁽²⁾ I. Tinoco, Jr., This Journal, 77, 3476 (1955).

⁽³⁾ E. Mihályi, Acta Chem. Scand., 4, 317, 334 (1950).
(4) H. A. Scheraga, W. R. Carroll, L. F. Nims, E. Sutton, J. K. Backus and J. M. Saunders, J. Polymer Sci., 14, 427 (1954).

⁽⁶⁾ The Svedberg oil turbine ultracentrifuge, operated by Mr. Edwin M. Hanson, was made available through the kindness of Professor J. W. Williams,

⁽⁷⁾ S. Shulman, THIS JOURNAL, 75, 5840 (1953).

signal, y, as a function of time, t, should follow the equation $y = [1/(1 - 12\theta\tau)]e^{-12\theta t} - [12\theta\tau/(1 - 12\theta\tau)]e^{-t/\tau}$

The usual plots² of log y against t were somewhat curved, but afforded a first approximation calculation of θ . Then the logarithm of $y + [12 \ \theta \tau / (1 - 12 \ \theta \tau)] e^{-t/\tau}$ was plotted against t, giving a much better straight line from the slope of which the final calculation of θ was made. The values of θ were reduced to water at 20° using the measured viscosities of the respective solvents.

Results and Discussion

Rotary Diffusion Coefficients.—The rotary diffusion coefficients at pH 8.2–8.9, in ammonia solutions, are given in Table I and plotted against the urea concentration in Fig. 1. In the absence of urea, θ is about 2.5×10^4 sec.⁻¹, perceptibly smaller than the values found by Tinoco in 3 M urea, which averaged 3.6×10^4 and were recognized to be somewhat too low because of the neglect of τ in their calculation. But with increasing urea concentration θ rises and appears to approach a value of about 4×10^4 , in reasonable agreement with the previous results.

TABLE I

ROTARY DIFFUSION COEFFICIENTS AT HIGH p H					
Fibrinogen 7 g./l., glycerol 64% by weight					
Ernt	Urea concn.,	<u>م</u> تر	$\theta_{20}, \mathbf{w} \times 10^{-4},$		
Expt.	.192	211	sec.		
B-8-2	0	8.50	2.6		
B-12-1	0	8.60	2.6		
$B-12-2^a$	0	8.32	2.4		
$B-12-6^{a}$	0.25	8,20	2.5		
$B-8-4^b$	0.50	8.78	3.2		
$B-12-5^{a}$	0.50	8.34	3.3		
$B-8-5^{\circ}$	1.0	8.90	3.5		
$B-12-4^{a}$	1.0	8.20	3.5		
B-12-3 ^a	2.0	8.30	3.8		

^{*a*} Fibrinogen concentration 5.47 g./l. ^{*b*} Glycerol concentration 64.3% by weight. ^{*c*} Glycerol concentration 61.6% by weight.



Fig. 1.—Rotary diffusion constant of fibrinogen, reduced to water at 20°, plotted against urea concentration (pH 8.2-8.9): black circles, expt. 8; open circles, expt. 12.

At a fibrinogen concentration of 7 g./l., θ might be expected to be somewhat smaller than the value extrapolated to infinite dilution from flow birefringence measurements in more dilute solutions. The latest estimate for the latter⁴ is 4.4×10^4 sec.⁻¹, in 0.3 M salt solutions in the *p*H range 6.0–8.2, as compared with 2.3×10^4 at a concentration of 11 g./l. in the same type of solvent. Our value of $2.5 \times$ 10⁴ with no urea at an intermediate concentration fits in well with these data, reflecting a moderate slowing of rotary Brownian motion by proteinprotein interaction.

The addition of urea appears to diminish the interaction and allow θ to approach the infinite dilution value. It is true that urea, even at these moderate concentrations, might be expected to have other effects due to swelling or binding, but such changes should decrease rather than increase θ and it seems likely that the primary manifestation is a reduction of molecular interactions although it is not clear just what these interactions are.

The rotary diffusion coefficients at pH 4.2-4.6, in acetic acid solutions, are given in Table II. Although the values scatter rather badly, there seems to be no effect of urea concentration, and the average is 4×10^4 sec.⁻¹, close to the infinite dilution value at higher pH. Apparently in this pH range the effects of interaction are much less, and there is nothing to be counteracted by addition of urea.

TABLE II

ROTARY DIFFUSION COEFFICIENTS AT LOW *p*H Fibrinogen or activated fibrinogen 7 g./l., glycerol 64% by weight: A denotes activated fibrinogen

weight,	n ucnotes act	ivated not	inogen.
Expt.	Urea concn., M	$p\mathbf{H}$	$ heta_{20}, \mathbf{w} imes 10^{-4}, \mathbf{sec.}^{-1}$
B-9-1	0	4.28	4.5
B-9-2	0	4.30	4.8
B-9A-1	0	4.31	5.1
B-9A-2	0	4.21	2.9
B-10-1	0	4.50	3.9
B-10A-1	0	4.30	3.6
B-11-1	0	4.40	5.0
B-11-2	1	4.61	3.8
$B-11A-1^a$	0	4.25	3.8
B-11A-2 ^b	0.5	4.35	3.9
B-11A-3	0	4.25	3.1
			Av. 4.0

^a Fibrinogen concentration 9.33 g./l. ^b Fibrinogen concentration 8.92 g./l.

Table II also shows that the rotary diffusion coefficients of fibrinogen and activated fibrinogen are practically identical, as already concluded from Tinoco's measurements² under the quite different conditions of 3 M urea and pH 9.0–9.7. The present conditions might be considered as somewhat closer to the physiological environment.

Kerr Coefficients.—The specific Kerr coefficients (B/c), where $B = \Delta n/\lambda E^2$ and c is protein concentration in g./cc.; Δn is the birefringence, λ the wave length of light, and E the electric field strength) at pH 8.2–8.9 are given in Table III, together with the estimated conductivities (κ). It is evident that increasing the urea concentration has no effect on the Kerr coefficient perceptible within experimental scatter. Moreover, the values are similar in magnitude to those obtained by Tinoco in 3 M urea, although the conditions of pH and conductivity are not exactly comparable.

The specific Kerr coefficients at pH 4.2-4.6 for both fibrinogen and activated fibrinogen are given in Table IV. Again there is no indication of change with addition of urea. The values are similar in

I ABLE III					
Kerr Coefficients at High p H					
Glycerol 64% by weight.					
Expt.	Fibrino- gen conen., g./l.	Urea concn., M	⊅H	$\kappa \times 10^{5}$, mho cm. ⁻¹	$B/c imes 10^2, ext{ cm.4/} imes volt^2 ext{ g.}$
B8-2	7	0	8.50	3.0	0.82
$B8-6^a$	7	0.25	8,68	3.2	. 81
B8-4	7	0.5	8.78	3.5	.74
B8-5 [*]	7	1	8.90	4.6	.99
B12-1	7	0	8.60	2.2	0.91
B12-2	5.5	0	8.32	2.2	.76
B12-6	5.5	0.25	8.20	2.2	.75
B12-5	5.5	0.5	8.34	2.1	.91
B12-4	5.5	1	8.20	1.7	.84
B12-3	5.5	2	8.30	1.2	.92
° 61.6%	glycerol.	^b 65.5% (glycerol.		

T .--- 111

magnitude to those obtained by Tinoco between pH 6 and 7; his range did not extend, of course, so far to the acid side. There appears to be a small but definite increase in B/c with activation, of the order of 0.1×10^{-2} . Larger increases were observed by Tinoco at higher pH.

TABLE IV

Kerr Coefficients at Low pH					
Glycerol 64% by weight.					
Expt.	Fibrino- gen conen., g./l.	Urea concn., M	pН	$\kappa \times 10^{5},$ mho cm. ⁻¹	$B/c \times 10^2, \ { m cm.4/} \ { m volt^2 g}.$
	Una	activated	fibrinoge	n	
B9-1	7	0	4.28	2.0	0.55
B11-1	7	0	4.40	1.8	0.41
B11-2	7	1	4.61	1.8	. 35
				Av.	.38
Activated fibrinogen					
B9-A1	7	0	4.30	1.9	0.64
B9-A2	7	0	4.21	2.0	.62
				Av.	.63
B11-A1	9.3	0	4.25	2.1	0.46
B11-A3	7	0	4.25	1.3	. 55
B11-A2	8.9	0.5	4.35	2.2	. 51
				Av.	. 51

Interpretation of Polarization.—The curves for rise of birefringence at pH 4.2–4.6 were symmetrical

with the decay curves. From this behavior, which was observed also by Tinoco at ρ H 6–7, the theory of Benoit⁸ would lead to the conclusion that the permanent dipole moment parallel to the long molecular axis is zero. Tinoco's extension¹² of this theory shows, however, that a component of dipole moment parallel to the short axis cannot be excluded. The fact that B increases with activation indicates that such a component does exist and that it changes when the negatively charged polypeptide is split off by thrombin. This would indeed be expected if the site of attack is near the center of one side of the fibrinogen molecule as previously deduced.² Unfortunately, the magnitude of the moment and its change on activation cannot be calculated without more precise knowledge of the optical anisotropy of the molecule than is available at present.

At pH 8.2–8.9 the rise of birefringence was not symmetrical with the decay, but resembled the time dependence calculated by Benoit⁸ for a ratio α of the order of 1 to 5. This behavior indicates a component of permanent dipole moment parallel to the long axis of the molecule. Since both the shape of the rise curve and the magnitude of the Kerr coefficient were similar to those obtained by Tinoco at comparable pH in 3 M urea, his analysis in terms of this moment would be qualitatively applicable to the new data as well. It may be con-cluded that the presence of urea in his experiments introduced no serious complications in the interpretation of the data. However, since it is no longer certain¹² that the orientation at low pH is due solely to induced polarization, quantitative calculations of the dipole moments must await knowledge of the molecular optical anisotropy in this case also.

Acknowledgments.—This work was supported in part by the Office of Naval Research, United States Navy, under Contract N7onr-28509, and by the Research Committee of the Graduate School of the University of Wisconsin from funds supplied by the Wisconsin Alumni Research Foundation. The fellowship in Physical Chemistry given by Union Carbide and Carbon Corporation is also gratefully acknowledged. We are much indebted to Drs. Ignacio Tinoco, Jr., and Edward F. Casassa for many helpful discussions.

MADISON, WISCONSIN

(12) I. Tinoco, Jr., THIS JOURNAL, 77, 4486 (1955).