lends itself to matching of shapes of hosts and guests. CPK molecular models of the complexes of 2, 13, 14, 6, and 7, which have the highest K_a values, indicate three linear +NH···O bonds and three +N...O interactions are possible. In no other hosts are these conditions met. Hosts 2, 13, and 6 particularly lend themselves to structural modification that shape the cavity for binding selectively different alkylammonium ions.

References and Notes

- This research was supported by ERDA Contract AT(04-3)34, P. A. 218.
 R. E. Dickerson and I. Geis, "The Structure and Action of Proteins", Harper and Row, New York, N.Y., 1969, p 90.
 S. M. Johnson, J. Herrin, S. J. Liu, and I. C. Paul, J. Am. Chem. Soc., 92, (1972)
- 4428 (1970).
- (4) (a) C. J. Pedersen, J. Am. Chem. Soc., 89, 2495, 7017 (1967); (b) F. Vogtle and E. Weber, Angew. Chem., Int. Ed. Engl., 13, 149 (1974). (5) (a) For example, D. J. Sam and H. E. Simmons, J. Am. Chem. Soc., 94,
- 4024 (1972); 96, 2252 (1974); (b) H. K. Frensdorff, ibid., 93, 600 (1971); (c) R. M. Izatt, D. P. Nelson, J. H. Rytting, B. L. Haymore, and J. J. Christensen, ibid., 93, 1619 (1971).
- (a) J. M. Timko and D. J. Cram, *J. Am. Chem. Soc.*, **96**, 7159 (1974); (b) M. Newcomb, G. W. Gokel, and D. J. Cram, *Ibid.*, **96**, 6810 (1974); (c) M. Newcomb and D. J. Cram, *ibid.*, **97**, 1257 (1975); (d) J. M. Timko, R. C. Helgeson, M. Newcomb, G. W. Gokel, and D. J. Cram, ibid., 96, 7097 (1974)
- (a) Carbon and hydrogen analyses were within 0.30% of theory; (b) ¹H NMR (7)spectra in CDCI3 were as expected; (c) 70 eV mass spectra gave parent ion.
- (8) In the preparation of 1-5, a solution of 0.37 mol of diol and 0.37 mol of dibromide in dry $(CH_2)_4O$ was added (2.5 h) to a stirred mixture of 1 mol of NaH in dry $(CH_2)_4O$ at reflux under N₂. The mixture was stirred at 25° for 12 h. In the preparation of 6-11, NaH was added to the stirred mixture of diol and ditosylate in dry (CH2)4O, and the resulting mixture was refluxed for 48 h. Products 1-8 were purified by gel permeation chromatography
- with a 100 Å styragel column (10 or 20 ft by $\frac{9}{8}$ in.) packed in (CH₂)₄O. (9) Treatment of *p*-cresol with K₂CO₃ and H₂O-CH₂O at 50° for 3.5 h gave (45%) 2,6-bis(hydroxymethyl)-4-methylphenol, mp 123-124° (note 7), which with $(CH_3)_2SO_4$ in acetone and K_2CO_3 gave $(95\%)_2$ (.6.bis(hydroxymethyl)-4-methylanisole, mp 103–104° (note 7). This diol with thionyl bromide in CHCl₃ at 25° gave (95%) 2,6-bis(bromomethyl)-4-methylanisole, mp 66–68° (note 7).
- (10) Treatment of racemic 2,2'-bishydroxy-3,3'-bis(hydroxymethyl)-1,1'-binaphthyl (R. C. Helgeson, J. M. Timko and D. J. Cram, J. Amer. Chem. Soc., 95, 3023 (1973)) and CH₃I in acetone with K₂CO₃ at reflux (24 h) gave (90%) 2,2'-bismethoxy-3,3'-bis(hydroxymethyl)-1,1'-binaphthyl, 178-179° (note 7).
- (11) Treatment of racemic 2,2'-bishydroxy-3,3'-bis(hydroxymethyl)-1,1'-binaphthyl with KOC(CH₃)₃ and CICH₂OCH₃ in (CH₂)₄O at 25° gave (55%) 2,2'-bis(methoxymethoxy)-1,1'-binaphthyl as an oil (note 7).
- (12) The initially formed cycles were hydrolyzed in a mixture of 1:40:80 con-centrated HCI, CHCl₃, and CH₃OH at 25° (2 h), and 9–11 were purified by silica gel chromatography and crystallization.
- The method was suggested by the work of C. J. Pedersen (Fed. Proc., 27, 1305 (1968)) and developed by Thomas L. Tarnowski, whom we thank. Stock solutions were prepared at 25° of 0.075 M host in CDCI₃, and of 0.0150 M (Li, Na, K, and NH₄ picrates) or 0.0100 M (Rb and Cs picrates) salt solutions in deionized water. In a 12-ml centrifuge tube were placed 0.10 ml of the CDCl₃ and 0.50 ml of the more or 0.75 ml of the less concentrated salt solutions. The mixture successively was stirred magnetically, centrifuged, stirred, and centrifuged. If very yellow, 0.010 ml, and if light yellow 0.050 ml, of the CDCl₃ layer was diluted to 5.0 ml with spectrograde CH₃CN (for blanks, deionized water-saturated CDCl₃ stock solutions were similarly diluted). The uv absorbance at 380 nm of the solutions was determined and that of the blanks (~0.003) subtracted (Beckman DU spectrophotometer, slit 0.6). The extinction coefficients in CH₃CN of standard solutions of the six picrates prepared similarly from the stock aqueous solutions were found to be 16 900 and cation and concentration independent over the range used for K_e determinations. The distribution coefficients $\times 10^3$ ($K_d = [picrate in CDCl_3]/[picrate in H_2O]$) of the six salts in the absence of host were found to be: Li, 1.42; Na, 1.74; K, 2.55; Rb, 6.37; CS, 5.41; NH₄, 4.02. For each host and guest, values of *R* were determined [in H₂O-saturated CDCl₃ at equilibrium, R = (equivalents of guest)/(equivalents)of host) = 5 (blank-corrected absorbance)/(16 900)], and ranged from 0.000 18 to 0.256. Values of K_a were calculated from the equation, $K_a = R/[K_d(a - 0.075cR)^2(1 - R)]$, where a = molarity of the stock aqueous solutions and c = (volume of CDCl₃ layer)/(volume of H₂O layer). Values of Ka calculated from similarly treated aliquots of the equilibrated aqueous layer gave within experimental error the same values as those determined from the CDCI3 layer.
- (14) Corey-Pauling-Koltun (CPK) molecular models of the hosts were fitted with a series of graded ball bearings whose diameters matched those of the alkali metal ions. We thank Professor J. M. Lehn for suggesting the use of ball bearings for this purpose


Karl E. Koenig, Roger C. Helgeson, Donald J. Cram*

Contribution No. 3601, Department of Chemistry University of California at Los Angeles Los Angeles, California 90024 Received March 11, 1976


Effect of Pressure on the Stereochemistry of Ion Pair Collapse in the N-Nitrosamide Deamination

Sir:

The decomposition of N-nitrosamides (1) is a reaction useful for the conversion of amines into esters;¹ it involves the acylation of the amine, nitrosation of the amide, and, finally, the thermal decomposition of the nitrosamide:



The mechanism of the last step in this sequence is thought to be formation of diazoester 2 in the rate controlling step, ionization, detachment of nitrogen to give loose (nitrogenseparated) ion-pair 3, and, finally, collapse via the tight pair stage 4. A variety of evidence has been amassed in support



of this pathway. These studies have included the use of product and solvent studies,1 bridgehead amino-substituted polycyclic compounds,² and optically active amines;³ a comparison with the corresponding nitro derivatives;⁴ ¹⁸Oscrambling studies;⁵ and a comparison with the same ionpairs from other sources⁶ and a comparison of secondary and tertiary amines.³ While the reaction is characterized primarily by retention of configuration, some inversion (intramolecular⁵) does occur.⁷ The inversion presumably results from rotation of the carbonium ion and circumnavigation of it by the anion prior to the ester forming step.

Pressure effects on reactions involving ion-pairs have been described in several cases. All of these studies have a single feature in common: pressure promotes the formation of tight ion pairs from neutral compounds, of loose pairs from tight ones, and of separate ions from ion-pairs. Thus, the rate of isomerization which sometimes accompanies ester solvolysis (and which presumably results from internal return) is accelerated by pressure⁸ but not as much as the rate of solvolysis itself;9 the tight-loose equilibrium of lithium fluorenide in THF is shifted toward the latter species by pressure;¹⁰ and the N/O-alkylation ratio of the sodium salt of fluorenone oxime under pressure shifts in the direction characteristic of the free ions rather than of the pair.¹¹ The ionic rate¹² and equilibrium constants¹³ for literally hundreds of substances have been compiled, and not a single genuine case appears to be known in which ionization is suppressed by the application of high pressures.¹⁴

We have now made some measurements of the effect of pressure on the degree of racemization accompanying the deamination of optically active N-nitroso-N-p-chlorobenzhydrylbenzamide (5) in methylene chloride at 25° (50-100 mg in 20 ml). These solutions were allowed to decompose for 24 h; ir spectra were compared before and after to





Figure 1. The effect of pressure on the stereochemistry of deamination of 5.

ensure complete reaction, and parallel experiments were carried out in the same glassware at atmospheric pressure. On the basis of the evidence just quoted it is reasonable to assume that the lifetime of the loose pair should increase under pressure and that the rates of tight ion-pair formation and of collapse of the latter to covalent product should be retarded. Thus at face value the equilibration of the enantiomeric loose pairs should correspondingly be promoted by the application of pressure.

However, this is not the case, as is indicated by the data in Figure 1; retention is clearly favored under pressure. It can be readily shown from a steady-state treatment that $V_{\rm c}^{\pm} - V_{\rm e}^{\pm} = RT \ \partial \ln (100/r - 1)/\partial p$, where e and c denote equilibration and collapse of the loose pair and where ris the percent retention. When the appropriate plot is made, it is found that the transition state for inversion is 0.55 cm³/mol more voluminous than that for retention. On the basis of the literature quoted above,⁸⁻¹⁴ a large volume increase must occur when the loose pair becomes tight. This increase will be especially large in a solvent as methylene chloride: at least 10 cm³/mol, and possibly much more.¹⁰ The measurements reported here therefore indicate that inversion also has a large positive activation volume (larger than that of retention by $0.55 \text{ cm}^3/\text{mol}$).

Our interpretation of this fact is that the loose pair racemization is inhibited by viscosity increases. Pressure is known¹⁸ to cause drastic increases in the viscosity of liquids; accordingly, diffusion controlled reactions are retarded regardless what volume changes characterize the rapid steps. Related pressure effects have been described by Neuman, who has found pressure induced increases in the ratio of cage to escape products in radical reactions;^{19a} furthermore, changes were also observed in the distribution of cage products, such as recombination and disproportionation products.¹⁹ These changes were ascribed to pressure induced viscosity changes, and their effect on rotational motions of the radicals in the cage. Independent indications that this is so are provided by work of Johnson and Seltzer,²⁰ who have found that the mere use of more viscous media led to increased retention in the decomposition of resolved azo compound 6, and by results of Bartlett and McBride,²¹ showing that complete retention can be ensured in the photodecomposition of 7 by the use of a solid, low temperature matrix.



In a similar experiment, we allowed the decomposition of 5 to occur in the solid phase (crystals) at room temperature. The product was purified, and subsequently observed to have $(65.8 \pm 0.10\%)$ retained and $(34.2 \pm 0.10\%)$ inverted configuration. If this point is assumed to lie on the same straight line as the high pressure results, the corresponding pressure would be about 13 000 atm. Most organic solids show a volume decrease of 5-15% on fusion, and most liquids have a compression of about 25% at 13 000 atm; it is interesting that the result in the solid phase is indeed similar to that in highly compressed methylene chloride.²²

We may summarize our observations with the statement that they comprise the first evidence for viscosity effects on the behavior of ion pairs.

Acknowledgments. The authors gratefully acknowledge support of this work by the National Science Foundation (W.leN.) and by the U.S. Public Health Service (E.H.W.; Grant GM-21430).

References and Notes

- (1) E. H. White, J. Am. Chem. Soc., 76, 4497 (1954); 77, 6008, 6011 (1955). E. H. White, R. H. McGirk, C. A. Aufdermarsh, H. P. Tiwari, and M. J.
- (2) Todd, J. Am. Chem. Soc., 95, 8107 (1973).
- E. H. White and J. Stuber, J. Am. Chem. Soc., 85, 2168 (1963). (3)
- E. H. White, J. Am. Chem. Soc., 77, 6014 (1955)
- (5)E. H. White and C. A. Aufdermarsh, J. Am. Chem. Soc., 80, 2597 (1958); 83, 1179 (1961).
- (6) E. H. White and C. A. Elliger, J. Am. Chem. Soc., 89, 165 (1967). Phenyl p-chlorophenyldiazomethane formation contributes to the racemization, but only to a minor degree. Decomposition of 5 in the presence of 36 molar equiv of diazomethane led to the formation of a maximum of 0.5% of the diazo species (from absorption intensity at 526 nm); 58.5% retention of configuration occurred in this run. Further, decomposition of 5 in the presence of 3 molar equiv of O-deuterionaphthoic acid (> 95% O-D by NMR) led to ester containing no detectable deuterium (< 0.01 atom per molecule). K. R. Brower, J. Am. Chem. Soc., **94**, 5747 (1972).
- W. J. le Noble, B. L. Yates, and A. W. Scaplehorn, J. Am. Chem. Soc., 89, 3751 (1967).
- W. J. le Noble and A. R. Das, *J. Phys. Chem.*, **74**, 3429 (1970); S. Claesson, B. Lundgren, and M. Szwarc, *Trans. Faraday Soc.*, **66**, 3053 (1970); B. Lundgren, S. Claesson, and M. Szwarc, Chem. Scr., 5, 60 (1974).
- (11) W. J. le Noble and S. K. Palit, Tetrahedron Lett., 493 (1972)
- (12) S. D. Hamann, Mod. Aspects Electrochem., 9, 47 (1974).
- (13) W. J. le Noble, Prog. Phys. Org. Chem., 5, 207 (1967).
- (14) Apparent exceptions include the pressure-promoted bleaching of Mala-chite Green by base¹⁵ (however, see also ref 16), and the pressure re-tarded photoionization of nitrophenol¹⁷ (it seems probably that this reaction is not really exceptional if the probable charge distribution in the excited states is considered).
- (15) D. T. Y. Chen and K. J. Laidler, Can. J. Chem., 37, 599 (1959).
- (16) C. D. Ritchie, D. J. Wright, D. S. Huang, and A. A. Kamego, J. Am. Chem. Soc., 97, 1163 (1975).

- (17) S. D. Hamann, *J. Phys. Chem.*, **70**, 2418 (1966).
 (18) P. W. Bridgman, "The Physics of High Pressure", Bell, London 1952.
 (19) (a) R. C. Neuman, Jr., *Acc. Chem. Res.*, **5**, 381 (1972); (b) V. M. Zhulin and M. G. Gonikberg, Izv. Akad. Nauk SSSR, Ser. Khim., (English transl.), 284 (1972).
- (20) R. A. Johnson and S. Seltzer, J. Am. Chem. Soc., 95, 938 (1973). The authors ruled out more trivial explanations such as a simple viscosity induced decrease in escape from the cage
- (21) P. D. Bartlett and J. M. McBride, Pure Appl. Chem., 15, 89 (1967).
- (22) As a referee has pointed out, it is possible that crystal dislocations rather than internal pressures are responsible for these effects.

William J. le Noble*

Department of Chemistry, State University of New York Stony Brook, New York 11794

Emil H. White,* Petar M. Dzadzic

Department of Chemistry, Johns Hopkins University Baltimore, Maryland 21218 Received January 2, 1976

The Intramolecular Hydrogen Bond in Malonaldehyde¹

Sir:

Recently two quantum mechanical calculations have been published² dealing with the structure of the internally hydrogen-bonded form of malonaldehyde (Figure 1). We have partially analyzed the microwave spectra of a number