The superexchange path in $[Co(C_5H_5NO)_6](ClO_4)_2$ and $[Co(C_5H_5NO)_6](BF_4)_2$ has been assigned⁴ a Co-O-O-Co interaction, with an O-O separation of 5.6 Å. It is especially important that the rings turn away, in propeller fashion, from the metal atoms. The great similarity in the properties displayed by the nitrate suggests that the same superexchange path is available here. Final discussion awaits a full crystal structure analysis, which is in progress. One is also led to suggest that O-O contact on neighboring molecules not only provides a suitable exchange path, but may also be a contributing factor to the particular crystal lattice structure assumed by these molecules.

Acknowledgment. This research was supported in part by the Research Board of the University of Illinois at Chicago Circle, as well as by a grant from the National Science Foundation.

References and Notes

- (1) A. D. van Ingen Schenau, G. C. Verschoor, and C. Romers, Acta Crystal*logr., Sect. B*, **30**, 1686 (1974).
 (2) T. J. Bergendahl and J. S. Wood, *Inorg. Chem.*, **14**, 338 (1975).
 (3) R. L. Carlin, C. J. O'Connor, and S. N. Bhatia, *J. Am. Chem. Soc.*, **98**, 685
- (1976).
- (4) H. A. Algra, L. J. de Jongh, W. J. Huiskamp, and R. L. Carlin, *Physica (Utrecht)*, 83B, 71 (1976).
 (5) R. L. Carlin, *Acc. Chem. Res.*, 9, 67 (1976), reviews the terminology.
- A thorough review of the various magnetic models is provided by L. J. de Jongh and A. R. Miedema, Adv. Phys., 23, 1 (1974), while the properties (6)
- of the XY model are briefly reviewed by D. D. Betts, Physica (Utrecht), 86–88B, 556 (1977) (7) R. L. Carlin, C. J. O'Connor, and S. N. Bhatia, J. Am. Chem. Soc., 98, 3523
- (1976).
- (8) K. M. Diederix, H. A. Algra, J. P. Groen, T. O. Klaassen, N. J. Poulis, and R. L. Carlin, *Phys. Lett.*, **60A**, 247 (1977).
 H. A. Algra, J. Bartolome, K. M. Diederix, L. J. de Jongh, and R. L. Carlin.

- H. A. Algra, L. J. de Jongh, and R. L. Carlin, unpublished observations.
 H. A. Algra, L. J. de Jongh, and R. L. Carlin, unpublished observations.
 R. Navarro, H. A. Algra, L. J. de Jongh, R. L. Carlin, and C. J. O'Connor, *Physica (Utrecht)*, 886–88, 693 (1977); H. A. Algra, L. J. de Jongh, and D. Carlin unpublished unplication (1977); H. A. Algra, L. J. de Jongh, and R. L. Carlin, unpublished work.
- (12) R. L. Carlin, *J. Am. Chem. Soc.*, **83**, 3773 (1961); R. L. Carlin and M. J. Baker, *J. Chem. Soc.*, 5008 (1964).
- (13) J. Bartolome, private communication.

Kyong O. Joung, C. J. O'Connor, Richard L. Carlin* Department of Chemistry, University of Illinois at Chicago Circle, Chicago, Illinois 60680 Received June 23, 1977

Energy Acquisition, Storage, and Release. Photochemistry of Cyclic Azoalkanes as Alternate Entries to the Energy Surfaces Interconnecting Norbornadiene and Quadricyclene

Sir:

The photochemical rearrangement of norbornadienes to quadricyclenes is a useful reaction of wide synthetic scope.¹ We selected the cyclic azoalkanes 1^2 and 2^3 as potential precursors to the norbornadienyl and quadricyclenyl diradicals $(D_N \text{ and } D_O)$, respectively. It was anticipated that a quantitative investigation of the photochemistry of 1 and 2 would reveal significant information relevant to the mechanism of the photointerconversions of the parent systems norbornadiene (N), and quadricyclene (Q) by providing independent routes to D_N and D_O and thereby assist in elucidating the nature of the energy surfaces along which N and Q may be interconverted⁴ (Scheme I).

Scheme I. Reactions of 1 and 2 to form N and Q.



The photolysis of 1 and 2 under a variety of conditions led^{2,3} to loss of N₂ and formation of N and Q in nearly quantitative yield and with good quantum efficiencies (Table I). In all cases care was taken to assure that N and Q were formed as primary products and not via secondary thermal or photochemical processes.

The yields of Q and N are \sim 90% and 10%, respectively, upon triplet sensitization of 1 or 2 as well as upon direct $S_0 \rightarrow T_1$ excitation⁵ of 1 or 2. From these results we conclude that the triplet state of 1 or 2 upon loss of N_2 yields a triplet diradical which proceeds with high selectivity to Q.⁶ Upon direct $S_0 \rightarrow$ S_1 excitation of 1, the relative yields of N and Q are similar to those achieved by triplet sensitization; thus, we conclude that 1 undergoes efficient intersystem crossing from its S₁ state. In contrast, the direct $S_0 \rightarrow S_1$ excitation of 2 yields N as the major product, from which we conclude the intersystem crossing is *inefficient* from S_1 of $2.^7$

From the data in Table I, it appears that, if diradicals D_N or D_Q are produced in a singlet state, they proceed preferentially to yield N. In contrast, if D_N or D_Q are produced in a triplet state, preferential formation of Q is observed.

An exceedingly intriguing and important problem in understanding photochemical reactions concerns the geometry for which radiationless transitions occur from upper surfaces to the S₀ surface.⁹ Diradicaloid geometries have been postulated to serve as guides to the regions on excited surfaces through which molecules may "jump" to the ground-state surface.9 It is thus anticipated that the favored geometry for a radiationless transition to S₀ may be determined by the geometry of the minimum on the S_1 or T_1 surface which best serves to deliver excited molecules back to S_0 .

Our results suggest that the excited singlet surface connecting the N and Q structures possesses a minimum which

Table I. Photochemistry of Azoalkanes 1 and 2

Compd	Reaction conditions	φ	% N	<u>%</u> Q
1	$S_0 \rightarrow S_1 (RT)^a$	0.36 ^b		71°
	$S_0 \rightarrow S_1 (-78 \text{ °C})$		9	91
	$S_0 \rightarrow T_1 (RT)^d$		10	90
	³ Sens (RT)	0.40 <i>°</i>	10	90
	³ Sens (-78 °C) ^f		12	88
	Thermolysis ^g		~95	~5
2	$S_0 \rightarrow S_1 (RT)^a$	0.44 <i>^b</i>	63 <i>°</i>	37 °
	$S_0 \rightarrow S_1 (-78 \text{ °C})$		29	71
	$S_0 \rightarrow T_1 (RT)^d$		11	89
	³ Sens (RT)	0.57e	10	90
	³ Sens (-78 °C) ^f		10	90
	Thermolysis ^g		~100	0

^a Pentane solvent unless noted otherwise. ^b Based on azoalkane disappearance and product formation. ^c Percentages include only N, Q products. At times small amounts of norbornene, toluene, and cycloheptatriene were observed but not included in percentages. d See ref 5. ^e Based on product formation. ^f The solvent was CFCl₃. At room temperature, the results in CFCl3 were the same as in pentane. g Thermolysis temperature 90-110 °C. Quadricyclene was shown to be stable under the reaction conditions.



Figure 1. Postulated energy surfaces for the interconversion of norbornadiene and quadricyclene.

delivers singlet diradicals preferentially to N and that the excited triplet surface possesses a minimum which delivers triplet diradicals preferentially to Q.

Within the theoretical framework of forbidden pericyclic reactions⁸⁻¹⁰ we can ask what are the geometries corresponding to the minima on the S_1 and T_1 surfaces which operate as entries to S_0 and what is the nature of the mechanisms by which diradicals are converted to product molecules via these funnels.^{9a} We deduce the geometries corresponding to the minima in S_1 and T_1 as follows. As a first approximation the D_O species (a 1,3 diradical) possesses a greater average electron separation than the D_N species (a 1,2 diradical). Singlet hydrocarbon diradicals tend to possess wave functions composed of ionic terms (i.e., paired two-electron terms) and to favor a "tight" nuclear geometry to obtain maximum electronic stabilization.^{9,11} In contrast, triplet diradicals tend to possess covalent wave functions and to favor "loose" geometries which minimize spatial overlap of the half-filled orbitals.^{9,11} Applying these ideas to structures D_0 and D_N , we anticipate that the energetically favored geometry (minimum) on the singlet surface for interconversion of N and Q will correspond to structure D_N (a "tight" 1,2 diradical), whereas the energetically favored geometry on the triplet surface (minimum) will correspond to structure D_Q (a "loose" 1,3 diradical). In other words, we propose that the minimum on the S_1 surface, starting from N or Q (and from 1 or 2), will resemble the D_N structure, and the minimum on the T_1 surface, starting from N or Q (or from 1 or 2), will resemble the D_0 structure.

The D_N and D_Q structures may now be related¹² to the "forbidden" (diradicaloid) transition-state structure (FTS) for the symmetry forbidden $\pi 2_s + \pi 2_s$ interconversion of N and Q; i.e., the geometry of the FTS is intermediate to that of D_N and D_Q (Figure 1). The mechanism of relaxation through the "funnel" corresponding to structures D_N and D_Q may be electronic, vibrational, spin, or dynamic in origin. Dynamic effects are unlikely since preparation of molecules at various geometries on the S_1 or T_1 surfaces lead to similar product distributions; i.e., the inherent partitioning ratio to N and Q does not depend strongly on the direction of approach to the funnel. On the S_1 surface decay to S_0 to form structures resembling norbornadiene will be favored since the S_1 funnel lies to the left ("N side") of the FTS structure.

On the T_1 surface intersystem crossing is required to deliver the diradical 3D_Q to S_0 . The rate of spin-orbit-induced intersystem crossing is related to the orientation and overlap of the half-filled orbitals involved in the singlet-triplet interconversion. According to Salem's rules¹¹ the orbitals of D_Q , because of their cant relative to one another, are well suited for rapid intersystem crossing (Scheme I). As a result, the conversion of 3D_Q to S_0 should occur most efficiently at geometries to the right of the FTS structure. Thus, we conclude that *both* the geometry of the minimum of the T_1 surface *and* the enhanced spin-orbit coupling enjoyed by molecules possessing this structure will favor conversion of triplet diradicals to Q.

The reported^{4a,12,13} photochemistry of the parent hydrocarbons N and Q are splendidly consistent with expectations based on the surfaces of Figure 1. For example, the quantum yield for direct photochemical excitation¹² or singlet sensitized excitation¹³ of N leads to Q with very low efficiency, results which are consistent with a funnel which delivers excited singlet molecules selectively to S_0 with formation of N. Importantly, singlet sensitized excitation¹³ of Q results in formation of N, a result which is consistent with passage of singlet molecules (that start with a structure similar to Q or D_0) to the funnel in S_1 which delivers molecules to S_0 with formation of N. Finally, the photostationary mixtures^{4a} of N and Q produced with triplet sensitizers are rich in Q and the quantum yield for triplet photosensitized rearrangement of N to Q is close to unity.¹³ These results are consistent with a funnel in the $T_{\rm L}$ surface that delivers triplets specifically to Q on the S_0 surface.

The exclusive formation of N from thermolysis of 2 is unexceptional based on literature precedent.^{6e} The process may be a concerted $_{\sigma}2 + _{\sigma}2 + _{\sigma}2$ process and not yield a diradical at all. The small yield of Q from thermolysis of 1 is significant,² since the thermal loss of N₂ from 1 may produce a singlet ground-state diradical close to the geometry of D_N on the S₀ surface. The fate of the radical will be determined by whether molecules generated with this geometry slide down the slope leading to N or to Q.

In summary, the cyclic azoalkanes 1 and 2 have been employed to generate the diradicaloid structures D_N and D_Q on the S_1 and T_1 surfaces corresponding to the interconversion of N and Q. A theoretical interpretation of the results suggests that the D_N structure is a minimum (funnel) on the S_1 surface while the D_Q structure is a minimum (funnel) on the T_1 surface. Assuming the pertinent surfaces are those corresponding to the orbitally forbidden thermal interconversion of N and Q, it is clear that the funnels 1D_N and 3D_Q should lead preferentially to N and Q, respectively. Furthermore, intersystem crossing should be effective in assisting the conversion of 3D_Q to Q.

Acknowledgments. M.J.M. thanks NATO for support of his tenure by means of a fellowship. The authors thank the National Science Foundation and the Air Force Office of Scientific Research for their generous support of this work. They are also grateful to Professor David Lemal for his donation of a sample which initiated the early portions of this work.

References and Notes

- (1) (a) For an extensive review see H. Meier in "Methoden der Organischen Chemie", Houben-Weyl, George Thieme Verlag, Stuttgart, 1975, p 226 ff. (b) G. S. Hammond, N. J. Turro, and A. Fischer, J. Am. Chem. Soc., 83, 4674 (1961).
- (2) N. Richer, J. Alberts, J. A. Lipsky, and D. M. Lemal, J. Am. Chem. Soc., 91, 5668 (1969). In this paper quadricyclene is reported as the major product of photolysis of 1.
- of photolysis of 1.
 (3) R. M. Moriarity, *J. Org. Chem.*, 26, 2385 (1963). In this paper it is reported that quadricyclene is formed in 35% yield from the photolysis of 2.
- (4) It is especially noteworthy that the photosensitized conversion of N → Q proceeds with high efficiencies (e.g., with PhCOCH₃ as sensitizer Φ_{N→Q}

= 0.91), and that conversion of $Q \rightarrow N$ may also be photosensitized: (a) G. S. Hammond, P. Wyatt, C. D. deBoer, and N. J. Turro, J. Am. Chem. Soc. 86, 2532 (1964); (b) S. Murov and G. S. Hammond, J. Phys. Chem., 72, 3797 (1968)

- (5) We have found that cyclic five-membered azoalkanes appear to possess a S₀ \rightarrow T₁ absorption which maximize near 450 nm and possess $\epsilon_{max} \sim 10^{-2}$. For other reports of S₀ \rightarrow T₁ absorption of azo compounds, see L. C. Robertson and J. A. Merritt, *J. Chem. Phys.*, **57**, 316 (1972); J. Metcalfe, S. Chervinsky, and I. Oref, *Chem. Phys.*, Lett., **42**, 190 (1976).
- (6) It has been conventionally assumed that (independent of whether loss of N2 takes place in one or two steps) cyclic azoalkanes produce spin correlated hydrocarbon diradicals upon thermal or photochemical decomposition: (a) B. S. Solomon, T. F. Thomas, and C. Steel, J. Am. Chem. Soc., 90, 2249 (1968); (b) W. D. K. Clark and C. Steel, *ibid.*, 93, 6347 (1971); . D. Bartlett and N. A. Porter, ibid., 90, 5317 (1968); (d) E. L. Allred and R. L. Smith, *ibid.*, **91**, 6766 (1969); (e) H. E. Zimmerman, N. E. Buehler, G. E. Keck, and M. G. Steinmetz, *ibid.*, **98**, 7680 (1976); (f) P. S. Engel, *ibid.*, 91, 6903 (1969); (g) H. Dürr and B. Ruge, Top. Curr. Chem., 66, 55 (1976).
- (7) In general, it appears that near room temperature the S₁ → T intersystem crossing in cyclic azoalkanes is inefficient.^{5e,f,g} Recent evidence⁸ indicates that this inefficiency may be strongly temperature dependent if chemical processes leading to deactivation of S1 are thermally activated, since the rate of intersystem crossing is generally temperature insensitive. Such appears to be the case for 1 and 2 (see temperature effects in Table I).
- (8) N. J. Turro, C. A. Renner, W. A. Waddell, and T. J. Katz, J. Am. Chem. Soc., 98, 4320 (1976).
- (a) Michl has suggested the term "funnel" to describe regions of an energy (9) surface that correspond to an excited-state minimum which can undergo a facile radiationless transition to lower energy surface: J. Michl, Mol. Photochem., 4, 243, 257, 287 (1972); Photochem. Photobiol., 25, 141 (1977), and references therein. (b) H. E. Zimmerman, Acc. Chem. Res., 4, 272 (1971). (c) L. Salem, J. Am. Chem. Soc., 96, 3485 (1974). (d) R. C. Dougherty, ibid., 93, 7187 (1971).
- (10) W. G. Dauben, L. Salem, and N. J. Turro, Acc. Chem. Res., 8, 41 (1975).
- (11) L. Salem and C. Rowland, Angew. Chem., Int. Ed. Engl., 11, 92 (1972). For a discussion of the stability of cyclic triplet diradicals, see S. Kita and K. Fukui, Bull. Chem. Soc. Jpn., 42, 66 (1969).
 N. Ivanoff, F. Lahman, J. F. DeLouis, and T. L. Le Gouill, J. Photochem., 2,
- 199 (1973)
- (13) S. Murov and G. S. Hammond, J. Phys. Chem., 72, 3797 (1968).

Nicholas J. Turro,* William R. Cherry Marlis F. Mirbach, Manfred J. Mirbach Chemistry Department, Columbia University New York, New York 10027 Received July 19, 1977

Intramolecular Pericyclic Reactions of Acetylenes. 7.1 Concertedness of Acetylenic Retro-ene **Reactions.** Preparation of Optically Active Phenylallene-3-d

Sir:

Although acetylenic bonds frequently participate in intramolecular reactions whose olefinic analogues are believed to proceed via cyclic six-membered transition states, the ground-state linearity of the acetylenic system raises doubts about the concert of such reactions. We wish to report that stereochemical integrity is preserved in an acetylenic retro-ene reaction as further evidence for concertedness in that reaction, and that we have used this process to generate the first reported allene which is optically active by virtue of isotopic substitution.2

As part of our continuing study of the thermal behavior of acetylenic compounds, we have examined the thermolyses of a number of propargylic ethers.³ Normally the products are those to be expected from a retro-ene cleavage, and the kinetic parameters for about 25 compounds are those to be expected from a concerted process, with E_a ranging from 36 to 42 kcal/mol and ΔS^{\pm} from -6 to -13 eu.⁴



The stereospecificity of concerted, intramolecular rearrangements has been used previously to generate two allenic derivatives of predictable absolute configuration from optically active acetylenic precursors: an acetylenic Claisen rearrangement provided an allenic aldehyde⁵ and the S_Ni' reaction of thionyl chloride on a propargylic alcohol gave a chloroallene.⁶ It has been suggested that acetylenic retro-ene reactions proceed via a concerted planar transition state which maximizes orbital overlap of participating bonding systems.⁷ If such be the case, then (R)-phenylallene-3-d (1) should be produced from the thermolysis of the trideuteriomethyl ether of (S)-1-phenylprop-2-yn-1-ol (2).



The choice of the phenyl group as a substituent is dictated by the following factors: 1-phenylprop-2-yn-1-ol (3) is commercially available (Farchan Division, Chemical Samples Co.), its resolution has been reported,⁸ and the presence of the polarizable phenyl substituent provides enhanced optical rotation in the case of isotopic substitution at sp³-hybridized carbon atoms.9

The resolution¹⁰ of **3** is outlined in Scheme I. Reaction of racemic 3 with 3-nitrophthalic anhydride (3-NPA) provided the racemic half-acid-ester 4. Treatment of (\pm) -4 with cinchonine led to the precipitation of a crystalline salt, a sample of which was recrystallized from CHCl₃/MeOH to constant melting point, 185-186 °C.11 Hydrolysis with dilute aqueous HCl provided (-)-4, $[\alpha]^{25}$ _D -53.9° (*c* 2.17), mp 152-155 °C. Treatment of the active ester with LiAlH₄ gave (-)-3, $[\alpha]^{22}$ _D -27.1° (c 2.42). The optical purity of this sample was essentially 100% as determined by use of the chiral NMR shift reagent, Eu(hfc)₃,¹² which cleanly separated the resonance lines due to the benzylic protons of the two enantiomeric components in a sample of racemic 3. Etherification of (-)-3 with NaH and CD₃I provided the desired trideuteriomethyl ether,¹³ (-)-2, $[\alpha]^{25}$ D -42.8° (c 1.08). Since the chiral shift reagent did not separate the benzylic protons of 2, a sample of the same batch of alcohol, (-)-3, used to prepare the deuterated either, was converted via the identical procedure, but using CH₃I, into the corresponding protio ether.¹³ The application of Eu(hfc)₃ indicated less complexation with the ether, but the methyl signal in racemic protio-2 was cleanly divided into two singlets. Since no trace of one of these singlets could be detected in the spectrum of the active protio ether, its optical purity is also essentially 100% and the Williamson etherification does not lead to any detectable racemization.

The positive antipode of 4 could be obtained from the mother liquor, after removal of the precipitated crystalline cinchonine salt, by treatment with dilute HCl. Reduction of the half-ester with $LiAlH_4$ gave (+)-3, but with an optical purity of only ~65% as determined with $Eu(hfc)_3$. Since cinchonidine is an epimer of cinchonine, it was hoped that use of the former as a resolving agent might lead to a higher optical purity of (+)-3. True to expectation, treatment of (\pm) -4 with cinchonidine also produced a crystalline salt, which was recrystallized from CHCl₃/MeOH, mp 175-177 °C, and was then hydrolyzed with aqueous HCl to yield (+)-4, $[\alpha]^{25}_{D}$ + 52.5° (c 0.83), mp 155-166 °C. Treatment of (+)-4 with LiAlH₄ gave (+)-3, $[\alpha]^{25}$ _D +27.0° (c 1.35), which represents optically pure material based on the specific rotation of optically pure (-)-3.