We are left with the overall conclusion that Mu and H, despite having binding energies and polarizabilities within 0.5% of each other, respond in opposite senses toward the uneven electron distributions of N-heterocyclic aromatic rings. This results in different reaction mechanisms predominating and therefore different reaction products being formed.

Acknowledgment. We appreciate collaborations with Drs. M. V. Barnabas, G. B. Porter, B. W. Ng, and K. Venkateswaran. J.M.S. thanks the Hood College Board of Associates for financial assistance.

Registry No. H, 12385-13-6; muonium, 12587-65-4; benzene, 71-43-2; pyridine, 110-86-1; pyridazine, 289-80-5; pyrimidine, 289-95-2; pyridine conjugate acid, 16969-45-2; pyridazine conjugate acid, 17009-97-1; pyrimidine conjugate acid, 17009-95-9; pyrazine conjugate acid, 17009-93-7; pyrazine, 290-37-9.

The First Stable Functional Silyl Anions: (Aminosilyl)lithiums

Kohei Tamao,* Atsushi Kawachi, and Yoshihiko Ito*

Department of Synthetic Chemistry Faculty of Engineering Kyoto University. Kyoto 606. Japan Received January 2, 1992

Carbanion chemistry plays a central role in the whole field of organic chemistry:¹ many of a large number of carbanions are functional carbanions stabilized by heteroatoms,² including α heteroatom-substituted carbanions (A). Reported herein are our initial results on the analogous species in silicon chemistry (B).



Silyl anions have been studied much less extensively than carbanions.^{3,4} Synthetically useful silyl anions have long been

(1) (a) Comprehensive Carbanion Chemistry; Buncel, E., Durst, T., Eds.; Studies in Organic Chemistry 5; Elsevier: Amsterdam, 1980, 1984; Parts A and B. (b) Wakefield, B. J. Organolithium Methods; Academic Press: London, 1988. (c) Williard, P. G. In Comprehensive Organic Synthesis; Trost, B. M., Fleming, I., Eds.; Pergamon Press: Oxford, 1991; Vol. 1, pp 1-47.

(2) Reviews: (a) Gschwend, H. W.; Rodriguez, H. R. Org. React. 1979, 26, 1. (b) Beak, P.; Zajdel, W. J.; Reitz, D. B. Chem. Rev. 1984, 84, 471. (c) Boche, G. Angew. Chem., Int. Ed. Engl. 1989, 28, 277. α-Alkoxy carbanions: (d) Sawyer, J. S.; Kucerovy, A.; Macdonald, T. L.; McGarvey, G. J. J. Am. Chem. Soc. 1988, 110, 842 and references cited therein. a-Amino carbanions: (e) Pearson, W. H.; Lindbeck, A. C. J. Am. Chem. Soc. 1991, 113, 8546 and referenced cited therein

(3) Reviews: (a) Wittenberg, D.; Gilman, H. Q. Rev. 1969, 13, 116. (b) (3) Reviews: (a) Wittenberg, D.; Gliman, H. Q. Rev. 1969, 13, 116. (b)
Davis, D. D.; Gray, C. E. Organomet. Chem. Rev. A 1970, 6, 283. (c)
Fleming, I. In Comprehensive Organic Chemistry; Barton, E., Ollis, W. D.,
Eds.; Pergamon Press: Oxford, 1979; Vol. 3, pp 664-669. (d) Fujita, M.;
Hiyama, T. J. Synth. Org. Chem., Jpn. 1984, 42, 293. (e) Lambert, J. B.;
Schulz, W. J., Jr. In The Chemistry of Organic Silicon Compounds; Patai,
S., Rappoport, Z., Eds.; Wiley: Chichester, England, 1989; pp 1007-1010.
(A) Dilthic and tatalibricinence. (c) Mahartan S. K. Koura, H. Barton,

(4) Dilithio and tetralithiosilanes: (a) Mehrotra, S. K.; Kawa, H.; Baran, J. R., Jr.; Ludvig, M. M.; Lagow, R. J. J. Am. Chem. Soc. 1990, 112, 9003 and references cited therein. Theoretical studies on silyl anions: (b) Hopkinson, A. C.; Lien, M. H. Tetrahedron 1981, 37, 1105. (c) Magnusson, E. Tetrahedron 1985, 41, 2945. (d) Damewood, J. R., Jr.; Hadad, C. M. J. Phys. Chem. 1988, 92, 33. (e) Hopkinson, A. C.; Rodriquez, C. F. Can. J. Chem. 1990, 68, 1309. (f) Schleyer, P. v. R.; Clark, T. J. Chem. Soc., Chem. Commun. 1986, 1371. (g) Schleyer, P. v. R.; Reed, A. E. J. Am. Chem. Soc. 1988, 110, 4453. (h) Apeloig, Y. In The Chemistry of Organic Silicon Compounds; Patai, S., Rappoport, Z., Eds.; Wiley: Chichester, England, 1989; pp 201-204. NMR studies on phenylsilyl anions: (i) Olah, G. A.; Hunadi, R. J. Am. Chem. Soc. 1980, 102, 6989. (j) Buncel, E.; Venkatachalan, T. K.; Eliasson, B.; Edlund, U. J. Am. Chem. Soc. 1985, 107, 303. (k) Edlund, U.; Lejon, T.; Venkatachalam, T. K.; Buncel, E. J. Am. Chem. Soc. 1985, 107, 6408.

(Et ₂ N) _n Ph _{3.n} SiCl	Li (dispersion)			
	THE 0 °C 4 h	(L1211)// 13_/JOIL		
4 (<i>n</i> = 1)	1111,0 0,411	1 (<i>n</i> = 1) 98%		
5 (n = 2)		2 (<i>n</i> = 2) 97%		
(Et ₂ N)MePhSiCl	Li (dispersion)	(Et ₂ N)MePhSiLi		
6	1717,0 0,2411	3 80%		

Scheme II

(Et₂N)Ph₂SiLl → 1	CISiMe ₂ R	0 °C, 0.5	-2h			
(Et ₂ N)Ph ₂ SiSiMe ₂ R		1e₂R _	AcCi	CIPh2SiSiMe2X		
			0~0,2n			
7	R≖H	85%		11	X=H	84%
8	R = NEto	91%		12	X = Cl	86%
9	R = O + Pr	77%				
10	$R = CH = CH_2$	60%				

$$\begin{array}{c|c} Me_{3}SiCl & \begin{array}{c} 1 \end{pmatrix} 1 & Ph_{2} \\ \hline 2) AcCl & Me_{3}SISIPh_{2}Cl & \begin{array}{c} 3 & Ph_{2} \\ \hline TMEDA & Me_{3}SI-Si-SiPhMe(NEt_{2}) \\ \hline 78\% & 0.95 & 7h \\ \hline 14 & 47\% \end{array}$$

Scheme III



limited to only several simple triorganosilyl anions such as Ph₃Si^{-,5,6} $Ph_2MeSi^{-,6}$ $PhMe_2Si^{-,6}$ $Me_3Si^{-,7}$ and $(Me_3Si)_3Si^{-,8}$ Although three functional silvl anions, $Cl_3Si^{-,9}$ $(RO)_nMe_{3-n}Si^{-,10}$ and HPh₂Si^{-,11} have been reported, the first two are postulated active species generated in situ in the presence of quenching agents, and the last is obtained in about 10% yields and tends to polymerize readily. Thus, stable functional silyl anions have never been prepared.

Åmino groups $(X = NR_2)$ were chosen as functional groups on silicon because of their high stability toward organometallic reagents;¹² it was thus anticipated that aminosilyl anions must be stable with respect to both intermolecular substitution and intramolecular α -elimination to silvlene species. It is noted here

(5) Benkeser, R. A.; Severson, R. G. J. Am. Chem. Soc. 1951, 73, 1424. (6) Gilman, H.; Lichtenwalter, G. D. J. Am. Chem. Soc. 1958, 80, 608.
(7) (a) Sakurai, H.; Okada, A.; Kira, M.; Yonezawa, K. Tetrahedron Lett.
1971, 1511. (b) Still, W. C. J. Org. Chem. 1976, 41, 3063. (c) Corriu, R. J. P.; Guerin, C.; Kolani, B. Bull. Soc. Chim. Fr. 1985, 974.

(8) Dickhaut, J.; Giese, B. Org. Synth. 1991, 70, 164 and references cited therein

(9) (a) Nozakura, S.; Konotsune, S. Bull. Chem. Soc. Jpn. 1956, 29, 322. (b) Benkeser, R. A. Acc. Chem. Res. 1971, 4, 94. (c) Li, G. S.; Ehler, D. F.; Benkeser, R. A. Organic Syntheses; Wiley: New York, 1988; Collect. Vol. VI, p 747. (d) Naumann, K.; Zon, G.; Mislow, K. J. Am. Chem. Soc. 1969, 91, 7012.

(10) Watanabe, H.; Higuchi, K.; Goto, T.; Muraoka, T.; Inose, J.; Kage-yama, M.; Iizuka, Y.; Nozaki, M.; Nagai, Y. J. Organomet. Chem. 1981, 218, 27 and references cited therein.

(11) Gilman, H.; Steudel, W. Chem. Ind. 1959, 1094.

(12) For example: (a) Colvin, E. Silicon in Organic Synthesis; Butter-worths: London, 1981; pp 314-324. (c) Colvin, E. W. Silicon Reagents in Organic Synthesis; Academic Press: London, 1988; pp 87-89.

that recent theoretical studies^{4b,c} have predicted the comparable stability of two model systems MeH₂Si⁻ and (H₂N)H₂Si⁻, as well as their much higher stability than the corresponding carbanions.

We have now succeeded in the preparation of three stable (amino)(phenyl)silyl anions 1-3 by the standard direct reaction of aminochlorosilanes¹³ 4-6 with lithium metal (Scheme I).¹⁴ Thus, the reactions of 4 and 5 with lithium dispersion in THF set in at 0 °C to give immediately deep blue-green solutions; after 4 h, (aminosilyl)lithium 1 and (diaminosilyl)lithium 2 were formed in quantitative yields.¹⁵ The reaction of 6 proceeded slowly to give 3 in 80% yield in 1 day at 0 °C. Significantly, the (aminosilyl)lithium 1 is stable at 0 °C for 6 days, and 2 and 3 are stable for 3 days without a drop in activity.

Functional silvl anions in solution are observable by ¹³C and ²⁹Si NMR spectroscopy. Thus, aromatic carbons in (Et₂N)-Ph₂SiLi (1) in THF appear at 158.5 (ipso), 135.6 (ortho), 126.6 (meta), and 123.9 (para) ppm (cyclohexane δ 27.7 ppm as internal standard),¹⁶ and chemical shift changes from the corresponding chlorosilane precursors $\Delta\delta(SiLi - SiCl)^{4j}$ are +24.3 (ipso), 0 (ortho), -21 (meta), and -7.3 (para) ppm (positive signs denote downfield shifts). The data are quite similar to those for MePh₂SiLi^{4j} and imply that the Et₂N group exhibits essentially the same effect as the Me group on the charge distribution in the anions. The ²⁹Si resonance of 1 appears at -24.7 ppm in THF (TMS as external reference).

The versatility of the (aminosilyl)lithiums in organosilicon chemistry is apparent from some representative transformations shown in Scheme II.¹⁷ All of the (aminosilyl)lithiums 1-3 undergo coupling with a variety of chlorosilanes to form the corresponding disilanes 7-12: the Si-N bonds in the primary products can be converted into the Si-Cl bonds by mixture with an acyl chloride such as acetyl chloride, as exemplified by the transformations from 7 and 8 to 11 and 12, respectively. A one-step introduction of two functional silyl groups into a dichlorosilane and a stepwise Si-Si bond elongation by sequential treatment of a chlorosilane with (aminosilyl)lithiums are exemplified by the formation of trisilanes 13 and 14, respectively. It is noted that all of the functional disilanes and trisilanes prepared herein are structurally rather simple, but are new compounds barely accessible by conventional methods.

(Aminosilyl)lithiums are also useful reagents for organic synthesis. Thus, 1 or the corresponding copper reagent serves as the hydroxy anion equivalent through the conjugate addition to α ,- β -unsaturated esters or the allylic substitution followed by oxidative cleavage of the silicon-carbon bonds,¹⁸ as shown in Scheme III.¹⁷ The present procedure is complementary to the known PhMe₂Si⁻ chemistry,¹⁹ which requires an acid treatment prior to the oxidation. In particular, the latter method cannot be applied to allylic silane systems, because the acid treatment must cleave the particular allyl-silicon bond much faster than the phenyl-silicon bond.²⁰ The present aminosilyl anion chemistry has afforded a solution to this problem.

The present development, 40 years after the first practical synthesis of silvl anions,⁵ has opened up the possibility of preparing a large variety of functional organosilicon compounds, including tailor-made polyfunctional disilanes, oligosilanes, and eventually polysilanes of current interest,²¹ as well as new synthetic reagents for organic synthesis.

Acknowledgment. We thank the Ministry of Education, Science, and Culture, Japan, for a Grant-in-Aid for Scientific Research on Priority Area of Organic Unusual Valency (No. 02247104).

Registry No. 1, 140438-35-3; 2, 140438-36-4; 3, 140438-37-5; 4, 33935-31-8; 5, 87651-58-9; 6, 140438-38-6; 7, 140438-39-7; 8, 140438-40-0; 9, 140438-41-1; 10, 140438-42-2; 11, 140438-43-3; 12, 140438-44-4; 13, 140438-45-5; 14, 140438-46-6; ClSiMe₂H, 1066-35-9; ClSiMe₂(NEt₂), 6026-02-4; ClSiMe₂(O-*i*-Pr), 1825-71-4; ClSiMe₂CH=CH₂, 1719-58-0; Cl₂SiMe₂, 75-78-5; (E)-CH₃CH= CHCO₂Et, 623-70-1; (R*,S*)-CH₃CH(SiPh₂(OEt))CH(CH₃)CO₂Et, 140438-47-7; (R*,R*)-CH₃CH(OH)CH(CH₃)CO₂Et, 51898-36-3; CH₂(CH₂)₄C=CHCH₂SiPh₂(OEt), 140438-48-8; CH₂(CH₂)₄C= CHCH₂OH, 932-89-8; 1-acetoxy-1-ethenylcyclohexane, 6318-49-6.

Stereospecific Recognition of Tryptophan Agarose by in Vitro Selected RNA

Michael Famulok[†] and Jack W. Szostak^{*}

Department of Molecular Biology. Massachusetts General Hospital. Boston. Massachusetts 02114 Received January 13, 1992

RNA molecules can recognize substrates by forming binding pockets and clefts similar to those found in proteins.¹ A better understanding of RNA-substrate recognition would facilitate the development of new ribozymes and receptor molecules based on RNA. Most protein enzymes bind substrates with enormous specificity, and in many cases the recognition is highly stereoselective. Here we show that this high degree of specificity can also be achieved by RNA.

The only well-characterized example of small-molecule recognition by a macromolecular RNA is the binding of guanosine (and its analogues, including arginine) by the self-splicing group I intron from *Tetrahymena*.² L-Arginine inhibits GTP binding and subsequent splicing of group I introns from several organisms with a 2-fold higher K_i than the D enantiomer,³ corresponding to a $\Delta\Delta G$ of 0.4 kcal mol⁻¹. We have addressed the question of stereospecific substrate recognition by RNA by using in vitro selection⁴ to isolate RNA molecules that are able to discriminate between D- and L-tryptophan coupled to an agarose matrix (Dtryptophan agarose, D-Trp-A). We have previously used in vitro selection to isolate RNAs and DNAs that specifically bind to small organic dye molecules from a large pool of random sequence RNA

(3) Hicke, B. J.; Christian, E. L.; Yarus, M. EMBO J. 1989, 8, 3843–3851.
(4) Famulok, M.; Szostak, J. W. Angew. Chem., in press.

⁽¹³⁾ Tamao, K.; Nakajo, E.; Ito, Y. Tetrahedron 1988, 44, 3997.

⁽¹⁴⁾ Anions 1 and 2 were also obtained in 90% and 77% yields, respectively, by tin-lithium exchange reactions of (aminosily1)stannanes $(Et_2N)_{\mu}Ph_{3-\mu}SiSnMe_3$ with butyllithiums. Cf., Lipshutz, B. H.; Reuter, D. C.; Ellsworth, E. L. J. Org. Chem. **1989**, 54, 4975 and references cited therein.

⁽¹⁵⁾ Typically, under a nitrogen atmosphere, to a suspension of lithium dispersion (16 mg-atom; commercial 25 wt % in mineral oil was washed with dry hexane three times) in dry THF (8 mL) was added dropwise aminochlorosilane 4 (4 mmol) at room temperature. After a few minutes of stirring, the resulting greenish mixture was stirred at 0 °C for 4 h to give a solution of 1. Lithium wire (fresh cuts) can also be used. Yields of the silyl anions were estimated by GLC analysis of the corresponding disilanes obtained by quenching with Me₃SiCl.

⁽¹⁶⁾ Diaminosilyl anion 2 showed similar chemical shifts: 160.0 (ipso), 134.9 (ortho), 126.6 (meta), and 123.2 (para) ppm. (17) Isolated yields are shown. All new compounds show satisfactory

spectral and analytical data.

^{(18) (}a) Tamao, K.; Ishida, N.; Tanaka, T.; Kumada, M. Organometallics 1983, 2, 1694. (b) Tamao, K.; Ishida, N.; Ito, Y.; Kumada, M. Org. Synth. 1990, 69, 96 and references cited therein.

⁽¹⁹⁾ For example: (a) Fleming, I. Pure Appl. Chem. 1988, 60, 71. (b) Fleming, I.; Sanderson, P. E. J. Tetrahedron Lett. 1987, 28, 4229

^{(20) (}a) Fleming, I.; Dunogues, J.; Smithers, R. Org. React. 1989, 37, 57. (b) Magar, S. S.; Fuchs, P. L. Tetrahedron Lett. 1991, 32, 7513.

⁽²¹⁾ Recent reviews: (a) West, R. J. Organomet. Chem. 1986, 300, 327. (b) West, R. In The Chemistry of Organic Silicon Compounds; Patai, S., (b) West, K. In The Chemistry of Organic Stitcon Compounds; Patal, S., Rappoport, Z., Eds.; Wiley: Chichester, England, 1989; pp 1208-1240. (c) Miller, R. D.; Michl, J. Chem. Rev. 1989, 89, 1359. (d) Silicon-Based Polymer Science: A Comprehensive Resource; Zeigler, J. M., Gordon Fearon, F. W., Eds.; American Chemical Society: Washington, DC, 1990.

[†]Present address: Institut fur Biochemie der Ludwig-Maximilians-Universität München, c/o Max Planck Institut fur Biochemie, Am Klopferspitz 18a, W-8033 Martinsried, FRG.

 ^{(1) (}a) Latham, J. A.; Cech, T. R. Science 1989, 245, 276. (b) Celander,
 D. W.; Cech, T. R. Biochemistry 1990, 29, 1355.
 (2) (a) Bass, B. L.; Cech, T. R. Nature 1984, 308, 820. (b) Bass, B. L.;
 Cech, T. R. Biochemistry 1986, 25, 4473. (c) Michel, F.; Hanna, M.; Green,
 R.; Bartel, D. P.; Szostak, J. W. Nature 1989, 342, 391. (d) Yarus, M. Science 1988, 240, 1751-1758. (e) Von Ahsen, U.; Schroeder, R. Nucleic Acids Res. 1991, 19, 2261-2265