Molecular Design of Calix[4]arene-Based Extractants Which Show High Ca²⁺ Selectivity

Michiko Ogata, Kivoshi Fujimoto, and Seiji Shinkai*, i

Material Technology Division, Mechanics and Electronics Research Institute, Fukuoka Industrial Technology Center, Norimatsu, Kitakyusyu 807, Japan Department of Chemical Science and Technology Faculty of Engineering, Kyushu University Hakozaki, Fukuoka 812, Japan

Received February 14, 1994

It has been established that calix[4] aryl esters and amides show very high Na⁺ selectivity because of the size-fit ionophoric cavity and the conformationally rigid calix[4] arene platform supporting the cavity.1-6 By using these calix[4] arene-based ionophores, one can design Na+-selective electrodes, 7-9 and in some cases the Na⁺/K⁺ selectivity exceeds a factor of 10³.9 The purpose of the present study is to apply the above-mentioned advantages in calix[4] arene-based ionophores to the design of Ca²⁺-selective extractants. We considered this idea to be feasible because the ion radius of Ca²⁺ (0.99 Å) is very similar to that of Na⁺ (0.96 Å). In addition to the similarity in the ion size, we took several factors into account which are indispensable to achieve high Ca2+ selectivity in two-phase solvent extraction. First, the extractant should be dianionic to keep the complex neutral and to facilitate the extraction into the organic phase. Second, Ca²⁺selective ionophores (e.g., those designed by Simon et al. 10) mostly include amide groups which can strongly interact with alkali and alkaline earth metal ions. The advantage of the amide group has also been corroborated in calix[4] arenes: calix[4] aryl amides generally show much higher metal affinity than calix[4]aryl esters. 5.11.12 Third, the ionophoric cavity composed of neutral ligands and the two anionic functional groups neutralizing the metal charge must act cooperatively upon the binding of metal ions. We noticed that 5,11,17,23-tetra-tert-butyl-25,27-bis-(carboxymethoxy)-26,28-bis[(diethylaminocarbonyl)methoxy]calix[4] arene (1), which can be synthesized from 5,11,17,23-

Fukuoka Industrial Technology Center.

[‡]Kvusyu University.

(1) For a comprehensive review of calixarene chemistry, see: Gutsche, C. D. In Calixarenes, Royal Society of Chemistry: Cambrige, 1989.
(2) (a) Arduini, A.; Pochini, A.; Reverberi, S.; Ungaro, R. Tetrahedron

1986, 42, 2089. (b) Andreetti, G. D.; Calestani, G.; Ugozzoli, F.; Auduini, A.; Ghidini, E.; Pochini, A.; Ungaro, R. J. Inclusion Phenom. 1987, 5, 123. (3) Chang, S.-K.; Cho, 1. J. Chem. Soc., Perkin Trans. 1 1986, 211.

(4) McKervey, M. A.; Seward, E. M.; Ferguson, G.; Ruhl, B.; Harris, S.

J. Chem. Soc., Chem. Commun. 1985, 388.

(5) Arnaud-Neu, F.; Collins, E. M.; Deasy, M.; Ferguson, G.; Harris, S. J.; Kaitner, B.; Lough, A. J.; McKervey, M. A.; Marques, E.; Ruhl, B. L.; Schwing-Weill, M. J.; Seward, E. M. J. Am. Chem. Soc. 1989, 111, 8681. (6) Arimura, T.; Kubota, M.; Matsuda, T.; Manabe, O.; Shinkai, S. Bull.

Chem. Soc. Jpn. 1989, 62, 1674.

(7) (a) Diamond, D. Anal. Chem. Symp. Ser. 1986, 25, 155. (b) Diamond, D.; Svehla, G.; Seward, E. M.; McKervey, M. A. Anal. Chim. Acta 1988, 204, 223. (c) Cadogan, A. M.; Diamond, D.; Smith, M. R.; Deasy, M.; McKervey, M. A.; Harris, S. J. *Analyst* 1989, 114, 1551. (d) Brunink, A. J.; Haak, J. R.; Bomer, J. G.; Reinhoudt, D. N.; McKervey, M. A.; Harris, S. J. Anal. Chim. Acta 1991, 54, 75.

(8) (a) Kimura, K.; Matsuo, M.; Shono, T. Chem. Lett. 1988, 615. (b) Kimura, K.; Miura, T.; Matsuo, M.; Shono, T. Anal. Chem. 1990, 62, 1510. (c) Tanaka, M.; Kobayashi, T.; Yamashoji, Y.; Shibutani, Y.; Yakabe, K.; Shono, T. Anal. Sci. 1991, 7, 817.

(9) Sakaki, T.; Harada, T.; Deng, G.; Kawabata, H.; Kawahara, Y.; Shinkai,

S. J. Inclusion Phenom. Mol. Recognit. 1992, 14, 285.

(10) (a) Simon, W.; Morf, W. E.; Meier, P. C.; Struct. Bonding (Berlin)
1973, 16, 113. (b) Kirsch, N. N.; Simon, W. Helv. Chim. Acta 1976, 59, 357.

(c) Simon, W.; Ammann, D.; Oehme, M.; Morf, W. E. Ann. N. Y. Acad. Sci. 1978, 307, 52.

(11) Arduini, A.; Ghidini, E.; Pochini, A.; Ungaro, R.; Andreetti, G. D.; Calestani, G.; Ugozzoli, F. J. Inclusion Phenom. 1988, 6, 119.

(12) Arduini, A.; Casnati, A.; Fabbi, M.; Minari, P.; Pochini, A.; Sicuri, A. R.; Ungaro, R. Supramol. Chem. 1993, 1, 235.





Figure 1. Two-phase solvent extraction of alkaline earth metal ions with 1. The extraction conditions are recorded in the text. The pH of the aqueous phase was adjusted with succinic acid-NH4OH for pH 4-6, Tris-HCl for pH 7-9, and 3-(cyclohexylamino)propanesulfonic acid (CAPS)-NH₄OH for pH 10. Ca^{2+} (O), Sr^{2+} (\bullet), Ba^{2+} (Δ), and Mg^{2+}

Scheme 1



tetra-tert-butylcalix[4]arene-25,26,27,28-tetrol via three steps, fully satisfies these prerequisites. Two-phase solvent extraction studies have established that, as expected, 1 shows "perfect" Ca2+ selectivity among alkaline earth metal ions at an appropriate pH

Compound 1 with a cone conformation was synthesized according to the reaction route shown in Scheme 1. The product was identified by IR and ¹H NMR spectral evidence and elemental analysis.13 Compound 2 with four amide groups11,12 and compound 3 with two carboxylic acid groups, 14 both having a cone conformation, were used as reference compounds. Compound 4 is a naturally occurring Ca²⁺ ionophore (A23187). Twophase solvent extraction was carried out between water (4 mL, $[M(NO_3)_2] = 0.10 \text{ mM}$) and chloroform (4 mL, [ionophore] =

⁽¹³⁾ Mp 258-259 °C; IR (Nujol) $\nu_{C=0}$ 1655 and 1755 cm⁻¹, ν_{OH} 3050-3100 cm⁻¹; ¹H NMR (CDCl₃, 25 °C, 250 MHz) δ 0.85 and 1.31 (t-Bu, s each, 18H each), 1.17 (CH₃ in Et, t, 12H), 3.28 and 4.61 (ArCH₂Ar, d each (J=13.0Hz), 4H each), 3.3-3.4 (NCH₂, m, 8H), 4.58 and 4.77 (OCH₂, s each, 4H each), 6.60 and 7.13 (ArH, s each, 4H each), Anal. Calcd for $C_{OH_{2}}$ 8 ach, 4H each), 4.60 M 8.34 N 2.83 Found: C. 72.68 H 8.47 N 2.91 C, 72.69; H, 8.34; N, 2.83. Found: C, 72.48; H, 8.47; N, 2.91.
 Murakami, H.; Shinkai, S. J. Chem. Soc., Chem. Commun. 1993,




Figure 2. Two-phase solvent-extraction of Ca^{2+} with 1-4. The extraction conditions are similar to those employed in Figure 1. Extraction of Ca^{2+} with 1 (0), 2 (\bullet), 3 (Δ), and 4 (Δ).

Table 1. Percent Extraction of Alkaline Earth Metal Ions from Water to CHCl₃ at pH 5.3 and 25 °C^a

ionophore	extractability/%					
	Mg ²⁺	Ca ²⁺	Sr ²⁺	Ba ²⁺		
1	0	59.3	0	0		
2	0	0	0	0		
3	0	0	0	0		
4	0	0	0	0		

^a The extractability "0" means Ex% < 0.1%.

0.050 mM). The two-phase mixture was shaken for 30 min at 25 °C. We confirmed that this period is enough to attain the distribution equilibrium. The organic phase was reextracted with water (5 mL, 1.0 M aqueous HCl) and the extractability (Ex%) was determined by ICP analysis of the aqueous solution.

Figure 1 shows Ex% for alkaline earth metal ions with 1 plotted against pH in the aqueous phase. Ex% for Ca2+ increases from pH 4.0 and is saturated at around pH 6, giving 100% extractability. In contrast, Ex% for Sr²⁺, Ba²⁺, and Mg²⁺ increases from pH 5.2, 6.0, and 8.2, respectively. Thus, the extraction of alkaline earth metal ions occurs from acidic pH region in the order of Ca²⁺ > $Sr^{2+} > Ba^{2+} > Mg^{2+}$. Figure 1 tells us that the highest Ca^{2+} selectivity is attained at around pH 5. Figure 2 shows extraction of Ca²⁺ with 1-4 plotted against pH in the aqueous phase. Compound 2, a neutral ionophore, could not extract a perceptible amount of Ca2+ at whole pH range. Compounds 3 and 4 showed significant extractability at above pH 8. The difference clearly supports the contribution of the two amide groups to the Ca²⁺ binding. This view was further corroborated by the ¹H NMR study of the 1-Ca2+ complex. A D2O solution (4 mL) containing $Ca(NO_3)_2$ (4.0 × 10⁻³ M; pH 9.0 with 2.5 × 10⁻² M Tris-HCl) and a CDCl₃ solution (4 mL) containing 1 (2.0 × 10⁻³ M) was shaken at 25 °C for 30 min. The 100% extractability was achieved under the extraction conditions. The ¹H NMR spectrum of the CDCl₃ solution showed that the chemical shifts for the OCH₂-CON and NCH₂ methylene protons move to higher magnetic field by 0.03 ppm¹⁵ and lower magnetic field by 0.22 ppm, respectively. The Δδ for the AB pattern of the ArCH₂Ar methylene protons decreased from 1.33 to 0.92 ppm, indicating that the phenol groups are flattened upon the metal binding. The

Table 2. Competitive Extraction of Ca²⁺ from a Mixture of Four Alkaline Earth Metal Ions

		extractability/%				
pН	ionophore	Mg ²⁺	Ca ²⁺	Sr ²⁺	Ba ²⁺	
5.3	1	0	61.4	0	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	0	0	0	0	
6.0	1	0	73.4	3.3	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	0	0	0	0	
7.0	1	0	78.7	3.3	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	0	0	0	0	
8.0	1	0	83.7	2.7	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	41.8	0	0	0	
9.0	1	0	79.2	3.7	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	58.2	0	0	0	
10.0	1	0	82.9	4.6	0	
	2	0	0	0	0	
	2 3	4.8	25.5	4.5	2.6	
	4	69.4	0	0	0	

foregoing findings consistently reveal that 1 has high affinity as well as high specificity toward Ca²⁺.

Ex% values determined at pH 5.3 are summarized in Table 1. It is clearly seen from Table 1 that at this pH only compound 1 shows significant extractability and only Ca^{2+} ion is extracted with 1. The results establish that 1 acts as an excellent extractant for Ca^{2+} .

Finally, we investigated whether 1 can selectively extract Ca^{2+} from a mixture of four alkaline earth metal ions and whether Ca^{2+} selectivity of 1 is superior to that of naturally occurring Ca^{2+} ionophore 4. The results are summarized in Table 2. At pH 5.3, 1 can selectively extract Ca^{2+} even from a mixture of four metal ions (0.10 mM each). At pH 6.0-7.0, the Ex% for Ca^{2+} is enhanced, but a small amount of Sr^{2+} is extracted as well. At this pH region, 4 does not show significant extractability. At basic pH region (pH 8.0-10.0), Ca^{2+} is predominantly extracted by 1 although the selectivity is no not as high. In contrast, 3 shows significant affinity for the first time at pH 10.0, but the extraction occurs rather nonselectively. The results imply that the pK_a of the carboxylic acid groups in 1 is lowered owing to the effective binding of Ca^{2+} to the ionophoric cavity.

In conclusion, the present study demonstrated that 1 has an ionophoric cavity which shows excellent Ca²⁺ selectivity at appropriate pH region. In the molecular design of this molecule, hole-size selectivity, rigidity of the ionophoric cavity, charge neutralization of the complex, cooperativity of the metal ligation groups, etc. are all taken into account. Particularly, nearly "perfect" Ca²⁺ selectivity is realized owing to the rigid, size-fitting molecular skeleton of a calix[4]arene. We believe that compound 1 can be successfully applied to many chemical and biological systems where severe discrimination of Ca²⁺ is required or Ca²⁺ acts as a motive force for biological events.

⁽¹⁵⁾ It is known that in calix[4]aryl esters and amides the metal binding induces the upfield shift of the OCH₂CO methylene protons in spite of the electron-withdrawing nature of the bound metal: Yamada, A.; Murase, T.; Kikukawa, K.; Arimura, T.; Shinkai, S. J. Chem. Soc., Perkin Trans. 2 1991, 793. This is attributed to a metal-induced conformational change which forces the OCH₂CO methylene protons to be located on the benzene ring.