

Communication

Platinum-Catalyzed Intramolecular Vinylchalcogenation of Alkynes with #-Phenylchalcogeno Conjugated Amides

Masashi Toyofuku, Shin-ichi Fujiwara, Tsutomu Shin-ike, Hitoshi Kuniyasu, and Nobuaki Kambe J. Am. Chem. Soc., 2008, 130 (32), 10504-10505 • DOI: 10.1021/ja804121j • Publication Date (Web): 17 July 2008 Downloaded from http://pubs.acs.org on February 8, 2009



More About This Article

Additional resources and features associated with this article are available within the HTML version:

- Supporting Information
- Access to high resolution figures
- Links to articles and content related to this article
- Copyright permission to reproduce figures and/or text from this article

View the Full Text HTML





Published on Web 07/17/2008

Platinum-Catalyzed Intramolecular Vinylchalcogenation of Alkynes with β -Phenylchalcogeno Conjugated Amides

Masashi Toyofuku,[†] Shin-ichi Fujiwara,^{*,‡} Tsutomu Shin-ike,[‡] Hitoshi Kuniyasu,[†] and Nobuaki Kambe^{*,†}

Department of Applied Chemistry, Graduate School of Engineering, Osaka University, Suita, Osaka 565-0871, Japan, and Department of Chemistry, Osaka Dental University, Hirakata, Osaka 573-1121, Japan

Received June 1, 2008; E-mail: fujiwara@cc.osaka-dent.ac.jp; kambe@chem.eng.osaka-u.ac.jp

Simultaneous addition of carbon and heteroatom units (represented as "C" and "E", respectively) to alkynes with the cleavage of "C-E" bond by transition metal complexes has attracted great interest in recent organic and organometallic chemistry.¹⁻⁵ This reaction proceeds with cis-selective stereochemistry to give multifunctionalized alkenyl heteroatom compounds. Introduction of allyl,¹ alkynyl,² acyl,³ and cyano⁴ groups as carbon units has been well studied. However the corresponding introduction of vinyl group (addition of the "vinyl-E" molecule across the triple bond) leading to 1,3-dienes remains as a challenging theme.⁶⁻⁹ When the new "vinyl-E" unit exhibits the reactivity similar to that of starting vinyl heteroatom compounds, further reaction or oligomerization could be a serious problem.^{5c} To the best of our knowledge, successful examples reported so far have been limited to the ring-expansion reaction via addition of three- or four-membered heterocyclic compounds such as silacyclopropenes,^{5a} methylidenesiliranes,^{5b} allene episulfides,5c and silacyclobutenes5d to alkynes. In these systems, ring strain of starting compounds may promote the initial cleavage of the "vinyl-E" bond by the metal catalyst.

Recently, we found that an anion stabilizing group on the β -position of acyclic vinyl sulfides and selenides enhanced oxidative addition to Pt(0) complex.¹⁰ This finding led us to develop a new type of catalytic reaction using vinyl sulfides and selenides.¹¹ Here we disclose Pt(0) catalyzes intramolecular cis-vinylthiolation and -selenation of alkynes leading to effective construction of six-membered lactam framework **2** or **3** having a high degree of unsaturation (eq 1).



At first, the reaction of vinyl selenides **4** (cis and trans) having a carbamoyl group on β -position of vinyl moiety with 1-octyne was examined to check the possibility of vinylchalcogenation of alkynes, since this electron withdrawing group may accelerate oxidative addition of the vinyl–SePh bond to Pt(0).^{10b,12} When toluene (0.4 mL) containing *cis*-**4** or *trans*-**4** (0.3 mmol), 1-octyne (3 equiv), and Pt(PPh₃)₄ (5 mol%) was heated at reflux for 12 h, 1,3-dienes **5** were obtained in moderate yields (eq 2). The stereochemistry of **4** did not affect the yield of **5**. Then, we undertook intramolecular vinylchalcogenation and the working hypothesis is shown in Scheme 1. The first step in this process is oxidative addition of vinyl–YPh (Y = S, Se) bond to Pt(0) giving



rise to alkyne-coordinated complex **6** and/or carbonyl-coordinated complex **7**. Subsequent insertion of alkyne into the Pt-Y bond occurs on **6** affording the platinacycle **8**. Reductive elimination leads to the cyclized products **2** and regenerates the Pt(0) species.

When toluene (0.5 mL) containing a vinyl sulfide 1a (0.2 mmol) and Pt(PPh₃)₄ (5 mol%) was heated at reflux for 2.5 h, intramolecular vinylthiolation product 2a was obtained in 90% yield with excellent stereoselectivity (Table 1, run 1).¹³ In contrast with an intermolecular reaction (eq 2), the stereochemistry of the substrates was essential in this cyclization. While intramolecular vinylselenation of 1b took place efficiently to form lactam 2b (run 2), the reaction of the trans-isomer of 1b gave no detectable product under similar reaction conditions. In the oxidative addition adduct of transisomer, intramolecular alkyne coordination affording the intermediate like 6 might be conformationally impossible. Bulkier alkyl substituents on nitrogen, for example, 1-phenylethyl, did not retard the reaction (run 3). The reaction of vinyl sulfide 1d and selenide 1e having a TMS group at the terminus gave the corresponding lactam 2d and 2e in high yields (runs 4 and 5). This catalytic system was not able to apply to terminal alkynes ($\mathbf{R'} = \mathbf{H}$, eq 1) probably due to further reaction or oligomerization.¹⁴ However, **2e** easily underwent desilylation with K_2CO_3 in MeOH to afford **3e** in 90% total yield from 1e (run 6). Longer alkyl substituents on nitrogen of 1f, for example, 2-phenylethyl, affected the reaction rate and stereoselectivity (run 7). Interestingly, a crude E/Z mixture of 2f was treated with K₂CO₃ in MeOH to form desilylated lactam 3f with high *E*-selectively in high yield (run 8).¹⁵ Similarly, **1g** having unprotected indole ring gave desilvlated E-lactam 3g in 86% yield (run 9). Vinyl sulfide 1h having aryl group at the terminus also

Scheme 1. A Possible Pathway Leading to Six-Membered Lactams



10.1021/ja804121j CCC: \$40.75 © 2008 American Chemical Society

[†] Osaka University.
[‡] Osaka Dental University.

Table 1. Pt(0)-Catalyzed Intramolecular Vinylchalcogenation of Alkynes to Form Six-Membered Lactams (eq 1)^{*a*}

run	1	Y	R	R′	Product, % ^b	E/Z°
1	1a	S	CH ₂ Ph	Et	2a , 90	>99/1 ^d
2	1b	Se	CH ₂ Ph	Et	2b , 92 (99)	>99/1 ^d
3	1c	S	CH(Me)Ph	Et	2c , 88	$>99/1^{d}$
4	1d	S	CH ₂ Ph	TMS	2d , 92	96/4
5	1e	Se	CH ₂ Ph	TMS	2e , 95	96/4
6 ^e	1e	Se	CH ₂ Ph	TMS	3e , 90	$>99/1^{d}$
7^{f}	1f	Se	(CH ₂) ₂ Ph	TMS	2f , (94)	71/29
$8^{e,f}$	1f	Se	$(CH_2)_2Ph$	TMS	3f , 78 (85)	95/5
$9^{e,f}$	1g	Se	(CH ₂) ₂ (3-Indolenyl)	TMS	3g , 86	$>99/1^{d}$
10	1h	S	CH ₂ Ph	p-ClC ₆ H ₄	2h , (82)	96/4

^{*a*} Conditions: **1** (0.2 or 0.3 mmol), Pt(PPh₃)₄ (5 mol %), toluene (0.5 or 0.8 mL), reflux, 2.0–3.5 h. ^{*b*} Isolated yields. Numbers in parentheses are NMR yields. ^{*c*} Determined by ¹H NMR. ^{*d*} Z-isomer was not detected in crude ¹H NMR analysis. ^{*e*} Sequential treatment of crude **2** with K₂CO₃ (5 equiv) in MeOH (2–3 mL) at room temp for 12–14 h. ^{*f*} Reaction run for 12 h.

Scheme 2. Computational Models for Alkyne Insertion Processes



underwent intramolecular vinylthiolation to afford the desired lactam **2h** (run 10).¹⁶

Next, density functional theory (DFT) calculations were performed to get information on the mechanism. In Scheme 2, **A** is the model compound for alkyne-coordinated complex **6**. **TS1** and **TS2** are transition state models for the reaction proceeding from **A** and calculated energies of optimized **TS1** and **TS2** relative to **A** are shown in parentheses.¹⁷ **TS1** is 5.8 kcal/mol more stable than **TS2** and this result indicates that *selenoplatination* leading to platinacycle-like **8** is kinetically the more favored pathway than *carboplatination*.¹⁸ In the case of Pd, the transition state for *selenopalladation* (+9.1 kcal) is less stable than **TS1** (+8.2 kcal). In fact, Pd(PPh₃)₄ worked as catalyst in this system but the efficiency was lower than Pt(PPh₃)₄.¹⁹

In summary, Pt(PPh₃)₄ catalyzes intramolecular vinylthiolation and -selenation of internal alkynes with vinyl chalcogenides having a carbamoyl group on the cis- β -position of the vinyl moiety giving rise to the highly conjugated δ -lactam frameworks.²⁰ DFT calculations for alkyne insertion processes suggest the formation of sevenmembered platinacycle is kinetically favored. Introduction of electron withdrawing groups to β -position on vinyl moiety may be a key to develop a new type of catalytic reaction using vinyl heteroatom compounds.

Acknowledgment. This work was supported by a Grant-in-Aid for Scientific Research from the Ministry of Education, Culture, Sports, Science and Technology, Japan. M.T. expresses his special thanks for JSPS Research Fellowship for Young Scientist for financial support and The Global COE Program of Osaka University.

Supporting Information Available: Experimental and calculation details and characterization data of all new compounds. This material is available free of charge via the Internet at http://pubs.acs.org.

References

H.; Hiyama, T. J. Am. Chem. Soc. 1999, 121, 10221. (c) Tong, X.; Zhang,
Z.; Zhang, X. J. Am. Chem. Soc. 2003, 125, 6370. (d) Martín-Matute, B.;
Buñuel, E.; Méndez, M.; Nieto-Oberhuber, C.; Cárdenas, D. J.; Echavarren,
A. M. J. Organomet. Chem. 2003, 687, 410. (e) Tong, X.; Li, D.; Zhang,
Z.; Zhang, X. J. Am. Chem. Soc. 2004, 126, 7601. (f) Hua, R.; Takeda, H.;
Onozawa, S.; Abe, Y; Tanaka, M. Org. Lett. 2007, 9, 263. (g) Yamashita,
K.; Takeda, H.; Kashiwabara, T.; Hua, R.; Shimada, S.; Tanaka, M.
Tetrahedron Lett. 2007, 48, 6655.

- (2) (a) Shirakawa, E.; Yoshida, H.; Kurahashi, T.; Nakao, Y; Hiyama, T. J. Am. Chem. Soc. 1998, 120, 2975. (b) See ref 1b. (c) Suginome, M.; Shirakura, M.; Yamamoto, A. J. Am. Chem. Soc. 2006, 128, 14438.
- (3) (a) Kashiwabara, T.; Kataoka, K.; Hua, R.; Shimada, S.; Tanaka, M. Org. Lett. 2005, 7, 2241. (b) Hua, R.; Onozawa, S.; Tanaka, M. Chem.-Eur. J. 2005, 11, 3621. (c) Hua, R.; Shimada, S.; Tanaka, M. J. Am. Chem. Soc. 1998, 120, 12365. (d) Hua, R.; Takeda, H.; Onozawa, S.; Abe, Y.; Tanaka, M. J. Am. Chem. Soc. 2001, 123, 2899. (e) See ref 1b. (f) Hua, R.; Onozawa, S.; Tanaka, M. Organometallics 2000, 19, 3269. (g) Toyofuku, M.; Fujiwara, S.; Shin-ike, T.; Kuniyasu, H.; Kambe, N. J. Am. Chem. Soc. 2005, 127, 9706.
- (4) (a) Chatani, N.; Takeyasu, T.; Horiuchi, N.; Hanafusa, T. J. Org. Chem. 1988, 53, 3539. (b) Suginome, M.; Kinugasa, H.; Ito, Y. Tetrahedron Lett. 1994, 35, 8635. (c) Suginome, M.; Yamamoto, A.; Murakami, M. J. Am. Chem. Soc. 2003, 125, 6538. (d) Suginome, M.; Yamamoto, A.; Murakami, M. Angew. Chem., Int. Ed. 2005, 44, 2380. (e) Suginome, M.; Yamamoto, A.; Sasaki, T.; Murakami, M. Organometallics 2006, 25, 2911. (f) Kamiya, I.; Kawakami, J.; Yano, S.; Nomoto, A.; Ogawa, A. Organometallics 2006, 25, 3562.
- (5) (a) Sayferth, D.; Shannon, M. L.; Vick, S. C.; Lim, T. F. O. Organometallics 1985, 4, 57. (b) Saso, H.; Ando, W. Chem. Lett. 1988, 1567. (c) Choi, N.; Kabe, Y.; Ando, W. Tetrahedron Lett. 1991, 32, 4573. (d) Liu, J.; Sun, X.; Miyazaki, M.; Liu, L.; Wang, C.; Xi, Z. J. Org. Chem. 2007, 72, 3137.
- (6) Decarbonylative addition of "RC(=O)-E" bonds (R = alkenyl) to alkynes leading to 1,3-dienes: (a) Kokubo, K.; Matsumasa, K.; Miura, M.; Nomura, M. J. Org. Chem. 1996, 61, 6941. (b) Sugoh, K.; Kuniyasu, H.; Sugae, T.; Ohtaka, A.; Takai, Y.; Tanaka, A.; Machino, C; Kambe, N; Kurosawa, H. J. Am. Chem. Soc. 2001, 123, 5108. (c) Hirai, T.; Kuniyasu, H.; Kato, T.; Kurata, Y.; Kambe, N. Org. Lett. 2003, 5, 3871. (d) Nakao, Y.; Satoh, J.; Shirakawa, E.; Hiyama, T. Angew. Chem., Int. Ed. 2006, 45, 2271.
- (7) Lewis acid catalyzed trans-vinylsilylation of alkynes with acyclic vinylsiranes (a) Asao, N.; Shimada, T.; Yamamoto, Y. J. Am. Chem. Soc. 1999, 121, 3797. (b) Asao, N.; Shimada, T.; Shimada, T.; Yamamoto, Y. J. Am. Chem. Soc. 2001, 123, 10899. (c) Asao, N.; Nabatame, K.; Yamamoto, Y. Chem. Lett. 2001, 982.
- (8) Dimerization-vinylstannylation of alkynes: (a) Shirakawa, E.; Yoshida, H.; Nakao, Y.; Hiyama, T. J. Am. Chem. Soc **1999**, *121*, 4290. (b) Yoshida, H.; Shirakawa, E.; Nakao, Y.; Honda, Y.; Hiyama, T. Bull. Chem. Soc. Jpn. **2001**, *74*, 637.
- (9) Au- and Pd-cocatalyzed vinylstannylation of ynones was recently reported: Shi, Y.; Peterson, S. M.; Haberaecker, W. W., III; Blum, S. A. J. Am. Chem. Soc. 2008, 130, 2168.
- (10) (a) Kuniyasu, H.; Ohtaka, A.; Nakazono, T.; Kinomoto, M.; Kurosawa, H. J. Am. Chem. Soc. 2000, 122, 2375. (b) Kuniyasu, H.; Kato, T.; Inoue, M.; Terao, J.; Kambe, N. J. Organomet. Chem. 2006, 691, 1873. For other examples for the cleavage of vinyl-chalcogen bonds by transition metals, see: (c) Boyar, E.; Deeming, A. J.; Henrick, K.; McPartlin, M.; Scott, A. J. Chem. Soc., Dalton Trans. 1986, 1431. (d) Planas, J. G.; Marumo, T.; Ichikawa, Y.; Hirano, M.; Komiya, S. J. Chem. Soc., Dalton Trans. 2000, 2613. (e) Goj, L. A.; Lail, M.; Pittard, K. A.; Riley, K. C.; Gunnoe, T. B.; Petersen, J. L. Chem. Commun. 2006, 982.
- (11) Cross-coupling reaction of vinyl chalcogenides with organometallic reagents is well-known. For recent exmples, see: (a) Silveira, C. C.; Braga, A. L.; Vieira, A. S.; Zeni, G. J. Org. Chem. 2003, 68, 662. (b) Itami, K.; Higashi, S.; Mineno, M.; Yoshida, J. Org. Lett. 2005, 7, 1219.
- (12) In a stoichiometric reaction of *cis*-4 with Pt(PPh₃)₄ in C₆D₆, formation of the oxidative adduct was confirmed by ³¹P NMR analysis. See Supporting Information for the details.
- (13) Radical mechanism can be denied since radical scavengers such as TEMPO and galvinoxyl did not retard the reaction of **1a**.
- (14) The reaction of vinyl selenide **1i** (Y = Se, R = CH₂Ph, R' = H, eq 1) gave a complex mixture and neither Z-3e nor E-3e was detected.
- (15) Similar thermodynamic resolution of *E/Z* mixture was also observed in 2e. See Supporting Information for the details.
- (16) 2h was easily hydrolyzed during purification by PTLC or HPLC. Formation of 2h was confirmed by crude ¹H NMR, ¹³C NMR, and HRMS analysis. In addition, the hydrolyzed product was isolated and characterized. See Supporting Information for the details.
- (17) For the details about calculations, see Supporting Information.
- (18) For insertion of alkynes into Pt-SAr bond: Kuniyasu, H.; Yamashita, F.; Terao, J.; Kambe, N. Angew. Chem., Int. Ed. 2007, 46, 5929.
- (19) Although Pd(PPh_{3})_4 worked as catalyst for cyclization of 1a, the reaction was slower and 2a was obtained in 37% NMR yield after 2.5 h.
- (20) Attempts to lactone synthesis using a vinyl selenide 9 (Z)-PhSe−CH=CH−C(O)OCH₂≡CMe failed. This result as well as substituent effect on nitrogen described in the text may indicate that accessibility of alkyne unit to Pt is important for the present vinylchalcogenation to take place.

 ⁽a) Kaneda, K.; Kawamoto, F.; Fujiwara, Y.; Imanaka, T.; Teranishi, S. *Tetrahedron Lett.* **1974**, 1067. (b) Shirakawa, E.; Yamasaki, K.; Yoshida,

JA804121J