Bidentate Cyclic Imido Complexes of Molybdenum(II). Preparation, Solution Behaviour and X-Ray Crystal Structure†

Susumu Kurishima, Nobuyuki Matsuda, Nobuchika Tamura and Takashi Ito*

Department of Materials Chemistry, Faculty of Engineering, Yokohama National University, 156 Tokiwadai, Hodogaya-ku, Yokohama 240, Japan

The complex $[MoH_4(dppe)_2]$ 1 $(dppe = Ph_2PCH_2CH_2PPh_2)$ in benzene or toluene reacted photochemically or thermally with organic cyclic imides, HNC(O)EC(O) $[E = CH_2CH_2$ a, CHCH(O)CH=CHCHCH b, $CHCH(CH_2)CH=CHCHCH$ c, C_6H_4 -1,2 d] to afford $[MoH\{NC(O)EC(O)\}(dppe)_2]$ 2. NMR spectral study of the seven-co-ordinate complexes 2 showed that they have a fluxional pentagonal-bipyramidal structure in solution. The X-ray crystal structure of 2a [monoclinic, space group $P2_1/a$ with a = 14.949(3), b = 28.691(13), c = 12.503(3) Å, $\beta = 103.22(17)^\circ$, Z = 4 and R = 0.0615] showed that the succinimido ligand is co-ordinated to the metal in a bidentate manner via nitrogen and oxygen atoms yielding a four-membered metallocycle.

Organic cyclic imides such as succinimide and phthalimide are known to act as weak acids giving rise to a ready displacement of the NH proton with alkali metals. Since it has been shown that $[MoH_4(dppe)_2]$ 1 $(dppe = Ph_2PCH_2CH_2PPh_2)$ is easily protonated with organic acids such as acetic acid to give a cationic hydridoacetato complex, it is of interest to examine whether cyclic imides react with 1 in a similar manner. Complex 1 however did not show any indication of reaction with succinimide in benzene at room temperature, but reacted at the elevated temperature or under irradiation using a high-pressure mercury lamp to give a hydrido(succinimido) complex in which the succinimido ligand co-ordinates in a bidentate manner via the nitrogen and an oxygen atom. Since complex 1 is known to release 1 equivalent of H₂ on photolysis or thermolysis to give the 16-electron reactive intermediate [MoH₂(dppe)₂].² It is conceivable that the above reaction proceeds via direct attack of succinimide on this intermediate as is postulated in the case of the reactions of 1 with methacrylic 3 and allylic esters,4 allylic carbonates,5 and carbon dioxide.6

There are several examples of transition-metal complexes of cyclic imides such as succinimide, phthalimide, etc.⁷⁻¹⁰ Most have been shown to have unidentate imido ligands, with the exception of a ruthenium complex which appears to have a bidentate imido ligand on spectral evidence.⁹ Only one, however, has been structurally characterized.¹¹

Here we report photochemical and thermal reactions of complex 1 with the cyclic imides HNC(O)EC(O), such as succinimide $(E = CH_2CH_2, \mathbf{a})$, Diels-Alder adducts of maleimide with furan and cyclopentadiene $[E = CHCH(O)CH=CHCHCH, \mathbf{b})$, and $CHCH(CH_2)CH=CHCHCH, \mathbf{c}$, respectively], and phthal-

Nomenclature: Although the use of 'amido ligand' may be more appropriate for the series of complexes reported, 'imido ligand' has been used throughout since it is easier to represent the complexes by conventional nomenclature.

$$[MoH_4(dppe)_2] + H - N \qquad E \qquad (i) \qquad MoH(N \qquad E)(dppe)_2 + 2 H$$

$$1 \qquad \qquad 2$$

$$E = CH_2CH_2 \quad 2a , \qquad O \qquad 2b , \qquad CH_2 \qquad 2c , \qquad 2d$$

Scheme 1 (i) hv or heat, benzene or toluene

imide $(E = C_6H_4-1,2, \mathbf{d})$ to yield the new hydridoimido complexes $[MoH\{NC(O)EC(O)-N,O\}(dppe)_2]$ 2a-2d and the structural characterization of the complex 2a in solution and in the solid state. A preliminary account of this study has been communicated.¹²

Results and Discussion

(a) Preparation of Hydrido(imido-N,O) Complexes.--Irradiation of a Pyrex flask containing a yellow solution of [MoH₄(dppe)₂] 1 and succinimide in benzene in vacuo using a 100 W high-pressure mercury lamp at room temperature for 3 h afforded a dark red solution. The reaction was accompanied by the evolution of ca. 2 equivalents of H₂. Wine-coloured prisms of bis[1,2-bis(diphenylphosphino)ethane]hydrido(succinimido-N,O)molybdenum(II) 2a were isolated from the resulting solution in 72% yield (Scheme 1, E = CH_2CH_2 ; Table 1, run 1). No reaction took place without light irradiation at room temperature (Table 1, run 2). Similar results were obtained when 1 and succinimide were heated in toluene in the dark at 110 °C (Table 1, run 3). Good prismatic crystals of $[MoH{NC(O)CH₂CH₂C(O)}(dppe)₂] \cdot C₆H₆$ 2a·C₆H₆ were obtained by recrystallization from benzene-hexane in which benzene (1 mol) was included as a crystallization solvent.

[†] Supplementary data available (No. SUP 56809, 4 pp.): NMR spectra. See Instructions for Authors, J. Chem. Soc., Dalton Trans., 1991, Issue 1, pp. xviii—xxii.

Table 1 Reactions of [MoH₄(dppe)₂] 1 with organic cyclic imides HNC(O)EC(O)

		Cyclic imide			Product (% of 1)		
Run	Complex (mmol)	E	Amount (mmol)	Solvent (cm ³)	Conditions s	Complex b	H ₂ ^c
1 2	0.53 0.10	CH₂CH₂ CH₂CH₂	0.61 0.12	Benzene 50 Toluene 12	20 °C, 3 h, hv 20 °C, 12 h	72 No reaction	187
3 4 ^d	0.26 0.08	CH ₂ CH ₂ CH ₂ CH ₂	0.32 0.067	Toluene 25 Benzene 8	110 °C, 3 h 20 °C, 2 h, hv	60 33	176 113°
5	0.70	СНСН(О)СН=СНСНСН	0.63	Benzene 60	20 °C, 5 h, hv	53	147
6	0.20	снсн(о)сн=снснсн	0.18	Toluene 20	110 °C, 5 h	3	139
7	0.33	СНСН(СН ₂)СН=СНСНСН	0.32	Benzene 30	20 °C, 5 h, hv	15	134
8	0.51	СНСН(СН₂)СН=СНСНСН	0.88	Toluene 26	110 °C, 5 h	38	141
9	0.37	C_6H_4 -1,2	0.43	Benzene 35	20 °C, 5 h, hν f	42	194

^a Irradiation using a 100 W high-pressure mercury lamp through a Pyrex glass. ^b Isolated yield based on the starting complex. ^c Determined by GLC. ^d Complex trans-[Mo(N_2)₂(dppe)₂] 3 was used in the place of 1. ^e Yield of N_2 . ^f A 400 W high-pressure mercury lamp was used in the place of the 100 W lamp.

Table 2 Infrared spectral data (cm⁻¹) for [MoH(imido-N,O)(dppe)₂] 2a-2d*

Complex	$\nu(Mo-H)$	v(>C=O)	$v(>C=O\rightarrow Mo)$
2a	1800w	1730m, 1700s	1540s
2b	1800vw	1700s	1540s
2c	1880w	1700s	1535s
2d	1800vw	1705s	1560s

^{*} As KBr disks.

Complex $2a \cdot C_6H_6$ released the crystallization solvent when heated in vacuo at 180 °C for 1 h. Photoreaction of trans-[Mo(N₂)₂(dppe)₂] 3 with succinimide in benzene under irradiation also afforded 2a (Table 1, run 4).

Interestingly, complex 2 was obtained also, though in low yield, by a similar treatment of 1 with N-allyloxy- or N-hydroxy-succinimide. In the former reaction the formation of propene in addition to H_2 was observed, although the fate of the oxygen atom in these reactions has not yet been clarified.

The reaction of complex 1 with other cyclic imides such as the Diels-Alder adducts of maleimide, HNC(O)EC(O), proceeded similarly photochemically or thermally to give corresponding hydrido(imido-N,O) complexes [MoH{NC(O)EC-

(O)}(dppe)₂] **2b** and **2c** (Scheme 1; Table 1, runs 5-8). Although the furan adduct **b** used consisted solely of the *exo* isomer, the cyclopentadiene adduct was a mixture of the *endo* and *exo* isomers (6.5:1.0) as is judged from its ¹H and ¹³C NMR spectra. Both complexes **2b** and **2c** obtained here were, however, found to contain the imido ligand with only one isomer on the basis of NMR spectra, possibly the *endo* isomer because of steric reasons. Phthalimide, in the place of succinimide, also reacted similarly upon irradiation to give the analogous hydrido(phthalimido-N,O) complex **2d** (Table 1, run 9).

Since the tetrahydrido complex 1 is known to release 1 equivalent of $\rm H_2$ upon irradiadtion, 2,13 the initial stage of the present reaction may be co-ordination of imide to the co-ordinatively unsaturated dihydrido intermediate through its carbonyl oxygen, followed by oxidative addition of imido NH group concerted with the release of another mole of $\rm H_2$. An experiment to confirm this mechanism by using deuterium-labelled imide was unsuccessful due to the easy scrambling of the deuterium over the succinimide framework during the reaction. A radical mechanism involving attack of the imido radical on the metal cannot be ruled out.

(b) Physical Properties and IR Spectra of Hydrido(imido-N,O) Complexes 2.—The hydridoimido complexes 2a-2d are fairly stable to air for at least a few days in the solid state, but easily deteriorate in solution. Complexes 2a-2c are readily soluble in benzene or tetrahydrofuran (thf), soluble in toluene, and insoluble in $\rm Et_2O$ or hexane. Complex 2d is only slightly soluble in benzene, toluene and thf and insoluble in the other common organic solvents. In chloroform, they are soluble but deteriorate slowly even under anaerobic conditions. Complexes 2a-2d melt at 240-280 °C with decomposition in the absence of air (see Experimental section).

In the IR spectra (Table 2) of complexes 2a-2d, v(Mo-H) was observed at around 1800 cm^{-1} , cf. the parent complex 1 (1810w and 1740m cm^{-1}). In addition, they showed two strong bands at ca. 1700 and 1540 cm⁻¹ which may be assignable to the carbonyl stretching of the imido ligand, the lower-frequency band to the carbonyl group co-ordinated to the metal and the higher one to the free carbonyl. The free imide shows two bands in the 1700–1800 cm⁻¹ region. Thus, v(>C=O) of the co-ordinated carbonyl group is shifted to lower frequency by about 160 cm^{-1} from that of the free imide. This evidence together with the fact that the IR spectrum of 2 shows no band due to an imide NH group suggests that these complexes have a MoH(imido-N,O) skeleton in the solid state.

(c) NMR Spectra of Hydrido(imido-N,O) Complexes 2.—In the 1H NMR spectrum of complex 2a at room temperature a hydride signal was observed at $\delta - 6.62$ as a triplet of triplets assignable to a A_2K_2X spin system ($A = P_{eq}, K = P_{ax}, X = H$). This, together with the J values (Table 3), resembles those observed for the related seven-co-ordinate carboxylato complexes $[MoH(O_2CR)(dppe)_2]$ 4 (R = H, Me, Et, CMe₃, OMe or OEt) which were assigned a pentagonal-bipyramidal geometry,^{4,5} suggesting a structural similarity between complexes 2a and 4.

Although the hydride signals of complexes 2c and 2d were similar to that of 2a, a more complicated pattern was observed for 2b: the signal consisted of 14 symmetrical peaks assignable to an ABKMX (A,B = P_{eq} , K,M = P_{ax} ; X = H) spin system in which the proton couples with four magnetically inequivalent phosphorus nuclei (Table 3). This spectral discrepancy may be related to the conformational isomerism of the complex which will be discussed in a later section.

³¹P-{¹H} NMR spectra consistent with the ¹H NMR results were obtained for complexes **2a-2d** at 25 °C. Thus, a pair of triplets was observed for **2a** and **2d** which may be assigned to an A₂K₂ spin system (Fig. 1 and Table 4), whereas a complex pattern consisting of two blocks of signals was observed for

Table 3 Proton NMR spectral data for [MoH(imido-N,O)(dppe)₂] 2a-2d*

Complex	δ(ΜοΗ)	$^{2}J(H-)$	P _{eq})/Hz	² J(H-	$P_{ax})/Hz$	δ (imido ligand)
2a	-6.62(tt)	51.9	51.9	37.2	37.2	1.35(CH ₂)
2b	-6.66(dddd)	66.5	48.2	39.1	27.5	1.59, 1.76 (COCH); 4.43, 4.99 (CCHC); 6.50 (CH=)
2c	-6.57(tt)	56.8	56.8	36.0	36.0	1.82, 2.45 (CH ₂); 2.72, 2.83 (COCH); 4.88, 5.25 (CCHC); 6.23 (CH=)
2d	-6.16(tt)	53.3	53.3	36.0	36.0	ca. 7(Ph)

^{*} At 270 MHz, room temperature, in C₆D₆. Values downfield positive from the internal reference SiMe₄.




Fig. 1 Temperature-dependent $^{31}P-^{1}H$ NMR spectra of [MoH $^{\circ}NC(O)(CH_2)_2C(O)^{\circ}(dppe)_2$] 2a in $C_4H_8O-C_4D_8O$ (a) and the computer-simulated line shape (b)

complexes 2b and 2c: two partially overlapped triplets at lower field and an AB quartet at higher field split into triplets. The overall signal pattern may be assigned to an ABKM spin system (Table 4 and Fig. 2).

The ³¹P NMR spectrum of complex 2a was found to be temperature dependent suggesting its fluxional behaviour. On lowering the temperature of 2a in thf, the signal gradually broadened and coalesced at about -30 °C. At -82 °C the hyperfine structure appeared which may be assigned to an ABKM spin system on the basis of a computer simulation (Fig. 1 and Table 4).

The $^{13}\text{C-}\{^1\text{H}\}$ NMR spectrum of complex 2a at room temperature showed a singlet at δ 192.3 assignable to imido C=O together with a singlet at δ 30.9 due to imido CH₂. On the other hand, each signal of the spectra of 2b and 2c consisted of two sets of signals except for a bridging CH₂ of 2c reflecting the unsymmetrical structure of the complex (Table 5).

These spectral features may be rationalized as follows. Two

triplets of A₂K₂ in the ³¹P NMR spectrum at room temperature, similar to those observed for the hydridocarboxylato complexes $4^{4,5}$ or for [MoH(O₂CR)(PMe₃)₄] and [MoH{NPhC(O)H}-(PMe₃)₄], ¹⁴ suggests that complex 2a in solution is exchanging within the NMR time-scale between I and II in Scheme 2. Thus an interconversion between I and II which is taking place at higher temperatures slows down on lowering the temperature and finally froze at the intermediate conformation III or III' which is energetically most favourable, i.e. the sterically least demanding conformation. This structurally frozen conformation corresponds to that observed for the solid-state structure determined by X-ray analysis (see below). In the case of complexes 2b and 2c which carry bulky substituents on the imido ligand, interconversion between I and II may be hindered and the sterically least-demanding conformation predominant even at room temperature, giving rise to the observation of a ³¹P NMR pattern at room temperature similar to those of 2a at -82 °C. The phthalimido complex 2d which is sterically less bulky than 2b and 2c has a similar conformation to that of 2a.

(d) X-Ray Crystallographic Analysis of Bis[1,2-bis(diphenyl-phosphino)ethane]hydrido(succinimido-N,O)molybdenum(II)— [2H_6]Benzene (1/1) **2a·**C₆D₆.—A good prismatic crystal of complex **2** suitable for X-ray analysis was obtained by crystallization from C₆D₆ in which C₆D₆ (1 mol) was included as a crystallization solvent. Diagrams of the molecule are shown in Figs. 3 and 4 and selected bond lengths and angles in Table 6.

The incorporated C_6D_6 was found to be disordered over two positions. As shown in Fig. 4, 2a has a very distorted pentagonal-bipyramidal geometry with P(1), P(2), the oxygen atom of the succinimido ligand, P(4), and a hydrido ligand comprising the pentagonal girdle in accordance with the structure in solution determined by $^{31}P-\{^{1}H\}$ NMR spectroscopy at -82 °C.

The hydride ligand, whose location was determined from the Fourier difference map, was found to deviate a little from the pentagonal plane towards the apical nitrogen atom, which in turn was shifted considerably from the apical position towards the plane. The Mo-P bond distances of the mutually *trans* phosphorus atoms [P(2) and P(4)] are longer than those *trans* to the nitrogen or the oxygen atom of the succinimido ligand [P(3) or P(1), respectively], reflecting the greater *trans* influence of the phosphine than of the imido ligand. The situation is similar to those reported for the related bis(dppe) complexes. 5,15

Four carbon atoms, two oxygens and a nitrogen atom of the succinimido ligand lie in a plane which also includes a molybdenum atom. The carbon-oxygen double-bond distance of the co-ordinated carbonyl group [O(1)-C(1)] is longer than that of the unco-ordinated one [O(2)-C(4)] which is similar to the corresponding bond length of free succinimide (1.23 Å). This suggests a certain contribution from the canonical form **B** which is consistent with the smaller N-C(1) bond length as compared with N-C(4). The planar nature of the succinimido ligand in 2a may be ascribed to the presence of this resonance structure. The Mo-O(1) bond distance is similar to the Mo-O bond reported for the dimethylformamide complex, trans- $[Mo(Me_2NCHO)-(dppe)_2]$ [2.348(10) Å], ¹⁶ and for the ethyl carbonato complex $[MoH(O_2COEt)(dppe)_2]$ [2.271(2) and 2.333(3) Å]. ⁵

Table 4 ³¹P-{¹H} NMR spectral data for [MoH(imido-N,O)(dppe)₂] 2a-2d ^a

	$\delta(P_{eq})$		$\delta(P_{ax})$							
Complex	Pa	P _b	P _c	P_d	$J(P_aP_b)$	$J(P_aP_c)$	$J(P_aP_d)$	$J(P_bP_c)$	$J(P_bP_d)$	$J(P_cP_d)$
2a	98.1(t)	98.1(t)	77.4(t)	77.4(t)		22.0	22.0	22.0	22.0	
2a ^b	103.2(t)	103.2(t)	82.2(t)	82.2(t)		20.5	20.5	20.5	20.5	
2a °	105.4(ddd)	95.5(ddd)	89.1(dt)	71.9(ddd)	32.2	17.6	41.0	17.6	11.7	128.1
2b	99.6(ddd)	97.0(q)	78.0(dt)	72.3(ddd)	17.1	18.1	24.5	17.1	17.1	134.7
2c	95.1(t)	94.8(t)	75.1(dt)	68.8(dt)		19.1	19.1	19.1	19.1	140.7
2d	99.3(t)	99.3(t)	76.9(t)	76.9(t)		22.0	22.0	22.0	22.0	

^a At 36.2 MHz, room temperature, in C_6D_6 ; δ downfield positive from the external reference PPh₃ (in C_6D_6), J in Hz. ^b In $C_4H_8O-C_4D_8O$. ^c At -82 °C in $C_4H_8O-C_4D_8O$.

Table 5 13C-{1H} NMR spectral data for complexes 2a-2da

Complex	δ(imido ligand)
2a b	192.3 (C=O), 30.9 (CH ₂)
2b	192.7, 190.1 (C=O); 79.8, 79.6 (C=CCC); 51.5 (CC=O)
2c	193.5, 192.5 (C=O); 53.2 (CH ₂); 50.7, 49.5 (C=CCC);
	44.9, 43.7 (<i>CC</i> =O)
2d	182.6 (C-O)

^a At 67.5 MHz, room temperature, in C_6D_6 ; δ downfield positive from the internal reference SiMe₄. ^b At 22.5 MHz.






Fig. 2 ^{31}P - $\{^{1}H\}$ NMR spectrum of complex 2b at 22 $^{\circ}C$ in $C_{6}D_{6}$



The results described here present, to our knowledge, the first example of a cyclic imido complex whose structure has been determined by X-ray analysis, in which the imido ligand is co-ordinated to the metal in a bidentate fashion.

In order to obtain a direct relationship between the solidstate molecular structure and the NMR results described in the preceding section, the solid-state cross-polarization magic angle spinning (CP-MAS) $^{31}P-\{^{1}H\}$ NMR spectrum of $2a\cdot C_6H_6$ was investigated. Although the resolution is not good as compared with the solution NMR spectrum, the spectrum consisted of two blocks of relatively broad signals at δ 73.3 and 64.5 with respect to the H_3PO_4 external reference, both of which split



into doublets (J=117 and 85 Hz, respectively): the results suggest the fundamental similarity between the spectra taken in the solid state at room temperature and in solution at $-82\,^{\circ}\text{C}$.

Experimental

Most manipulations were carried out under argon or under vacuum using Schlenk-type flasks. Solvents were dried, purified in the usual manner, and stored under an atmosphere of argon. Ultraviolet/visible irradiation was performed by using a Riko 100 W or a 400 W high-pressure mercury lamp and a Pyrex glass filter. Infrared spectra were recorded on a JASCO A202 spectrometer using KBr disks prepared under an inert atmosphere, NMR spectra on JEOL JNM-FX-90Q (22.5 MHz for ¹³C and 36.2 MHz for ³¹P), JNM EX-270 (270 MHz for ¹H and 67.5 MHz for ¹³C) and JNM GX-270 (109.38 MHz for CP-MAS ³¹P) spectrometers. Gases evolved during the reaction were quantitatively analysed by GLC by means of an internal reference method using a molecular sieve 5A column and a Shimadzu GC-3BT gas chromatograph using argon as carrier gas. Succinimide and phthalimide were used as purchased. The other imides **b** and **c** were prepared by a Diels-Alder addition reaction of maleic anhydride with furan and cyclopentadiene, respectively, followed by treatment with ammonia.¹⁷ The complexes, $[MoH_4(dppe)_2]$ 1 and $trans-[Mo(N_2)_2(dppe)_2]$ 3 were prepared according to the reported methods. ^{18,19}

Physical and analytical data for complexes 2a-2d are listed in Table 7.




Fig. 3 Molecular structure of $[MoH{NC(Q)(CH_2)_2C(Q)}] \cdot C_6D_6$ 2a· C_6D_6 with the atom-labelling scheme




Fig. 4 ORTEP drawing of $[MoH{NC(O)(CH_2)_2C(O)}(dppe)_2] \cdot C_6D_6$ 2a·C₆D₆ showing thermal ellipsoids at 30% probability. Phenyl rings are omitted for clarity

 $\begin{tabular}{lll} \textbf{Table 6} & Selected & bond & lengths & (Å) & and & angles & (°) & for \\ \hline [MoH{NC(O)(CH_2)_2C(O)}{(dppe)_2}]-C_6D_6 & with & estimated & standard \\ & deviations in parentheses \\ \end{tabular}$

Mo-H	1.582	O(1)-C(1)	1.265(12)
Mo-P(1)	2.378(3)	O(2)-C(4)	1.215(14)
Mo-P(2)	2.510(3)	N-C(1)	1.339(14)
Mo-P(3)	2.394(2)	N-C(4)	1.378(12)
Mo-P(4)	2.453(3)	C(1)-C(2)	1.494(13)
Mo-N	2.282(6)	C(2)-C(3)	1.506(16)
Mo-O(1)	2.354(7)	C(3)-C(4)	1.516(15)
N-Mo-O(1)	57.38(27)	P(2)-Mo-P(4)	172.26(8)
N-Mo-H	74.23	P(3)-Mo-H	115.11
N-Mo-P(1)	117.96(23)	P(3)-Mo-P(4)	79.42(9)
N-Mo-P(3)	153.05(24)	P(4)-Mo-H	56.47
N-Mo-P(4)	86.68(21)	C(1)-O(1)-Mo	91.92(58)
N-Mo-P(2)	87.57(21)	Mo-N-C(1)	93.17(54)
O(1)-Mo-H	124.85	Mo-N-C(4)	157.76(71)
O(1)-Mo-P(1)	155.88(19)	C(1)-N-C(4)	108.23(77)
O(1)-Mo-P(3)	100.28(17)	C(1)-C(1)-N	117.53(81)
O(1)-Mo-P(4)	93.55(19)	O(1)-C(1)-C(2)	128.01(95)
O(1)-Mo-P(2)	78.98(19)	N-C(1)-C(2)	114.46(86)
P(1)-Mo-H	68.97	C(1)-C(2)-C(3)	102.00(88)
P(1)-Mo- $P(2)$	77.13(9)	C(2)-C(3)-C(4)	104.68(81)
P(1)-Mo-P(3)	88.63(9)	O(2)-C(4)-N	124.67(92)
P(1)-Mo-P(4)	110.19(9)	O(2)-C(4)-C(3)	124.88(94)
P(2)-Mo-H	126.55	N-C(4)-C(3)	110.41(91)
P(2)-Mo-P(3)	103.73(9)		

Table 7 Physical and analytical data for [MoH(imido-N,O)(dppe)₂] 2a-2d

			Analysis (%) ^a			
Complex	Appearance	$M.p./^{\circ}C^{b}$	C	Н	N	
2a	Orange powder	254-257	67.3 (67.8)	5.7 (5.5)	1.4 (1.4)	
2a·C ₆ H ₆ °	Wine-coloured prisms	ca. 150 ^d	69.8 (69.6)	6.0 (5.6)	1.3 (1.3)	
2b °°	Orange powder	241-244	68.0 (68.1)	6.0 (5.2)	1.1 (1.3)	
2c	Wine-coloured prisms	258-260	70.3 (69.8)	5.9 (5.4)	1.2 (1.3)	
2d	Dark yellow powder	277–279	67.9 e (69.3)	5.7 (5.1)	1.2 (1.4)	

^a Calculated values in parentheses. ^b With decomposition. ^c Data for benzene solvate, [MoH{NC(O)CH₂CH₂C(O)}(dppe)₂]•C₆H₆. ^d Original clear prisms turned turbid at this temperature and changed their shape at about 250 °C. ^e See text.

Preparation of the Complexes [MoH(imido-N,O)(dppe)₂].—
(a) Bis[1,2-bis(diphenylphosphino)ethane]hydrido(succinimido-N,O)molybdenum(II) 2a. (i) Photoreaction. A Pyrex Schlenk flask containing a yellow solution of complex 1 (0.47 g, 0.53 mmol) and succinimide (0.061 g, 0.61 mmol) dissolved in benzene (50 cm³) was irradiated under vacuum at room

temperature for 3 h to give a dark red solution accompanied by the release of H_2 (1.87 mol per mol of 1). Ethanol (10 cm³) was added to the resulting solution. Cooling the mixture at 6 °C gave a yellow precipitate (0.082 g) which was removed by filtration. To the supernatant solution was added ethanol (15 cm³) and cooling the solution at 6 °C gave complex 2a as

wine-coloured microneedles which were filtered off, washed with ethanol and dried *in vacuo* (0.38 g, 0.38 mmol, 72%). Complex 2a was recrystallized from benzene-hexane (1:2 v/v) to give prisms

Table 8 Experimental data for the crystallographic analysis of complex $2a \cdot C_6D_6$

Formula	$C_{62}H_{52}D_6MoNO_2P_4$
M	1075.08
Crystal system	Monoclinic
Space group	$P2_1/a$
a/Å	14.949(3)
$\dot{m{b}}/\mathbf{\mathring{A}}$	28.691(13)
$c/ extsf{A}$	12.503(3)
α/°	90
β/°	103.22(17)
γ/° _	90
$U/{ m \AA}^3$	5220(3)
$\mathbf{z}^{'}$	4
F(000)	2248
μ /cm ⁻¹	4.09
$D_{\rm c}/{\rm g~cm^{-3}}$	2.05
Crystal size/mm	$0.1 \times 0.1 \times 0.1$
2θ range/°	3–45
Scan rate/° min⁻¹	8
h, k, l Ranges	-19 < h < 19, 0 < k < 35,
· •	0 < l < 16
Unique reflections	6471
Used reflections $[F_0 > 3\sigma(F_0)]$	4007
R	0.0615
R'	0.0619
Weighting scheme parameter g in $w = [\sigma^2(F_0) + g^2(F_0)^2]^{-1}$	0.051

which contain 1 mol of benzene of crystallization, $2a \cdot C_6H_6$ (0.35 g, 0.32 mmol, 60%).

Complex $2a \cdot C_6 H_6$ (0.051 g, 0.048 mmol) in a Schlenk flask was heated *in vacuo* at 189 °C for 1 h to remove benzene in the crystal, resulting in a change from wine colour to orange. The [MoH{NC(O)CH₂CH₂C(O)}(dppe)₂] 2a thus obtained (0.047)

g, 0.048 mmol, 100%) was subjected to elemental analysis.

The photoreaction of trans-[Mo(N₂)₂(dppe)₂] 3 (0.077 g, 0.081 mmol) with succinimide (0.0066 g, 0.067 mmol) was carried out similarly to give **2a** (0.027 g, 0.027 mmol, 33%) and N₂ (1.13 mol per mol of 3).

(ii) Thermal reaction. A Pyrex Schlenk flask containing a yellow solution of complex 1 (0.23 g, 0.26 mmol) and succinimide (0.031 g, 0.32 mmol) dissolved in toluene (25 cm³) was heated under vacuum at 110 °C for 3 h to give a dark red solution with accompanying evolution of H_2 (1.76 mol per mol of 1). Solvent was removed from the solution in vacuo to give an orange powder, which was then dissolved in benzene-ethanol (7.5 cm³:10 cm³). The solution was cooled at 6 °C and a yellow precipitate was removed by filtration. To the supernatant was added ethanol (10 cm³) and cooling the solution at 6 °C gave complex 2a (0.15 g, 0.15 mmol, 60%).

(b) Bis[1,2-bis(diphenylphosphino)ethane]hydrido(7-oxabicyclo[2.2.1]hept-5-ene-2,3-dicarboximido-N,O)molybdenum(II)

2b. Benzene (60 cm³) was added to exo-7-oxabicyclo-[2.2.1]hept-5-ene-2,3-dicarboximide (0.10 g, 0.63 mmol) and complex 1 (0.63 g, 0.70 mmol) in vacuo, and the mixture was irradiated with stirring at room temperature for 5 h to give a deep red solution with accompanying evolution of H₂ (1.47 mol per mol of 1). Solvent was evaporated from the solution to give

Table 9 Fractional atomic coordinates for complex 2a·C₆D₆ with estimated standard deviations in parentheses

Mo. 0.668 17(5) 0.648 88(2) 0.962 40(6) C(31) 0.824 2(6) 0.665 0(3) 1.248 0(7) P(1) 0.733 8(2) 0.576 86(9) 1.035 4(2) C(32) 0.919 6(7) 0.658 7(4) 1.285 2(8) P(2) 0.547 3(2) 0.615 72(9) 1.050 8(2) C(33) 0.955 4(8) 0.644 1(4) 1.391 9(10) P(3) 0.770 9(2) 0.688 08(9) 1.110 1(2) C(34) 0.898 9(9) 0.634 3(4) 1.461 3(10) P(4) 0.769 8(2) 0.688 08(9) 0.862 1(2) C(35) 0.804 7(9) 0.640 8(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N	Atom	X/a	Y/b	Z/c	Atom	X/a	Y/b	Z/c
P(1) 0.733 8(2) 0.576 86(9) 1.035 4(2) C(32) 0.919 6(7) 0.658 7(4) 1.285 2(8) P(2) 0.547 3(2) 0.615 72(9) 1.050 8(2) C(33) 0.955 4(8) 0.644 1(4) 1.391 9(10) P(4) 0.769 8(2) 0.688 02(9) 1.110 1(2) C(34) 0.898 9(9) 0.634 3(4) 1.461 3(10) P(4) 0.769 8(2) 0.688 02(9) 1.110 1(2) C(34) 0.898 9(9) 0.634 3(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.804 7(9) 0.640 8(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.224 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(10) 0.754 5(7) 0.482 9(4) 0.990 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.990 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.990 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(11) 0.885 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.713 7(8) 0.749 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.655 7(10) C(11) 0.886 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.753 7(8) 0.719 3(4) 0.655 7(10) C(11) 0.886 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.753 7(8) 0.719 3(4) 0.655 7(10) C(11) 0.885 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.753 7(8) 0.719 3(4) 0.655 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.198 8(8) C(49) 0.753 7(8) 0.719 3(4) 0.652 1(5) 0.851 1(9) 0.553 7(10) C(10) 0.753 7(10) 0.0000 8(10) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(49) 0.753 7(8) 0.719 3(4) 0.654 7(10) C(51) 0.986 7(10) 0.553 9(3) 1.090 7(8) C	Mo	0.668 17(5)	0.648 88(2)	0.962 40(6)	C(31)	0.824 2(6)	0.665 0(3)	1.248 0(7)
P(2) 0.547 3(2) 0.615 72(9) 1.050 8(2) C(33) 0.955 4(8) 0.644 1(4) 1.391 9(10) P(3) 0.770 9(2) 0.688 02(9) 1.110 1(2) C(34) 0.898 9(9) 0.634 3(4) 1.461 3(10) P(4) 0.769 8(2) 0.688 08(9) 0.862 1(2) C(35) 0.804 7(9) 0.640 8(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(11) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.651 2(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.564 3(4) 1.148 1(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(49) 0.791 4(8) 0.543 4(4) 1.144 1(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(10) 0.575 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.585 7(5) 0.753 3(11) 0.056 8(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(10) 0.552 6(8) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.594 7(7) 0.590 7(4) 1.093 3(7) 0.690 9(5) 1.373 2(10) C(60) 0.208 0.054 1(0) 0.579 4(4) 0.795 8(8) C(60) 0.339 6(7) 0.548 4(0) 0.641 1(1) 0.903 0(10) C(65) 0.	P(1)	0.7338(2)	0.576 86(9)	1.035 4(2)	C(32)	0.919 6(7)	0.658 7(4)	1.285 2(8)
P(3) 0.770 9(2) 0.688 02(9) 1.110 1(2) C(34) 0.898 9(9) 0.634 3(4) 1.461 3(10) P(4) 0.769 8(2) 0.688 08(9) 0.862 1(2) C(35) 0.804 7(9) 0.640 8(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.211 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.815 0(4) 1.219 7(10) C(3) 0.422 8(8) 0.644 (4) 0.693 2(9) C(42) 0.788 8(7) 0.766 3(4	P(2)	0.547 3(2)	0.615 72(9)	1.050 8(2)	C(33)	0.955 4(8)	0.644 1(4)	
P(4) 0.769 8(2) 0.688 08(9) 0.862 1(2) C(35) 0.804 7(9) 0.640 8(4) 1.425 6(9) O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.707 4(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 5(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.248 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4)<	P(3)	0.7709(2)	0.688 02(9)		C(34)	0.898 9(9)	0.634 3(4)	1.461 3(10)
O(1) 0.551 9(4) 0.705 5(2) 0.914 6(5) C(36) 0.768 3(7) 0.654 7(4) 1.318 7(8) O(2) 0.548 1(6) 0.602 7(3) 0.644 3(6) C(37) 0.737 6(7) 0.746 7(3) 1.155 6(8) N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.444 05(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.221 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(43) 0.875 8(6) 0.724 2(3)<	P(4)		0.688 08(9)		C(35)	0.804 7(9)	0.640 8(4)	1.425 6(9)
N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(55) 0.877 4(10) 0.558 7(5) 0.754 3(11) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(55) 0.877 4(10) 0.559 2(4) 0.740 7(8) C(19) 0.531 4(6) 0.551 8(4) 1.124 8(910) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(20) 0.524 8(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.5	O(1)		$0.705\ 5(2)$		C(36)	0.768 3(7)	0.654 7(4)	
N 0.561 3(5) 0.647 4(3) 0.799 7(5) C(38) 0.667 7(7) 0.772 4(4) 1.090 1(8) C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(55) 0.877 4(10) 0.558 7(5) 0.754 3(11) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(55) 0.877 4(10) 0.559 2(4) 0.740 7(8) C(19) 0.531 4(6) 0.551 8(4) 1.124 8(910) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(20) 0.524 8(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.5	O(2)	0.548 1(6)	0.602 7(3)	0.644 3(6)	C(37)	0.737 6(7)	0.746 7(3)	1.155 6(8)
C(1) 0.520 0(7) 0.686 3(4) 0.822 7(9) C(39) 0.642 2(7) 0.816 2(4) 1.121 1(9) C(2) 0.440 5(7) 0.701 7(4) 0.734 1(8) C(40) 0.687 7(8) 0.835 0(4) 1.219 7(10) C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.990 8(10) C(47) 0.625 6(8) 0.781 4(4) 0.654 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.658 1(4) 0.881 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.881 8(8) C(14) 1.040 7(8) 0.552 1(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.249 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.249 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.249 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.554 8(7) 0.610 6(4) 0.749 7(8) C(20) 0.524 8(7) 0.618 5(4) 1.217 14(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(22) 0.529 8(7) 0.661 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.217 14(8) C(60) 0.184 5 0.561 6 0.504 7 0.625 6(8) 0.359 7(7) 0.641 5(4) 0.993 3(7) C(64) 0.184 5 0	N	0.561 3(5)		0.799 7(5)	C(38)			1.090 1(8)
C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.993 8(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.74	C(1)		0.686 3(4)	0.822 7(9)	C(39)	0.642 2(7)	0.816 2(4)	1.121 1(9)
C(3) 0.442 8(8) 0.667 0(4) 0.644 4(9) C(41) 0.759 0(8) 0.810 6(4) 1.284 6(9) C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.990 8(10) C(47) 0.625 6(8) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.71	C(2)	0.440 5(7)	0.701 7(4)	0.734 1(8)	C(40)	0.687 7(8)	0.835 0(4)	1.219 7(10)
C(4) 0.521 6(7) 0.634 6(4) 0.693 2(9) C(42) 0.783 8(7) 0.766 3(4) 1.255 3(8) C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.7		0.442 8(8)	0.667 0(4)	0.644 4(9)	C(41)	0.759 0(8)	0.810 6(4)	1.284 6(9)
C(5) 0.713 5(6) 0.526 0(3) 0.938 6(8) C(43) 0.875 8(6) 0.708 3(3) 1.066 3(7) C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.	C(4)	$0.521\ 6(7)$	0.634 6(4)	0.693 2(9)	C(42)	0.783 8(7)	0.766 3(4)	
C(6) 0.657 4(6) 0.530 6(4) 0.836 8(8) C(44) 0.844 7(7) 0.730 8(4) 0.952 9(8) C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(13) 1.012 6(8) 0.546 3(4) 1.184 1(11) C(51) 0.851 9(7) <th< td=""><td>C(5)</td><td>0.713 5(6)</td><td>0.526 0(3)</td><td></td><td>C(43)</td><td></td><td>0.708 3(3)</td><td>1.066 3(7)</td></th<>	C(5)	0.713 5(6)	0.526 0(3)		C(43)		0.708 3(3)	1.066 3(7)
C(7) 0.639 8(8) 0.493 7(4) 0.765 5(9) C(45) 0.724 5(6) 0.724 2(3) 0.740 0(7) C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) <			0.5306(4)	0.836 8(8)	C(44)	0.844 7(7)	0.730 8(4)	0.952 9(8)
C(8) 0.680 1(8) 0.451 2(4) 0.796 5(11) C(46) 0.659 4(7) 0.758 4(4) 0.745 4(9) C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10)		0.639 8(8)	0.493 7(4)	0.765 5(9)	C(45)	0.724 5(6)	$0.724\ 2(3)$	0.740 0(7)
C(9) 0.737 0(7) 0.445 9(4) 0.900 8(10) C(47) 0.625 6(8) 0.787 4(4) 0.654 7(10) C(10) 0.754 5(7) 0.482 9(4) 0.970 4(8) C(48) 0.657 2(9) 0.781 9(5) 0.558 7(10) C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10) 0.585 7(5) 0.754 3(11) C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10)		0.680 1(8)	0.451 2(4)	0.796 5(11)	C(46)	0.659 4(7)	0.758 4(4)	0.745 4(9)
$\begin{array}{c} C(10) & 0.754\ 5(7) & 0.482\ 9(4) & 0.970\ 4(8) & C(48) & 0.657\ 2(9) & 0.781\ 9(5) & 0.558\ 7(10) \\ C(11) & 0.856\ 9(6) & 0.566\ 4(3) & 1.098\ 8(8) & C(49) & 0.719\ 4(8) & 0.747\ 2(4) & 0.551\ 1(9) \\ C(12) & 0.918\ 7(7) & 0.570\ 7(4) & 1.033\ 1(9) & C(50) & 0.753\ 7(8) & 0.719\ 3(4) & 0.642\ 3(9) \\ C(13) & 1.012\ 6(8) & 0.560\ 4(5) & 1.074\ 4(11) & C(51) & 0.851\ 9(7) & 0.650\ 2(4) & 0.811\ 8(8) \\ C(14) & 1.040\ 7(8) & 0.546\ 3(4) & 1.184\ 1(11) & C(52) & 0.945\ 8(7) & 0.658\ 1(4) & 0.840\ 2(9) \\ C(15) & 0.980\ 3(8) & 0.541\ 2(4) & 1.248\ 9(10) & C(53) & 1.005\ 6(8) & 0.625\ 1(5) & 0.811\ 7(10) \\ C(16) & 0.886\ 1(7) & 0.552\ 1(4) & 1.207\ 6(9) & C(54) & 0.971\ 0(10) & 0.585\ 7(5) & 0.754\ 3(11) \\ C(17) & 0.678\ 5(6) & 0.551\ 8(4) & 1.140\ 0(8) & C(55) & 0.877\ 4(10) & 0.579\ 2(4) & 0.720\ 7(9) \\ C(18) & 0.574\ 1(6) & 0.553\ 9(3) & 1.090\ 7(8) & C(56) & 0.816\ 2(7) & 0.610\ 6(4) & 0.749\ 7(8) \\ C(19) & 0.531\ 4(6) & 0.643\ 8(4) & 1.179\ 1(7) & C(57) & 0.316\ 1 & 0.565\ 1 & 0.494\ 2 \\ C(20) & 0.524\ 8(7) & 0.618\ 5(4) & 1.271\ 4(8) & C(58) & 0.232\ 1 & 0.577\ 4 & 0.492\ 2 \\ C(21) & 0.526\ 2(8) & 0.641\ 8(5) & 1.368\ 3(9) & C(59) & 0.155\ 6 & 0.541\ 0 & 0.530\ 8 \\ C(22) & 0.529\ 9(7) & 0.690\ 9(5) & 1.373\ 2(10) & C(60) & 0.201\ 8 & 0.508\ 9 & 0.521\ 6 \\ C(23) & 0.532\ 5(7) & 0.715\ 3(4) & 1.277\ 4(9) & C(61) & 0.280\ 7 & 0.483\ 0 & 0.547\ 0 \\ C(24) & 0.533\ 5(7) & 0.692\ 1(4) & 1.179\ 8(8) & C(62) & 0.349\ 2 & 0.513\ 2 & 0.533\ 4 \\ C(25) & 0.430\ 5(6) & 0.612\ 0(3) & 0.963\ 3(7) & C(63) & 0.272\ 3 & 0.567\ 8 & 0.493\ 7 \\ C(26) & 0.359\ 7(7) & 0.641\ 5(4) & 0.997\ 7(9) & C(64) & 0.184\ 5 & 0.561\ 6 & 0.506\ 7 \\ C(27) & 0.275\ 8(7) & 0.609\ 8(4) & 0.812\ 9(9) & C(66) & 0.232\ 3 & 0.485\ 8 & 0.548\ 9 \\ C(29) & 0.330\ 6(7) & 0.579\ 4(4) & 0.798\ 6(8) & C(67) & 0.333\ 9 & 0.495\ 3 & 0.542\ 6 \\ \end{array}$		$0.737\ 0(7)$		0.900 8(10)	C(47)	0.625 6(8)	0.787 4(4)	0.654 7(10)
C(11) 0.856 9(6) 0.566 4(3) 1.098 8(8) C(49) 0.719 4(8) 0.747 2(4) 0.551 1(9) C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10) 0.585 7(5) 0.754 3(11) C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 <		0.7545(7)	0.482 9(4)	0.970 4(8)	C(48)		0.781 9(5)	0.558 7(10)
C(12) 0.918 7(7) 0.570 7(4) 1.033 1(9) C(50) 0.753 7(8) 0.719 3(4) 0.642 3(9) C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10) 0.585 7(5) 0.754 3(11) C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577	C(11)		0.566 4(3)	1.098 8(8)	C(49)	0.719 4(8)	0.747 2(4)	0.551 1(9)
C(13) 1.012 6(8) 0.560 4(5) 1.074 4(11) C(51) 0.851 9(7) 0.650 2(4) 0.811 8(8) C(14) 1.040 7(8) 0.546 3(4) 1.184 1(11) C(52) 0.945 8(7) 0.658 1(4) 0.840 2(9) C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10) 0.585 7(5) 0.754 3(11) C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.492 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0	C(12)	0.9187(7)	0.570 7(4)	1.033 1(9)		0.753 7(8)	0.719 3(4)	0.642 3(9)
C(15) 0.980 3(8) 0.541 2(4) 1.248 9(10) C(53) 1.005 6(8) 0.625 1(5) 0.811 7(10) C(16) 0.886 1(7) 0.552 1(4) 1.207 6(9) C(54) 0.971 0(10) 0.585 7(5) 0.754 3(11) C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.494 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 </td <td>C(13)</td> <td></td> <td>0.560 4(5)</td> <td>1.074 4(11)</td> <td>C(51)</td> <td>0.851 9(7)</td> <td>0.650 2(4)</td> <td>0.811 8(8)</td>	C(13)		0.560 4(5)	1.074 4(11)	C(51)	0.851 9(7)	0.650 2(4)	0.811 8(8)
$\begin{array}{c} \textbf{C}(16) & 0.886 1(7) & 0.552 1(4) & 1.207 6(9) & \textbf{C}(54) & 0.971 0(10) & 0.585 7(5) & 0.754 3(11) \\ \textbf{C}(17) & 0.678 5(6) & 0.551 8(4) & 1.140 0(8) & \textbf{C}(55) & 0.877 4(10) & 0.579 2(4) & 0.720 7(9) \\ \textbf{C}(18) & 0.574 1(6) & 0.553 9(3) & 1.090 7(8) & \textbf{C}(56) & 0.816 2(7) & 0.610 6(4) & 0.749 7(8) \\ \textbf{C}(19) & 0.531 4(6) & 0.643 8(4) & 1.179 1(7) & \textbf{C}(57) & 0.316 1 & 0.565 1 & 0.494 2 \\ \textbf{C}(20) & 0.524 8(7) & 0.618 5(4) & 1.271 4(8) & \textbf{C}(58) & 0.232 1 & 0.577 4 & 0.492 2 \\ \textbf{C}(21) & 0.526 2(8) & 0.641 8(5) & 1.368 3(9) & \textbf{C}(59) & 0.155 6 & 0.541 0 & 0.530 8 \\ \textbf{C}(22) & 0.529 9(7) & 0.690 9(5) & 1.373 2(10) & \textbf{C}(60) & 0.201 8 & 0.508 9 & 0.521 6 \\ \textbf{C}(23) & 0.532 5(7) & 0.715 3(4) & 1.277 4(9) & \textbf{C}(61) & 0.280 7 & 0.483 0 & 0.547 0 \\ \textbf{C}(24) & 0.533 5(7) & 0.692 1(4) & 1.179 8(8) & \textbf{C}(62) & 0.349 2 & 0.513 2 & 0.533 4 \\ \textbf{C}(25) & 0.430 5(6) & 0.612 0(3) & 0.963 3(7) & \textbf{C}(63) & 0.272 3 & 0.567 8 & 0.493 7 \\ \textbf{C}(26) & 0.359 7(7) & 0.641 5(4) & 0.977 7(9) & \textbf{C}(64) & 0.184 5 & 0.561 6 & 0.506 7 \\ \textbf{C}(27) & 0.275 8(7) & 0.640 1(4) & 0.903 0(10) & \textbf{C}(65) & 0.170 1 & 0.504 5 & 0.545 7 \\ \textbf{C}(28) & 0.261 6(7) & 0.609 8(4) & 0.812 9(9) & \textbf{C}(66) & 0.232 3 & 0.485 8 & 0.548 9 \\ \textbf{C}(29) & 0.330 6(7) & 0.579 4(4) & 0.798 6(8) & \textbf{C}(67) & 0.333 9 & 0.495 3 & 0.542 6 \\ \end{array}$	C(14)	1.040 7(8)	0.546 3(4)	1.184 1(11)	C(52)	0.945 8(7)	0.658 1(4)	0.840 2(9)
C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.492 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7	C(15)	0.980 3(8)	0.541 2(4)	1.248 9(10)	C(53)	1.005 6(8)	0.625 1(5)	0.811 7(10)
C(17) 0.678 5(6) 0.551 8(4) 1.140 0(8) C(55) 0.877 4(10) 0.579 2(4) 0.720 7(9) C(18) 0.574 1(6) 0.553 9(3) 1.090 7(8) C(56) 0.816 2(7) 0.610 6(4) 0.749 7(8) C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.492 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7	C(16)	0.886 1(7)	0.552 1(4)	1.207 6(9)	C(54)	0.971 0(10)	0.585 7(5)	0.754 3(11)
C(19) 0.531 4(6) 0.643 8(4) 1.179 1(7) C(57) 0.316 1 0.565 1 0.494 2 C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.492 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28)	C(17)			1.140 0(8)	C(55)			
C(20) 0.524 8(7) 0.618 5(4) 1.271 4(8) C(58) 0.232 1 0.577 4 0.492 2 C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29)	C(18)	0.574 1(6)	0.553 9(3)	1.090 7(8)	C(56)	0.816 2(7)	0.610 6(4)	0.749 7(8)
C(21) 0.526 2(8) 0.641 8(5) 1.368 3(9) C(59) 0.155 6 0.541 0 0.530 8 C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(19)	0.531 4(6)		1.179 1(7)	C(57)			
C(22) 0.529 9(7) 0.690 9(5) 1.373 2(10) C(60) 0.201 8 0.508 9 0.521 6 C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(20)	0.524 8(7)	0.618 5(4)	1.271 4(8)	C(58)	0.232 1	0.577 4	0.492 2
C(23) 0.532 5(7) 0.715 3(4) 1.277 4(9) C(61) 0.280 7 0.483 0 0.547 0 C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(21)	0.526 2(8)	0.641 8(5)	1.368 3(9)	C(59)	0.155 6	0.541 0	0.530 8
C(24) 0.533 5(7) 0.692 1(4) 1.179 8(8) C(62) 0.349 2 0.513 2 0.533 4 C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(22)	0.529 9(7)		1.373 2(10)	C(60)			
C(25) 0.430 5(6) 0.612 0(3) 0.963 3(7) C(63) 0.272 3 0.567 8 0.493 7 C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(23)	0.532 5(7)	0.715 3(4)	1.277 4(9)	C(61)			
C(26) 0.359 7(7) 0.641 5(4) 0.977 7(9) C(64) 0.184 5 0.561 6 0.506 7 C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(24)	0.533 5(7)						
C(27) 0.275 8(7) 0.640 1(4) 0.903 0(10) C(65) 0.170 1 0.504 5 0.545 7 C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6	C(25)	0.430 5(6)	0.612 0(3)	0.963 3(7)	C(63)	0.272 3	0.567 8	0.493 7
C(28) 0.261 6(7) 0.609 8(4) 0.812 9(9) C(66) 0.232 3 0.485 8 0.548 9 C(29) 0.330 6(7) 0.579 4(4) 0.798 6(8) C(67) 0.333 9 0.495 3 0.542 6		0.359 7(7)	0.641 5(4)					
C(29) 0.330 $6(7)$ 0.579 $4(4)$ 0.798 $6(8)$ $C(67)$ 0.333 9 0.495 3 0.542 6	C(27)	0.275 8(7)	0.640 1(4)	0.903 0(10)				
			` ,	` ,	` ,			
C(30) 0.415 7(6) 0.581 9(4) 0.873 2(8) C(68) 0.355 4 0.544 2 0.513 6				` '				
	C(30)	0.415 7(6)	0.581 9(4)	0.873 2(8)	C(68)	0.355 4	0.544 2	0.513 6

an orange powder, which was recrystallized from benzene-hexane (1:3 v/v) to give complex **2b** (0.39 g, 0.37 mmol, 53%).

Complex 2b was also obtained when the reaction was carried out without irradiation at 110 °C in toluene *in vacuo*. The yield of the complex was significantly low in this case (Table 1) due to difficulties in working up, suggesting the existence of many side reactions.

(c) Bis[1,2-bis(diphenylphosphino)ethane]hydrido(bicyclo-[2.2.1]hept-5-ene-2,3-dicarboximido-N,O)molybdenum(II) 2c. Complex I (0.30 g, 0.33 mmol) and bicyclo[2.2.1]hept-5-ene-2,3-dicarboximide [mixture of endo and exo isomers (6.5:1.0)] (0.045 g, 0.32 mmol) was dissolved in benzene (30 cm³) and the mixture irradiated for 5 h. The resulted dark red solution was condensed to ca. 10 cm³ and ethanol (15 cm³) was added. Cooling the solution at 6 °C gave a yellow precipitate which was removed by filtration. Evaporation of the solvent left an orange solid residue, which was recrystallized from benzene-hexane (2:5 v/v) yielding 0.053 g (0.05 mmol, 15%) of complex 2c.

The thermal reaction between complex 1 and bicyclo-[2.2.1]hept-5-ene-2,3-dicarboximide was carried out similarly to that described for succinimide and worked up by a similar procedure to that above (see Table 1).

(d) Bis[1,2-bis(diphenylphosphino)ethane]hydrido(phthalimido-N,O)molybdenum(II) 2d. Complex 1 (0.33 g, 0.37 mmol) and phthalimide (0.062 g, 0.43 mmol) in benzene (35 cm³) was irradiated at room temperature in vacuo for 5 h to cause a colour change of the solution from yellow to brown, accompanied by evolution of H_2 (1.94 mol per mol of 1). A dark yellow solid obtained upon evaporation to dryness was recrystallized from benzene–acetone (1:1 v/v) to give a dark yellow powder of complex 2d (0.16 g, 0.16 mmol, 42%). The poor crystallizability and the poor solubility of the product prevented an analytically pure sample from being obtained (Table 7).

X-Ray Crystallography.—Crystals of complex 2a suitable for X-ray crystallography were grown in C_6D_6 at room temperature and mounted in a glass capillary tube under argon. The unit-cell parameters were obtained by least-squares refinement of 25 reflections with $19 \le 2\theta \le 22^\circ$. Intensities were collected on a Rigaku AFC-5 four-circle diffractometer by using Mo-Ka radiation ($\lambda = 0.710$ 68 Å). Details of the data collection are summarized in Table 8. Standard reflections, monitored after every 200, showed no decrease in intensity during the measurement.

Calculations were carried out with the program systems SAPI 85^{20} on a FACOM A-70 computer. No absorption correction was applied. The structure was solved by common Fourier methods. A full-matrix least-squares refinement procedure was used with anisotropic thermal parameters for the non-hydrogen atoms of the complex and isotropic thermal parameters for the carbon atoms of solvated C_6D_6 and all the hydrogen atoms. The hydride was located from the Fourier difference map. Other hydrogen atoms were placed at a distance of 1.00 Å from the carbon atoms. These hydrogen atoms were included in least-squares calculations without refinement of

their parameters. Atomic coordinates are listed in Table 9.

Additional material available from the Cambridge Crystallographic Data Centre comprises H-atom coordinates, thermal parameters and remaining bond lengths and angles.

Acknowledgements

We thank the Ministry of Education, Science and Culture, Japan for support by a Grant-in-Aid for Science Research (No. 02650621). T. I. thanks the Iwatani Scholarship and Shinsei-Shigen Kyokai for financial support. The authors thank Professor K. Osakada, Drs. Y. Nakamura and M. Tanaka of the Research Laboratory of Resources Utilization, Tokyo Institute of Technology, for measurement and discussion of the X-ray crystallographic study, the CP-MAS NMR spectra and the elemental analysis, respectively.

References

- T. Ito, A. Takahashi and S. Tamura, Bull. Chem. Soc. Jpn., 1986, 59, 3849.
- 2 G. L. Geoffroy and M. S. Wrighton, Organometallic Photochemistry, Academic Press, New York, 1979, p. 278.
- 3 T. Ito, H. Tosaka, S. Yoshida, K. Mita and A. Yamamoto, Organometallics, 1986, 5, 735.
- 4 T. Ito, T. Matsubara and Y. Yamashita, J. Chem. Soc., Dalton Trans., 1990, 2407.
- 5 T. Ito, K. Hamamoto, S. Kurishima and K. Osakada, J. Chem. Soc., Dalton Trans., 1990, 1647.
- 6 T. Ito and T. Matsubara, J. Chem. Soc., Dalton Trans., 1988, 2241.
- 7 D. M. Roundhill, Inorg. Chem., 1970, 9, 254.
- 8 T. Kohara, T. Yamamoto and A. Yamamoto, J. Organomet. Chem., 1978, 154, C37.
- 9 T. Ikariya, S. Takizawa, M. Shirado and S. Yoshikawa, J. Organomet. Chem., 1979, 171, C47.
- 10 T. Yamamoto, K. Sano and A. Yamamoto, Chem. Lett., 1982, 907.
- 11 H. Shimomura, S. Komorita, H. Kuma and Y. Kushi, 59th National Meeting of the Chemical Society of Japan, Yokohama, April 1990, Abstract IP34.
- 12 S. Kurishima and T. Ito, Chem. Lett., 1990, 1299.
- 13 R. Pieramtpzzi and G. L. Geoffroy, Inorg. Chem., 1980, 19, 1821; J. L. Graff, T. J. Sobieralski, M. S. Wrighton and G. L. Geoffroy, J. Am. Chem. Soc., 1982, 104, 7526; M. S. Wrighton, J. L. Graff, R. J. Kazlauskas, J. C. Mitchner and C. L. Reichel, Pure Appl. Chem., 1982, 54, 161; A. P. Pivovarov, L. M. Ioffe, Yu. V. Gak and Yu. G. Borod'ko, Izv. Akad. Nauk SSSR, Ser. Khim., 1984, 762.
- 14 D. Lyons, G. Wilkinson, M. Thornton-Pett and M. B. Hursthouse, J. Chem. Soc., Dalton Trans., 1984, 695.
- 15 R. A. Henderson, D. L. Hughes, R. L. Richards and C. Shortman, J. Chem. Soc., Dalton Trans., 1987, 115.
- 16 T. Ishida, Y. Mizobe, Y. Egawa, T. Tanase, H. Matsuzaki and M. Hidai, 35th Symposium on Organometallic Chemistry, Osaka, November, 1988, Abstract PA202.
- 17 T. Kurosaki, T. Matsumoto, K. Sawada, S. Kurishima and T. Numakura, J. Photogr. Sci., 1988, 39, 122.
- 18 F. Pennela, Inorg. Synth., 1974, 15, 42.
- 19 J. R. Dilworth and R. L. Richards, Inorg. Synth., 1980, 20, 119.
- 20 F. Fan, SAPI 85, Chinese Academy of Science, Beijing, 1985.

Received 10th September 1990; Paper 0/04103C