

### Preliminary communication

## STRUCTURAL CHARACTERIZATION OF $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]_2(\text{SO}_4)$ , WHICH CONTAINS A NOVEL SYNERGIC BRIDGING MODE FOR THE $\text{SO}_2$ LIGAND

CLIVE E. BRIANT, GLYN R. HUGHES, PETER C. MINSHALL and D. MICHAEL P. MINGOS\*


*Inorganic Chemistry and Chemical Crystallography Laboratories, South Parks Road, Oxford OX1 3QR (Great Britain)*

(Received September 10th, 1981)


### Summary

The structural characterization of  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]_2(\text{SO}_4)$  by single crystal X-ray diffraction techniques has demonstrated that this complex contains two identical square-pyramidal rhodium(I) units linked by a chloro and two sulphur dioxide bridging ligands. The  $\text{SO}_2$  ligand adopts a novel bridging mode involving dative bonds from rhodium to sulphur and oxygen to the second rhodium atom.


In the majority of polynuclear bridged  $\text{SO}_2$  complexes the  $\text{SO}_2$  ligand functions as a two electron bridging ligand I utilising only the orbitals on the sulphur atom [1,2]. Recently two examples of  $\text{SO}_2$  acting as a four electron bridging ligand have been reported. Jarvinen, Kubas and Ryan [3] have demonstrated that in  $[\text{Mo}(\text{CO})_2(\text{py})(\text{SO}_2)(\text{PPh}_3)]_2$  the  $\text{SO}_2$  ligand bridges the two molybdenum atoms by bonding to one through an  $\eta^2\text{-S,O}$  linkage and the second through an oxygen atom, as shown schematically in II. Briant et al. [4] have established that in  $[\text{Rh}_4(\mu\text{-CO})_4(\mu\text{-SO}_2)_3(\text{P}(\text{O}^i\text{Pr})_3)_4]$  two of the  $\text{SO}_2$  ligands bridge three metal atoms in the manner depicted in III, whilst the third  $\text{SO}_2$  ligand adopts the more conventional bridging mode I. In this communication we report structural evidence for a fourth type of bridging mode for the  $\text{SO}_2$  ligand.



(I)



(II)



(III)

When  $\text{SO}_2$  is bubbled through a solution of  $[\text{Rh}(\eta\text{-C}_8\text{H}_{12})(\text{PPh}_3)_2]^+$  prepared in situ [5] by the addition of a stoichiometric amount of  $\text{PPh}_3$  to a suspension of  $[\text{RhCl}(\eta\text{-C}_8\text{H}_{12})]_2$  in methanol the solution takes on a red appearance and addition of a methanolic solution of  $\text{NaClO}_4$  results in the separation of orange crystals of  $[\text{Rh}_2\text{Cl}(\text{SO}_2)_2(\text{PPh}_3)_4]\text{ClO}_4$  together with a very small quantity of crystals of similar appearance which were shown by a single crystal X-ray diffraction study to be  $[\text{Rh}_2\text{Cl}(\text{SO}_2)_2(\text{PPh}_3)_4]_2(\text{SO}_4)$ . Bulk samples of the orange crystals obtained from this reaction gave satisfactory chemical analyses for the formulation  $[\text{Rh}_2\text{Cl}(\text{SO}_2)_2(\text{PPh}_3)_4]\text{ClO}_4$  (Found: C, 56.5; H, 3.9; Cl, 4.8; S, 4.3.  $\text{C}_{72}\text{H}_{60}\text{Cl}_2\text{O}_4\text{P}_2\text{Rh}_2\text{S}_2$  calcd.: C, 56.9; H, 3.9; Cl, 4.6; S, 4.2%), are diamagnetic and behave as 1/1 electrolytes in nitrobenzene solutions ( $\Lambda_M$   $20.2 \text{ l}^{-1} \text{ cm}^{-2} \text{ mol}^{-1}$ ). In addition to those bands characteristic of  $\text{PPh}_3$ , the infrared spectrum of  $[\text{Rh}_2\text{Cl}(\text{SO}_2)_2(\text{PPh}_3)_4]\text{ClO}_4$  as a nujol mull showed bands at  $1100(\text{br,s})$  and  $620(\text{sh,s}) \text{ cm}^{-1}$  which were assigned to  $\nu(\text{ClO}_4)$  and  $\delta(\text{ClO}_4)$  respectively, and  $1155(\text{sh,s})$  and  $890(\text{br,s}) \text{ cm}^{-1}$  which were attributed to the coordinated  $\text{SO}_2$  ligands. The frequencies of the latter lie outside the range normally associated with the  $\text{SO}_2$  bridging mode illustrated in I ( $1240\text{--}1135$  and  $1085\text{--}975 \text{ cm}^{-1}$ ). The observed  $\text{SO}_2$  frequencies do however lie close to the range reported for  $\eta^2\text{-SO}_2$  complexes ( $1160\text{--}1100$  and  $950\text{--}850 \text{ cm}^{-1}$ ) [2], and are reminiscent of the frequencies observed for  $[\text{Rh}_4(\text{CO})_4(\text{SO}_2)_3(\text{P}(\text{OPh})_3)_4]$  (i.e.  $1102$  and  $977 \text{ cm}^{-1}$ ). A few crystals suitable for a single crystal X-ray crystallographic analysis were obtained from the reaction and shown to have identical melting point ( $165\text{--}166^\circ\text{C}$ ) and infrared characteristics to those of the bulk sample.

*Crystal data.* The structure was determined from 3582 unique reflections having  $I > 3\sigma(I)$  and refined to  $R = 0.079$ .  $M = 1513.4$ , triclinic  $a$   $13.803(4)$ ,  $b$   $15.405(7)$ ,  $c$   $19.030(8)$  Å,  $\alpha$   $108.97(4)$ ,  $\beta$   $97.73(3)$ ,  $\gamma$   $89.96(4)^\circ$ ,  $U$   $3788 \text{ Å}^3$ ,  $Z = 2$ ,  $D_c$   $1.31 \text{ g cm}^{-3}$ ,  $\mu(\text{Mo-K}\alpha)$   $6.57 \text{ cm}^{-1}$ ,  $F(000)$  1542,  $\text{Mo-K}\alpha$   $0.71069 \text{ Å}$ , Space group  $P\bar{1}$ .

The single crystal structural analysis established the presence of the dimeric  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]^+$  cation anticipated on the basis of chemical analysis and spectroscopic measurements, but the electron density associated with the counteranion in a difference Fourier electron density map was approximately half of that anticipated for  $\text{ClO}_4^-$ . We were therefore forced to conclude that the X-ray crystallographic analysis had been performed on a "rogue" crystal of the related sulphato complex  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4](\text{SO}_4)_{1/2}$  despite our efforts to confirm that the crystals used in the X-ray analysis were identical in their physical properties to the bulk sample of  $[\text{Rh}_2\text{Cl}(\text{SO}_2)_2(\text{PPh}_3)_4](\text{ClO}_4)$ . There is some precedence in the literature for the formation of sulphato complexes from the aerial oxidation of  $\text{SO}_2$  in the presence of platinum metal complexes [6].

The molecular structure of  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]_2(\text{SO}_4)$  illustrated in Fig. 1 may be described in terms of two identical square pyramidal rhodium(I) units joined together by two bridging  $\text{SO}_2$  ligands and a bridging chloro ligand. The  $\text{SO}_2$  ligands occupy apical sites of the square-pyramids and are coordinated to the rhodium atoms in a pyramidal mode [1], with the O-S-O planes making angles of  $133(\pm 4)^\circ$  to the best least squares planes passing through the basal ligands of the square-pyramids (i.e. P(2), P(1), Cl, O(21) and





Fig. 1. Molecular structure of the  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]^+$  cation. For reasons of clarity the phenyl rings have been omitted. The oxygen atoms O(22) and O(12) are partially disordered about the planes Rh(2)S(2)O(21) and Rh(1)S(1)O(11). The oxygen atoms shown are those of the predominant (75%) configuration. Important bond lengths and angles: Rh(1)—S(1) 2.295(8), Rh(2)—S(2) 2.311(7), Rh(1)—Cl 2.384(7), Rh(2)—Cl 2.401(6), Rh(1)—O(21) 2.13(2), Rh(2)—O(11) 2.15(2), Rh(1)—P(1) 2.268(6), Rh(1)—P(2) 2.310(7), Rh(2)—P(3) 2.294(7), Rh(2)—P(4) 2.299(6), S(2)—O(21) 1.50(2), S(2)—O(22) 1.40(2), S(1)—O(11) 1.45(2), S(1)—O(12) 1.40(3) Å; O(21)—S(2)—O(22) 114(2), O(12)—S(1)—O(11) 116(2)°.

P(3),P(4),Cl,O(11)). Therefore the geometries about the individual rhodium atoms are closely related to those reported for the analogous rhodium(I) and iridium(I) complexes  $[\text{RhCl}(\text{CO})(\text{SO}_2)(\text{PPh}_3)_2]$  [7],  $[\text{IrCl}(\text{CO})(\text{SO}_2)(\text{PPh}_3)_2]$  [8], and  $[\text{RhCl}(\text{SO}_2)(\text{PPh}_3)_2]_2$  [9], where the pyramidal  $\text{SO}_2$  bonding mode may be accounted for in terms of the metal- $\text{SO}_2$  dative interaction illustrated in IV [1].



The unique feature of the structure of  $[\text{Rh}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PPh}_3)_4]_2(\text{SO}_4)$  derives from the observation that the apical  $\text{SO}_2$  ligands additionally function as bridging ligands to a second rhodium atom by utilizing a dative interaction between the lone pair on one of the oxygen atoms and the rhodium atom. These bridges are represented by the atom sequences Rh(2)S(2)O(21)Rh(1) and Rh(1)S(1)O(11)Rh(2) in Fig. 1. The resulting Rh(1)—O(21) and Rh(2)—O(11) distances of 2.13(2) and 2.15(2) Å, respectively, are comparable to the Rh—O distances reported for the coordination mode (III) in  $[\text{Rh}_4(\text{CO})_4(\text{SO}_2)_3]^-$

(P(OPh)<sub>3</sub>)<sub>4</sub>] [4], viz. 2.35(2) and 2.29(2) Å. The  $\mu$ -S,O coordination mode in [Rh<sub>2</sub>Cl(SO<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>]<sub>2</sub>(SO<sub>4</sub>) results in a lengthening of S—O(Rh) relative to the uncoordinated S—O bond (see Figure legend) but the differences are on the verge of statistical significance. These bond length differences are of the same order of magnitude as those reported previously for [Rh(NO)(SO<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>] [10] and [Rh<sub>4</sub>(CO)<sub>4</sub>(SO<sub>2</sub>)<sub>3</sub>(P(OPh)<sub>3</sub>)<sub>4</sub>] [4].

The bridging mode described above for SO<sub>2</sub> in [Rh<sub>2</sub>Cl(SO<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>]<sub>2</sub>(SO<sub>4</sub>) may be represented by the canonical form illustrated in V and consequently represents an unusual example of a synergic bonding situation where the bridging ligand functions simultaneously as a Lewis acid (through sulphur) and Lewis base (through oxygen) to two metal atoms. There is no evidence of rhodium—rhodium bonding resulting from this bridging situation since the rhodium—rhodium internuclear distance is 3.543(6) Å.

The rhodium—sulphur (SO<sub>2</sub>) distances of 2.311(8) and 2.295(7) Å are shorter than those reported previously for pyramidal SO<sub>2</sub>-rhodium(I) complexes [7,9], perhaps reflecting the effect of the synergic interaction described above.

**Acknowledgements.** The S.E.R.C. are thanked for their financial support and Johnson-Matthey Ltd. for a generous loan of rhodium trichloride.

## References

- 1 D.M.P. Mingos, *Transition Met. Chem.*, 3 (1978) 1; G.J. Kubas, *Inorg. Chem.*, 18 (1979) 182.
- 2 R.R. Ryan, G.J. Kubas, D.C. Moody and P.G. Eller, *Struct. Bond.*, in press.
- 3 G.D. Jarvinen, G.J. Kubas and R.R. Ryan, *J. Chem. Soc. Chem. Commun.*, (1981) 305.
- 4 C.E. Briant, D.M.P. Mingos and B.R.C. Theobald, *J. Chem. Soc. Chem. Commun.*, in press.
- 5 R.R. Schrock and J.A. Osborn, *Inorg. Chem.*, 9 (1970) 2339.
- 6 J.J. Levison and S.D. Robinson, *J. Chem. Soc. Dalton*, (1972) 2013.
- 7 K.W. Muir and J.A. Ibers, *Inorg. Chem.*, 8 (1969) 1921.
- 8 S.J. La Placa and J.A. Ibers, *Inorg. Chem.*, 5 (1966) 405.
- 9 G.J. Kubas and R.R. Ryan, *Cryst. Struct. Commun.*, 6 (1977) 295.
- 10 R.R. Ryan and D.C. Moody, *J. Chem. Soc. Chem. Commun.*, (1976) 503.
- 11 C.P. Kubiak and R. Eisenberg, *J. Amer. Chem. Soc.*, 99 (1977) 6129.