

Journal of Organometallic Chemistry, 390 (1990) C89–C92
 Elsevier Sequoia S.A., Lausanne – Printed in The Netherlands
 JOM 20978PC

Preliminary communication

Relative donor properties of sp^3 and sp^2 hybridised phosphorus atoms of the azadiphosphetine ring system $\overline{\text{RP}}(\overline{\text{NR}'})\overline{\text{P}}=\overline{\text{CR}'}$ ($\text{R} = \text{Et}_3\text{C}$, $\text{R}' = \text{Bu}^t$) towards transition metals

Robson Matos, Mohamed F. Meidine, John F. Nixon ^{*}, Bernadette F. Trigo Passos
School of Chemistry and Molecular Sciences, University of Sussex, Brighton BN1 9QJ (U.K.)

Edgar Niecke and Detlef Barion


Institut für Anorganische Chemie, Friedrich-Wilhelms Universität, Bonn (F.R.G.)
 (Received February 28th, 1990)

Abstract

Different types of ligating behaviour of the $\overline{\text{RP}}(\overline{\text{NR}'})\overline{\text{P}}=\overline{\text{CR}'}$ ring system are reported; the sp^2 hybridised phosphorus is the donor atom in Pt(0), W(0) and Rh(I) complexes, whereas ligation of the sp^3 hybridised phosphorus atom is preferred by Pd(II), and both phosphorus atoms are ligated in dinuclear Pt(II) systems.

Tertiary phosphines containing sp^3 hybridised phosphorus have been widely used in studies of the coordination and organometallic chemistry of transition metals. More recently a variety of compounds containing sp and sp^2 hybridised phosphorus, typified by phospho-alkynes ($\text{RC}\equiv\text{P}$) and phospho-alkenes ($\text{R}_2\text{C}=\text{PR}$) have been synthesised, and both η^1 - and η^2 -ligating modes have been reported [1].

The recent synthesis of the cyclic species $\overline{\text{RP}}(\overline{\text{NR}'})\overline{\text{P}}=\overline{\text{CR}'}$ ($\text{R} = \text{Et}_3\text{C}$, $\text{R}' = \text{Bu}^t$) by Niecke and Barion [2] offers an interesting opportunity of studying the relative donor properties of sp^2 and sp^3 hybridised phosphorus atoms within the same molecule.




(I)

Since ligating modes of types (i)–(iii) towards a transition metal centre can be envisaged, we sought evidence that the preferred interaction might depend on the

In contrast to the above observations, the reaction of two equivalents of I with $[\text{Pd}_2\text{Cl}_4(\text{PEt}_3)_2]$ in CH_2Cl_2 gives V, in which the ring is attached to the palladium(II) through the sp^3 hybridised phosphorus *. The large $^2J_{\text{P}^{\text{B}}\text{P}^{\text{C}}}$ coupling constant (537 Hz) is consistent with P^{B} and P^{C} being in mutually *trans* positions.

A similar reaction of I with $[\text{Pt}_2\text{Cl}_4(\text{PEt}_3)_2]$ in CH_2Cl_2 gives the complex $[\text{Pt}_2\text{Cl}_4(\text{PEt}_3)_2(\overline{\text{P}}\text{R}(\text{NR}')\text{P}=\text{CR}')] \text{ (VI)}$, in which both phosphorus atoms of the ring are ligated to platinum(II). It seems likely that the reaction proceeds via an intermediate similar to (V).

Interestingly, the NMR data on VI clearly show that one PEt_3 ligand is *trans* to the sp^3 hybridised phosphorus of the ring whereas the other is *cis* to the sp^2 hybridised phosphorus.



The differing ligating behaviour of the two types of phosphorus in the azadiphosphetine ring system can be understood in terms of the preference of the "softer" metal centre for interaction with the phosphorus lone-pair orbital having the greatest degree of *s*-character **.

Interestingly, no evidence has been yet obtained for η^2 -ligation of the $\text{P}=\text{C}$ bond as in iii, but it is well known from studies on certain phospho-alkene complexes of $\text{Pt}(0)$ that there is only a small energy difference between η^1 - and η^2 -ligating modes, and for example a change of phase is sufficient to cause a transformation from η^1 - to η^2 -ligation in the case of $[\text{Pt}(\text{PPh}_3)_2(\text{Ph}_2\text{C}=\text{P}(\text{mesityl}))]$ [5,6]. It may be possible to observe type-iii bonding in complexes similar to I but with different substituents on $\text{Pt}(0)$.

Acknowledgements. We thank the SERC for their continuing support for the work, the Brazilian Government and (CNPq) for financial support (for RM and BFTP), and Johnson Matthey PLC for the loan of platinum metal salts.

References

- 1 J.F. Nixon, Chem. Rev., 88 (1988) 1327 and references therein.
- 2 E. Niecke and D. Barion, Tetrahedron Lett., 30 (1989) 459.

** This would be in line with known differences between "hard" NR_3 and "soft" PR_3 ligands for which the smaller bond angles at phosphorus imply a larger *s*-character, in the P lone-pair orbital. Likewise, PF_3 can be regarded as the "softest" of the PX_3 ligands because the electronegative fluorine substituents induce the greatest degree of *s*-character into the P lone-pair orbital [3]. Accordingly PF_3 and its derivatives form a particularly wide range of complexes with transition metals in low oxidation states, i.e. with "soft" metal centres [4].

- 3 H.A. Bent, *J. Chem. Educ.*, 37 (1960) 616; *J. Chem. Phys.*, 33 (1960) 1258; *Chem. Rev.*, 61 (1961) 275.
- 4 J.F. Nixon, *Adv. Inorg. Chem. Radiochem.*, 29 (1985) 42 and references therein.
- 5 T.A. van der Knaap, F. Bickelhaupt, J.G. Kraaykamp, G. van Koten, J.P.C. Bernards, H.T. Edzes, W.S. Veeman, E. de Boer and E.J. Baerends, *Organometallics*, 3 (1984) 1804.
- 6 H.W. Kroto, S.I. Klein, M.F. Meidine, J.F. Nixon, R.K. Harris, K.J. Packer and P. Reams, *J. Organomet. Chem.*, 280 (1985) 281.