

JOM 23180PC

Preliminary Communication

Unexpected behaviour of a hexacoordinate silicon compound *

F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi
and C. Reyé



Département de Chimie Fine, URA 1097, Université de Montpellier II,
Place Eugène Bataillon, 34095 Montpellier Cédex 5 (France)

(Received July 20, 1992)

Abstract

The anion $[\text{Si}(\text{O}_2\text{C}_6\text{H}_4-1,2)_2(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2-2,6)]^-$ is hexacoordinate rather than heptacoordinate. Only one NMe_2 group is coordinated. The other NMe_2 group can abstract a proton from methanol to give a compound, the X-ray crystal structure of which reveals a strong hydrogen-bonding interaction between the NHMe_2 and a catechol oxygen atom. This interaction prevents exchange between the two NMe_2 groups.

It has been found that anionic pentacoordinate silicon species react readily with nucleophilic reagents [1,2], in some cases faster than the corresponding tetra-coordinate ones [2]. Moreover, a structural study of compounds 1 [3] and 2 [4] bearing electron-withdrawing ligands, and in which hexacoordination may be achieved by an intramolecular dative $\text{Si}-\text{N}$ bond, has shown that both anions adopt quasi-octahedral geometry. These results suggest that reactions between pentacoordinate silicon compounds and nucleophilic reagents proceed via hexacoordinate intermediates or transition states.



The reactivity of some dianionic hexacoordinate silicon species has also been investigated [5]. These species also react readily with nucleophilic reagents, but the mechanism of such reactions has not yet been elucidated. A mechanism involving a heptacoordinate silicon intermediate (or transition state) [6] is possible, since at the moment there is no argument to rule out such a process [7]. In this context, it was of interest to prepare a hexacoordinate silicon species in which heptacoordination might be achieved by intramolecular coordination. Since the hexacoordination of 1 has been demonstrated [3], we decided to prepare the silicate 3 which contains the 2,6-bis[(dimethylamino)methyl]phenyl group, previously used by van Koten *et al.* to stabilize triorganotin cations [8].




Fig. 1. ORTEP view of 4. Hydrogen atoms are omitted for clarity. Selected bond lengths (Å) and angles (°): $\text{Si}-\text{O}(1)$ 1.768(3), $\text{Si}-\text{O}(2)$ 1.778(3), $\text{Si}-\text{O}(3)$ 1.771(3), $\text{Si}-\text{O}(4)$ 1.796(3), $\text{Si}-\text{C}(21)$ 1.943(4), $\text{Si}-\text{N}(1)$ 2.085(4), $\text{Si}\cdots\text{N}(2)$ 3.521(4), $\text{N}(2)-\text{H}^+$ 1.16(10), $\text{O}(4)-\text{H}^+$ 1.62(10); $\text{O}(2)-\text{Si}-\text{N}(1)$ 174.6(2), $\text{O}(3)-\text{Si}-\text{C}(21)$ 168.8(2), $\text{O}(2)-\text{Si}-\text{O}(1)$ 90.0(1), $\text{O}(2)-\text{Si}-\text{O}(4)$ 90.2(1), $\text{Me}(3)-\text{N}(2)-\text{H}^+$ 109.5.

Correspondence to: Professor R.J.P. Corriu.

* Dedicated to Professor M.G. Voronkov in recognition of his distinguished contributions to organosilicon chemistry.




Fig. 2. 250 MHz ^1H NMR spectrum of **4** in CD_2Cl_2 at -40°C .

The purpose of the present communication is to report the unexpected reactivity of **3** towards protic compounds.

Surprisingly, it was not possible to synthesize **3** by the route previously used for the preparation of **1** [3]. Under these conditions, the zwitterion **4** was obtained [9*] instead of the potassium salt **3** (Scheme 1).


The molecular structure of **4** was determined by X-ray crystal structure analysis, which revealed an overall octahedral geometry (Fig. 1) [10*] with an Si–N bond (2.085 Å) shorter than that observed in the compound **1** [3] (2.15 Å). The proton which imposes electrical neutrality is bonded to the other nitrogen atom and is also involved in a hydrogen-bonding interaction with O(4).

The ^1H NMR spectrum of **4** at -40°C , shown in Fig. 2, exhibits interesting features. The resonances of

the two NMe_2 groups are totally distinct. That arising from the NMe_2 group coordinated to the silicon atom is resolved into two singlets. The second NMe_2 group is a protonated group and gives rise to two distinct doublets. These two doublets indicate not only that the hydrogen-bonding interaction with O(4) is maintained in solution, but that there is no hydrogen-exchange between the two NMe_2 groups. The diastereotopy observed for the two NMe_2 groups also results from the hydrogen-bonding with O(4). This interaction hinders an intramolecular non-dissociative isomerization process. In contrast, it was shown for compound **1** that this process requires a very low activation energy [3].

Abstraction of the proton from **4** is difficult: **4** does not react with potassium methoxide or sodium hydride, but it is quantitatively converted into **3** when treated with potassium hydride [11*] (Scheme 1). The protonation of **3** to give **4** occurs very rapidly in methanol. The ^1H NMR spectrum of the PPN salt **5** [12*] shows the two NMe_2 groups to be equivalent at room temperature (the methyl resonance appears as a sharp singlet). Furthermore, since the ^{29}Si chemical shift of **5** ($\delta = -127.2$ ppm, in the solid state) is very close to that of **4** ($\delta = -134.9$ ppm, in the solid state), it is concluded that **5** is also hexacoordinate. The equivalence of the two NMe_2 groups apparently results from rapid exchange (on the NMR time scale) of one NMe_2 group for the other in the hexacoordinate silicon complex.

* Reference number with asterisk indicates a note in the list of references.



Scheme 1.

This can be interpreted as a nucleophilic attack on a hexacoordinate silicon species.

Further studies on **5** are in progress.

References and notes

- 1 A. Boudin, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *Angew. Chem., Int. Ed. Engl.*, **25** (1986) 473; A. Boudin, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *Bull. Chem. Soc. Jpn.*, **61** (1988) 101.
- 2 R. J. P. Corriu, C. Guérin, B. J. L. Henner, W. W. C. Wong Chi Man, *Organometallics*, **7** (1988) 237; J. L. Bréfort, R. J. P. Corriu, C. Guérin, B. J. L. Henner and W. W. C. Wong Chi Man, *Organometallics*, **9** (1990) 2080.
- 3 F. Carré, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *Angew. Chem., Int. Ed. Engl.*, **28** (1989) 489.
- 4 C. Brelière, F. Carré, R. J. P. Corriu, W. E. Douglas, M. Poirier, G. Royo and W. W. C. Wong Chi Man, *Organometallics*, **11** (1992) 1586.
- 5 A. Boudin, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *Angew. Chem., Int. Ed. Engl.*, **25** (1986) 474; A. Boudin, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *Organometallics*, **7** (1988) 1165.
- 6 F. Carré, G. Cerveau, C. Chuit, R. J. P. Corriu and C. Reyé, *New J. Chem.*, **16** (1992) 63.
- 7 C. Brelière, F. Carré, R. J. P. Corriu and G. Royo, *Organometallics*, **7** (1988) 1006.
- 8 G. van Koten, J. T. B. H. Jastrzebski, J. G. Noltes, A. L. Spek and J. C. Schoone, *J. Organomet. Chem.*, **148** (1978) 233.
- 9 To a solution of MeOK (580 mg, 8.3 mmol) in methanol (20 ml) were added successively a solution of catechol (1.85 g, 16.8 mmol) in methanol (15 ml) and a solution of 2,6-bis(dimethylaminomethyl)phenyltrimethoxysilane (2.7 g, 8.65 mmol) in methanol (10 ml). The reaction mixture was stirred for 3 h and then the solvent was removed under vacuum. The resulting white powder was washed twice with ether and dried under vacuum (0.1 mmHg) by heating (140°C) for 1 h. The crude product was purified by two recrystallizations from acetone/CH₂Cl₂ (50/50), to give 1.5 g of compound **4**; m.p. 219–221°C. ¹H NMR (CD₂Cl₂, –40°C): δ 2.13 (s, 3H); 2.63 (d, 3H, *J* = 4.7 Hz); 2.82 (s, 3H); 3.02 (d, 3H, *J* = 4.8 Hz); 3.33 (d, 1H, *J* = 13.8 Hz); 3.4 (dd, 1H, *J* = 10.2 Hz, *J* = 2.8 Hz); 4.6 (d, 1H, *J* = 14 Hz); 4.95 (d, 1H, *J* = 12 Hz); 6.38–6.7 (m, 8H); 6.9–7.15 (m, 3H). ²⁹Si NMR (CD₂Cl₂): δ –134.9 ppm (in the solid state). Negative-ion FAB MS *m/z* 435 (M–H)[–]; positive-ion FAB MS *m/z* 437 (M+H)⁺. IR ν(NH) = 3422 cm^{–1}. Anal. Found: C, 65.93; H, 6.52; N, 6.42. C₂₄H₂₈N₂O₄Si: C, 66.05; H, 6.42; N, 6.42%.
- 10 Crystal structure analysis of **4**: *P*2₁/*c*, *a* 12.738(12), *b* 18.150(3), *c* 11.962(2) Å, β 106.66(4)°, *V* 2649.3 Å³, *Z* = 4, *R* = 0.059 for 2173 independent reflections with *F* > 2.8σ(*F*) (Enraf-Nonius CAD-4 diffractometer, Mo Kα). A list of atomic coordinates and all crystal data may be obtained from the Cambridge Crystallographic Data Centre, 12 Union Road, Cambridge CB2 1EZ, UK.
- 11 To a solution of compound **4** (1.5 g, 3.44 mmol) in CH₂Cl₂ (45 ml) was added a suspension of KH (3.44 mmol) in CH₂Cl₂ (10 ml). The mixture was stirred at room temperature for 5 h and then a grey solid was filtered (1.5 g, 98%) and identified as compound **3** from ²⁹Si NMR: δ –129.8 ppm (solid state) and mass spectrum. Negative-ion FAB MS *m/z* 435 (M–K)[–], 909 (2M–K)[–].
- 12 A solution of [PPN]Cl (0.87 g, 1.52 mmol) in 20 ml of CH₂Cl₂ was added dropwise to a suspension of **4** (0.8 g, 1.68 mmol) in CH₂Cl₂ (50 ml) at 0°C under nitrogen. The mixture was stirred for 15 min, then filtered under nitrogen to remove KCl. The solution was concentrated under vacuum; the residue was washed twice with ether to give 1.3 g (84%) of white powder which was crystallized from CH₂Cl₂/Et₂O (95/5) to afford 0.81 g (55%) of **5**; m.p. 171–72°C. ¹H NMR (CD₂Cl₂): δ 2.4 (s, 12H, NMe₂); 3.76 (s, 4H, CH₂N); 6.32–6.48 (m, 8H); 7–7.08 (m, 3H); 7.4–7.68 (m, 30H). ²⁹Si NMR: δ –127.2 ppm (in the solid state). Negative-ion FAB MS *m/z* 435 (M–PPN)[–]; positive-ion FAB MS *m/z* 538 (PPN)⁺.