

# 1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne as a precursor to ruthenium clusters containing highly ethynylated ligands<sup>1</sup>

Paul J. Low, Gary D. Enright, Arthur J. Carty \*

*Steacie Institute for Molecular Sciences, National Research Council, 100 Sussex Drive, Ottawa, Ontario K1A 0R6, Canada*

## Abstract

The reaction of 1,6-bis(trimethylsilyl)hexa-1,3,5-triyne (**1**) with  $\text{Ru}_3(\text{CO})_{12}$  results in the formation of the butterfly cluster  $\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^1, \eta^2, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$  (**2**) and the yellow binuclear complex  $\text{Ru}_2(\text{CO})_6\{\mu\text{-}\eta^2\text{-}\eta^4\text{-C}(\text{C}\equiv\text{CSiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)\}$  (**3**). Both complexes contain pendant ethynyl ligands that are potential sites for further reactivity. In the case of reaction of **1** with the tetranuclear cluster  $\text{Ru}_4(\mu_4\text{-PPh})(\text{CO})_{13}$  (**4**), the open chain molecule  $\text{Ru}_4(\text{CO})_8(\mu_3\text{-PPh})[\mu_4\text{-}\eta^2, \eta^4, \eta^2, \eta^4\text{-(Me}_3\text{SiC}\equiv\text{C)CC}(\text{C}\equiv\text{CSiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)\text{-C-CC}(\text{SiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)\text{-C}(\text{C}\equiv\text{CSiMe}_3)]$  (**6**) is formed, in which the co-ordination of a pendant ethynyl moiety has been realised. © 1998 Elsevier Science S.A. All rights reserved.

**Keywords:** Ruthenium clusters; 1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne; Ethynyl clusters

## 1. Introduction

Recognition that metal complexes of highly conjugated polycarbon ligands, such as polyynes  $\text{R}-(\text{C}\equiv\text{C})_x\text{-R}$ , polyynyls  $\text{R}-(\text{C}\equiv\text{C})_x\text{-}$ , polyynediyls  $\text{-}(\text{C}\equiv\text{C})_x\text{-}$  and polyalkaenylidenes  $\text{=(C=C)}_x\text{=CR}_2$ , may possess promising physical [1] and chemical [2] properties has spurred a renaissance in the organometallic chemistry of non-cyclic polyunsaturated molecules. In this regard, several groups have recently studied the reactions of conjugated 1,3-diyne with various metal complexes and clusters [3]. In most cases, the first formed products are ethynyl-substituted derivatives of the analogous complexes obtained from reactions with simple monoalkynes. In the case of asymmetrically substituted diynes,  $\text{RC}\equiv\text{CC}\equiv\text{CR}'$ , the reactions often produce both regioisomers arising from co-ordination of each  $\text{C}\equiv\text{C}$  moiety [4,5]. Among the rare examples of selective co-ordination of one triple bond in an asymmetric diyne are the high valent tungsten complexes of

$\text{PhC}\equiv\text{CC}\equiv\text{CSiMe}_3$  prepared by Dehnicke and co-workers [6], and rotomers of  $\text{Re}(\eta^2\text{-HC}_2\text{CC}\equiv\text{CSiMe}_3)(\text{NO})(\text{PPh}_3)(\eta^5\text{-C}_5\text{Me}_5)$  reported by Gładysz et al. [7]. To date 1,3,5-triyne have not been extensively explored as ligands to transition metal centres.

In cluster systems, the presence of a pendant ethynyl group may lead to further chemistry, including the incorporation of the second alkynyl moiety, as in the conversion of  $\text{Ru}_4(\text{CO})_{10}(\mu\text{-CO})(\mu_4\text{-PPh})(\mu_4\text{-}\eta^1, \eta^1, \eta^2, \eta^2\text{-RC}_2\text{C}\equiv\text{CR})$  to  $\text{Ru}_4(\text{CO})_{10}(\mu_4\text{-PPh})(\mu_4\text{-}\eta^1, \eta^1, \eta^3, \eta^3\text{-RC}_2\text{C}_2\text{R})$  ( $\text{R} = \text{Ph}, \text{SiMe}_3$ ) [8]; C–C bond cleavage as observed in the thermolysis of the osmium clusters  $\text{Os}_3(\mu_3\text{-}\eta^1, \eta^1, \eta^2\text{-RC}_2\text{C}\equiv\text{CR}')(\mu\text{-CO})(\text{CO})_9$  ( $\text{R} = \text{Ph}; \text{R}' = \text{Ph}, \text{SiMe}_3$  [9],  $\text{W}(\text{CO})_3(\eta^5\text{-C}_5\text{Me}_5)$  [10]); oligomerisation of the diyne ligand or other C–C bond forming reactions, sometimes with cluster fragmentation as observed in the reactions of  $\text{Ru}_3(\text{CO})_{12}$  with  $\text{RC}\equiv\text{CC}\equiv\text{CR}'$  ( $\text{R} = \text{R}' = \text{Ph}$  [11], ferrocenyl [12];  $\text{R} = \text{H}, \text{R}' = \text{W}(\text{CO})_3\text{Cp}$  [13]); and the formation of novel cluster frameworks as found in the reaction of  $\text{Ru}_3(\mu_3\text{-}\eta^2\text{-PhC}_2\text{C}\equiv\text{CPh})(\mu\text{-CO})(\text{CO})_9$  with  $\text{Co}_2(\text{CO})_8$  [14].

We are exploring the application of various complexes bearing pendant alkynyl and other polyynyl ligands as precursors to the assembly of metal-rich

\* Corresponding author.

<sup>1</sup> Dedicated to Professor Michael Bruce, a respected colleague and valued friend, on the occasion of his 60th birthday.






Fig. 1. View of the molecular structure of **6**. For clarity, only the *ipso*carbon of the phenyl group is shown, while the silyl methyl groups have been omitted. Ru(1)–Ru(2) 2.7912(4), Ru(1)–Ru(4) 2.9964(4), Ru(1)–P(1) 2.3393(8), Ru(1)–C(3) 2.312(3), Ru(1)–C(4) 2.315(3), Ru(1)–C(9) 2.310(3), Ru(1)–C(10) 2.191(3), Ru(2)–C(4) 2.073(3), Ru(2)–C(10) 2.082(3), Ru(4)–C(7) 2.394(3), Ru(4)–C(8) 2.263(3), Ru(4)–P(1) 2.2196(8), Ru(3)–C(11) 2.192(3), Ru(3)–C(12) 2.236(3), Ru(3)–C(15) 2.175(3), Ru(3)–C(16) 2.150(3), C(1)–C(2) 1.193(4), C(2)–C(3) 1.441(4), C(3)–C(4) 1.405(4), C(4)–C(5) 1.443(4), C(5)–C(6) 1.201(4), C(7)–C(8) 1.223(5), C(8)–C(9) 1.431(4), C(9)–C(10) 1.458(4), C(10)–C(11) 1.467(4), C(11)–C(12) 1.467(4), C(13)–C(14) 1.198(4), C(14)–C(15) 1.422(4), C(15)–C(16) 1.474(4), C(17)–C(18) 1.209(4) Å. Ru(2)–Ru(1)–Ru(4) 128.267(11), Ru(2)–Ru(1)–P(1) 127.537(23), Ru(1)–Ru(4)–Ru(3) 80.621(9), C(1)–C(2)–C(3) 174.7(3), C(2)–C(3)–C(4) 122.8(3), C(3)–C(4)–C(5) 119.2(3), C(4)–C(5)–C(6) 177.7(3), C(7)–C(8)–C(9) 171.8(3), C(13)–C(14)–C(15) 177.1(4), C(14)–C(15)–C(16) 133.0(3), C(16)–C(17)–C(18) 178.9(3) °.

from reaction exclusively at the internal C≡C triple bond. In fact, we have been unable to detect any products formed by co-ordination of the ‘external’ triple bonds. While some of this selectivity may no doubt be attributed to the steric influence of the SiMe<sub>3</sub> caps, it is also possible that hyper-conjugation of the Si d-orbitals with the triyne π-system occurs [17], a phenomenon that leads to reduced electron density at the triple bonds adjacent to silicon, and therefore deactivates these sites.

The selective reaction of the internal C≡C triple bond of **1** with Ru<sub>3</sub>(CO)<sub>12</sub> prompted us to examine the reaction of the triyne with Ru<sub>4</sub>(μ<sub>4</sub>-PPh)(CO)<sub>13</sub> (**4**). Cluster **4** has previously been shown to trimerise PhC≡C–C≡CPh to give Ru<sub>4</sub>(CO)<sub>8</sub>(μ<sub>4</sub>-PPh)[μ<sub>4</sub>-η<sup>2</sup>,η<sup>4</sup>,η<sup>2</sup>,η<sup>4</sup>-(Ph)CC(C≡CPh)C(Ph)C–CC(Ph)C(Ph)C(C≡CPh)] (**5**), with the unusual C<sub>12</sub> hydrocarbon ligands co-ordinated to a distorted Ru<sub>4</sub> square. The reaction of **4** with a threefold excess of **1** resulted in the formation of cluster Ru<sub>4</sub>(CO)<sub>8</sub>(μ<sub>3</sub>-PPh)[μ<sub>4</sub>-η<sup>2</sup>,η<sup>4</sup>,η<sup>2</sup>,η<sup>4</sup>-(Me<sub>3</sub>SiC≡C)CC(C≡C–SiMe<sub>3</sub>)C(C≡CSiMe<sub>3</sub>)C–CC(SiMe<sub>3</sub>)C(C≡CSiMe<sub>3</sub>)C(C≡C–SiMe<sub>3</sub>)] (**6**) in high yield (Scheme 1). The structure was

<sup>3</sup> Crystal data for Ru<sub>4</sub>(CO)<sub>8</sub>(μ<sub>3</sub>-PPh)[μ<sub>4</sub>-η<sup>2</sup>,η<sup>4</sup>,η<sup>2</sup>,η<sup>4</sup>-(Me<sub>3</sub>SiC≡C)CC(C≡CSiMe<sub>3</sub>)C(C≡CSiMe<sub>3</sub>)C–CC(SiMe<sub>3</sub>)C(C≡CSiMe<sub>3</sub>)C(C≡CSiMe<sub>3</sub>)] (**6**): Ru<sub>4</sub>Si<sub>6</sub>C<sub>51</sub>O<sub>9</sub>H<sub>59</sub>, *M* = 1419.78, monoclinic, space group *P*2<sub>1</sub>/*n*, *a* = 11.0862(5), *b* = 22.5737(10), *c* = 26.2829(12) Å, β = 101.32(1)°, *V* = 6449.4(5) Å<sup>3</sup>, *Z* = 4, *D*<sub>calc.</sub> = 1.462 g cm<sup>−3</sup>, *F*(000) = 2831.41, μ(Mo–Kα) = 1.10 mm<sup>−1</sup>. A dark red block-shaped crystal (0.10 × 0.15 × 0.30 mm<sup>3</sup>), obtained by diffusion of methanol into a CH<sub>2</sub>Cl<sub>2</sub> solution of **6**, was used for the data collection on a Siemens SMART CCD diffractometer using the ω scan mode. Cell dimensions were obtained from 8192 reflections with 2θ in the range 3.00–57.50°. The *h*, *k*, *l* ranges used during the structure solution and refinement are *h*(min, max) – 15, 14; *k*(min, max) 0, 30; *l*(min, max) 0, 35. Unique reflections: 16659, of which 12173 had *I* ≥ 2σ(*I*), were used. An empirical absorption correction was applied. Hydrogen atoms were placed in calculation positions, and allowed to ride on their parent atoms. The structure was solved by direct methods, and refined by full-matrix least-squares. The function minimised in the least-squares calculation was Σ *w*(|*F*<sub>o</sub> – |*F*<sub>c</sub>||)<sup>2</sup>. A weighting scheme of *w*<sup>−1</sup> = σ<sup>2</sup>(*F*) was used. The last least-squares cycle was calculated with 130 atoms, 640 parameters and 13115 out of 16659 reflections. For all significant reflections *R*<sub>f</sub> = 0.039, *R*<sub>w</sub> = 0.034, goodness-of-fit = 2.14. For all reflections *R*<sub>f</sub> = 0.060, *R*<sub>w</sub> = 0.037, where *R*<sub>f</sub> = Σ(*F*<sub>o</sub> – *F*<sub>c</sub>)/Σ *F*<sub>o</sub>, *R*<sub>w</sub> = [Σ{*w*(*F*<sub>o</sub> – *F*<sub>c</sub>)<sup>2</sup>}/Σ(*wF*<sub>o</sub>)<sup>2</sup>]<sup>1/2</sup> and goodness-of-fit = [Σ{*w*(*F*<sub>o</sub> – *F*<sub>c</sub>)<sup>2</sup>}/(No. of reflections – No. of parameters)]<sup>1/2</sup>. (Δ/σ)<sub>max</sub> = 0.005. Max/min residual density –0.540e, 0.740 Å<sup>−3</sup>.

established by a single crystal X-ray study<sup>3</sup>, and is shown in Fig. 1. The organic ligand in **6** is a trimer of **1** and is an unusual example of a co-ordinated, acyclic C<sub>18</sub> fragment. The metal framework of the molecule consists of four ruthenium atoms in an open-chain arrangement. The metal atoms Ru(1), Ru(3) and Ru(4) form an open-triangular array, capped by a  $\mu_3$ -phosphinidene ligand (<sup>31</sup>P  $\delta$  427.28), with Ru(2) significantly displaced out of the plane defined by the other metal atoms. A tetraethynylated ruthenole, similar to **3**, is formed about Ru(1) and Ru(2) through the central triple bonds of two molecules of **1**. A cyclobutadiene ligand, presumably formed by [2 + 2] cycloaddition of one pendant ethynyl moiety of the ruthenole with the central triple bond of the third molecule of **1**, is co-ordinated in the usual  $\eta^4$ -mode to Ru(3). The fourth metal atom Ru(4) is co-ordinated by two carbonyl ligands, has metal–metal interactions to Ru(1) and Ru(3) and a two electron  $\eta^2$  interaction from the C(7)–C(8) ethynyl group.

In **5** an agostic interaction from a C–Ph bond of the cyclobutadiene moiety is required to achieve electronic saturation at the metal centre related to Ru(4). It appears that the open metal framework of **6** may be attributed to the more flexible co-ordinating properties of the organic ligand in this case, resulting from the presence of the extra ethynyl moiety.

We believe that these are the first reactions to be reported between ruthenium carbonyl clusters and a conjugated triyne. The relatively high yields, simple product distributions and selectivity of the reactions lead us to believe that **1** will be a potentially valuable source of many other cluster species containing pendant ethynyl moieties. We are currently exploring the potential of metal complexes such as polyethynylated **2** and **3** as ligands for the sequestering of other metal fragments.

### Acknowledgements

We are grateful to the Natural Sciences and Engineering Research Council of Canada and the National Research Council of Canada for financial support. An NRC-NSERC Visiting Fellowship (to P.J. Low) is gratefully acknowledged.

### References

- [1] (a) M.I. Bruce, L.I. Denisovich, P.J. Low, S.M. Perugudova, N. A. Ustyniuk, *Mendeleev Commun.* (1996) 200. (b) T. Bartik, B. Bartik, M. Brady, R. Dembinski, J.A. Gladysz, *Angew. Chem. Int. Ed. Engl.* 35 (1996) 414. (c) F. Coat, C. Lapinte, *Organometallics* 15 (1996) 477. (d) G.J. Ashwell, D. Bloor (Eds.), *Organic Materials for Non-Linear Optics III*, Sec. Publ. No. 137, RSC, London, 1992. (e) J.L. Bredas, R.R. Chance (Eds.), *Conjugated Polymer Materials; Opportunities in Electronic, Optoelectronic and Molecular Electronics*, NATO ASI Series, vol. 182, Kluwer, Dordrecht, 1990.
- [2] (a) J.F. Corrigan, S. Doherty, N.J. Taylor, A.J. Carty, *Organometallics* 12 (1993) 1365. (b) P. Blenkiron, G.D. Enright, N.J. Taylor, A.J. Carty, *Organometallics* 15 (1996) 2855. (c) M.I. Bruce, M. Ke, P.J. Low, *Chem. Commun.* (1996) 2405. (d) H. LeBozec, P.H. Dixneuf, *Russ. Chem. Bull.* 44 (1995) 801.
- [3] (a) W. Bonrath, K.R. Porschke, G. Wilke, K. Angermund, C. Kruger, *Angew. Chem.* 100 (1988) 853; *Angew. Chem. Int. Ed. Engl.* 27 (1988) 833. (b) F. Schager, W. Bonrath, K.-R. Porschke, M. Kessler, C. Kruger, K. Seevogel, *Organometallics* 16 (1997) 4276. (c) F. Diederich, Y. Rubin, O.L. Chapman, N.S. Goroff, *Helv. Chim. Acta.* 77 (1994) 1441. (d) S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky, Yu. T. Struchkov, *J. Organomet. Chem.* 536-537 (1997) 339. (e) J.C. Daran, E. Gilbert, M. Gouygou, S. Halut, B. Heim, Y. Jeannin, *J. Cluster Sci.* 5 (1994) 373.
- [4] J. Lewis, B. Lin, M.S. Khan, M.R.A. Al-Mandbury, P.R. Raithby, *J. Organomet. Chem.* 484 (1994) 161.
- [5] M.I. Bruce, P.J. Low, A. Werth, B.W. Skelton, A.H. White, *J. Chem. Soc. Dalton Trans.* (1996) 1551.
- [6] (a) M. Kersting, K. Dehnicke, D. Fenske, *J. Organomet. Chem.*, 309 (1986) 125. (b) A. Werth, K. Dehnicke, D. Fenske, G. Baum, *Z. Anorg. Allg. Chem.* 591 (1990) 125.
- [7] W. Weng, T. Bartik, M. Brady, B. Bartik, J.A. Ramsden, A.M. Arif, J.A. Gladysz, *J. Am. Chem. Soc.* 117 (1995) 11922.
- [8] J.F. Corrigan, S. Doherty, N.J. Taylor, A.J. Carty, *Organometallics* 12 (1993) 1365.
- [9] A.J. Deeming, M.S.B. Felix, D. Nuel, *Inorg. Chim. Acta* 213 (1993) 3.
- [10] T.-K. Huang, Y. Chi, S.-H. Peng, G.-H. Lee, S.-L. Wang, F.-L. Liao, *Organometallics* 14 (1995) 2164.
- [11] M.I. Bruce, N.N. Zaitseva, B.W. Skelton, A.H. White, *J. Organomet. Chem.* 536 (1997) 93.
- [12] A.A. Koridze, V.I. Zdanovich, N.V. Andrievskaya, Yu. Siro-makhova, P.V. Petrovskii, M.G. Ezernitskaya, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, *Russ. Chem. Bull.* 45 (1996) 1200.
- [13] M.I. Bruce, B.W. Skelton, A.H. White, N.N. Zaitseva, *J. Chem. Soc. Dalton Trans.* (1996) 3151.
- [14] M.I. Bruce, N.N. Zaitseva, B.W. Skelton, A.H. White, *Polyhedron* 14 (1995) 2647.
- [15] (a) P. Blenkiron, G.D. Enright, A.J. Carty, *Chem. Commun.* (1997) 483. (b) P. Blenkiron, J.F. Corrigan, D. Pilette, N.J. Taylor, A.J. Carty, *Can. J. Chem.* 74 (1996) 2349. (c) P. Blenkiron, N.J. Taylor, A.J. Carty, *J. Chem. Soc. Chem. Commun.* (1995) 327.
- [16] M.I. Bruce, in: G. Wilkinson, F.G.A. Stone, E.W. Abel (Eds.), *Comprehensive Organometallic Chemistry*, vol. 4, chapter 32.5.2.9 and 32.6.1.2, Pergamon, Exeter, UK, 1982.
- [17] Y. Sun, N.J. Taylor, A.J. Carty, *Organometallics* 11 (1995) 4415.