

Bibliography Section

THERMAL ANALYSIS STANDARDS. NEED AND REALIZATION

This paper appeared in *Thermochim. Acta*, 1 (1970) 325 is published also in this place, regarding the great importance of standardization.

H. G. MCADIE*

Department of Physical Chemistry, Ontario Research Foundation, Ontario, Canada

Several organizations, internationally and in North America, have a current interest in thermal analysis standards. Of these, the activities of the Committee on Standardization, International Confederation for Thermal Analysis (ICTA) are the most advanced, with a group of temperature standards for DTA scheduled for approval in 1970. A review will be given of the experimental program leading to issuance of these standards, as well as programs underway in the ICTA on other aspects of thermal analysis standards. The current activities of other interested groups will also be reviewed.

The need

Thermal methods of analysis have become one of today's routine approaches to material characterization, allowing investigations in research, development and applications to scan the effects of temperature on reactions and processes without the labor of repetitive isothermal tests. It has become possible to bring virtually any condition of matter to a thermal analysis experiment and, by appropriate designs of equipment and choice of conditions, the desired information can be produced from what is still basically a DTA, TG or similar experiment. Thus, thermal analysis possesses much more flexibility with respect to the sample than many investigative procedures.

This very flexibility has led to a great diversity of instrumentation, both commercial and custom. Not all such designs are applicable to all types of materials, and no one combination of conditions is optimum for all studies. The techniques are dynamic in nature, their results are highly dependent upon procedure, and it is not feasible to limit their value by specifying any one "compromise" set of conditions. Therefore, it is necessary to have some means to prevent purely procedural effects from confusing — or even obscuring — the processes under study. Unless the worker using thermal analysis can place his data in proper relation to those obtained elsewhere, likely under quite different conditions, and to known phenomena characterized by independent means, the value of his results is isolated and the full potential of the thermoanalytical approach is not realized.

* Chairman of ICTA Committee of Standardization.

These are among the considerations which, in 1965, led to formation of the Committee on Standardization of the International Confederation for Thermal Analysis (ICTA). The objectives were readily defined:

- (i) to provide a common basis for relating independently acquired data;
- (ii) to provide the means for comparing and calibrating *all* available instrumentation;
- (iii) to provide the means for relating thermoanalytical data to physical and chemical properties defined by conventional isothermal means.

In addition, and in conjunction with the corresponding ICTA Committee on Nomenclature, the Committee on Standardization has the objectives:

- (iv) to define good practice, both in experimentation and in reporting, so that the information obtained and communicated is of maximum value;
- (v) to promote ease of communication through uniform nomenclature and data presentation.

These are broad objectives, designed to increase the value of thermal analysis to all workers, to provide leadership for the whole subject of thermal analysis standards, and to form a basis from which more mission-oriented standards or practices can evolve.

Other interested groups

Before describing the ICTA programs, their accomplishments and future plans, a brief review will be given of other organizations currently concerned with some or all of these aspects of thermal analysis standards (Table 1).

Historically, the International Standards Organization (ISO) was among the first groups to give attention to this problem. Late in 1964, ISO Committee TC-61 on Plastics organized Task Group WG-4 on "Thermal Properties" to explore the possibility of arriving at useful international recommendations for the thermal analysis of high polymers. The initial activity involved a study of one sample of poly(vinyl chloride), results of which do not appear to have been published. Another task group, WG-1, subsequently prepared a number of drafts of nomenclature and definitions, which have been circulated to other working groups within ISO prior to drafting a formal proposal.

Also concerned with thermoanalytical test methods for plastics has been ASTM Committee D-20, Sub-Committee 3b, the early activity being to prepare suggested nomenclature and definitions. In 1967 the ASTM recognized that test methods involving thermal analysis apply more widely than to plastics and, in 1968, a provisional sub-committee was constituted under Committee E-1 (Methods of Testing) to devise a program in cooperation with other ASTM Committees with the objective of defining general test methods employing thermal analysis. The four areas of activity include (i) nomenclature and definitions, which is now reviewing published ICTA and suggested ASTM D-20 terminology; (ii) meetings; (iii) reference materials, which has considered three materials for potential cali-

Table 1
Other groups interested in thermal analysis standards

Start- ing year	Group	Program	Current status
1964	ISO TC-61 (WG-4)	Examination of one sample PVC by DTA and TG according to "national practice"	
1965	ISO TC-61 (WG-1)	Nomenclature and Definitions	Not published
1968	ASTM D-20 Sub 3b	Nomenclature and Definitions	Draft stage
	ASTM E-1	Nomenclature and Definitions	Under study
		Meetings	ICTA and D-20 Recommendations under study
		Reference materials	First program April, 1970
		Test methods	3 Materials under evaluation, for temperature range 50–100 °C
1968	SAMA	Uniform terminology	Task Groups to cooperate with E-27 (hazardous Materials)
		Specifications for Instrument Performance	Under study
		Reference Materials	Under study
			Under study

bration of DTA in the region of 75 °C and which has obtained encouraging results with hexachloroethane; and (iv) test methods, which is reviewing with other ASTM Committees specific areas where existing or new test procedures can better be accomplished by thermoanalytical methods.

The most recent group to show interest in thermal analysis standards is the Scientific Apparatus Makers Association (SAMA). Their objectives are to provide uniform terminology for use by member companies in their trade literature as well as uniform methods for specifying instrument performance involving, possibly, use of certain common reference materials.

Thus, with the possible exception of overlapping approaches to nomenclature, these various groups are concerned with relatively specific concepts related to standardization while the ICTA deals with the broad problems shared by all areas of the techniques. A good level of communication exists between the ICTA and these groups so that each may take advantage of the other's work.

ICTA program and results

DTA temperature standards

To accomplish the objectives stated above, the ICTA has brought together a committee having high technical caliber, a broad international base, and wide-ranging liaison with other interested groups. The top priority was given to stan-

dardization relative to DTA, since this is currently the most widely used of the thermoanalytical methods.

The ICTA program is designed to provide a common basis on which all DTA results can be assessed, instrument performance evaluated, and essential calibration made. To do this requires standard materials suitable for use in any design of equipment and under whatever conditions a particular study may involve. Thus, by including one or two curves of standard materials obtained under the conditions of any particular study, it is possible for the reader to relate the subject matter to the performance of his own instrumentation and to evaluate the quality of the published data.

The ICTA program is further designed to cover the temperature range 0–1000 °C, this being the range which is of greatest present application, while also investigating possible standard materials for the sub-ambient and >1000 °C temperature ranges.

While melting or freezing points have traditionally been used as temperature standards, the ICTA Committee decided in favor of Solid I ⇌ Solid II first-order phase transitions for use in dynamic DTA. There are a number of significant reasons for this decision:

- (i) Not all instrumentation can be used with samples which melt. Two of the most common designs of sample holders are not liquid tight: the cylindrical flowthrough cavity in a block, and the sleeve enclosing a vertically exposed thermocouple bead where the thermocouple leads are not sintered into the ceramic support. Dilution of the sample, when used for calibration purposes, is an expedient of limited value, requiring increased ΔT sensitivity and introducing possible problems of diluent-sample interaction especially with diluents porous enough to retain all the liquid phase produced.

Table 2

International Confederation for Thermal Analysis, Committee on Standardization
provisional DTA temperature standards

ICTA standard	Transition temperature	Ref.
KNO ₃	127.7	2
KClO ₄	299.5	2
Ag ₂ SO ₄	412 ^a	2
SiO ₂	573	2
K ₂ SO ₄	583	2
K ₂ CrO ₄	665	2
BaCO ₃	810	2
SrCO ₃	925	2
In	157	2
Sn	231.9	2

^a This value is in doubt; a considerable weight of evidence suggests 430±2°.

- (ii) A number of feasible melting point standards will contaminate the sample holder by forming alloys, e.g. platinum with Pb, Zn, Sb, etc. Unless the holder can be isolated from the sample, or a disposable holder used, this contamination cannot be tolerated. Similar contamination of thermocouples will result if these are exposed.
- (iii) Many DTA systems do not have *true* atmosphere control. Use of metal melting points requires the ability to impose an inert atmosphere particularly when the melting point is above a few hundred degrees. Traditional use of metal melting points has also usually employed relatively large masses of metal under conditions where skin effects are not critical, whereas in DTA small samples have a high surface: volume ratio and skin effects are more pronounced.
- (iv) The melting of standard reference organic compounds also requires good atmosphere control. In addition such materials may introduce problems of decomposition and/or relatively high vapor pressure which eliminate their use as standards.
- (v) On melting, changes in other physical properties such as heat capacity, thermal conductivity, specific volume, are often much larger than corresponding changes accompanying $S_I \rightleftharpoons S_{II}$ processes. Further, in the case of melting metals, high surface tension may form these into beads rather than a uniform film conforming to the sample holder shape. This, together with the presence of any oxide layer, would cause considerable change in thermal contact and distortion of the record.
- (vi) The effect of impurities on melting points is more pronounced than on $S_I \rightleftharpoons S_{II}$ transitions.

For these reasons the IICTA Committee initially reviewed over 200 reported $S_I \rightleftharpoons S_{II}$ transitions [1] from which twelve systems were selected for international evaluation. The results of this evaluation, and the procedures employed have been reported in detail [2]. From this evaluation eight materials were provisionally accepted as DTA temperature standards (Table 2) and experimental evidence indicated these should be considered for use in the heating mode only, due to problems of supercooling in a number of cases.

Because several of the specimens used in the first evaluation did not produce the well-defined thermal effects desirable in a DTA temperature standard, a variety of further specimens were examined to select materials having satisfactory "thermal purity". At the same time a number of other transitions, suggested following publication of the earlier work [2], were examined. To provide assistance to other groups, while recognizing the above-mentioned limitations, the melting points of high-purity indium and tin samples were included as potential DTA temperature standards. Bulk quantities of these materials were purchased and aliquot samples circulated to 41 laboratories in 15 countries. Detailed test instructions were prepared by the Committee, based on the principle that *the operating conditions of each instrument should be those normally employed*.

Each investigator will supply a minimum of duplicate runs on each material, with the materials examined in a random order. From each curve (Fig. 1) the extrapolated onset and peak temperatures will be measured, together with the arbitrary peak area defined by the triangle ABC in units of $^{\circ}\text{C}^2\text{mg}^{-1}$ to be independent of chart speed, amplification, and thermocouple calibration factors. Approximately




Fig. 1. Definition of temperatures and peak are used in ICTA International Test Program

20 instrumental and design parameters will be supplied by each investigator and the entire data programmed for computer analysis including tests for systematic bias.

Following data assembly, coding, and review by the Committee, certification of this first group of DTA temperature standards is expected before the end of 1970. Realization of these standards one year in advance of original planning is a tribute to the enthusiasm and dedication of those who have contributed to the ICTA programs.

Further standards

The need for sub-ambient DTA temperature standards has been stated clearly [3], as well as for the standards usable above 1000 $^{\circ}\text{C}$. Systems suitable for use in both these temperature ranges are being reviewed experimentally by task forces from the ICTA Committee. The Committee as a whole is continuing to seek suitable systems for the temperature intervals not adequately covered by the group DTA-1, and continues to invite suggestions from interested workers.

The problem of TG temperature standards has been approached in three ways. A series of decomposition processes were examined by the Committee which concluded that such processes were not acceptable as potential standards [2]. Current approaches involve evaluation of the Curie-point technique as well as use of the DTA temperature standards under conditions involving an arrested balance and an extra thermocouple inserted at the sample location.

Other accomplishments

The objectives of the ICTA Committees include methods of improving communication and understanding between thermal analysts. Two documents have been published: Recommendations for the Reporting of Thermal Analysis Data [4], which have been adopted as editorial policy by more than 50 scientific journals, as well as by at least one national standards body; while the ICTA Nomenclature Committee has published a detailed and consistent set of definitions, conventions and general recommendations [5].

Future programs

The Committee will continue to investigate further materials for use as DTA temperature standards concurrent with increased emphasis on TG temperature standardization. With the increasing application of newer thermoanalytical techniques such as evolved gas analysis, thermomechanical analysis, etc., specialized reference materials will be required which the Committee plans to study.

Arrangements are well advanced to market ICTA standards so as to produce the broadest possible international distribution. Every effort will be made to facilitate the use of these materials by thermal analysts throughout the world, so that their efforts may be of increased value to their colleagues.

*

The author's contribution to the ICTA program has been sponsored from a research grant to the Ontario Research Foundation from the Province of Ontario received through the Department of Economics and Development. This support is gratefully acknowledged.

The work of other Committee members has been supported from many different sources. The Committee deeply appreciates all such support.

References

1. F. D. ROSSINI, D. D. WAGMAN, W. H. EVANS, S. LEVINE and U. JAFFE, Selected Values of Chemical Thermodynamic Properties, Nat. Bur. Stand. (U.S.), Circ., 500 (1952).
2. H. G. MCADIE, in: R. F. SCHWENKER, JR. and P. D. GARN (Eds), Thermal Analysis, Academic Press, New York, 1969, Vol. 1, p. 693; Vol. 2, p. 1499.
3. R. L. BOHON, Proc. Toronto Symp. Therm. Anal., 3rd ed., (1970) 33.
4. H. G. MCADIE, Anal. Chem., 39 (1967) 543.
5. R. C. MACKENZIE, Talanta, 16 (1969) 1227.

RÉSUMÉ — Le comité de standardisation de l'International Confederation for Thermal Analysis (ICTA) a élaboré un groupe] de standards de température de ATD présentés à approbation en 1970. On donne un rapport du programme expérimental conduisant à l'émission des standards thermiques et d'autres programmes de l'ICTA concernant ce sujet ainsi que sur les activités d'autres groupes intéressés.

ZUSAMMENFASSUNG — Das Standardisationskomitee der International Confederation for Thermal Analysis (ICTA) hatte eine Gruppe von DTA-Temperaturstandarden im Jahr 1970 vorgeschlagen. Es wird ein Bericht über das experimentelle Programm gegeben, das zur Ausgabe der thermischen Standarden führte, weiterhin über andere Programme der ICTA für weitere Standarde. Die Tätigkeit von anderen an dieser Frage interessierten Gruppen und Organisationen wird ebenfalls behandelt.

Резюме — Целый ряд организаций, международных и работающих в Северной Америке, проявляют повседневный интерес к стандартам термического анализа. Наиболее успешной является деятельность Комитета по Стандартизации Международной конфедерации по термическому анализу (ICTA) по линии группы температурных стандартов для ДТА, запланированных к утверждению в 1970 году. Будет дан обзор программы экспериментов, ведущих к выпуску термических стандартов, а также программ, подготавливаемых в ICTA по другим аспектам стандартов термического анализа. Будет также рассмотрена текущая деятельность других интересующих групп.

- ADAMS, G. P., MARGRAVE, J. L., WILSON, P. W. (Rice Univ., Dept. Chem., Houston, Texas, 77001 USA): The enthalpy of formation of germanium monosulfide. *J. Chem. Thermodyn.* 2, (1970) 591
- ANDREEVA, L. L., KARAPETIANS, M. KH.: Standard heat of $\text{BiO}_2\text{-TeO}_3$ formation. *Izv. Akad. Nauk SSSR, Neorg. Mater.* 6 (1970) 1536 (In Russian)
- ANIKIN, I. N., MATVEEV, S. I. (All Union Sci. Res. Mineral Raw Mat. Synth. Inst., Aleksandrov, USSR): Temperature stability of manmade micas. *Dokl. Akad. Nauk SSSR* 193 (1970) 327 (In Russian)
- ARKHIPOV, S. M., KASHINA, N. I., KUZINA, V. A.: The $\text{Rb}, \text{Cs} \parallel \text{Cl}, \text{ClO}_3\text{-H}_2\text{O}$ system at 25 °C. *Zh. Neorg. Khim.* 15 (1970) 1640 (In Russian)
- AUDEBERT, R., AUBINEAU, C. (Phys. and Chim. Ind., Lab. Chim. Macromolec., Paris, France): Étude par thermogravimétrie dynamique de la dégradation thermique des polymères. *Eur. Polymer J.* 6 (1970) 965
- BALDWIN, J. E., PINSCHMIDT, R. K., ANDRIST, A. H. (Univ. Oregon, Dept. Chem., Eugene, Oregon, 97403 USA): Bicyclo [2.1.0.] pent-2-ene. Tests for the Retrone mechanism of thermal isomerization. *J. Am. Chem. Soc.* 92 (1970) 5249
- BALTĂ, P. (Polytechn. Inst., Bucharest, Romania): The study of structural changes by the glasses with thermal analysis. *Industria ușoară* 17 (1970) 294 (In Romanian)
- BANNISTER, M. J. (Austl. Atom. Energy Commission Res. Estab., Lucas Heights, N.S.W., Australia): Surface enthalpy of thoria gel. *J. Am. Ceram. Soc.* 52 (1969) 675
- BANTSYREV, G. I., SHCHERBAKOVA, I. M., CHERKASHIN, M. I., KALIKHMAN, I. D., CHIGIR', A. N., BERLIN, A. A. (Acad. Sci. USSR, Chem. Phys. Inst., Moscow, USSR): On some regularities governing thermal polymerization of phenylacetylene and 2-methyl-5-ethinylpyridine. *Izv. Akad. Nauk SSSR, Ser. Khim.* (1970) 1762 (In Russian)
- BARNES, J. C. (Univ. Dundee, Dept. Chem., Dundee, England): A variable temperature cell for reflectance spectroscopy. *J. Sci. Instr. Ser. 2*, 2 (1969) 284
- BARNES, J. C. (Univ. Dundee, Chem. Dept., Dundee, England): Studies of some complexes of copper(II) halides with organic donors. *J. Inorg. Nucl. Chem.* 31 (1969) 95
- BARNES, J. C., DUNCAN, C. S. (Univ. Dundee, Chem. Dept., Dundee, England): Ether complexes of cadmium halides. *J. Chem. Soc. A* (1969) 1746
- BARTHEL, C. (Fac. Sci. Nancy, École Supér. Brasserie Malterie, Nancy, France): Étude thermodynamique du système brome-tétrachlorure de carbonate. II. Mesure des valeurs d'excès de l'enthalpie et du volume des mélanges. *Bull. Soc. Chim. Fr.* (1970) 2488
- BAUMER, A., CARUBA, R., TURCO, G. (Fac. Sci. Nice, Lab. Pétrol Minéral. 06-Nice, France): Étude des composés cristallisés obtenus au cours de la décomposition thermique (A.T.P.) de $\alpha\text{-AlF}_3 \cdot 3\text{H}_2\text{O}$, $\beta\text{-AlF}_3 \cdot 3\text{H}_2\text{O}$ et $\alpha\text{-GaF}_3 \cdot 3\text{H}_2\text{O}$. *Compt. Rend. Ser. D* 271 (1970) 1
- BECKER, E., HARMELIN, M. (CNRS, Lab. Rech. Microanal., 11 Rue P. et M. Curie, 75-Paris 5^e, France): Application des diagrammes de solubilité à l'étude des sels hydratés par thermogravimétrie et par

- analyse thermique différentielle. *Thermochim. Acta* 1 (1970) 335
- BEEK, J. J. H., KAMPHAUSEN, V. (A.C.I. Tech. Centre, Waterloo, N.S.W. 2017, Australia): The application of DTA and TGA to the study of simple glass melting reactions. *Proc. Fourth Austr. Ceram. Conf.* 1970, Melbourne pp. AB-33
- BELYI, V. A., EGORENKOV, N. I., PLESKACHEVSKY, YU. M. (Acad. Sci. BeSSR, Minsk, BeSSR): The study of processes of the interaction between the polymer melt and metals. *Dokl. Akad. Nauk BeSSR*, 14 (1970) 716 (In Russian)
- BÉRENYI, M., MALATINSZKY, A., IVÁNKIEVICZ, D. (Med. Univ. Budapest, Urolog. Clinic, Budapest 8., Hungary): Thermoanalytical (derivatographic) investigation of enamel and dentine. *Fogorvosi Szemle* 63 (1970) 40 (In Hungarian)
- BERG, L. G., EGUNOV, V. P. (V. I. Lenin State Univ., Kazan 49, USSR): Quantitative correlation of peak areas of heating and cooling curves. *Zh. Neorg. Khim.* 15 (1970) 1694 (In Russian)
- BERG, L. G., SHLYAPKINA, E. N. (V. I. Lenin State Univ. Kazan, USSR): Solid oxidizers in thermography of lead and zinc sulfides. *Zh. Neorg. Khim.* 15 (1970) 1462 (In Russian)
- BERNARD, M. A., BOREL, M. M. (Fac. Sci. Caen, Lab. Chim. Minérale B, Caen, France): Étude de quelques dithiocarbamates métalliques. IV. Préparation et caractérisation du dithiocarbamate de baryum. Étude de sa décomposition thermique. *Bull. Soc. Chim. Fr.* (1970) 2478
- BERNARD, M. A., BOREL, M. M. (Fac. Sci. Caen, Lab. Chim. Minéral B, Caen, France): Étude de quelques dithiocarbamates métalliques. V. Détermination du rayon thermochimique de l'enthalpie normale de formation de l'ion dithiocarbamate gazeux et de son affinité protonique. *Bull. Soc. Chim. Fr.* (1970) 2480
- BERNARD, M. A., BUSNOT, A., BUSNOT, F. (Fac. Sci. Caen, Lab. Chim. Minérale B, Caen, France): Étude thermochimique de quelques acétates métalliques. IV. Enthalpies de formation de quelques acétates amminés. *Bull. Soc. Chim. Fr.* (1970) 2110
- BERNARD, M. A., BUSNOT, A., DECKER, N. (Fac. Sci. Caen, Lab. Chim. Minérale B, Caen, France): Étude des glycines métalliques. III. Thermochimie des glycines de quelques éléments des groupes IA et IB. *Bull. Soc. Chim. Fr.* (1970) 2475
- BEVAN, W. I., HASZELDINE, R. N., MIDDLETON, J., TIPPING, A. E. (Univ. Manchester, Inst. Sci. and Technol. Dept. Chem. Manchester, Lancs., England): Novel thermal rearrangements involving interchange between groups on silicon and those on its α -carbon. *J. Organometal. Chem.* 23 (1970) 17
- BIDWELL, L. R., RIZZO, F. E., SMITH, J. V. (USAF Mat. Lab., Met. Ceramics Div., Wright-P AFB, Ohio, 45433 USA): The thermodynamic properties of cobalt-palladium solid solutions. *Acta Metallurgia* 18 (1970) 1013
- BIRYUKOV, V. P., GANELINA, E. S. (A. I. Gertsen Teachers Inst., Leningrad, USSR): Heats of formation of orthotellurates. *Zh. Fiz. Khim.* 44 (1970) 1823 (In Russian)
- BIRYUKOV, V. P., GANELINA, E. S. (A. I. Gertsen Teachers Inst., Leningrad, USSR): Thermochemistry of hexavalent tellurium compounds. *Zh. Fiz. Khim.* 44 (1970) 1824 (In Russian)
- BOGDANOV, V. S., POZDNEV, V. F., BUBNOV, I. N., MIKHAILOV, B. M. (N. D. Zelinskii Org. Chem. Inst., Moscow, USSR): The reversible thermal isomerization of tri-crotylborane through a permanent allyl rearrangement. *Dokl. Akad. Nauk SSSR* 193 (1970) 586 (In Russian)
- BOLTON, A. P., LANEWALA, M. A. (Union Carbide Co., Linde Div., Tarrytown, N. Y. 10591 USA): Thermochemical reactions of ammonium exchanged Y Zeolite and its derivates. *J. Catal.* 18 (1970) 154
- BONDERMAN, D., CATER, E. D., BENNETT, W. E. (Univ. Iowa, Dept. Chem., Iowa City, Iowa, 52240 USA): Vapor pressures, mass spectra, magnetic susceptibilities, and thermodynamics of some phthalocyanine compounds. *J. Chem. Eng. Data* 15 (1970) 396
- BORER, W. J., GÜNTHERD, H. H. (Swiss Fed. Inst. Technol., Lab. Phys. Chem., Zürich 8006, Switzerland): Lattice energy, lattice constant, and thermodynamic properties of γ - Al_2O_3 . *Helv. Chim. Acta* 53 (1970) 1043
- BOROS, M., BALÁZS, G. (Tech. Univ., Dept. Build. Mat., Budapest 11, Hungary): Deriv-

- atographic investigations of the effects of freezing on the hydration of $C_3A - CaSO_4 - H_2O$ systems. *Hung. Sci. Instr.* No. 18 (1970) 19
- BOTTEI, R. S., MCEACHERN, C. P. (Univ. Notre Dame, Dept. Chem., Notre Dame, Ind., 46556 USA): Thermal and spectral study of some divalent metal chelate polymers of bromanilic acid. *J. Inorg. Nucl. Chem.* 32 (1970) 2645
- BOTTEI, R. S., MCEACHERN, C. P. (Univ. Notre Dame, Dept. Chem., Notre Dame, Ind., 46556 USA): Thermal and spectral studies of some divalent metal chelates of lawsone and juglone. *J. Inorg. Nucl. Chem.* 32 (1970) 2653
- BOUCHAL, K., ČOUPEK, J., POKORNÝ, S., HRABÁK, F. (Czechoslovak Acad. Sci., Inst. Macromolec. Chem., Prague, Czechoslovakia): Über die thermischen Umwandlungen des Chloroprens. *Makromol. Chem.* 137 (1970) 95
- BOZZOLO, A., REY, J., LAFFITTE, M. (Fac. Sci. Marseille, Lab. Chim. Gen., Marseille, France): Domaine de stabilité de la phase hexagonale dans le diagramme ternaire nickel-cobalt-tellure à 500 °C. *J. Chim. Phys.* 67 (1970) 655
- BRETT, N. H., MAC KENZIE, K. J. D., SHARP, J. H. (Univ. Sheffield, Sheffield, Yorks., England): The thermal decomposition of hydrous layer silicates and their related hydroxides. *Quart. Rev. London* 24 (1970) 185
- BREAKSPERE, R. J. (Univ. Coll. Cardiff, Chem. Dept., Cardiff, Glam., Wales): High temperature oxidation of aluminium in various gases. *J. Appl. Chem.* 20 (1970) 208
- BROWN, W. S., DEWEY, W. A., JACOBS, H. R. (Univ. Utah, Dept. Mech. Engrn., Salt Lake City, Utah, 84112 USA): Thermal properties of teeth. *J. Dent. Res.* 49 (1970) 752
- BROWN, G. P., HAARR, D. T., METLAY, M. (Carnegie-Mellon Univ., Mellon Inst., Pittsburgh, Pa., 15213 USA): Thermal analysis methods for the estimation of thermal life of magnet wire. *Thermochim. Acta* 1 (1970) 441
- BULGAKOVA, T. I., ROZANOV, A. G. (M. V. Lomonosov Univ., Chem. Fac., Moscow, USSR): Thermodynamics of $MnFe_{2.065}O_x$ in the field of phase transitions. *Zh. Fiz. Khim.* 44 (1970) 1620 (In Russian)
- BURGER, K., LIPTAY, G., KORECZ, L., KIRÁLY, I., PAPP-MOLNÁR, E. (L. Eötvös Univ., Inst. Inorg. and Anal. Chem., Budapest 8, Hungary): The Mössbauer study of iron pyridine mixed complexes and their thermal decomposition products. *Proc. of the 3rd Symposium on Coordination Chemistry*, Budapest (1970) Vol. 1. 465
- BUTLER, R. A., CARSON, A. S., LAYE, P. G., STEELE, W. V. (Univ. Leeds, Dept. Phys. Chem., Leeds, LS2 9JT, England): Thermochemical studies on the halogenation of tetraphenyllead. *J. Organometal. Chem.* 24 (1970) C 11
- CADMAN, P., RATAJCZAK, E., TROTMAN-DICKENSON, A. F. (c/o Trotman-Dickenson, Univ. Wales, Cardiff, CF1 3NU, Wales): Thermal isomerisation of methyltrifluoromethyl-methoxy-, and hydrogen-substituted fluorinated benzene isomers. *J. Chem. Soc. A* (1970) 2109
- CALISTRU, C., IFRIM, L. (Polytech. Inst., Dept., Inorg. Chem. Techn., Jași, Roumania): Macrokinetics of $NaHCO_3$ thermal decomposition. *Bul. Inst. Politech. din Jași* 14 (1969) 209
- CARDEN, A. E. (Univ. Alabama, Dept. Mech. Syst. Engrn., Alabama, 35486 USA): Thermal fatigue evaluation. Manual on low Cycle Fatigue Testing, *ASTM STP 465* (1970) 163
- CARDEN, A. E., SLADE, T. B. (Univ. Alabama, Dept. Mech. Syst. Engrn., Alabama, 35486 USA): High-temperature low-cycle fatigue experiments on Hastelloy X. Fatigue at High Temp., *ASTM 459* (1969) 111
- CARROL, B., MANCHE, E. P. (Rutgers State Univ., Dept. Chem., Newark, N. J., 07102 USA): Kinetic parameters from thermogravimetric data. *Anal. Chem.* 42 (1970) 1296
- CASAVAL, C. N., BIRÓ, A., SCHNEIDER, J. A. (Univ. "Al. J. Cuza", Fac. Chem., Chair Phys. Chem., Jași, Roumania): About the thermal decomposition of polyoxymethylene. II. The thermal and thermo-oxidative destruction of polyoxymethylene-dihydrate in an isothermal system. *Anal. St. Univ. "Al. J. Cuza" Jași* 14 (1968) 1

- CARSIMPOOLAS, N., FUNK, S. K., MEYER, E. W. (Protein Res. Lab., Cent. Soya Chem. Div., Chicago, Ill., 60639 USA): Thermal aggregation of glycinin subunits. *Cereal Chem.* 47 (1970) 331
- CESBRON, F. (CNRS Fac. Sci. Paris, Lab. Minéral Cristallog., Paris, France): Étude cristallographique et comportement thermique des uranylvanadates de Ba, Pb, Sr, Mn, Co et Ni. *Bull. Soc. Fr. Minéral Crist.* 93 (1970) 320
- CHANG, F. C., WENDLANDT, W. W. (Univ. Houston, Thermochem. Lab., Dept. Chem., Houston, Texas, 77004 USA): The deauration and anation reactions of some anionoquaobis-(ethylenediamine) cobalt(III) complexes. *Thermochim. Acta* 1 (1970) 495
- CHAUDHURI, A. K., BONELL, D. W., FORD, L. A., MARGRAVE, J. L. (Rensselaer Polytech. Inst., Dept. Chem., Troy, N. Y., 12181 USA): Thermodynamic properties by levitation calorimetry. I. Enthalpy increments and heats of fusion for copper and platinum. *High Temp. Sci.* 2 (1970) 203
- CHUKLANTSEV, V. G., SHIBANOV, E. V. (S. M. Kirov Polytech. Inst., Sverdlovsk, USSR): Enthalpy of formation of zirconosilicates K_2ZrSiO_5 and $K_2ZrSi_2O_7$. *Zh. Fiz. Khim.* 44 (1970) 1782 (In Russian)
- CLARK, P. E. (Univ. Exeter, Dept. Phys., Exeter, Devon., England): Thermal cancellation of applied magnetic fields for Mössbauer sources. *Brit. J. Appl. Phys.* 3 (1970) 337
- COLE, W. F., LANCUCKI, G. J., POWELL, D. A. (CSIRO, Div. Bldg. Res., Melbourne, Australia): On the characterization of ceramic clays. *Proc. Fourth Austr. Ceram. Conf.*, 1970, Melbourne, pp. BC-1
- CUBICCIOTTI, D. (Stanford Res. Inst., Menlo Park, Calif., 94025 USA): The thermodynamics of vaporization of thallous oxide. *High Temp. Sci.* 2 (1970) 213
- DACONS, J. C., ADOLPH, H. G., KAMLET, M. J. (USN Ord. Lab., Advanced Chem. Div., Silver Spring, Md., 20910 USA): Some novel observations concerning the thermal decomposition of 2,4,6-trinitrotoluene. *J. Phys. Chem.* 74 (1970) 3035
- D'ASCENZO, G., WENDLANDT, W. W. (Univ. Rome, Inst. Anal. Chem., Rome, Italy): Iron(III)diethyldithiocarbamate — a new volatile metal chelate. *J. Inorg. Nucl. Chem.* 32 (1970) 2431
- DAVID, J. C., MATHURIN, D., THÉVENOT, F. (École Natl. Polytech., El Harrach, Algeria): Mesure calorimétrique des variations d'enthalpie molaire de $Sr(JO_3)_2$, $Sr_5(JO_6)_2$, $Ba_5(JO_6)_2$. *Bull. Soc. Chim. Fr.* (1970) 2508
- DAVID, J. C., MATHURIN, D., THÉVENOT, F. (École Natl. Polytech., El Harrach, Algeria): Mesure calorimétrique des variations d'enthalpie molaire de BA_5 , $B_{13}As_2$, BP. *Bull. Soc. Chim. Fr.* (1970) 2510
- DAVIDOVICH, R. L., EPOV, D. G., BUSLAEV, I. A. (Acad. Sci. USSR, Chem. Dept., Vladivostok, USSR): Thermal stability of ammonium fluoranilates. *Dokl. Akad. Nauk SSSR* 193 (1970) 822 (In Russian)
- DAVIS, G. J., PORTER, R. S., STEINER, J. W., SMALL, D. M. (Univ. Massachusetts, Polymer Sci. and Engn., Amherst, Mass., 01002 USA): Thermal transitions of cholesteryl esters of C_{18} aliphatic acids. *Mol. Cryst. Liquid Cryst.* 10 (1970) 331
- DIXON, G. D., SCALA, L. C. (Westinghouse Res. Labs., Pittsburgh, Pa., 15236 USA): Thermal hysteresis in cholesteric color responses. *Mol. Cryst. Liquid Cryst.* 10 (1970) 317
- DIXON, G. D., SCALA, L. C. (Westinghouse Res. Labs., Pittsburgh, Pa., 15236 USA): Thermal decomposition of cholesteryl oleyl carbonate. *Mol. Cryst. Liquid Cryst.* 10 (1970) 327
- DOSCH, E. L. (Tech. Equipment Co., Denver, Colo., 80204 USA): An electrical technique for characterization of response parameters of DTA sample holders. *Thermochim. Acta* 1 (1970) 367
- DRAPER, A. L., SVEUM, L. K. (Tech. Univ. Texas, Dept. Chem., Lubbock, Texas, 79409 USA): The analysis of thermal data. *Thermochim. Acta* 1 (1970) 345
- DUCROS, M., LÉVY, R., MELIAVA, G. (École Natl. Super Aéronaut., Lab. Chim., Paris, France): Sur l'enthalpie de formation de l'hydride de beryllium. *Bull. Soc. Chim. Fr.* (1971) 2763
- DUNN, P., ENNIS, B. C. (Australian Def. Sci. Serv., Def. Stand. Labs., Melbourne, Australia): Thermal analysis of poly-

- acrylonitrile. I. The melting of polyacrylonitrile. *J. Appl. Polymer Sci.* 14 (1970) 1795
- EGGERTSEN, F. T., STROSS, F. H. (Shell Dev. Co., Emeryville, Calif., USA): The thermal analysis—hydrogen flame ionization detector system for characterizing organic materials. *Thermochim. Acta* 1 (1970) 451
- EILBECK, W. J., HOLMES, F., THOMAS, T. W. (c/o F. Holmes, Univ. Coll. N. Wales, Dept. Chem., Bangor, Caerns., Wales): Thermodynamic considerations in coordination. IV. Calorimetric studies on histamine [4(5)-(2-aminoethyl)imidazole] and isohistamine [2-(2-aminoethyl)-imidazole]. *J. Chem. Soc. A* (1970) 2062
- ENGEL, G. (Univ. Karlsruhe, Lehrstuhl Kristallogr., Karlsruhe, GFR): Hydrothermalsynthese von Bleihydroxylapatiten $Pb_5(XO_4)_3OH$ mit X=P, As, V. *Naturwissenschaften* 57 (1970) 355
- ERKOVA, L. N., KACHAN, N. P., KARLINA, G. A., SMIRNOV, N. I., NIKITIN, V. M. (Lensoviet Technol. Inst., Leningrad, USSR): Effect of thermal processing of lignin—rubber mixtures on gelatination and properties of vulcanized rubber. *Zh. Prikl. Khim.* 43 (1970) 1357 (In Russian)
- ETTER, D. E. (Monsanto Res. Co., Mound Lab., Miamisburg, Ohio, 45342 USA): A compact high temperature dilatometer. *Rev. Sci. Instr.* 41 (1970) 1026
- ETTMAYER, P., SUCHENTRUNK, R. (Techn. Hochschule Vienna, Inst. Chem. Technol., Anorg. Stoffe, Vienna, Austria): Über die thermische Stabilität der Eta-Carbide. *Monatsch. Chem.* 101 (1970) 1098
- EVANS, B. W., FENN, D. J., TIGHE, B. J. (Univ. Aston, Dept. Chem., Birmingham, Warwick., England): Studies of the reactions of the anhydrosulphites of α -hydroxy-carboxylic acids. V. Thermal decomposition of benzylic and mandelic acid anhydrosulphites. *J. Chem. Soc. B* (1970) 1049
- FĂTU, D., LUCHIAN, M. (Univ. Bucharest, Fac. Chem., 2nd Chaire Phys., Chem., Bucharest, Roumania): Kinetics of the thermal decomposition of cadmium-dipyridine-chloride. *Anal. Univ. "Al. I. Cuza", Jăsi, Sect. Chim.* 16 (1970) 1
- FĂTU, D., SEGAL, E. (Univ. Bucharest, Fac. Chem., 2nd Chaire Phys. Chem., Bucharest, Roumania): Kinetic of thermal decomposition of some amine complexes. VI. *Anal. Univ. Bucureşti* 17 (1968) 49
- FEDOROV, V. A., CHERNIKOVA, G. E. MIRONOV, V. E. (Siberian Technol. Inst., Inorg. Chem. Dept., Krasnoyarsk, USSR): Effect of ionic strength and temperature on formation of zinc chloride complexes. *Zh. Neorg. Khim.* 15 (1970) 2100 (In Russian)
- FINDEIS, A. F., ROSINSKI, K. D. W., PETRO, P. P., EARL, R. B. W. (Natl. Sci. Found., Washington, D. C., USA): Gas evolution profiles and differential thermal analysis. *Thermochim. Acta* 1 (1970) 383
- FLÓRA, T., VÁMOS, E. (Ind. Heavy Chem. Res. Inst., Veszprém, Hungary): A derivatographic study of the formation and properties of metal acetate—stearic acid and metal stearate—stearic acid complexes. *Proc. 3rd Symp. Coordination Chem.*, Budapest (1970) Vol. 1, 517
- FREDRICKSON, D. R., BARNES, R. D., CHASANOV, M. G. (Argonne Natl. Lab., Chem. Engr. Div., Argonne, Ill., 60439 USA): The enthalpy of uranium diboride from 1300 to 2300 °K by drop calorimetry. *High Temp. Sci.* 2 (1970) 299
- FREDRICKSON, D. R., CHASANOV, M. G., BARNES, R. D., JOHNSON, S. A. (Argonne Natl. Lab., Chem. Engr. Div., Argonne, Ill., 60439 USA): The enthalpy of solid and liquid Na_3Bi by drop calorimetry. *High Temp. Sci.* 2 (1970) 259
- FREY, H. M., HOPKINS, R. G. (Reading Univ., Chem. Dept., Reading, RG6 2AD, England): The thermal isomerization of bicyclo [2.2.1]hex-2-ene and tricyclo [3.3.0.0^{2,6}]oct-3-ene. *J. Chem. Soc. B* (1970) 1410
- FREY, H. M., LIU, M. T. H. (Univ. Reading, Dept. Chem., Reading, RG6 2AD England): The thermal decomposition of the diazirines. IV. 3-chloro-3-ethyl-diazirine, 3-chloro-3-n-propyl-diazirine, 3-chloro-3-isopropyl-diazirine, and 3-chloro-3-t-butyl-diazirine. *J. Chem. Soc. A* (1970) 1916
- GALAVANOV, V. V., KULOV, V. S., SIUKAEV, N. V., TOMILIN, B. M.: Thermoelectric power and Nernst—Ettingshausen thermo-

- magnetic effect in n-type InP. Sov. Phys. Semicond. 4 (1970) 415
- GALCHENKO, G. L., MARTYNOVSKAIA, L. N., STANKO, V. I., KLIMOVA, A. I. (M. V. Lomonosov State Univ., Moscow, USSR): Heats of formation of ortho-, meta-, and para-barenemonocarboxylic acids $B_{10}C_2H_{11}COOH_{(cryst.)}$. Dokl. Akad. Nauk SSSR 193 (1970) 341 (In Russian)
- GALLAGHER, P. K., SCHREY, F. (Bell. Tel. Lab., Inc., Murray Hill, N. J., 07974 USA): The thermal decomposition of freeze-dried tantalum and mixed lithium—niobium oxalate. Thermochim. Acta 1 (1970) 465
- GALPERIN, L. N., KOLESOV, Y. R., LIBERMAN, A. E., RUBTSOV, Y. I., KIRPICHEV, E. P. (Chem. Phys. Inst., Chernogolovka, USSR): Precision energy meter of calorimetric heaters. Zh. Fiz. Khim. 44 (1970) 1837 (In Russian)
- GĂTA, G. H., GĂTA, E. (Res. Inst. Land Reclamation and Soil Sci., Bucharest, Roumania): Mineralogic nature of carbonates from some loesses of Dobrodgea. Stiința solului 6 (1968) 40 (In Roumanian)
- GIAUQUE, W. F., FISHER, R. A., HORNUNG, E. W., BRODALE, G. E. (Univ. Calif., Dept. Chem., Low Temp. Lab., Berkeley, Calif., 94720 USA): Magnetothermodynamics of antiferromagnetic $\alpha\text{-MnCl}_2 \cdot 4H_2O$. IV. Reversibility conditions in the *a*, *b* and *p* regions with $H \parallel c$ axis. Spin flop, an inappropriate term. J. Chem. Phys. 53 (1970) 1474
- GOLOMAN, A. G., PHYSHNYI, M. M. (Acad. Sci. UkrSSR, Phys. Inst., Kiev, UkrSSR): Temperature dependence of stimulated and nonstimulated current in polycrystalline CdSe at 77–273 °K. Dokl. Akad. Nauk SSSR 192 (1970) 65 (In Russian)
- GOPALAKRISHAN, J., VISWANATHAN, B., SRINIVASAN, V. (Indian Inst. Technol., Dept. Chem. Madras-36, India): Preparation and thermal decomposition of some oxo-molybdenum(VI) oxalates. J. Inorg. Nucl. Chem. 32 (1970) 2565
- GORE, R. H., WENDLANDT, W. W. (Univ. Houston, Thermochem. Lab., Dept. Chem. Houston, Texas, 77004 USA): The solid-state kinetics of the deaquation and anation of some $[Co(NH_3)_5H_2O]X_3$ complexes. Thermochim. Acta 1 (1970) 491
- GRASSIE, N., MELDRUM, I. G., GILKS, J. (Univ. Glasgow, Dept. Chem., Glasgow, Scotland): Polystyrene with improved thermal properties. — A new method of preparing crosslinked polystyrene. Polymer Letters 8 (1970) 247
- GUINET, PH., VAUGOYEAU, H., JOLIVET, J. (Cen. Grenoble, Dept. Met., Grenoble, France): La coupe U_3-Si-C du diagramme U—C—Si du côté de la phase U_3Si jusqu'à 950 °C. J. Nucl. Matér. 36 (1970) 94
- GUNN, S. R. (Univ. California, Lawrence Radiat. Lab., Livermore, Calif., 94550 USA): A comparison of standard reactions for solution and combustion calorimetry. I. Solution-calorimeter measurements. J. Chem. Thermodyn. 2 (1970) 535
- GUNN, S. R., WATSON, J. A., MACKLE, H., GUNDY, H. A., HEAD, A. J., MANSSON, M., SUNNER, S. (Univ. California, Lawrence Radiat. Lab., Livermore, Calif., 94550 USA): A comparison of standard reactions for solution and combustion calorimetry. II. Combustion-calorimeter measurements. J. Chem. Thermodyn. 2 (1970) 549
- HANAFUSA, T., OHNISHI, M., MISHIMA, M., YUKAWA, Y. (Hiroshima Univ., Fac. Sci., Chem. Dept., Hiroshima 730, Japan): Thermal *cis-trans* isomerisation of methyl chrysanthemate. Chem. Ind. (1970) 1050
- HATAKEYAMA, T., KANETSUNA, H. (Res. Inst. Polymer and Textiles, Sawatari 4, Kanagawa-ku, Yokohama, Japan): Thermal analysis of blends of monodisperse polystyrene fractions. Chem. High Polym. Tokyo 27 (1970) 375 (In Japanese)
- HEDAYATULLAH, M., BRANCOURT, M., DENIVELLE, L. (Conservatoire Natl. Arts et Métiers, Paris, France): Sur la formation et la thermodécomposition des esters iminocarboniques de la série aromatique. Bull. Soc. Chim. Fr. (1970) 2637
- HEIMGARTNER, H., ZSINDELY, J., HANSEN, H. J., SCHMID, H. (Univ. Zürich, Org. Chem. Inst., Zürich, Switzerland): Thermisches Verhalten von Mesityllallen; Beispiel einer aromatischen [1,5s]-sigmatropischen H-Verschiebung. Helv. Chim. Acta 53 (1970) 1212
- HEGEDÜS, J. A., GADÓ, B., SCHLOSSER, Gy., NEUGEBAUER, J. (Tungsram, Res. Lab., Budapest 4, Váci út 77, Hungary): Ther-

- mocondensation of tungsten trioxide from 12-tungstosilicic acid hydrates. *Magy. Kém. Foly.* 76 (1970) 338 (In Hungarian)
- HIGMAN, E. B., SCHMELTZ, I., SCHOLTZ-HAUER, W. S. (USDA, Agric. Res. Serv., Eastern Utilisat. Res. and Dev. Div., Philadelphia, Pa., 19118 USA): Products from the thermal degradation of some naturally occurring materials. *J. Agr. Food Chem.* 18 (1970) 636
- HILL, R. A. (Imp. Chem. Ind. Ltd., Res. and Dev. Dept., Nobel Div., Stevenson, Scotland): Rate equations in thermogravimetry. *Nature* 227 (1970) 703
- HIRATA, T., MATSUO, S.: Differential calorimetry on the precipitation in Al—Cu—Cd alloy. *Trans. Jap. Inst. Metals* 11 (1970) 200
- HIRATA, T., MATSUO, S.: Differential calorimetry on the quenched Al-4.27 wt% Cu-0.09 wt% in ternary alloy. *Trans. Jap. Inst. Metals* 11 (1970) 205
- HISATSUNE, I. C., ADL, T. (Pennsylvania State Univ., Dept. Chem., Whitmore Lab., University Park, Pa., 16802 USA): Thermal decomposition of potassium bicarbonate. *J. Phys. Chem.* 74 (1970) 2875
- HOFF, D. R. (Merck Sharp and Dohme Res. Lab., Rahway, N. J., 07065 USA): Steroid rearrangements. Reactions of an α -16,17-epoxypregnan-20-one with hydrogen fluoride and thermal dehydrofluorinations. *J. Org. Chem.* 35 (1970) 2263
- HOJO, N., SHIRAI, H., SUZUKI, A. (Shinshu Univ., Fac. Text. Sci. and Technol., Ueda, Nagano, Japan): Synthesis and thermal stability of mixed amine complexes of metal tetracarboxylic diimides. *J. Chem. Soc. Jap. Ind.* 73 (1970) 1438 (In Japanese)
- INAGAKI, N., KATSUURA, K. (Shizuoka Univ. Fac. Engn., Johoku, Hamamatsu, Shizuoka, Japan): Thermal degradation of cellulose phosphate and $\text{NH}_4\text{H}_2\text{PO}_4$ containing cellulose. *J. Chem. Soc. Jap. Ind.* 73 (1970) 1433 (In Japanese)
- ISHIBASHI, T., AOKI, K., ISHII, T. (Toyobo Co., Ltd., Tsuruga Nylon Plant, Tsuruga, Fukui, Japan): Studies on melt spinning of nylon 6. I. Cooling and deformation behavior and orientation of nylon 6 threadline. *J. Appl. Polymer Sci.* 14 (1970) 1597
- ISHIZUKA, O. (Yamagata Univ., Fac. Engn., Yonezawa, Japan): Crystallinity of thermally decomposed polypropylene. *J. Chem. Soc. Jap. Ind.* 73 (1970) 1372 (In Japanese)
- IVANNIKOV, V. L., MIRYASOV, N. Z. (M. V. Lomonosov State Univ., Moscow, USSR): Magnetic anisotropy of Ni—Cu—Coferrite single crystal induced by thermomagnetic treatment. *Fiz. Tverd. Tela* 12 (1970) 2146 (In Russian)
- IWASAKI, M., ISHIKAWA, N. (Japan Atomic Energy Res. Inst., Tokai-mura, Ibaraki-ken, Japan): Air-oxidation of UO_2 pellets at 800 and 900 °C. *J. Nucl. Mater.* 36 (1970) 116
- IZATT, R. M., WATT, G. D., BARTHOLOMEW, C. H., CHRISTENSEN, J. J. (Brigham Young Univ., Dept. Chem., Provo, Utah, 84601 USA): A calorimetric study of Prussian blue and Turnbull's blue formation. *Inorg. Chem.* 9 (1970) 2019
- JANŠÁK, L. (Slovak Acad. Sci., Inst. Elect. Engn., Bratislava, Czechoslovakia): Low temperature semiconductor thermometers with low magnetoresistance. *Českos. Časopis Fysiku Sect. A* 20 (1970) 241 (In Czech)
- JESPERSEN, N. D., JORDÁN, J. (Pennsylvania State Univ., Dept. Chem., University Park, Pa., 16802 USA): Thermometric enthalpy titration of proteins. *Anal. Lett.* 3 (1970) 323
- JOHANSSON, C. E. (Univ. Lund, Chem. Ctr., Dept. Anal. Chem., Lund, Sweden): Enthalpimetric determination of fluoride. *Talanta* 17 (1970) 739
- JOHNSON, J. F., MILLER, G. W. (Univ. Connecticut, Dept. Chem., Inst. Mater. Sci., Storrs, Conn., 06268 USA): The thermal analyses of mesophases. *Thermochim. Acta* 1 (1970) 373
- JORGAN, N., DIMA, M. (Univ. "Al J. Cuza", Fac. Chem., Chaire Inorg. Chem., Jași, Roumania): Inorganic polymers of zirconyl and pyrofosforic acid. II. Kinetic parameters of the dehydration of the zirconyl pyrofosfates. *Anal. St. Univ. "Al. J. Cuza", Jași* 15 (1969) 130 (In Roumanian)
- KAJI, Y., UEHARA, A., KYUNO, E., TSUCHIYA, R. (Kanazawa Univ., Fac. Sci., Dept.

- Chem., Kanazawa, Japan): Thermal *trans-cis* isomerization of $[\text{CrBr}_2\text{O}(\text{NH}_3)_4]\text{Br}_2$. *Bull. Chem. Soc. Jap.* 43 (1970) 1906
- KATO, A., ANJU, Y., SEIYAMA, T. (Kyushu Univ., Fac. Engn., Dept. Appl. Chem., Fukuoka-shi, Japan): Effects of annealing on the thermal decomposition of silver oxide, Ag_2O . *J. Chem. Soc. Jap. Pure* 91 (1970) 640 (In Japanese)
- KATOR, L., PORUBSZKY, I., NEMESHEGYI, G. (Tech. Univ., Dept. Mech. Technol., Budapest 11, Hungary): Effect of heating rate on the martensitic transformation of carbon steels. *Per. Polytech. Mech.* 14 (1970) 65
- KAVEDIA, C. V., MATHUR, H. B. (Natl. Chem. Lab., Poona, India): Thermal decomposition of the formates of rare earth elements. *Indian J. Chem.* 8 (1970) 638
- KERR, G. T., OLSON, D. H., DEMPSEY, E. (Mobil Res. and Dev. Co., Cent. Res. Div., Princeton, N. J., 08540 USA): Some comments on Ambs and Flank's paper "Thermal behavior of synthetic Faujasite." *J. Catal.* 18 (1970) 236
- KHRAMOV, V. P., DVORNIKOVA, L. M., ALIEV, G. A.: Thermographic and X-ray diffraction study of rare earth 1,1-hydrazine-diacetates. *Zh. Neorg. Khim.* 15 (1970) 1791 (In Russian)
- KIM, I. P., KAPLAN, A. M., BARKALOV, I. M., GOLDANSKII, V. I. (Acad. Sci. USSR, Chem. Phys. Inst., Moscow, USSR): Calorimetric study of radiation cross-linking of polyisobutylene in the presence of monomer additions. *Dokl. Akad. Nauk SSSR* 193 (1970) 855 (In Russian)
- KISS, B. A., GADO, P., ASZTALOS, I., HEGEDÜS, A. J. (Tungsram Res. Lab., Budapest 4, Váci út 77, Hungary): New results in the thermal decomposition of ammonium heptamolybdate tetrahydrate. *Magy. Kém. Foly.* 76 (1970) 358 (In Hungarian)
- KIYOTSUKURI, T., TAKADA, K., IMAMURA, R. (Kyoto Univ., Ind. Arts and Textile Fibers, Sakyo-ku, Kyoto, Japan): DTA of the ester-amide interchange reaction between polyester and polyamide. *Chem. High Polym. Tokyo* 27 (1970) 415 (In Japanese)
- KOCHER, J. (Fac. Sci. Paris, Lab. Chim. Minérale, Paris, France): Le diagramme polythermique du système ternaire eau-oxyde de sodium-anhydride borique. *Bull. Soc. Chim. Fr.* (1970) 2083
- KOCHETKINA, K. G., DOMRACHEV, G. A., RAZUVAEV, G. A.: Thermal decomposition of tetraalkyl organogermanium compounds. *Zh. Obshch. Khim.* 40 (1970) 1273 (In Russian)
- KOLESOV, V. P., TOMAREVA, E. M., SHOSTAKOVSKII, V. M., NEFEDOV, O. M., SHURATOV, S. M. (M. V. Lomonosov Univ., Moscow, USSR): Standard enthalpy of 1,1-dichlorocyclopropane formation. *Zh. Fiz. Khim.* 44 (1970) 1548 (In Russian)
- KOLONIN, G. R., SHIRONOSOVA, G. P. (Acad. Sci. USSR, Geol. and Geophys. Inst., Novosibirsk, USSR): Conditions of the formation of ferberite, tungstenite and ferrous minerals according to thermodynamic data. *Dokl. Akad. Nauk SSSR* 193 (1970) 902 (In Russian)
- KONDORSKII, E. I., GALKINA, O. S., MARKOV, P. A., KARNEEV, A. N. (M. V. Lomonosov State Univ., Moscow, USSR): Thermomagnetic effect and thermoelectromotive force of gadolinium at 90–250 °K. *Fiz. Metal. Metalloved.* 29 (1970) 1300 (In Russian)
- KORNMANN, M., DUCROS, R., CASSUTO, A., GOFF, P. (CNRS, Ctr. Cinétique Phys. and Chim., Villers, Nancy, France): Adsorption et décomposition thermique de l'éthylène et de l'acétylène sur rhénium en technique d'ultravide. *J. Chim. Phys.* 67 (1970) 1182
- KOVALEV, F. V., IOFFE, V. M., KARTSEV, V. E.: Reaction of alkali metal chlorides and fluorides and potassium fluoroniobate in melts. *Zh. Neorg. Khim.* 15 (1970) 1966 (In Russian)
- KRAUSE, A., SKUPINOWA, W., NOWACKI, A. (Univ. Poznan, Inst. Anorg. Chem., Poznan, Poland): Über die Bildung von $\alpha\text{-Al}_2\text{O}_3$ bei 500 °C. *Roczn. Chem.* 44 (1970) 1337
- KRESTOV, G. A., KURAKINA, G. I. (Ivanov Chem. Technol. Inst., Ivanovo, USSR): Thermography of ion coordination in remote solvation region. *Zh. Neorg. Khim.* 15 (1970) 1910 (In Russian)
- KUNUGI, T., SAKAI, T., SOMA, K., SASAKI, Y. (Univ. Tokyo, Fac. Engn., Hongo, Tokyo, Japan): Thermal reaction of propylene. Kinetics. *Ind. Eng. Chem. Fundam.* 9 (1970) 314

- KUNUGI, T., SOMA, K., SAKAI, T. (Univ. Tokyo, Fac. Engn., Hongo, Tokyo, Japan): Thermal reaction of propylene. Mechanism. *Ind. Eng. Chem. Fundam.* 9 (1970) 319
- KYSHTOBAEVA, G. M., SMAGINA, E. I., KUTSEV, V. S. (State Inst. Rare Met. Ind., Moscow, USSR): Mass-spectrometry in thermal dissociation process of samarium and europium carbides. *Zh. Fiz. Khim.* 44 (1970) 1405 (In Russian)
- LAGUZOV, V. P. YUKHVIDIN, Y. A.: Dissociation pressures and heats of formation of CsAu and Cs₃Sb. *Zh. Fiz. Khim.* 44 (1970) 1827 (In Russian)
- LARSEN, C., JAKOBSEN, P. (Univ. Copenhagen, H. C. Ørsted Inst., Chem. Lab. 2, Copenhagen, Denmark): Thermal fragmentations. V. The conversion of cyclohexanone semicarbazone into cyclohexanone azine. *Acta Chem. Scand.* 24(1970) 1445
- LATTA, R. E., DUDESTADT, E. C., FRYXELL, R. E. (Gen. Electr. Comp., Aircraft Engn., Tech. Div., Cincinnati, Ohio, 45215 USA): The melting point of pure zirconia. *J. Nucl. Mater.* 35 (1970) 345
- LATTA, R. E., DUDESTADT, E. C., FRYXELL, R. E. (Gen. Electr. Comp., Aircraft Engn., Tech. Div., Cincinnati, Ohio, 45215 USA): The melting point and phase transformation of beryllium oxide. *J. Nucl. Mater.* 35 (1970) 350
- LATTA, R. E., DUDESTADT, E. C., FRYXELL, R. E. (Gen. Electr. Comp., Aircraft Engn., Tech. Div., Cincinnati, Ohio, 45215 USA): Solids and liquids temperatures in the UO₂—ThO₂ system. *J. Nucl. Mater.* 35 (1970) 347
- LAYNEZ, J., RINGNÉR, B., SUNNER, S. (Univ. Lund, Chem. Ctr. Thermochem. Lab., 22007 Lund, Sweden): On the accuracy of rotating-bomb combustion calorimetry for organic chlorine and bromine compounds. *J. Chem. Thermodyn.* 2 (1970) 603
- LÉBL, M. (Czechoslovakian Acad. Sci., Prague, Czechoslovakia): Laboratory preparation of gases by means of stepwise thermal decomposition of solid or liquid substances. *Chem. Listy* 64 (1970) 877 (In Czech)
- LENCHITZ, C., VELICKY, R. W. (Picatinny Arsl., Propellants Lab.-FRL, Dover, N. J., 07801 USA): Vapor pressure and heat of sublimation of three nitrotoluenes. *J. Chem. Eng. Data* 15 (1970) 401
- LESHCH, I. Y., SHNEERSON, Y. M., RUBEL, I. G., FRUMINA, L. M.: Experiments on heat of formation of tetravalent iridium hydroxide. *Zh. Neorg. Khim.* 15 (1970) 1695 (In Russian)
- LEVAN, M., PERINET, G., BOUBLI, F., LAFONT, R. (Ctr. Univ. Marseille Luminy, Lab. Chim. Phys., Marseille, France): Contribution à l'étude thermochimique du malonate de nickel dihydraté. *Compt. Rend. Sér. C* 271 (1970) 69
- LEVY, P. F., NIEUWEBOER, G., SEMANSKI, L. C. (E. I. Du Pont de Nemours and Co., Photo Prod. Dept., Inst. and Equip. Div., Wilmington, Del., 19898 USA): Pressure differential scanning calorimetry. *Thermochim. Acta* 1 (1970) 429
- LONGO, F. R., FINARELLI, J. D., SCHMALZBACH, E., ADLER, A. D. (Drexel Univ., Dept. Chem., Philadelphia, Pa., 19104 USA): The enthalpy of formation of porphyrin. *J. Phys. Chem.* 74 (1970) 3296
- LUNENOKBURMAKINA, V. A., KUPRII, V. Z. (L. V. Pisarzhevskii Phys. Chem. Inst., Kiev, UkrSSR): Isotopic study of thermal decomposition of sulfur peroxy compounds and peroxyhydrates. *Zh. Neorg. Khim.* 15 (1970) 1806 (In Russian)
- MAC CALLUM, J. R., TANNER, J. (Univ. St. Andrews, Dept. Chem., Fife, Scotland): The kinetics of thermogravimetry. *Eur. Polymer J.* 6 (1970) 1033
- MAC CALLUM, J. R., TANNER, J., RICHARDS, D. H. (Univ. St. Andrews, Dept. Chem., Fife, Scotland): A thermogravimetric study of hydrocarbon condensation copolymers. *Eur. Polymer J.* 6 (1970) 1041
- MAGARIL, R. Z., AKSENOVA, E. T. (Tyumen Polytech. Inst., Tyumen, USSR): Mechanism of coke formation during thermal decomposition of asphaltanes. *Khim. Tekhnol. Topl. Masel* (1970) 22 (In Russian)
- MARCHIDAN, D. I., CIOPEC, M. (Inst. Phys. Chem., Bucharest, Roumania): Thermal properties of aluminium. High temperature heat content. *Rev. Roum. Chim.* 15 (1970) 1005
- MARGAS, E., ZIELENKIEWICZ, A., ZIELENKIEWICZ, W. (Polish Acad. Sci., Inst. Phys. Chem., Warsaw, Poland): The

- effect of external disturbances on calorimeter steady-state temperature fluctuations in the thermostat-calorimeter system. *Bull. Acad. Pol. Sci. Chim.* 18 (1970) 271
- MARGAS, E., ZIELENKIEWICZ, A., ZIELENKIEWICZ, W. (Polish Acad. Sci., Inst. Phys. Chem., Warsaw, Poland): The effect of external disturbances on the average temperature in the calorimetric system in steady-state conditions. *Bull. Acad. Sci. Chim.* 18 (1970) 277
- MARGULIS, E. V., SHOKAREV, M. M., NOVOSELOVA, V. N., VERSHININA, F. I.: Thermolysis of hydroxosulfates and neodymium hydroxide. *Zh. Neorg. Khim.* 15 (1970) 1451 (In Russian)
- MARUCCO, J. F., GERDANIAN, P., DODÉ, M. (Fac. Sci. Orsay, Lab. Chim. Thermodynam., Orsay, France): Détermination des grandeurs molaires partielles de mélange de l'oxygène dans le protoxyde de fer à 1075 °C. I. Mesures directes des enthalpies molaires partielles de mélange de l'oxygène à l'aide d'un microcalorimètre à haute température de type Tian-Calvet. *J. Chim. Phys.* 67 (1970) 906
- MAST, G., SENOZAN, N. M. (State Coll. California, Dept. Chem., Long Beach, Calif., 90801 USA): Thermodynamic properties of barium ammoniate and the gaseous formation energy of $\text{Ba}(\text{NH}_3)_6^{++}$. *J. Chem. Phys.* 53 (1970) 1296
- MAYCOCK, J. N. (Martin Marietta Co., Res. Inst. Adv. Stud., 1450 South Rolling Road, Baltimore, Md., 21227 USA): Thermal analysis of explosives and solid propellant ingredients. *Thermochim. Acta* 1 (1970) 389
- MCADIE, H. G. (Ontario Res. Found., Dept. Phys. Chem., Sheridan Park, Ont., Canada): Thermal analysis standards. Need and realization. *Thermochim. Acta* 1 (1970) 325
- McGINN, M. J., WHEELER, B. R., GALWEY, A. K. (Queen's Univ. Belfast, Chem. Dept., Belfast, N. Ireland): Thermal decomposition of nickel fumarate. *Trans. Faraday Soc.* 66 (1970) 1809
- MELIA, T. P., MERRIFIELD, R. (Univ. Salford, Dept. Chem. and Appl. Chem., Salford, Lancs., England): Thermal properties of transition metal compounds. Heat capacity, entropy, enthalpy, free energy and heat of fusion of the tris(acetylacetonato) complexes of scandium(III), vanadium(III), manganese(III), iron(III) and cobalt(III) and the vapour pressure of tris(acetylacetonato)iron(III)-IV. *J. Inorg. Nucl. Chem.* 32 (1970) 2573
- MEYER, J. L., BAUMAN, J. E. (Univ. Missouri, Dept. Chem., Columbia, Mo., 65201 USA): Thermodynamics of amino acid-copper(II) complexes. *J. Chem. Eng. Data* 15 (1970) 404
- MIHAILA, D., BACIU, P., SUCIU, P. (Res. Inst. Rubber and Plastic Mater., Bucharest Roumania): The differential thermal analysis, and the characterization of the macromolecular products. *Industria ușoară* 17 (1970) 277 (In Roumanian)
- MIKHAILOV, N. V., PLESHAKOV, M. G. (All Union Sci. Res. Inst. Synth. Fibers, Kalinin, USSR): Thermostabilization of polypropylene. *Vysokomolekul. Soedin. Ser. A* 12 (1970) 1491 (In Russian)
- MILLER, G. W., SAUNDERS, J. H. (E. I. Du Pont de Nemours Co., Instr. and Equipment Div., Wilmington, Del., 19898 USA): Thermal analyses of polymers. III. Influence of isocyanate structure on the molecular interactions in segmented polyurethane. *J. Polymer Sci. A-1*, 8 (1970) 1923
- MITA, I.: Thermally stable polymers. *J. Chem. Soc. Jap. Ind.* 73 (1970) 1361 (In Japanese)
- MITCHELL, M. J., MUNIR, Z. A. (San Jose State Coll., Sch. Engn., Dept. Mat. Sci., San Jose, Calif., 95114 USA): Studies on the sublimation of II B-VI A compounds. III. Equilibrium and free surface pressures and enthalpies of sublimation of red mercury sulfide (Cinnabar). *High Temp. Sci.* 2 (1970) 265
- MOHAI, B., BAGYIN, L., SÁNDOR, M., VIZI, B. (Univ. Chem. Ind., Inst. Gen. and Inorg. Chem., Veszprém, Hungary): The thermolysis of cyano-complexes IV. The thermal decomposition of cyano-metallates containing thermally dissociable cations. *Veszprémi Vegyipari Egyetem Közleményei* 11 (1968) 13 (In Hungarian)
- MORACHEVSKII, A. G., BYKOVA, M. A., ROZOVA, T. T. (M. I. Kalinin Polytech. Inst., Leningrad, USSR): Thermodynamic properties of liquid alloys in sodium-

- antimony systems. *Zh. Prikl. Khim.* 43 (1970) 1611 (In Russian)
- MOREAU, C., ROUESSAC, F., CONIA, J. M. (Ctr. Univ. Mans., Lab. Synth. Org., 72-Le Mans, France): La thermocyclisation des alcénylphénols. *Tetrahedron Lett.* (1970) 3527
- MORROW, S. I., BRACUTI, A. (Propellants Lab., Feltman Res. Lab., Picatinny Arsenal, Dover, N. J., 07801 USA): Structural homogeneity in isomorphous mixed crystals. *Thermochim. Acta* 1 (1970) 317
- MOTAS, M. (Univ. Jași, Lab. Inorg. Chem., Jași, Roumania): New salts of the aconic acid with La(III), Ce(III), and Th(IV). *Anal. Univ. "Al. I. Cuza", Jași, Sec. Chim.* 16 (1970) 19 (In Roumanian)
- MUKAI, T., KURABAYASHI, K. (Tohoku Univ., Fac. Sci., Dept. Chem., Sendai 980, Japan): Photochemical and thermal reactions of tricyclo [3.3.1.0^{2,8}]nona-3,6-dien-9-one. *J. Am. Chem. Soc.* 92 (1970) 4493
- MURAT, M., DIDIER, G. (Fac. Sci. Lyon, Lab. Chim. Appl. et Génie Chim., 69-Villeurbanne, France): Application de l'analyse thermique différentielle au dosage semi-quantitatif du quartz dans les argiles. *Bull. Groupe Fr. Argiles* 21 (1970) 131
- MURAT, M., GIELLY, J. (Fac. Sci. Lyon, Lab. Chim. Appl. et Génie Chim., 69-Villeurbanne, France): Observations expérimentales relatives à l'étude des réactions de déshydratation et déshydroxylation des minéraux argileux par mesures de conductivité électrique et analyse thermique. *Bull. Groupe Fr. Argiles* 21 (1970) 151
- MURATA, K., IKEDA, S. (Univ. Osaka, Dept. Chem., Fac. Sci., Toyonaka, Osaka, Japan): A study of pyridinium ternary molybdophosphate complexes. Collection of trace amounts of titanium(IV), zirconium(IV), and thorium(IV). *Anal. Chim. Acta* 51 (1970) 489
- MURRILL, E., BREED, L. W. (Midwest Res. Inst., Kansas City, Miss., 64110 USA): Solid-solid phase transitions determined by differential scanning calorimetry. II. Octahedral substances. *Thermochim. Acta* 1 (1970) 409
- NAGAMORI, M., HATAKEYAMA, T., KAMEDA, M. (Dept. Energy Mines and Resources, Ottawa, Ont., Canada): Thermodynamics of Fe-S melts between 1100° and 1300 °C. *Trans. Jap. Inst. Metals* 11 (1970) 190
- NAGUIB, H. M., KELLY, R. (McMaster Univ., Inst. Mat. Res., Hamilton, Ont., Canada): The crystallization of amorphous ZrO₂ by thermal heating and by ion bombardment. *J. Nucl. Mater.* 35 (1970) 293
- NAKAGAWA, T. (Hosei Univ., Dept. Chem., Chiyoda-ku, Tokyo, Japan): Abnormality of amorphous selenium in the neighborhood of 100 °C. *J. Chem. Soc. Jap. Pure* 91 (1970) 647 (In Japanese)
- NAKANISHI, K. (Kyoto Univ., Dept. Ind. Chem., Kyoto, Japan): Thermodynamic studies of phase equilibria in molten salt systems. Prediction of liquids and eutectic behavior in mixtures having a common ion. *Ind. Eng. Chem. Fundam.* 9 (1970) 449
- NEMES, M., BÁLINT, J., PEŞTINĂ, V. (Babeş-Bolyai Univ., Dept. Mineral., Cluj, Roumania): Some data on clay minerals in black meadow soils of Transylvania. *Stiința solului* 8 (1970) 70 (In Roumanian)
- NEUGEBAUER, J., MARCZINKÓ, M., SCHLOSSER, Gy., HEGEDÜS, J. A. (Tungsram Res. Lab., Vácz út 77, Budapest 4, Hungary): Behavior of potassium tungstates during heating in hydrogen. *Magy. Kém. Foly.* 76 (1970) 72 (In Hungarian)
- NIIYA, I., MARUYAMA, T., IMAMURA, M., MATSUMOTO, T. (Jap. Margarine and Shortening Makers Assoc. Foundation, 30 Nihonbashi Hamacho, 3-Chōme, Chūō-ku, Tokyo, Japan): Differential thermal analysis of edible fats and oils. IV. Hardened coconut oil fractionated by solvent or molecular distillation and randomized by interesterification. *Oil Chem.* 19 (1970) 135 (In Japanese)
- NIIYA, I., MARUYAMA, T., IMAMURA, M., MATSUMOTO, T. (Jap. Margarine and Shortening Makers Assoc. Foundation, 30 Nihonbashi Hamacho, 3-Chōme, Chūō-ku, Tokyo, Japan): Differential thermal analysis of edible fats and oils. V. Continuous cooling and heating DTA of liquid vegetable oils. *Oil Chem.* 19 (1970) 210 (In Japanese)
- NIIYA, I., MARUYAMA, T., MORISE, E., IMAMURA, M., MATSUMOTO, T. (Jap. Mar-

- garine and Shortening Makers Assoc. Foundation. 30 Nihonbashi Hamachō, 3-Chōme, Chūō-ku, Tokyo, Japan): Differential thermal analysis of edible fats and oils. VI. Discrimination of foreign fats in butter oil by DTA. *Oil Chem.* 19 (1970) 215 (In Japanese)
- NORÉN, I., SUNNER, S. (Univ. Lund, Chem. Ctr., Thermochem. Lab., Lund, Sweden): The enthalphy of formation of 2-chloropropane from equilibrium studies. *J. Chem. Thermodyn.* 2 (1970) 597
- OSTANNII, N. I., ZHARKOVA, L. A., EROFEEV, B. V. (V. I. Lenin Teachers Inst., Moscow, USSR): Thermodynamics of copper tetraformates. *Zh. Fiz. Khim.* 44 (1970) 1427 (In Russian)
- PALMA, G., CARENZA, M. (Montecatini Edison S.p.A. Milano, Italy): Degradation of poly(vinylchloride). I. Kinetics of thermal and radiation-induced dehydrochlorination reactions at low temperatures. *J. Appl. Polymer Sci.* 14 (1970) 1737
- PANIS, A. (Fac. Sci. Toulouse, Lab. Minéral and Cristallog., 31-Toulouse, France): Effets du broyage prolongé à température ambiante sur les boehmites. *Compt. Rend. Sér. D* 271 (1970) 153
- PANSHIN, Y. A., PANSHPINA, N. G.: Kinetics and mechanism of thermal 1,1,1-difluorochloroethane (Freon-142) decomposition. *Zh. Fiz. Khim.* 44 (1970) 1396 (In Russian)
- PAPP, S. (Univ. Chem. Ind., Inst. Allg. und Anorg. Chem., Veszprém, Hungary): Darstellung und Thermolyse von Cyankomplexen des Prussiattyps. *Proc. 3rd Symp. Coordination Chem.*, Budapest (1970) Vol. 1, 507
- PASTO, O. J., RAO, R. (Univ. Notre Dame, Dept. Chem., Notre Dame, Ind., 46556 USA): Thermodynamic, conformational, and chemical reactivity studies of the 2,5-di-*t*-butylcyclohexyl system. The reversal of the thermodynamic stability with chemical reactivity trends of cyclohexyl derivatives. *J. Am. Chem. Soc.* 92 (1970) 5151
- PAVLYUCHENKO, M. M., SAMAL, G. I. (Acad. Sci. BeSSR, Gen. and Inorg. Chem. Inst., Minsk, BeSSR): Thermal stability of non-stoichiometric sulfides of transition metals. *Zh. Fiz. Khim.* 44 (1970) 1554 (In Russian)
- PAVLYUCHENKO, M. M., EGORTSEVA, L. I., SLYSHKINA, S. A., PRODAN, E. A. (Acad. Sci. BeSSR, Gen. and Inorg. Chem. Inst. Minsk, BeSSR): Thermal decay kinetics of natural and synthesized zinc carbonate in vacuum. *Dokl. Akad. Nauk BeSSR* 14 (1970) 616 (In Russian)
- PINAEV, G. F., PECHKOVSKII, V. V., VOLKOVA, V. P.: Thermal decomposition of acid iron selenite. *Zh. Neorg. Khim.* 15 (1970) 2056 (In Russian)
- PINKUS, A. G., HAQ, M. Z., LINDBERG, J. G. (Baylor Univ., Dept. Chem., Waco, Texas, 76703 USA): Formation, proof of structure, and thermal decomposition of peroxide from benzyl mesityl ketone. *J. Org. Chem.* 35 (1970) 2555
- PORUBSZKY, I., BERÉNYI, M., LIPTAY, G. (Tech. Univ. Budapest, Lehrstuhl Angewandte Chem., Budapest 11, Hungary): Über die Rolle des Probebehälters bei der thermischen Untersuchung von mit CO-Abspaltung einhergehenden Prozessen. *Acta Chim. Acad. Sci. Hung.* 65 (1970) 35
- PREDEL, B., ROTHACKER, D. (Univ. Münster, Inst. Metallforschung, Westfalen, GFR): Darstellung und einige thermodynamische Eigenschaften des Wismutmonojodids. *Thermochim. Acta* 1 (1970) 477
- PRIBYLOV, K. P., BARANOV, G. S.: Thermal dehydration of $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ at lower pressures. *Zh. Neorg. Khim.* 15 (1970) 1740 (In Russian)
- RALLO, F., RODANTE, F., SILVESTRONI, P. (Inst. Chim. Fac. Ing., Via del Castro Laurenziano 7, Roma, Italy): Calorimetric determination of partial molar enthalpies of solution of water and dimethylsulfoxide in their mixtures. *Thermochim. Acta* 1 (1970) 311
- RAPOPORT, E. (Israel Atomic Energy Comm., Soreq. Nucl. Res. Ctr., Yavne, Israel): Phase transformations and melting in KH_2PO_4 to 40 kbar. *J. Chem. Phys.* 53 (1970) 311
- RECHE, W., LANDSBERG, R. (Humboldt-Univ. Berlin, Sekt. Chem., 108-Berlin, GDR): Untersuchungen zur Kinetik der thermischen Dissoziation von Nickel-,

- Kupfer- und Zinksulfat. *Z. Anorg. Allg. Chem.* 375 (1970) 128
- ROBERTS, R. C. (Imp. Chem. Ind. Ltd., Petrochem. and Polymer. Lab., Runcorn, Cheshire, England): The melting behavior of bulk crystallized polymers. *J. Polymer Sci. B* 8 (1970) 381
- RODE, V. V., GRIBKOVA, P. N., VYGODSKII, YA. S., VINOGRADOVA, S. V., KORSHAK, V. V. (Acad. Sci. USSR, Organoelemental Cpd. Inst., Moscow, USSR): Effect of amide bonds on thermal stability of polyimides. *Vysokomolekul. Soedin. Ser. A* 12 (1970) 1566 (In Russian)
- RONIS, M., CHAUDRON, M. G. (Lab. Chim., Gaz et Combustibles, Bat. 414, 91-Orsay, Essonne, France): Sur les arsénates de gallium. *Compt. Rend. Sér. C* (1970) 1113
- ROOTS, W. K., MEEKER, L. D. (c/o L. D. Meeker, Rutgers Univ., Dept. Math., New Brunswick, N. J., USA): A new approach to controlling thermal processes. *Measurement and Control* 2 (1969) 181
- ROSE, R. L., ROBBINS, J. L., MASSALSKI, T. B. (Univ. California, Lawrence Radiat. Lab., Livermore, Calif., 94550 USA): Heat content and heat capacity of a Pu/1 wt% Ga deltastabilized alloy at elevated temperatures. *J. Nucl. Mater.* 36 (1970) 99
- SARBAEV, A. N., KUCHERYAVI, V. I., NOVOSELOVA, N. V., GORBUSHENKOV, V. A. (State Inst. Nitrogen Ind. and Org. Synth. Prod., Moscow, USSR): An apparatus for differential thermal analysis of urea synthesis at pressure up to 400 atm. *Zh. Fiz. Khim.* 44 (1970) 1846 (In Russian)
- SATO, T., SHIMADA, S., SHIMIZU, K., HATA, K. (Tokyo Metropolitan Univ., Fac. Sci., Setagaya-ku, Tokyo, Japan): Thermal decomposition of dibenziodolium halides. Evidence for a homolytic pathway. *Bull. Chem. Soc. Jap.* 43 (1970) 1918
- SCHISSLER, J. M., METAUER, G. (ENSIM, CNRS, Lab. Met. et Chim. Solide, Nancy, France): Étude des éléments du cisaillement complémentaire survenant durant la transformation isotherme à 420 °C d'un alliage Fe-C-Si à 3.9% Si et 1.02% C. *Compt. Rend. Sér. C* 271 (1970) 186
- SCHNEIDER, W., CARPENTER, G. B. (Gesellschaft Kernforsch., 75 Karlsruhe, GFR): Bond lengths and thermal parameters of potassium metaborate, $K_3B_3O_6$. *Acta Crystallogr. B* 26 (1970) 1189
- SCHOFIELD, P. J., WILLIAMS, D. R. (Univ. St. Andrews, Dept. Chem., Fife, Scotland): A new device for assay by heat of dissolution calorimetry. *Chem. Ind.* (1970) 1109
- SEGNIT, E. R., GELB, T. (CSIRO, Div. Bldg. Res., Melbourne, Australia): Reaction of $CaCO_3$, MgO and ZnO with kaolinite below 1000 °C. *Proc. Fourth Austr. Ceram. Conf.* 1970, Melbourne, pp. AB-5
- SEGNIT, E. R., GELB, T. (CSIRO, Div. Bldg. Res., Melbourne, Australia): Reaction of kaolinite with barium carbonate and barium sulphate. *J. Aust. Ceram. Soc.* 6 (1970) 12
- SEGNIT, E. R., HOLLAND, A. E. (CSIRO, Div. Bldg. Res., Melbourne, Australia): The ternary system $BaO-ZnO-SiO_2$. *Aust. J. Chem.* 23 (1970) 1077
- SESHADRI, D. N., VISWANATH, D. S., KULOOR, N. R. (Indian Inst. Sci., Dept. Chem. Engr., Bangalore 12, India): Thermodynamic properties of bromine. *Indian J. Technol.* 8 (1970) 191
- SESTÁK, J., BERGGREN, K. (Ceskoslovenska Akad. Ved., Prague, Czechoslovakia): Differential thermal analysis. II. Enthalpy and kinetic measurements. *Chem. Listy* 64 (1970) 695 (In Czech)
- SEVERNYI, V. V., NANUSHYAN, S. R., FROMBERG, M. G., CHERNICHKINA, A. S., BEBSHUK, T. S., PASHINTSEVA, G. I., ANDRIANOV, K. A. (V. I. Lenin Electrotech. Inst. Leningrad, USSR): Thermal stability of polyorganosiloxanes with siloxane and carbon-carbon bonds. *Vysokomolekul. Soedin. Ser. B* 12 (1970) 512 (In Russian)
- SEVRYUKOV, N. N., SALIKOVA, G. E.: The $GeS_2-Na_2S-H_2O$ system at 25 °C. *Zh. Neorg. Khim.* 15 (1970) 1634 (In Russian)
- SHCHEBRAKOV, V. I., ZHILTSOV, S. F., DRUZHKOVA, O. N.: Thermal decomposition of thallium and indium organometallic compounds with metal-oxygen and metal-nitrogen bonding. *Zh. Obshch. Khim.* 40 (1970) 1542 (In Russian)

- SHECHKOV, G. T., ZAKHAROV, Yu. A., SAVEL'EV, G. G., KAPLIN, V. A., SVOBODIN, E. N. (S. M. Kirov Polytech. Inst., Tomsk, USSR): On the initial step of α -Pb(N₃)₂ thermolysis. *Kinet. Katal.* 11 (1970) 623 (In Russian)
- SHEINKER, Yu. N., PERESLENI, E. M., REZCHIKOVA, I. S., ZOSIMOVA, N. P. (S Ordzhonikidze Pharm. Chem. Inst., Moscow, USSR): The temperature dependence and thermodynamic characteristics of lactam-lactum tautomeric equilibrium of some 2-oxypyridine derivatives. *Dokl. Akad. Nauk SSSR* 192 (1970) 1295 (In Russian)
- SHENOUDA, L. S. (Univ. Toledo, Coll. Pharm., Toledo, Ohio, 43606 USA): Various species of sulfathiazole form I. *J. Pharm. Sci.* 59 (1970) 785
- SHIBANOV, E. V., CHUKHLANTSEV, V. G. (S. M. Kirov Polytech. Inst., Sverdlovsk, USSR): Thermodynamics of zirconosilicates. *Zh. Fiz. Khim.* 44 (1970) 1559 (In Russian)
- SHIBANOV, E. V., CHUKHLANTSEV, V. G. (S. M. Kirov Polytech. Inst., Sverdlovsk, USSR): Enthalpy of formation of zirconium oxychloride. *Zh. Fiz. Khim.* 44 (1970) 1585 (In Russian)
- SHIBANOV, E. V., CHUKHLANTSEV, V. G. (S. M. Kirov Polytech. Inst., Sverdlovsk, USSR): Thermodynamics of hafnates. *Zh. Fiz. Khim.* 44 (1970) 1783 (In Russian)
- ŠKERJANC, J., DOLAR, D., LESKOVŠEK, D. (Univ. Ljubljana, Dept. Chem., Ljubljana, Yugoslavia): Heat of dilution of poly-electrolyte solutions. III. Lithium, potassium and cesium polystyrene sulphonates. *Z. Phys. Chem.* 70 (1970) 31
- SLADE, P. E. (Monsanto Co., Tech. Cent., Pensacola, Florida, 32502 USA): The melting of polyacrylonitrile. *Thermochim. Acta* 1 (1970) 459
- SLUTSKER, L. I., LELINKOV, O. S., UTEVSKII, L. E., CHEREISKII, Z. Yu., STARK, I. M., PEREPELKIN, K. E. (All Union Sci. Res. Synth. Fibers Inst., Leningrad, USSR): Supermolecular structure of polyvinyl-alcohol fibers after east thermal drawing. *Vysokomolekul. Soedin. Ser. B* 12 (1970) 532 (In Russian)
- SOLYMOSI, F., BÖRCSÖK, S. (Univ. A. József, Dept. Gen. and Phys. Chem., Szeged, Hungary): Heterogeneous decomposition of perchloric acid on chromium oxide catalysts. *Magy. Kém. Foly.* 76 (1970) 296 (In Hungarian)
- STERK, H., TRITTHART, P., ZIEGLER, E. (Univ. Graz, Inst. Org. Chem., Graz, Austria): Über die Thermolyse disubstituierter Malonylchloride. *Monatsch. Chem.* 101 (1970) 1056
- STOICOVICI, E., BILAUS, J., STOICOVICI, L. (Babeş-Bolyai Univ., Dept. Mineral., Cluj, Roumania): Contributions to the knowledge of mineralogic composition of some soils of Transylvania. *Stiinţa salului* 7 (1969) 72 (In Roumanian)
- STRØMME, K. O. (Univ. Oslo, Dept. Chem., Oslo, Norway): On the crystal structure of the high-temperature form of silver nitrate (AgNO₃-I). *Acta Chem. Scand.* 24 (1970) 1477
- SUCHÁNEK, M., ŠÚCHA, L. (Vysoka Skola Chem. Technol., Katedra Anal. Chem., Prague, Czechoslovakia): The determination of the values of thermodynamic functions by thermochemical methods. *Chem. Listy* 64 (1970) 810 (In Czech)
- SUMMERS, M. P., CARLESS, J. E., ENEVER, R. P. (Univ. London, Dept. Pharm., Manresa Road, London, S. W. 3, England): The polymorphism of aspirin. *J. Pharm. Pharmac.* 22 (1970) 615
- SUN, K. K., HAYES, H. W., HOLMAN, R. T. (c/o R. T. Holman, Univ. Minnesota, Hormel Inst., Austin, Minn., 55912 USA): Thermal and mass spectrometric fragmentation of esters of deuterated long chain carboxylic acids. *Org. Mass. Spectrom.* 3 (1970) 1035
- TARASOV, V. V., SOBOLEVA, P. A. (D. I. Mendeleev Chem. Technol. Inst., Moscow, USSR): Temperature dependence of heat capacity of magnesium, calcium and barium chain metagermanates. *Zh. Fiz. Khim.* 44 (1970) 1579 (In Russian)
- TAUBER, E., HILL, R. K., CROOK, D. N., MURRAY, M. J. (CSIRO, Div. Bldg. Res., Melbourne, Australia): Ilmenite ceramics. *J. Aust. Ceram. Soc.* 6 (1970) 19
- TELIPKO, V. A., SKOROKHOD, G. A., VLASENKO, V. M., FEFER, A. G. (L. V. Pisarhevskii Phys. Chem. Inst., Kiev, UkrSSR): On the thermal stability and activation of a commercial nickelkieselguhr catalyst. *Kinet. Katal.* 11 (1970) 759 (In Russian)
- TREIBER, J., BÁLINT, J., JAKAB, K. (Babeş-

- Bolyai Univ., Dept. Mineral., Cluj, Roumania): Contributions to the study of clay minerals in the podzolic soils of Transylvania. *Stiința solului* 7 (1969) 16 (In Roumanian)
- TREIBER, J., BÁLINT, J., JAKAB, K. (Babeș-Bolyai Univ., Dept. Mineral., Cluj, Roumania): Results referring to the nature of clay minerals of the soils north-east of Harghita. *Stiința solului* 8 (1970) 66 (In Roumanian)
- TUMMALA, R. R., FRIEDBERG, A. L. (IBM Co., E. Fishkill Facility, Hopewell Junction, N. Y., 12533 USA): Thermal expansion of composites as affected by the matrix. *J. Am. Ceram. Soc.* 53 (1970) 376
- UFIMTSEV, V. B., SHUMILIN, V. P., KRESTOVNIKOV, A. N., UGLICHINA, G. N. (Moscow Steel and Alloys Inst., Moscow, USSR): The phase (P-T-X) diagram and thermodynamics of the indium phosphide-gallium phosphide system. *Dokl. Akad. Nauk SSSR* 193 (1970) 602 (In Russian)
- URI, N. (Minist. Technol., Explosives Res. and Dev. Estab., Waltham Abbey, Essex, England): Some aspects of thermal and photochemical autoxidation. *Isr. J. Chem.* 8 (1970) 125
- URUSHIZAKI, M., AIDA, H., MATSUI, S. (Fukui Univ., Fac. Engn., Bunkyo-3, Fukui, Japan): Thermal degradation of poly(N-phenyl maleimide). *Chem. High Polym. Tokyo*, 27 (1970) 474 (In Japanese)
- USMANOV, K. U., UL'CHIBAEV, A. A., KHALIKOV, K. R. (V. I. Lenin State Univ., Tashkent, UzSSR): Thermal and thermonoxidative degradation of polyvinyl-fluoride. *Vysokomolekul. Soedin. Ser. A* 12 (1970) 1636 (In Russian)
- VAN ELDIK, R., VAN DEN BERG, J. A. (Potchefstroom Univ., Phys. Chem. Lab., Potchefstroom, S. Africa): A kinetic study of the thermal and photochemical decomposition of the bismalonatodiaquomanaganese(III) ion. *J. S. Afr. Chem. Inst.* 23 (1970) 85
- VASILE, C. (Univ. "Al. J. Cuza", Fac. Chem., Chaire Phys. Chem., Jași, Roumania): Applying of the differential thermal analysis to the study of the physical transformations in solid state of the polymers. *Studii și Cercetări de Chim.* 18 (1970) 593 (In Roumanian)
- VASILKOVA, I. V., SUSAREV, M. P., SHAPKIN, P. S. (Leningrad State Univ., Leningrad, USSR): Temperature dependence of enthalpy of formation and heat capacity of chromium(III) coordination compounds. *Zh. Neorg. Khim.* 15 (1970) 1845 (In Russian)
- VÁRHELYI, Cs., FINTA, Z., ZSAKÓ, J. (Babeș-Bolyai Univ., Chem. Fac., Cluj, Roumania): Kinetik und Mechanismus der Substitutionsreaktionen von Komplexverbindungen. XXIII. Die Wasserstoff-bis-nioximato-diselenocyanato-kobaltiat(III)-Säure und die Kinetik der Aquatisierung des $[Co(NiOxH)_2(NCSe)_3]$ -Ions. *Z. Anorg. Allg. Chem.* 374 (1970) 326
- WAGNER, P., DICKINSON, J. M. (Univ. California, Los Alamos Sci. Lab., Los Alamos, N. M., 87544 USA): Ambient and high temperature experiments on boron-doped polycrystalline graphites. *Carbon* 8 (1970) 313
- WATANABE, H., KŌZAI, Y. (Kōnan Univ., Fac. Sci., Higashinada-ku, Kōbe-shi, Japan): Thermal condensation polymerization of glycine in the presence of unsaturated carboxylic acids. *J. Chem. Soc. Jap. Pure* 91 (1970) 581 (In Japanese)
- WENDLANDT, W. W. (Univ. Houston, Dept. Chem., Thermochem. Lab., Houston, Texas, 77004 USA): Convenient data presentation for thermogravimetric analysis. *Anal. Chim. Acta* 49 (1970) 185
- WENDLANDT, W. W. (Univ. Houston, Dept. Chem., Thermochem., Lab., Houston, Texas, 77004 USA): A capillary tube sample holder for differential scanning calorimetry. *Anal. Chim. Acta* 47 (1970) 187
- WENDLANDT, W. W. (Univ. Houston, Dept. Chem., Thermochem. Lab., Houston, Texas, 77004 USA): A new look at the thermal properties of copper sulfate 5-hydrate. *Thermochim. Acta* 1 (1970) 419
- WENDLANDT, W. W., D'ASCENZO, G., GORE, R. H. (Univ. Houston, Dept. Chem., Thermochem. Lab., Houston, Texas, 77004 USA): The heats of deaquation and anation of $[Cr(NH_3)_5H_2O]X_3$ complexes. *Thermochim. Acta* 1 (1970) 488

- WENTWORTH, A. S., SHARP, J. H. (Univ. Guelph, Ontario Agr. Coll., Dept. Soil Sci., Guelph, Ont., Canada): Kinetic parameters from thermogravimetric data. — A reply. *Anal. Chem.* 42 (1970) 1297
- WIEDERMEIER, H., SADEEK, H. (Rensselaer Polytech. Inst., Dept. Chem., Troy, N. Y., 12181 USA): Knudsen measurements of the sublimation of manganese(II) telluride. *High Temp. Sci.* 2 (1970) 252
- WORK, D. E., EICK, H. A. (Michigan State Univ., Dept. Chem., E. Lansing, Mich., 48823 USA): The vaporization thermodynamics of samarium oxide fluoride. *J. Phys. Chem.* 74 (1970) 3130
- ZÁBRANSKÝ, M., JULIŠ, J., ŘEHÁKOVÁ, J. (Vysoka Skola Chem. Technol., Katedra Fys. Chem., Prague, Czechoslovakia): Isothermal diphenyl ether calorimeter. The determination of heats of adsorption. *Chem. Listy* 64 (1970) 724 (In Czech)
- ZAHARIA, M., MARINESCU, O., SĂNDULESCU, D.: The differential thermal analysis. *Revista de Chim.* (Bucureşti) 20 (1969) 433 (In Roumanian)
- ZHDANOV, A. A., ANDRIANOV, K. A., LEVITSKII, M. M. (Acad. Sci. USSR, Elementoorg. Cpd. Inst., Moscow, USSR): High temperature polycondensation of polyalumophenylsiloxane. *Vysokomolekul. Soedin. Ser. B* 12 (1970) 551 (In Russian)
- ZHURAVLEV, N. N., BELOUSOVA, I. A., MANELIS, R. M., BELOUSOVA, N. A. (M. V. Lomonosov State Univ., Moscow, USSR): X-ray diffraction determination of the thermal expansion coefficients of lanthanum and yttrium borides. *Kristallografiya* 15 (1970) 836 (In Russian)
- ZSAKÓ, J., KÉKEDY, E., VÁRHELYI, Cs. (Univ. Babeş-Bolyai, Fac. Chem., Chaire Phys. Chem., Cluj, Roumania): Kinetics and mechanism of substitution reactions of complexes. XVII. Thermal decomposition of the chlorides and bromides of some bis-diphenyl-glyoximato-diaminocobaltous(III) complexes. *Studia Univ. Babeş-Bolyai, Chem.* 14 (1969) 117
- ZSAKÓ, J., VÁRHELYI, Cs., KÉKEDY, E. (Babeş-Bolyai Univ., Fac. Chem., Chaire Phys. Chem., Cluj, Roumania): Kinetics and mechanism of substitution reactions of complexes. XVIII. Thermal decomposition of bis- α -diphenylglyoximato-diaminocobalt(III) complexes. *J. Inorg. Nucl. Chem.* 32 (1970) 2999
- ZUSMAN, A. I., SIZOV, E. A.: Thermomagnetic treatment in transverse fields of thin strips from magnetic soft alloys. *Metalloved. Term. Obrab. Metal.* (1970) 57 (In Russian)
- YAREMKOVICH, S. K. (Lvov Polytech. Inst., Lvov, USSR): Investigation of the effect of thermomagnetic treatment on structure changes of Alnico alloys. *IEE Trans. Magn. MAG-6* (1970) 304