

# THE EFFECT OF ZINC(II) ON THE GROWTH OF *E. COLI* STUDIED BY MICROCALORIMETRY

J. Yao<sup>1,2,3\*</sup>, Y. Liu<sup>2</sup>, H. G. Liang<sup>2</sup>, C. Zhang<sup>1</sup>, J. Z. Zhu<sup>2</sup>, X. Qin<sup>2</sup>, M. Sun<sup>3</sup>, S. S. Qu<sup>2</sup> and Z. N. Yu<sup>3</sup>

<sup>1</sup>School of Environmental Studies, China University of Geosciences, Wuhan, Hubei 430074, P. R. China

<sup>2</sup>Department of Chemistry, College of Chemistry and Molecular Science, Wuhan University, Wuhan, Hubei 430072, P. R. China

<sup>3</sup>Key Laboratory of Agricultural Microbiology of Chinese Agriculture Ministry, Huazhong Agricultural University, Wuhan, Hubei 430070, P. R. China

By using an LKB2277 Bioactivity Monitor, stop-flow mode, the power–time curves of *E. coli* at 37°C effected by zinc(II) were determined. Some parameters, such as growth rate constants  $k$ , inhibitory ratio  $I$ , the maximum heat production rate  $P_{max}$  heat output  $Q$  and the time in the maximum heat production  $t_{max}$  were obtained. According these parameters, we found that a low concentration of zinc(II) had a promoting action on the growth of *E. coli*, but a high concentration of zinc(II) had an inhibitory action. The toxicity of zinc(II) can also be expressed as half inhibitory concentration  $IC_{50}$  of zinc(II), *i.e.*, 50% effective in this inhibition. The value of  $IC_{50}$  of zinc(II) on *E. coli* is 28.09  $\mu\text{g mL}^{-1}$ . The assay is quantitative, inexpensive and versatile.

**Keywords:** *E. coli*, effect of zinc(II), metabolic action, microcalorimetry

## Introduction

Zinc is one important trace element in living body. The amount of zinc in organism body is second to the Fe. Moreover, among the six enzyme, oxidoreductases, transferases, hydrolases, lyases, isomerases and ligases, zinc–enzyme exists everywhere. Until now, from the different species, about 300 kinds of zinc-protein have been found, which act as more than 20 kinds of functions, it almost refers to any aspects of metabolism, including ability [1, 2]. Zinc breaking the balance of metabolism may cause many diseases.

Microcalorimetry is a very useful method that can be applied to study microbial growth. Many calorimetric studies have been made on microbial systems in order to obtain quantitative information about their biochemical and physiological activities [3–6]. But calorimetry has seldom been applied to study the effects of trace element on the growth of microbial. Microcalorimetry has the advantage that the method is specific only to the initial and final energy states of a system and that it is independent of the organisms or the reaction pathway. The heat output is derived largely from the catabolic breakdown of substrate, anabolic reaction contributing little to the overall balance [7–9].

In this work, we have used microcalorimetry to study the effect of zinc(II) on the growth of *E. coli* and its relationship with the rate of heat production

and microbial growth so as to provide useful information for production.

## Experimental

### Materials

*E. coli* (CCTCC HB101) was provided by China Center of type Culture Collection, Wuhan University, Wuhan 430070, P. R. China.

ZnCl<sub>2</sub> (analytical grade) as supplied by the Shanghai Yuelong Chemical Factory, Shanghai, P. R. China.

The peptone culture medium was a solution contained per 1000 mL (pH=7.0): peptone 5 g, beef extract 3 g and NaCl 5 g. It was sterilized in high-pressure steam at 120°C for 30 min.

### Instrument

A microcalorimeter, LKB-2277 BioActivity Monitor manufactured by LKB corporation of Sweden was used to determine the growth metabolic power-time curves of *E. coli* cells. The microcalorimeter was thermostated at 37°C. The voltage signal was recorded by means of an LKB-2210 recorder (1000-mV range). The baseline stability was 0.2 W/24 h. The performance of this instrument and the details of its construction have been previously described [10, 11].

\* Author for correspondence: prof.liuyi@263.net

### Preparation of the sample

Initially, *E. coli* was inoculated in the prepared peptone culture medium, containing  $2 \cdot 10^6$  cells  $\text{mL}^{-1}$ . The cells were suspended in the peptone culture medium, then zinc(II) of different concentration 0, 1, 2, 5, 10, 20, 30, 40, 50  $\mu\text{g mL}^{-1}$  were added into the culture medium at once. These solutions were prepared freshly.

### Methods

In the calorimetric experiment, the flow cell was completely cleaned and sterilized. The procedure was: Sterilized distilled water including  $0.1 \text{ mol L}^{-1}$  NaOH, 75% alcohol solution and  $0.1 \text{ mol L}^{-1}$  HCl were pumped in sequence by a LKB-2132 microperplex peristaltic pump through the cell, each for 15 min at a flow rate of  $50 \text{ mL h}^{-1}$ .

Once the system was cleaned and sterilized and the baseline was stabilized, the bacterial suspension, initially containing  $2 \cdot 10^6$  bacteria  $\text{mL}^{-1}$  and zinc(II) was pumped through the calorimetric cell with an LKB-2132 perplex peristaltic pump at a low rate of  $50 \text{ mL h}^{-1}$ . When the flow cell (volume  $0.6 \text{ mL}$ ) was full, the pump was stopped and the monitor was used to record the power–time curves of the bacterial growth.

In this type of experiment, the bacteria used were suspended in the peptone culture medium, then zinc(II) of different concentration 0, 1, 2, 5, 10, 20, 30, 40, 50  $\mu\text{g mL}^{-1}$  were added into the culture medium. These solutions were prepared freshly.

## Results and discussion

### Power-time curves


Figure 1 shows the power–time curves obtained when a culture of the bacteria was inoculated zinc(II) at different concentrations. During  $5\text{--}50 \mu\text{g mL}^{-1}$ , with increasing of concentration of zinc(II), the log phase became longer, the maximum power decreased. These results suggested that zinc(II) could inhibit the bacterial growth. While during  $0\text{--}2 \mu\text{g mL}^{-1}$ , contrary to the above one, it indicated that a low concentration of zinc(II) had a promoting action on the growth of *E. coli*.

### Thermokinetics

In the log phase of growth, the power–time curve obeys the equation:

$$\ln P_t = \ln P_0 + kt \quad (1)$$

Using this equation, the growth rate constants  $k$  of all experiments were calculated and the concentration times ( $G$ ), which equal  $(\ln 2)/k$ , were also ob-



**Fig. 1** The power-time curve for the growth of *E. coli* at different concentrations of zinc(II) at  $37^\circ\text{C}$

tained. The corresponding between  $k$  and  $G$  are shown in Table 1.

### Relationship between $k$ and $c$

The data in the Table 1 shows that the growth rate constant  $k$  changed with an increase in the mass of zinc(II). The  $k\text{--}c$  equations can be obtained:

$$\begin{aligned} k &= 0.02508 + 0.00119c & R &= 0.9866 & (0\text{--}2 \mu\text{g mL}^{-1}) \\ k &= 0.02652 - 3.6427 \cdot 10^{-1}c & R &= 0.9908 & (5\text{--}50 \mu\text{g mL}^{-1}) \end{aligned}$$

### Inhibitory ratios and half inhibitory concentrations

High concentrations of zinc(II) will inhibit *E. coli* growth, the inhibitory ratio  $I$  is defined as:

$$I = [(k_0 - k_c) / k_0] \cdot 100\% \quad (2)$$

where  $k_0$  is the rate constant of the control, and  $k_c$  is the rate constant for *E. coli* growth inhibited by an inhibitor whose concentration is  $c$ . When the inhibitory ratio  $I$  is 50%, the corresponding concentration of inhibitor is called as the half inhibitory  $IC_{50}$ . According to the  $k\text{--}c$  equations, the value of  $IC_{50}$  can be obtained. The values of  $I$  and  $IC_{50}$  are also shown in Table 1.

### The relationship of $P_{\max}$ and $c$

From Table 1, during  $2\text{--}50 \mu\text{g mL}^{-1}$ , we can see the maximum heat power of growth phase  $P_{\max}$  decreased with the increasing of zinc(II) concentration, it was not linear between  $P_{\max}$  and  $c$ .

### The relationship of $Q_{\text{lag}}$ and $c$

From the data in Table 1, if we made fit linear between  $Q_{\text{lag}}$  and  $c$ , then we can obtain the linear relationship of  $Q_{\text{lag}}$  and  $c$ . It shows a very good linear relationship.  $Q_{\text{lag}} = 0.4779 + 0.00703c$ ,  $R = -0.9863$  ( $5\text{--}50 \mu\text{g mL}^{-1}$ ).

**Table 1** The thermokinetic equation for *E. coli* growth at different concentration of zinc(II) at 37°C

$c/\mu\text{g mL}^{-1}$	$\ln P \sim t$	$k/\text{min}^{-1}$	$R$
0	$\ln P = 0.9143 + 0.02518t$	0.02518	0.9924
1	$\ln P = 2.39339 + 0.02607t$	0.02607	0.9921
2	$\ln P = 0.54002 + 0.02756t$	0.02756	0.9940
5	$\ln P = 0.03845 + 0.02489t$	0.02489	0.9915
10	$\ln P = 2.9194 + 0.02237t$	0.02237	0.9903
20	$\ln P = 2.80689 + 0.01925t$	0.01925	0.9869
30	$\ln P = 2.39405 + 0.01641t$	0.01641	0.9893
40	$\ln P = 2.93887 + 0.01143t$	0.01143	0.9972
50	–	–	–

### The relationship of $Q_{\text{lag}}$ and $k$

From the data in Table 1, it also shows linear relationship of  $Q$  and  $k$  during 5–50  $\mu\text{g mL}^{-1}$ .

$$Q_{\text{lag}} = 0.97863 - 18.7508k, \quad R = -0.9906 \quad (5 \sim 50 \mu\text{g mL}^{-1}).$$

### The relationship of $t_{\text{max}}$ and $c$


From the data in Table 1, we can see that with the increasing of zinc(II) concentration during 5–40  $\mu\text{g mL}^{-1}$ , the growth of *E. coli* was inhibited, the maximum time of the growth phase ( $t_{\text{max}}$ ) increased. If we fit linear relationship between  $t_{\text{max}}$  and  $c$ , then we can obtain the relationship between  $t_{\text{max}}$  and  $c$ ,

$$t_{\text{max}} = 180.93 + 5.1842c, \quad R = -0.9901 \quad (5 \sim 50 \mu\text{g mL}^{-1})$$

## Discussion

The experiment indicated that low concentration of zinc(II) has stimulating action on *E. coli* growth, and high concentration of zinc(II) can inhibit *E. coli*. The percent of inhibition of *E. coli* increased with the increasing of zinc(II) concentration.


At low concentration, zinc(II) is made use of the cells and protects their integrated property. So it can make the cells have appropriate flow quality and is beneficial to the synthesis of DNA and RNA in the cells, so that it is important to preserve the regular growth and the biological activity of the cells. While at the high concentration, zinc(II) has inhibitory action on growth. It might be explained that zinc(II) acts on the mercapto of the biological macromolecule and make the proteins wrecked and the proliferation is rejected. The growth rate of the cells decreases. Factors that determine the characteristics of a dose-response curve are the toxicant's mode of action in cells, its number of target sites, and its affinity for those target sites. Zinc(II) may be combined with sulfhydryl groups on membrane proteins in all the cellular levels, resulting in cross-linking and inactivation. This changes cell membrane permeability and disrupts transport of nutrients and waste across the




**Fig. 2** Relationship between the growth rate constant ( $k$ ) and  $c$   
 1 –  $k \sim c$  ( $0 \sim 2 \mu\text{g mL}^{-1}$ ); 2 –  $k \sim c$  ( $5 \sim 50 \mu\text{g mL}^{-1}$ )

membrane. The toxicity of a toxicant for cells depends on its oxidation state, speciation, and the stability and solubility of its compounds. Some studied results showed a correlation between toxicity and sulfhydryl affinity and it is suggested that the cross-linking of membrane proteins is a major factor in the toxic effects of materials [12, 13].


Microcalorimetry can provide both thermodynamic and kinetic information. Calorimetry can enhance the accuracy of the determination of the physi-




**Fig. 3** Relationship between the maximum power in the log phase ( $P_{\max}$ ) and  $c$  (0–40  $\mu\text{g mL}^{-1}$ )



**Fig. 5** Relationship between the times of peak of maximum power in the log phase ( $t_{\max}$ ) and  $c$  (5–40  $\mu\text{g mL}^{-1}$ )



**Fig. 4** Relationship between the heat output in the log phase  $Q_{\log}$  and  $c$  (5–40  $\mu\text{g mL}^{-1}$ )



**Fig. 6** Relationship between the growth rate constant ( $k$ ) and the heat output in the log phase ( $Q_{\log}$ )

**Table 2** Experimental result of effects of zinc(II) on *E. coli* growth

$c/\mu\text{g mL}^{-1}$	$k/\text{min}^{-1}$	$R$	$I/\%$	$t_G/\text{min}$	$Q_{\log}/\text{J}$	$P_{\max}/\mu\text{W}$	$t_{\max}/\text{min}$
0	0.02518	0.9905	-	27.4	0.56	202.5	273
1	0.02607	0.9954	-3.5	26.5	0.48	180	198
2	0.02756	0.9933	-9.4	25.0	0.47	187.5	220
5	0.02489	0.9898	1.2	27.7	0.52	170	216
10	0.02237	0.9969	11.2	30.8	0.54	132.5	228
20	0.01925	0.9962	23.6	35.8	0.69	115	280
30	0.01641	0.9971	34.8	42.0	0.71	105	326
40	0.01143	0.9987	54.6	60.4	0.75	102.5	398
50	-	-	-	-	-	-	-

ological activity of the cultures. The calorimetric determination of toxicity results in lower as well as higher values of standard data within the range of variances of toxicity determinations in different laboratory by use of the same one standard method [14].

Calorimetry has been proved to be a useful tool for measuring the energy flow in natural samples. It is adaptable to toxicity studies in any type of cells. The advantage of calorimetry is that it measures the total thermal energy flow, and calorimetry in this respect is its non-specificity. By combining calorimetry with other specific methods, several different and important goals might be reached in studying the energy flow in natural environments [14].

### Acknowledgements

We gratefully acknowledge the support of the National Natural Science Foundation of China (No. 30170010; 29973030); Youth 'Morning Sunlight' Science and Technology Foundation of Wuhan (No. 200065); the Young Mainstay Teachers' Foundation of Chinese Education Ministry (No. 20005004025); Young Excellent Teacher's Teaching and Science Research Award Program of Chinese Education Ministry (2001) and Scientific Research Foundation for the Retured Overseas Chinese Scholars, China University of Geosciences, Wuhan (XLX04901).

### References

- 1 K. Wang, Trace Elements in Life Sciences, Chinese Computation Science Press, (1996) 208.
- 2 J. S. Bond, D. O. Hall and S. Hawkins, J. Bio. Chem., 258 (1983) 8004.
- 3 Y. Liu, X. Q. Wang, C. L. Xie and S. S. Qu, Acta Physico-Chimica Sinica, 12 (1996) 659.
- 4 J. Yao, Y. Liu, Z. T. Gao, P. Liu, M. Sun, S. S. Qu and Z. N. Yu, J. Therm. Anal. Cal., 70 (2002) 415.
- 5 Y. Liu, T. T. Than, P. Shen and S. S. Qu, J. Biochem. Biophys., 40 (2000) 845.
- 6 K. Györyová, E. Szunyogová, J. Kovárcarová, D. Hudecová, D. Mudroncaronová and E. Juhászová, J. Anal. Cal., 72 (2003) 587.
- 7 M. S. McGuinness and B. Georges Barisas, Environ. Sci. Technol., 25 (1991) 1092.
- 8 I. Lamprecht and B. Schaarschmidt, Application of Calorimetry in Life Sciences. de Gruyter & Co. Berlin 1977.
- 9 R. J. Miles, A. E. Beezer and D. H. Lee, Microbios, 45 (1986) 7.
- 10 J. Suurkuusk and I. Wasdö, Chem. Scr., 20 (1982) 155.
- 11 Z. Ali, W. T. O'Hare and B. J. Theaker, J. Therm. Anal. Cal., 71 (2003) 155.
- 12 Y. Yang, Y. Liu, J. Zhu and P. Shen, J. Therm. Anal. Cal., 75 (2004) 293.
- 13 J. Wang, C. C. Chun and S. Tao, Acta Ecologica Sinica, 12 (1992) 201.
- 14 S. M. McGuinness, D. A. Roess and B. G. Barisas, Thermochim. Acta, 72 (1990) 131.

---

Received: July 18, 2004

In revised form: August 25, 2004