


[CONTRIBUTION FROM THE DANIEL SIEFF RESEARCH INSTITUTE]

## The Fine Structure of Sulfanilamide

BY A. WEIZMANN

The physical properties of sulfanilamide (its solubility, low in non-polar, and high in polar solvents, its absorption spectrum,<sup>1</sup> its high electric moment<sup>2</sup>) may be explained by the assumption of a charged structure contributing to the actual state of the molecule. The possibility that S=O double bonds participate in such resonating systems as



has, however, been doubted occasionally on the strength of the hypothesis that S=O is not a real double bond, but a "semipolar" bond system.<sup>3</sup>

A decision appeared possible by the application of a method first used by Birtles and Hampson<sup>4</sup> in the case of 4-nitroaniline. If the high dipole moment of sulfanilamide is due to a contributing charged structure, ortho-substituents bulky enough to prevent the necessary monoplanar arrangement of the substituents of the double bond, should make the charged form incapable of existence and should, therefore, reduce the electric moment.

2,3,5,6-Tetramethylsulfanilamide has, indeed, a lower moment ( $5.3 \pm 0.8$ ) than the parent substance (6.63). According to Kumler and Halverstadt<sup>2</sup> the theoretical value for the moment of sulfanilamide (and, of course, its tetramethyl derivative), should be 5.82, if the classical formula is correct.

For the sake of comparison, it is interesting to note that in contradistinction with the behavior of sulfanilamide, the moments of methyl 2,3,5,6-tetramethylbenzoate ( $2.6 \pm 0.4$ ) and 2,3,5,6-tetramethylphenylurethan ( $3.1 \pm 0.8$  in benzene;  $3.2 \pm 0.4$  in dioxane) are somewhat higher than those of the parent substances, methyl benzoate ( $1.9 \pm 0.5$ )<sup>5</sup> and phenylurethan ( $2.56 \pm 0.03$ ), respectively. The reason for this phenomenon is obscure; in neither case a significant contribution of a charged form is to be expected; in the latter, the acylation of the amino-group prevents its participation in such a formula.<sup>6</sup>

(1) Kumler and Strait, *THIS JOURNAL*, **65**, 2349 (1943); Kumler, *ibid.*, **65**, 1184 (1946). See also Halverstadt and Kumler, *ibid.*, **63**, 624 (1941); Kumler and Daniels, *ibid.*, **65**, 2190 (1943).

(2) Kumler and Halverstadt, *ibid.*, **63**, 2182 (1942).

(3) See, e. g., Arndt and Martius, *Ann.*, **499**, 228 (1932).

(4) Birtles and Hampson, *J. Chem. Soc.*, 10 (1937).

(5) Previous values: 2.06, 1.8, 1.91, 1.83, 1.9 (*Trans. Faraday Soc.*, **30**, LI (1934)). See also Halverstadt and Kumler, *THIS JOURNAL*, **64**, 2988 (1943).

(6) Prof. Norman R. Jones has also found some unexpected fea-

Some preliminary observations on the biological activity of tetramethyl-sulfanilamide may be of interest.<sup>7</sup> The substance showed no bactericidal or bacteriostatic action *in vitro*, perhaps due to its low solubility in water. *In vivo*, however, it showed approximately the same activity as sulfaguanidine, especially against gram-negative bacteria.

## Experimental

Durene was prepared according to v. Braun and Nelles<sup>8</sup> and aminodurene according to Willstätter and Kubli,<sup>9</sup> who also described briefly the *N*-acetyl derivative (m. p. 207°). If in its preparation (5 g. of aminodurene, 15 cc. of acetic anhydride on the water-bath for thirty minutes; cooling; filtration; recrystallization from glacial acetic acid) the reaction mixture is heated to the boiling point, the *N,N*-diacetyl derivative, m. p. 137°, is formed.

*Anal.* Calcd. for  $C_{14}H_{19}O_2N$ : C, 72.1; H, 8.2. Found: C, 72.0; H, 8.3.

By treatment with the theoretical amount of 15% methanolic potassium hydroxide solution (two hours), one acetyl group is split off.

**The *N*-Acetyl-2,3,5,6-tetramethylaminobenzenesulfonamide.**—*N*-Acetylamino-durene (0.9 g.) was added slowly to chlorosulfonic acid (10 g.) at 10–15°. The reaction was completed at 55–60° (ninety minutes) and the product poured on ice, filtered, washed with water and boiled for ten minutes with 15% aqueous ammonia; from glacial acetic acid, m. p. 262°.

*Anal.* Calcd. for  $C_{12}H_{18}O_3N_2S$ : C, 53.3; H, 6.7. Found: C, 53.6; H, 6.7.

Boiling 15% aqueous potassium hydroxide, 10% alcoholic potassium hydroxide solution or 10% alcoholic hydrochloric acid left the substance unattacked; the last-mentioned reagent at 180° gave aminodurene, m. p. 75°.

For the synthesis of tetramethylsulfanilamide, the following route proved more successful:

***N*-Carbomethoxyaminodurene** (2,3,5,6-tetramethylphenylurethan).—To a well-agitated mixture of aminodurene (1 g.), sodium carbonate (0.53 g.) and benzene (15 cc.), ethyl chlorocarbonate (2 g.) was added at room temperature. The reaction was completed at 80° (ten minutes) and the reaction product recrystallized successively from dilute acetic acid and benzene or petroleum ether. It formed needles of m. p. 154–155°.

*Anal.* Calcd. for  $C_{13}H_{19}O_2N_2$ : C, 70.6; H, 8.6. Found: C, 70.8; H, 8.8.

***N*-Carbomethoxy-2,3,5,6-tetramethylaminobenzenesulfonamide.**—The preceding substance (0.5 g.) was added slowly with agitation and cooling (0°) to chlorosulfonic acid (10 cc.). After thirty minutes at room temperature, the product was poured on ice, and the waxy solid filtered, washed with ice water and boiled for five minutes with 15% aqueous ammonia. It crystallized from 50% acetic acid in platelets, m. p. 225° (dec. 230°); yield, 61%.

*Anal.* Calcd. for  $C_{13}H_{20}O_4N_2S$ : C, 52.0; H, 6.7. Found: C, 52.0; H, 6.6.

**2,3,5,6-Tetramethyl-aminobenzenesulfonamide.**—The *N*-carbomethoxy- compound was hydrolyzed with boiling

tures in the absorption spectra of the above substances. He will report on his findings independently.

(7) Thanks are due for these data to Dr. Olitzki of the Department of Hygiene, Hebrew University, Jerusalem.

(8) v. Braun and Nelles, *Ber.*, **67**, 1094 (1934).

(9) Willstätter and Kubli, *ibid.*, **42**, 4151 (1909).

| $c$                                                                 | $\delta$ | $n^2$  | $P$    | $P_{E^{1/2}}$ | $\bar{P}$ | $\bar{P}_E$ | $\bar{P}_A + o$ |
|---------------------------------------------------------------------|----------|--------|--------|---------------|-----------|-------------|-----------------|
| (1) Methyl benzoate in benzene; $t = 26.0^\circ$                    |          |        |        |               |           |             |                 |
| 0                                                                   | 0.8744   | 2.2700 | 2.2231 | 26.629        | 25.834    | ....        | ....            |
| 0.0148                                                              | .8788    | 2.3115 | 2.2237 | 27.297        | 25.996    | 78.11       | 36.81           |
| .0251                                                               | .8818    | 2.4270 | 2.2243 | 29.042        | 26.113    | 126.62      | 36.97           |
| .0312                                                               | .8836    | 2.5131 | 2.2261 | 30.286        | 26.203    | 146.92      | 37.68           |
| $\bar{P}_A + o$ (average) = 80.06; $\mu = 1.9 \pm 0.5$              |          |        |        |               |           |             |                 |
| (2) Methyl 2,3,5,6-tetramethylbenzoate in benzene; $t = 26.5^\circ$ |          |        |        |               |           |             |                 |
| 0                                                                   | 0.8716   | 2.2690 | 2.2228 | 26.596        | 25.916    | ....        | ....            |
| 0.0060                                                              | .8737    | 2.3138 | 2.2238 | 27.430        | 26.088    | 173.24      | 54.78           |
| .0076                                                               | .8743    | 2.3392 | 2.2240 | 27.844        | 26.148    | 187.21      | 55.77           |
| .0123                                                               | .8759    | 2.4331 | 2.2249 | 29.307        | 26.279    | 247.36      | 55.48           |
| $\bar{P}_A + o$ (average) = 147.29; $\mu = 2.6 \pm 0.4$             |          |        |        |               |           |             |                 |
| (3) 2,3,5,6-Tetramethylsulfanilamide in dioxane; $t = 35.0^\circ$   |          |        |        |               |           |             |                 |
| 0                                                                   | 1.0248   | 2.2290 | 2.0079 | 24.930        | 21.567    | ....        | ....            |
| 0.0017                                                              | 1.0279   | 2.2792 | 2.0087 | 25.658        | 21.597    | 450.66      | 39.11           |
| .0024                                                               | 1.0288   | 2.3288 | 2.0096 | 26.368        | 21.620    | 626.60      | 43.74           |
| .0031                                                               | 1.0297   | 2.3861 | 2.0107 | 27.141        | 21.642    | 742.79      | 45.92           |
| $\bar{P}_A + o$ (average) = 563.76; $\mu = 5.3 \pm 0.8$             |          |        |        |               |           |             |                 |
| (4) Phenylurethan in benzene; $t = 26.8^\circ$                      |          |        |        |               |           |             |                 |
| 0                                                                   | 0.8710   | 2.2684 | 2.2201 | 26.615        | 25.889    | ....        | ....            |
| 0.0068                                                              | .8734    | 2.3204 | 2.2225 | 27.498        | 26.049    | 157.24      | 23.67           |
| .0097                                                               | .8745    | 2.3342 | 2.2231 | 27.750        | 26.109    | 149.99      | 22.75           |
| .0156                                                               | .8766    | 2.3910 | 2.2238 | 28.678        | 26.225    | 129.20      | 21.59           |
| $\bar{P}_A + o$ (average) = 132.81; $\mu = 2.56 \pm 0.03$           |          |        |        |               |           |             |                 |
| (5) 2,3,5,6-Tetramethylphenylurethan in benzene; $t = 35.0^\circ$   |          |        |        |               |           |             |                 |
| 0                                                                   | 0.8619   | 2.2720 | 2.2171 | 26.950        | 26.117    | ....        | ....            |
| 0.0045                                                              | .8662    | 2.3041 | 2.2177 | 27.509        | 26.211    | 151.73      | 47.10           |
| .0060                                                               | .8676    | 2.3569 | 2.2183 | 28.303        | 26.248    | 253.20      | 48.02           |
| .0088                                                               | .8703    | 2.4430 | 2.2189 | 29.581        | 26.312    | 324.91      | 48.20           |
| $\bar{P}_A + o$ (average) = 195.51; $\mu = 3.1 \pm 0.8$             |          |        |        |               |           |             |                 |
| (6) 2,3,5,6-Tetramethylphenylurethane in dioxane; $t = 35.0^\circ$  |          |        |        |               |           |             |                 |
| 0                                                                   | 1.0366   | 2.2310 | 2.0079 | 24.695        | 21.351    | ....        | ....            |
| 0.0055                                                              | 1.0368   | 2.2935 | 2.0116 | 25.785        | 21.583    | 223.60      | 63.69           |
| .0069                                                               | 1.0369   | 2.3529 | 2.0133 | 26.652        | 21.653    | 308.32      | 65.12           |
| .0090                                                               | 1.0370   | 2.3711 | 2.0161 | 26.964        | 21.760    | 277.93      | 67.00           |
| $P_A + o$ (average) = 204.68; $\mu = 3.2 \pm 0.4$                   |          |        |        |               |           |             |                 |

15% aqueous sodium hydroxide solution (forty-five minutes), the solution carefully neutralized with acetic acid and the product recrystallized from 50% alcohol. It formed needles of m. p. 177–178°.

*Anal.* Calcd. for  $C_{10}H_{10}O_2N_2S$ : C, 52.6; H, 7.0; N, 12.3. Found: C, 52.5; H, 7.2; N, 12.4.

**2,3,5,6-Tetramethylbenzoic Acid.**—The Grignard compound, prepared from bromodurene (10 g.) and magnesium (10 g.) in ether–benzene (75 and 30 cc.), was treated with dry gaseous carbon dioxide. The acid was recrystallized from dilute alcohol and had m. p. 178°; yield, 50%.<sup>10</sup> The methyl ester, from the acid (0.4 g.) and dimethyl sulfate (2.5 g.) at room temperature, was best purified by

sublimation *in vacuo* (100–110° (25 mm.)). It formed prismatic plates of m. p. 60–61°.<sup>11</sup>

#### Measurements

$c$  = concentration;  $\delta$  = density;  $\epsilon$  = dielectric constant;  $n$  = refractive index;  $P^{1/2}$  = total polarization of the solution;  $P_{E^{1/2}}$  = electron polarization of the solution;  $\bar{P}, \bar{P}_E$  = the same for the solute;  $\bar{P}_A + o$  = atomic and orientation polarization for the solute.

REHOVOTH, ISRAEL

RECEIVED OCTOBER 27, 1947

(11) Jacobson, *Ber.*, **22**, 1223 (1889); Meyer and Woehler, *ibid.*, **29**, 2572 (1896).

(10) Beilstein, Vol. IX, p. 564.