

luted with water and the resulting solid filtered. This solid was recrystallized from acetone-water, giving 1.3 g. of yellow solid, melting over the range 185–203° (96% crude yield). A second recrystallization from this solvent did not improve the m.p. Recrystallization from a large amount of petroleum ether (b.p. 77–115°) gave 1 g. (74%) of yellow needles melting at 210–212°.

Anal. Calcd. for $C_{12}H_{10}O_3NBr$: Br, 27.38. Found: Br, 27.35, 27.30.

4-Aminodibenzofuran.—A procedure for the preparation of 2-aminodibenzofuran *via* metalation and reaction with O-methylhydroxylamine appears in the Doctoral Dissertation of Willis,⁹ but has not been published elsewhere. The following is a modification of that procedure.

To a solution of 42 g. (0.25 mole) of dibenzofuran in 150 ml. of anhydrous ether was added 0.4 mole of *n*-butyllithium.¹⁰ The solution was stirred at room temperature for 38 hours; at the end of this period, Color Test II¹¹ remained positive. To this solution (cooled in an ice-salt-bath) was added slowly 6.1 g. (0.13 mole) of O-methylhydroxylamine in 40 ml. of ether. The free amine was prepared from O-methylhydroxylamine hydrochloride¹² by treatment with 50% sodium hydroxide, the resulting vapors being passed over some pellets of potassium hydroxide in a heated U-tube and subsequently condensed. Soon after the addition of the base, Color Test I¹³ became negative. The solution was stirred an additional 2 hours and then hydrolyzed slowly with ice water. The ethereal layer was separated and the aqueous solution extracted twice with ether. The combined extracts were dried over sodium sulfate and the ethereal solution subsequently treated with dry hydrogen chloride to precipitate the amine hydrochloride. The 4-aminodibenzofuran hydrochloride was dissolved in 1 liter of water and the solution made alkaline. The tan colored amine was collected by filtration; the yield was 12.9 g. (54%, based on the O-methylhydroxylamine or 79%, based on the amount of dibenzofuran used), melting at 83–84°.

3-Nitrodibenzofuran from 3-Aminodibenzofuran.—Thirteen milliliters of concentrated hydrochloric acid, 8 ml. of water and 9.2 g. (0.05 mole) of 3-aminodibenzofuran were placed in the reaction flask and cooled in a salt-ice-bath. To this mixture was slowly added 4 g. of sodium nitrite in 10 ml. of water. The solution was then carefully neutralized with calcium carbonate and filtered. Into the filtrate was stirred 8.0 g. of finely powdered sodium cobaltinitrite, and the resulting crystalline diazonium salt was filtered. The diazonium cobaltinitrite (still wet) was added portionwise, at room temperature, to a well stirred solution of 5 g. of sodium nitrite and 5 g. of cupric sulfate in 40 ml. of water in which 3 g. of cupric oxide was suspended. This mixture was stirred overnight and filtered. The residue was refluxed with portions of glacial acetic acid and filtered. The combined filtrates were concentrated to about 100 ml. and cooled to allow crystallization of the 3-nitrodibenzofuran. There was thus obtained 7.6 g. (71%) of crude product melting from 140–152°. Two recrystallizations from glacial acetic acid brought the m.p. range to 165–179°. An additional recrystallization from absolute ethanol and finally again from glacial acetic acid brought the m.p. to 181–182°; the final yield was 3.3 g. (31%). A mixed m.p. with authentic 3-nitrodibenzofuran was not depressed.

4-Nitrodibenzofuran from 4-Aminodibenzofuran.—Into the reaction flask were placed 9 ml. of hydrochloric acid, 5 ml. of water and 6.1 g. (0.0333 mole) of 4-aminodibenzofuran; this mixture was cooled in a salt-ice-bath. Sodium nitrite (2.5 g.) in 10 ml. of water was added slowly. The diazonium cobaltinitrite was prepared and decomposed as above. Recrystallization from dilute ethanol gave a yellow solid, melting from 60–90°; further recrystallization from this solvent did not improve the m.p. One recrystallization from petroleum ether (b.p. 77–115°) raised the m.p. range to 132–136°. Two additional recrystallizations gave tan needles melting at 138–139°; the same m.p. for 4-nitrodibenzofuran is reported by Yamashiro.¹⁴ The final yield

(9) H. B. Willis, Doctoral Dissertation, Iowa State College, 1943.

(10) H. Gilman, J. A. Beel, C. G. Brannen, M. W. Bullock, G. E. Dunn and L. S. Miller, *THIS JOURNAL*, **71**, 1499 (1949).

(11) H. Gilman and J. Swiss, *ibid.*, **62**, 1847 (1940).

(12) Eastman Kodak Company, White Label.

(13) H. Gilman and F. Schulze, *THIS JOURNAL*, **47**, 2002 (1925).

(14) S. Yamashiro, *J. Chem. Soc. Japan*, **59**, 945 (1938) [*C. A.*, **33**, 603 (1939)].

was 1.5 g. (21%); in a second run, eliminating the ethanolic recrystallization, a 28% yield was obtained.






DEPARTMENT OF CHEMISTRY
IOWA STATE COLLEGE
AMES, IOWA

5-Aralkylidene-3-isobutyl-2,4-thiazolidinediones

BY CHIEN-PEN LO, ELWOOD Y. SHROPSHIRE AND
W. J. CROXALL

RECEIVED MARCH 14, 1953

A number of isobutyramides of unsaturated acids, *e.g.*, affinin (I),^{1,2} herculin (II),^{3,5} pellitorine (III)^{4,5} and scabrin (IV),⁶ have been isolated from various plants and shown to have insecticidal properties comparable to pyrethrins. Many fagaramides (V)⁷ and piperamides (VI)^{8,9} are known to



have synergistic activity with pyrethrum. All these are derivatives of acrylamide. It is also known that some N-alkyl cyclic imides of the general structure VII¹⁰ are synergists for pyrethrins. The present paper reports the synthesis of a few 5-aralkylidene-3-isobutyl-2,4-thiazolidinediones (VIII) which contain both the acrylamide and the cyclic imide structures for testing as fly toxicants. These compounds were prepared by the isobutylation of 5-aralkylidene-2,4-thiazolidinediones. The choice of the isobutyl group is based on the fact that all the aforementioned naturally occurring unsaturated acid amides are isobutylamides and that N-isobutylundecylenamide¹¹ is a synergist for

(1) (a) F. Acree, M. Jacobson and H. L. Haller, *J. Org. Chem.*, **10**, 237 (1945); (b) F. Acree, M. Jacobson and H. L. Haller, *ibid.*, **10**, 449 (1945); (c) M. Jacobson, F. Acree and H. L. Haller, *ibid.*, **12**, 731 (1947).

(2) For simplicity, the name affinin is used here despite the fact that the original authors proposed to discontinue the use of this name (ref. 1c).

(3) M. Jacobson, *THIS JOURNAL*, **70**, 4234 (1948).

(4) M. Jacobson, *ibid.*, **71**, 366 (1949).

(5) There is now some doubt as to the correctness of the gross structures originally assigned to natural herculin and pellitorine. See L. Crombie, *J. Chem. Soc.*, 2997, 4338 (1952); *Chem. and Ind.*, 1034 (1952). We are grateful to the referee for this information.

(6) M. Jacobson, *THIS JOURNAL*, **73**, 100 (1951).

(7) S. I. Gertler and H. L. Haller, U. S. Patent 2,326,350 (1943).

(8) E. K. Harvill, A. Hartzell and J. M. Arthur, *Contrib. Boyce Thompson Inst.*, **13**, 87 (1944).

(9) Piperine, the piperide of piperic acid, (VI, $RR' = -(CH_2)_9-$) is highly toxic to houseflies either used alone or in combination with pyrethrum (ref. 8).

(10) (a) H. W. Arnold and N. E. Searle, U. S. Patent 2,462,835 (1949); (b) A. A. Schreiber, U. S. Patent 2,476,512 (1949).

(11) (a) A. Weed, *Soap*, **14**, 133 (1938); (b) E. W. Bousquet, U. S. Patent 2,166,119-20 (1939); (c) W. A. L. Davis and P. Bracey, *Nature*, **153**, 594 (1944).

