


**Figure 1.** Raman cell for the internal reflection mode. The incident angle which depends on the geometry was ca.  $74^\circ$  and greater than the critical angle in the present geometry where the interface was parallel to the laser beam propagating in air ( $z$  axis). Raman scattering was observed in the direction along the  $y$  axis and perpendicular to the electrode surface (arrangement A) or perpendicular to the plane of incidence by rotating the cell  $90^\circ$  around the  $z$  axis (arrangement B). The electric vector of the incident laser beam was parallel to the interface in A and parallel to the plane of incidence in B.



**Figure 2.** Current-potential curve (A) and the change in the internal reflection resonance Raman intensity at  $1625\text{ cm}^{-1}$  of the adsorbed MB at  $\text{SnO}_2$  electrode-aqueous solution interface as a function of the applied potential for the cyclic linear sweep mode (scan rate  $4.8\text{ mV s}^{-1}$ ) on anodic sweep (B) and on cathodic sweep (C).  $1 \times 10^{-4}\text{ M}$  MB in  $1 \times 10^{-2}\text{ M}$  aqueous KCl solution. Raman scattering was observed with the arrangement B in Figure 1.

$1042, 1167, 1187, 1302, 1365,$  and  $1472\text{ cm}^{-1}$ . The relative intensities of these bands were different from those observed in the spectrum excited at  $488.0\text{ nm}$ . Observation of the internal reflection resonance Raman spectra of the adsorbed MB at the quartz-aqueous and at the  $\text{SnO}_2$  electrode-aqueous solution interfaces in the wavenumber region less than  $1250\text{ cm}^{-1}$  was not easy because of interference of the high background Raman scattering from quartz or glass substrate of OTE. Although the spectra obtained at both interfaces are very similar to that of solution, the observed spectra can be considered to be due to the adsorbed MB because of the presence of a negligibly slight amount of MB solute within the penetration depth compared with the adsorbed MB at the concentration measured.<sup>3,18</sup>

The change in Raman intensity at  $1625\text{ cm}^{-1}$  of adsorbed MB as a function of the applied potential is shown in Figure 2 for the cyclic linear sweep mode. The internal reflection resonance Raman spectra of adsorbed MB disappeared as expected when the adsorbed MB was reduced to leuco-MB at more cathodic potential than  $-0.4\text{ V vs. SCE}$ . The decrease of the Raman intensity observed with increase of anodic potential can be interpreted by the decrease of the amount of

adsorbed MB due to the repulsion of adsorbed MB cation with increasing positive charge of the electrode surface. This potential dependence of adsorption and the decrease of the amount of adsorbed MB due to the change in the surface charge with lowering pH of the aqueous solution in contact with the quartz surface have been confirmed previously<sup>18,19</sup> using IRS in the visible region.

In conclusion, Raman spectra of the adsorbed submonolayer at solid-solution interface were obtained without interference from species in bulk solution using internal reflection resonance Raman spectroscopy. Reabsorption of Raman scattering troublesome in resonance Raman spectroscopy can be neglected in this mode. This method can be applicable widely for the study of a variety of interfaces<sup>20</sup> in situ involving electrode-solution interfaces with OTE.

**Acknowledgment.** The authors would like to acknowledge their indebtedness to Professors M. Ito and K. Kaya and Dr. N. Mikami of Department of Chemistry for permitting the use of their Raman spectrograph and for their helpful discussion. The authors are also grateful to Professor S. Hayano of the University of Tokyo for stimulating discussion.

## References and Notes

- (1) This work was presented at the 21st Symposium of Polarography, Kyoto, Nov 1975, and at the 43rd annual meeting of the Electrochemical Society of Japan, Tokyo, April 1976.
- (2) Papers in "Optical Studies of Adsorbed Layers at Interfaces", in *Symp. Faraday Soc.*, No. 4, (1970).
- (3) Chapters in R. H. Muller, Ed., *Adv Electrochem. Electrochem. Eng.*, 9 (1973).
- (4) T. Kuwana and N. Winograd, "Electroanalytical Chemistry", Vol. 7, A. J. Bard, Ed., Marcel Dekker, New York, N.Y., 1974, pp 1-78.
- (5) M. Fleischmann, P. J. Hendra, and A. J. McQuillan, *J. Chem. Soc., Chem. Commun.*, 80-81 (1973); *Chem. Phys. Lett.*, 26, 163-166 (1974).
- (6) R. L. Paul, A. J. McQuillan, P. J. Hendra, and M. Fleischmann, *J. Electroanal. Chem.*, 66, 248-249 (1975).
- (7) J. S. Clarke, A. T. Kuhn, and W. J. Orville-Thomas, *J. Electroanal. Chem.*, 54, 253-262 (1974).
- (8) D. L. Jeanmaire, M. R. Suchanski, and R. P. Van Duyne, *J. Am. Chem. Soc.*, 97, 1699-1707 (1975).
- (9) M. R. Suchanski and R. P. Van Duyne, *J. Am. Chem. Soc.*, 98, 250-252 (1976).
- (10) D. L. Jeanmaire and R. P. Van Duyne, *J. Electroanal. Chem.*, 66, 235-247 (1975).
- (11) A. H. Reed and E. Yeager, *Electrochim. Acta*, 15, 1345-1354 (1970).
- (12) W. R. Heinemann, J. N. Burnett, and R. W. Murray, *Anal. Chem.*, 40, 1974-1978 (1968).
- (13) J. Fahrenfort, *Spectrochim. Acta*, 17, 698-709 (1961).
- (14) N. J. Harrick, *J. Phys. Chem.*, 64, 1110-1114 (1960).
- (15) T. Ikeshoji, Y. Ono, and T. Mizuno, *Appl. Opt.*, 12, 2236-2237 (1973).
- (16) W. Kiefer and H. J. Bernstein, *Appl. Spectrosc.*, 25, 609-613 (1971).
- (17) M. Fujihara and T. Kuwana, *Electrochim. Acta*, 20, 565-573 (1975).
- (18) S. Hayano, M. Fujihira, and T. Ujii, "Internal Reflection Spectroscopic Studies of Adsorbed Layers at Interfaces", Abstract of Japan-USSR Seminar on Electrochemistry, 1974, pp 37-42; *Bull. Chem. Soc. Jpn.*, submitted for publication.
- (19) M. Fujihira, T. Osa, and S. Hayano, *Rev. Polarogr.*, 21, 160-161 (1975).
- (20) Recently the application of this method to the study of a monolayer adsorbed at the interface between carbon tetrachloride and an aqueous solution of cetyltrimethylammonium bromide and methyl orange has been reported: T. Takenaka and T. Nakanaga, *J. Phys. Chem.*, 80, 475 (1976).

Masamichi Fujihira,\* Tetsuo Osa

Pharmaceutical Institute, Tohoku University  
Aobayama, Sendai, 980, Japan


Received May 17, 1976

## Direct Observation of a Sulfurane Intermediate in the Neighboring-Sulfide-Assisted Thermolysis of a Perester<sup>1</sup>

Sir

The anchimeric acceleration of O-O homolysis in perester **1a** in chlorobenzene at  $60^\circ\text{C}$  amounts to a factor of  $2.45 \times 10^4$  relative to **1b**.<sup>2</sup> Peresters **1c-f** and **2** also exhibit substantial rate enhancements mediated by neighboring group participation in reactions leading primarily to free radicals.<sup>2-6</sup>

In 1962, sulfurane **3** was postulated as a logical albeit unprecedented intermediate in the thermolysis of **1a**.<sup>2</sup> The recent



isolation of a stable sulfurane from decomposition of a bis perester,<sup>1a</sup> the discovery of similar reactions leading to hypervalent iodine species,<sup>7,8</sup> and the large body of recent work on sulfuranes,<sup>9</sup> especially work suggesting that **3** might be unusually stable by dint of its apical-equatorial five-membered ring,<sup>10</sup> led us to reexamine the decomposition of perester **1a**. We report herein strong support for the 1962 postulate.


In addition to the expected peaks recording the first-order disappearance of perester **1a** ( $k = 2.41 \times 10^{-3} \text{ s}^{-1}$ ; 70 °C in chlorobenzene) and the appearance of acetone, and *tert*-butyl alcohol, an examination of the NMR spectrum of the reaction mixture at intermediate times shows a singlet at 1.21 ppm, tentatively assigned to sulfurane **3** (*tert*-butyl group) on the basis of two facts. (1) The signal grows to a maximum intensity after about 12 min at 70 °C corresponding to ca. 19% of the original intensity of **1a**, then decreases to zero. (2) The 1.21-ppm peak disappears completely, the *tert*-butyl alcohol peak increases in area, and all other peaks in the aliphatic C-H region are unchanged when a drop of D<sub>2</sub>O is added to a reacting sample of **1a**. The tentative assignment was verified by synthesis and characterization of sulfurane **3**.

Reaction of a stirred suspension of potassium *o*-(phenylthio)benzoate, **4**, in dry CCl<sub>4</sub> with an equimolar amount of *tert*-butyl hypochlorite, added in one portion in an inert atmosphere glove box at ambient temperature, afforded, after filtration and addition of dry pentan<sub>2</sub> to the filtrate, a white, crystalline, water-sensitive solid, **3**: <sup>1</sup>H NMR (100 MHz, C<sub>6</sub>H<sub>5</sub>Cl), 1.18 (s, C(CH<sub>3</sub>) of **3**),<sup>11</sup> 1.15 ppm (s, (CH<sub>3</sub>)<sub>3</sub>COH impurity from hydrolysis); <sup>13</sup>C NMR (15 MHz, CDCl<sub>3</sub>), 28.9 ppm (s, CH<sub>3</sub>) and 84.0 ppm (s, CMe<sub>3</sub>); infrared (CHCl<sub>3</sub>), 1640 cm<sup>-1</sup>.<sup>12</sup>


At 70 °C the <sup>1</sup>H NMR of a chlorobenzene solution of **3** shows the 1.18-ppm peak decaying in intensity and shifting progressively downfield to 1.21 ppm. New peaks arise at 1.61 (t,  $J = 0.8$  Hz, isobutylene CH<sub>3</sub>) and 1.41 ppm (s, *tert*-butyl group of ester **5**). Upon cooling, the solution deposits crystalline **6**.<sup>13</sup> Based on studies of sulfuranes analogous to **3**,<sup>14</sup> the observed products **6** and isobutylene are those expected from decomposition of **3**. Thus there is little doubt that the product of the reaction of **4** with *tert*-butyl hypochlorite is the desired sulfurane **3**. (See Scheme I.)

Evidence for the involvement of **3** in the pyrolysis of **1a** at 70 °C is seen in <sup>1</sup>H NMR, <sup>13</sup>C NMR, and infrared spectro-

Scheme I



Scheme II



scopic evidence for the presence of **3** at intermediate times and its absence from the final reaction mixture.

Decomposition of the isolated sulfurane **3** in chlorobenzene or in chlorobenzene containing products of decomposition of **1a** produces no detectable acetone (by NMR), nor any *tert*-butyl alcohol in excess of that present initially as the result of unavoidable hydrolysis. Both acetone and *tert*-butyl alcohol are major products of the decomposition of **1a**, and report the intermediacy of *tert*-butoxy radicals in the system. A reexamination of this product mixture shows, in addition to the previously reported<sup>2</sup> **6**, a minor amount of **5**. The reasons for the larger amounts (ca. 45%) of **5** formed in the decomposition of pure **3** will be discussed in a later paper.

These observations drastically contract the set of possible mechanistic descriptions of the anchimerically assisted decomposition of **1a**. One description which is consistent with these results is outlined in Scheme II.<sup>15</sup>

The absence of acetone, a product signature of the *tert*-butoxy radical, from among the decomposition products of **3** rules out path c—rapid rearrangement of **1a** to **3**, perhaps by an intramolecular biphilic insertion of sulfur into the O-O bond<sup>16</sup>—followed by rate-determining decomposition of **3** (paths e and f) as the sole mechanistic route to all products. Either step a is rate-determining, with the radical pair defining the watershed between radical- and sulfurane-type products or loss of **1a** occurs by the two competing routes a and c, **1a** itself being the branch point. This latter possibility is less likely, since the rate constant for loss of **1a** is linearly correlated with solvent polarity, while the fraction of scavengeable radicals from **1a** is entirely uncorrelated with solvent polarity.<sup>3</sup>


Several reasonable mechanisms detailing step f may be written; work directed at establishing the details of this heterolysis is in progress.

**Acknowledgment.** This research was supported in part by Grant No. MPS 75-17742 from the National Science Foundation and in part by Grant CA 13963 from the National Cancer Institute. We thank Dr. T. Balthazor for the results of certain preliminary experiments in a related system, which will be described elsewhere.


## References and Notes

- (1) (a) Paper 8 in a series on anchimerically accelerated bond homolysis; for paper 7 see J. C. Martin and M. M. Chau, *J. Am. Chem. Soc.*, **96**, 3319 (1974). (b) Paper 23 in a series on sulfuranes; for paper 22 see J. C. Martin and T. M. Balthazor, *ibid.*, in press.
- (2) W. G. Bentrude and J. C. Martin, *J. Am. Chem. Soc.*, **84**, 1561 (1962).
- (3) D. L. Tuleen, W. G. Bentrude, and J. C. Martin, *J. Am. Chem. Soc.*, **85**, 1938

- (1963).  
 (4) R. J. Arhart, Ph.D. Thesis, University of Illinois, 1971.  
 (5) (a) T. W. Koenig and J. C. Martin, *J. Org. Chem.*, **29**, 1520 (1964); (b) J. C. Martin and T. W. Koenig, *J. Am. Chem. Soc.*, **86**, 1771 (1964).  
 (6) T. H. Fisher and J. C. Martin, *J. Am. Chem. Soc.*, **88**, 3382 (1966).  
 (7) The decomposition of bis(2-iodobenzoyl) peroxide in solution was found by J. E. Leffler, R. D. Faulkner, and C. C. Petropoulos, *J. Am. Chem. Soc.*, **80**, 5435 (1958), to result in isomerization to a trivalent iodine species.



- (8) This rearrangement also occurs in the solid state; J. Z. Gougoutas and J. C. Clardy, *J. Solid State Chem.*, **4**, 230 (1972); J. Z. Gougoutas and L. Lessinger, *ibid.*, **9**, 155 (1974).  
 (9) For a recent review, see J. C. Martin and E. F. Perozzi, *Science*, **191**, 154 (1976).  
 (10) J. C. Martin and E. F. Perozzi, *J. Am. Chem. Soc.*, **96**, 3155 (1974).  
 (11) In a chlorobenzene medium containing final products of the decomposition of **1a**, **3** appears at  $\delta$  1.21.  
 (12) The carbonyl stretching frequency is consistent with that expected for **3** from observations on a series of related sulfuranes. A full report is in preparation.  
 (13)  $\alpha$ -(Phenylthio)benzoic acid prepared by the method of J. Jilek, V. Seidlova, E. Stvatek, and M. Protiva, *Monatsh. Chem.*, **96**, 182 (1965), upon treatment with ozone afforded **6**, mp 164–165 °C, in agreement with **6** reported by W. S. Weedon and H. W. Doughty, *Am. Chem. J.*, **33**, 386 (1905), mp 164 °C.  
 (14) R. J. Arhart and J. C. Martin, *J. Am. Chem. Soc.*, **94**, 5003 (1972).  
 (15) Note that the evidence which was adduced in earlier work<sup>3</sup> for sulfur-oxygen bonding such as that pictured in Scheme II for the intermediate sulfuranyl radical is strictly applicable only to the transition state leading to the radical. The intermediate may well be in equilibrium with an acyclic zwitterionic analogue and in fact the latter may be the preferred formulation. W. A. Pryor and W. H. Hendrickson, *J. Am. Chem. Soc.*, **97**, 1580 (1976), have discussed evidence for an electron-transfer mechanism for the intermolecular reaction between peresters and sulfides to yield radicals.



- (16) B. S. Campbell, D. B. Denney, D. Z. Denney, and L. Shih, *J. Am. Chem. Soc.*, **97**, 3850 (1975). For closely related work see W. A. Pryor and H. T. Bickley, *J. Org. Chem.*, **37**, 2885 (1972).

P. Livant, J. C. Martin\*

Roger Adams Laboratory, University of Illinois  
 Urbana, Illinois 61801

Received August 9, 1976

## Reactions of Magnesium Atoms with Cyclic Ketones

Sir:

In recent years the reactions of metal atoms with organic substrates, through the technique of codeposition at low temperatures, have been an active area of chemical research.<sup>1</sup>

We wish to report the first investigations of the reactions of ketones with metal atoms and to specifically focus on the reactions of magnesium atoms with cycloheptanone for reasons which will be made clear later in this communication. Although reactions of magnesium atoms with water, ammonia, and alkyl halides have been reported previously<sup>2</sup> and very reactive magnesium slurries have been prepared by this codeposition technique,<sup>3</sup> nowhere have the reactions of magnesium atoms with ketones been discussed. It should be pointed out at the outset that products from magnesium atom reactions with ketones reported herein are not found when clean finely divided bulk magnesium<sup>3</sup> is allowed to react with the same ketones; indeed, when this experiment was done only a trace of product, unlike that from the atom reactions, could be detected. A metal atom reactor similar to the one described by Skell and Wescott<sup>4</sup> but modified to use a resistively heated alumina crucible was used.

When magnesium is codeposited with cyclopentanone at 77 K we find, among the products, substantial amounts of cy-

cloptene and 1,1'-dihydroxydicyclopentyl. Similarly if one allows magnesium and cyclohexanone to react under these conditions substantial amounts of cyclohexene and 1,1'-dihydroxydicyclohexyl are produced.

The isolation of the olefinic products in these reactions, clearly indicating deoxygenation by the magnesium vapors, led us to suggest a carbene or carbenoid intermediate. Thermodynamic calculations based on bond energies and the heat of vaporization of magnesium oxide<sup>5</sup> suggest that the reaction of magnesium atoms with cyclic ketones to yield carbenacycloalkanes and magnesium oxide should be exothermic by at least 55 kcal mol<sup>-1</sup>. The absence of a product resulting from a reaction unique to carbenes in the aforementioned reactions, however, pointed out the necessity of investigating another system which would yield data on this point.

Friedman and Schechter have reported on the thermolysis of diazocycloalkanes to yield carbenacycloalkanes.<sup>6</sup> In this work they have shown that carbenacyclopentane yields cyclopentene as the only product. Similarly carbenacyclohexane yields only cyclohexene but, on the other hand, carbenacycloheptane yields cycloheptene (82%) and norcarane (18%). The latter product, clearly, is the result of carbon-hydrogen insertion of the divalent carbon, a reaction which is unique to carbene or carbenoid species.

With this background we proceeded to investigate the reaction of atomic magnesium with cycloheptanone. The reaction is carried out using the usual codeposition technique with the reactor immersed in liquid nitrogen.<sup>4</sup> Approximately 200 mg of magnesium was vaporized in a typical run. Upon completion of the codeposition, the liquid nitrogen is removed, and any volatile products and unreacted substrate are pumped into a liquid nitrogen cooled trap from which they can subsequently be removed and analyzed by gas chromatography. The residue in the reactor is then taken up in ether and filtered from the insoluble material and the solution allowed to evaporate. The resulting oil is analyzed by high pressure liquid chromatography.

We have found that 13% of the magnesium vaporized can be accounted for as leading to 1,1'-dihydroxydicycloheptyl. Another 13% of the magnesium can be accounted for by the volatile hydrocarbon products. In addition there is considerable gray ether insoluble residue containing unreacted magnesium. Apparently a major portion of the magnesium repolymerizes, a result not uncommon in metal atom chemistry.<sup>1</sup>

Analysis of the volatile products shows that they consist of cycloheptene (91%), norcarane (5%), and cycloheptane (4%). The ether soluble nonvolatile oil contains 37% 1,1'-dihydroxydicycloheptyl, the balance being a mixture of aldol condensation products. The hydrocarbon products were identified by comparing their gc retention times (Carbowax 20 M and S. E. 30) and mass spectra to those of authentic samples. The 1,1'-dihydroxydicycloheptyl was identified by comparing its HPLC retention time (Corasil II, 60/40 volume/volume *n*-heptane/chloroform) to that of an authentic sample prepared according to the procedure of Greidinger and Ginsburg.<sup>7</sup> In addition, crystals were isolated from the oil (mp 76–78 °C, reported 78 °C) by adding cold *n*-hexane and allowing the solution to stand overnight at 5 °C. These crystals gave an IR spectrum identical with the authentic sample and when mixed with the authentic sample, caused no depression of its melting point.

The isolation of norcarane among the hydrocarbon products requires the intervention of a carbene or carbenoid species and the formation of cycloheptane suggests a certain amount of triplet carbenacycloheptane. Although the aldol condensation products were not individually isolated and identified, the oil, in addition to the 1,1'-dihydroxydicycloheptyl, shows a distribution of products by HPLC which bear a striking resemblance to the aldol condensation products obtained from cy-